

DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/Committee II(b) Category/8th Meeting /2017/4452-56 Dated: 17/10/17

Subject: Minutes of the 8th Meeting of the Committee for II(b) Category Cases constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on 12.10.2017 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Please find enclosed herewith the Minutes of the 8th Meeting of the aforementioned Committee, held on 12.10.2017 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.

(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC.

(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

Minutes of the 8th Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016, **held on 12.10.2017 in the conference room of Chairman, DPCC at Delhi Secretariat, New Delhi-110002.**

As per Office Order Dated 31.05.2017, Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 of the cases falling under Category II(b) [activities / process other than those falling under clause II(a) of the said order] are to be decided by the Committee headed by Member Secretary, DPCC and consisting of all SEEs & EEs of the concerned Cell.

Attendance Sheets for meeting on 12.10.2017 are enclosed as Annexure "A".

Following are the Minutes of the Meetings:-

Agenda Item No 1: Pending cases of Consent to Establish and Consent to Operate / Renewal of the Period 01.01.2017 to 01.02.2017 (in reverse chronology).

Decisions were taken online in these cases and list of 88 no. of units including decisions taken in these cases are at Annexure - I.

Agenda Item No 2: Pending cases of Consent to Establish and Consent to Operate / Renewal of the Period 01.03.2012 to 31.03.2014.

This agenda could not be taken up by the Committee due to paucity of time and it was decided to take up this agenda in the next CMC meeting.

Table Agenda Item No. 1: 20 cases were taken up by the Committee with the permission of Chairman of the Committee.

Decisions were taken online in these cases and list of 20 no. of units including decisions taken in these cases are at Annexure - II.

Chairman of the Committee has taken a serious view that most of the CMCs does not give any recommendation for considering the case in the meeting due to which the case is delayed unnecessary. Hence, all CMCs are directed to prepare all the cases with their recommendations positively in future.

A collection of handwritten signatures and initials in black ink, located at the bottom of the page. The signatures are varied in style, some appearing to be full names and others as initials or abbreviations. They are spread across the width of the page, with some overlapping.

Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on the lists mentioned above (**Annexure-I & II**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.




(S.M. Ali)
Member Secretary, DPCC




(Dr. Chandra Prakash)
SEE, CMC-II



(M. Arif)
~~SEE, CMC-III~~




(B.L. Chawla)
SEE, CMC-I




(P.S. Pankaj)
Incharge / EE, CMC-I




(Satender Kumar)
SEE, CMC-V



(Shyam Sunder)
EE, CMC-I




(M.S. Rawat)
EE, CMC-V



(Sanjay Vatts)
EE, CMC-II




(Ramesh Chandra)
EE, CMC-II



(Amit Chaudhary)
EE, CMC-III



(Sunil Kumar)
EE, CMC-IV



(Surender Singh)
EE, CMC-V



(K. Kumar)
EE, CMC-IV



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 8th meeting on 12.10.2017 w.r.t. Agenda Item No 1 - 88 Pending Cases of Consent to Establish and Consent to Operate / Renewal of the period 01.01.2017 to 28.02.2017 (in reverse chronology) (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	GKB HI TECH LENSES PVT. LTD.	C-67/1, OKHLA INDUSTRIAL AREA	02-01-2017	DPCC/EC/2/1/2017/16712	MFG. OF OPTHALMIC LENSES WITH TREADE EFFLUENT DISCHARGE. Contact Lens (with Trade Effluent)	Orange Establish	Non-SPI		Status of Pollution Control System (1) ETP - Yes (2) ECS - N/A (3)D.G.Set: 160 KVA Status of Ground Water extraction : Nil Water Consumption - 5000 ltr/day, Source- DJB (Bill not enclosed) Status of Inspection : Yes on 12.01.2017 SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33 (A)/5 of EPA details : No As decided in common file, the unit was inspected by DPCC Officials / representatives on 12.01.2017 during inspection of unit M/s P. R. Apparel Pvt. Ltd. in the premises and following were observed during inspection:- - Unit found in operational and engaged in the activity of Mfg. of Opthalamic Lenses with trade effluent discharge. - Unit has has installed ETP and same found in operational however sludge drying bed found dry and no wet / dry sludge observed at site. hence it reveals its not operating ETP regularly. - Logbook of ETP not maintained / available at site. flowmeter at inlet and outlet of ETP not installed. - Unit having 1 DG Set (160 KVA) lying at G.F. with acoustic enclosure however, stack height inadequate. - 1 borewell exist and permission from from DJB / CGWA not shown. - Unit operating since October 2016 without obtaining CTO from DPCC.	-	17-01-2017 - Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 As decided, SCN u/s 33(A) of Water Act and u/s 31(A) of Air Act and a letter regarding submission of the requisite consent fee for the period unit became operational along with supporting documents regarding date of commissioning of the unit was issued to unit on 13.02.2017. No reply has been received so far.	12-10-2017 Implement the decision dated 20.09.2017.
2	LLOYD SAFE CO.	N/29-A, GALI NO.4, ANAND PARBAT INDUSTRIAL AREA	03-01-2017	DPCC/EC/2/1/2017/16716	MANUFACTURING OF STEEL AND WOODEN FURNITURE (WITHOUT PHOSPHATING	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 13-03-2007	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A	.	09-08-2017 .	12-10-2017 Inspection be conducted.

					ACTIVITY). Polishing, Painting, Varnishing etc on goods, furniture etc.			Authorisation Status Pending	(3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no			
3	MANISH PLASTICS	N-20, SECTOR-5, BAWANA INDUSTRIAL AREA	03-01-2017	DPCC/EC/2/1/2017/16719	MANUFACTURING OF PVC DANA. Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI			Effluent Analysis Report- N/A Emission Monitoring Report submitted on 19.12.2016 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report- N/A	21-07-2017 . Remarks/ATR on 12-10-2017 .	12-10-2017 Consent to Establish granted.
4	J S INDUSTRIES	E-8 (1ST AND 2ND FLOOR) SMA INDUSTRIAL AREA, G.T. KARNAL ROAD	04-01-2017	DPCC/EC/2/1/2017/16723	BUFFING AND POWDER COATING OF HARDWARE GOODS (HINGES , DOOR FITTINGS ETC). WITHOUT PHOSPHATING Powder Coating without phosphating Process Involving Buffing	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Attached to extruder 3. D.G. set- N/A Plot Area- 200 sq mt Date of Establishment/ Commencement- 09.09.2016 Status of Ground Water Extraction-No 1.Water consumption- 70 L/day Source- Outside Cans (Bill not submitted) Inspection status- No	Effluent analysis report -N/A Emission monitoring report - Yes, issued by DPCC on 16.11.2016 Parameters are within prescribed limit. Noise Test Report- Yes, issued by DPCC on 22.11.2016 Parameters are within prescribed limit.	18-01-2017 As per decision dated 23.12.16, consent to establish granted. Subsequently, Inspection yet to be conducted. Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 Inspection conducted on 10.10.2017 and findings are- 1. Unit found operational and enaged in the activity of Buffing and powder coating (without phosphating) on hardware item. 2. ECS (dust collector) found installed with buffing section and found working. 3. ECS (inbuilt cyclone) found installed with powder coating section and found working. D.G. sets found with acoustic enclosure and adequate stack height.	12-10-2017 Consent to Operate granted.
5	ELEGANT FASHIONS	D-15, 1ST FLOOR, G.T.KARNAL ROAD, S.M.A INDUSTRIAL AREA	04-01-2017	DPCC/EC/2/1/2017/16724	Manufacturing of Readymade Garments Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Orange Operate	Non-SPI				03-10-2017 . Remarks/ATR on 12-10-2017 Inspection conducted on 10.10.2017 and findings are- 1. Unit found operational and enaged in the activity of cutting, pressing & packing of hoisery goods (stitching done outside). 2. A small automatic electric boiler used for pressing the clothes without any emission. Unit is also non water polluting.	12-10-2017 Consent to Operate granted.
6	PRINTCRAFT	5/23 (GR. FLOOR), KIRTI NAGAR INDUSTRIAL AREA	04-01-2017	DPCC/EC/2/1/2017/16732	Offset Printing (without trade effluent discharge) Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no		09-08-2017 . Remarks/ATR on 13-09-2017 -An inspection was carried out by DPCC representatives on 25.05.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of repairing, servicing & washing of 2 wheeler automobiles. 2. 1 No of D. G. set of 25 KVA installed with acoustic enclosure and adequate stack height 3. ETP plant was installed in the unit & is in proper working condition. 4. HWM guidlines are being followed. Consent to Establish may be granted.	12-10-2017 Consent to Establish granted.
7	MANISH PLASTICS	N-20, SECTOR-5, BAWANA INDUSTRIAL AREA	04-01-2017	DPCC/EC/2/1/2017/16733	MANUFACTURING OF PVC DANA. Reprocessing of Waste Plastic / PVC	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Attached to extruder 3. D.G. set- N/A Plot Area- 200 sq mt	Effluent Analysis Report- N/A Emission Monitoring Report submitted on 19.12.2016 issued by DPCC. Parameters are within prescribed limits.	21-07-2017 . Remarks/ATR on 12-10-2017 Status of Pollution Control system Devices-	12-10-2017 Consent to Establish granted. Also inspection be conducted.

					(without Washing Activity)				Date of Establishment/ Commencement- 09.09.2016 Status of Ground Water Extraction-No 1.Water consumption- 70 L/day Source- Outside Cans (Bill not submitted) Inspection status- No	Noise Monitoring report- N/A	1. ETP- N/A 2. ECS- Attached to extruder 3. D.G. set- N/A Plot Area- 200 sq mt Date of Establishment/ Commencement- 09.09.2016 Status of Ground Water Extraction-No 1.Water consumption- 70 L/day Source- Outside Cans (Bill not submitted) Inspection status- No Effluent Analysis Report- N/A Emission Monitoring Report submitted on 19.12.2016 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report- N/A	
8	PADIA EXPORT PVT. LTD.	D-35 SMA INDL. AREA	04-01-2017	DPCC/EC/2/1/2017/16740	SHEET METAL WORKS. Buffing on Metal	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS-Yes, (stack attached to exhaust of buffing section) 3. D.G. set- 1X 82.5 KVA & 1 X 125 KVA Plot Area-1027.6 sq mt Date of Commencement- 01.08.2011 Status of Ground Water Extraction-No 1.Water consumption- 500 L/day. Source- DJB (bill submitted) Status of Inspection- Yes An inspection was conducted on 03.11.2016 and the observation/deficiencies found in the unit are as follows: 1. Unit found in operation and engaged in the activity of mfg. of utensils by process of pressing, buffing, painting, finishing and packing. 2. ECS has been provided with buffing addas. Suction not being carried out. 3. Out of 3 D.G. sets, one D.G. set of 125.0 KVA found in non-operational condition. SCN was issued on 28.11.2016 for the deficiencies observed during inspection and hiding the facts regarding activity. Unit has replied stating that unit have installed 18 buffing machines and 1 coloring machine and requested to change the consent from Green category to Orange category.	Effluent analysis report - N/A Emission monitoring report issued on 04.01.2017 by DPCC. Parameters are within prescribed limits. Noise monitoring reports issued on 30.12.2016 by DPCC. Parameters are within prescribed limits.	18-01-2017 As per decision of Committee dated 23.12.16, Consent to establish under orange category for changed activity issued and the consent under green category which was valid have been revoked. Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS-Yes, (stack attached to exhaust of buffing section) 3. D.G. set- 1X 82.5 KVA & 1 X 125 KVA Plot Area-1027.6 sq mt Date of Commencement- 01.08.2011 Status of Ground Water Extraction-No 1.Water consumption- 500 L/day. Source- DJB (bill submitted) Status of Inspection- Yes An inspection was conducted on 03.11.2016. SCN was issued on 28.11.2016 for the deficiencies observed . Unit has replied stating that unit have installed 18 buffing machines and 1 coloring machine and requested to change the consent from Green category to Orange category. As per decision of Committee dated 23.12.16, Consent to establish under orange category for changed activity issued and earlier consent under green category revoked. Unit inspected on 15.05.2017 found engaged in mfg of SS utensils with sheet metal work & buffing, ECS found installed and working. Effluent analysis report - N/A Emission monitoring report issued on 04.01.2017 by DPCC. Parameters are within prescribed limits. Noise monitoring reports issued on 30.12.2016 by DPCC. Parameters are within prescribed limits.	12-10-2017 Consent to Operate granted.
9	CLAY ONE	WZ-5, A-10, FIRST FLOOR, KAILASH PARK, NAJAFGARH ROAD	06-01-2017	DPCC/EC/2/1/2017/16746	RESTAURANT (48 SEATS). Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of water: DJB-Category- II, (Copy of bill provided) Water Consumption:3500 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: one D.G Set of 82.5 KVA installed Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33 (A)/5 of EPA details :No		09-08-2017 .	12-10-2017 Consent to Establish granted.
10			07-01-2017				Non-SPI					12-10-2017

	GUNJAN ASSOCIATE	B-18, PHASE-II, MANGOLPURI INDUSTRIAL AREA			MFG. OF MICROCELLULAR SHEET. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Operate			Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: -Nil. Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33 (A)/5 of EPA details: N/A	Stack Monitoring report (from DPCC) of boiler stack, dated 19.12.2016 submitted.	26-04-2017 Consent may be granted. Remarks/ATR on 31-08-2017 .	Ask the unit to submit report for VOC emission or SSI / MSME Registration. If unit submits the same and found in order, consent to operate be granted.
11	LA FORTUNA BANQUET (A UNIT OF WARNER HOSPITALITY SERVICES LLP)	GROUND FLOOR, A-146, PHASE-II, MAYAPURI INDUSTRIAL AREA	09-01-2017	DPCC/EC/2/1/2017/16751	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of water: others (copy of bill not enclosed) Water consumption: 20000 litres/day Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : nil Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33 (A)/5 of EPA details : no	.	17-01-2017 -consent to establish may be granted. Remarks/ATR on 09-08-2017 -An inspection was carried out by DPCC representatives on 20.07.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of Restaurant cum bar with 48 seating capacity. 2.1 No of D. G. set of 1X200 KVA installed with acoustic enclosure and inadequate stack height 3. .ETP plant was installed but non operational 4. Hood and suction system provided in the kitchen with adequate stack height of chimmney. 5. ETP plant log book not maintained. Remarks/ATR on 09-08-2017 -An inspection was carried out by DPCC representatives on 20.07.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of Restaurant cum bar with 48 seating capacity. 2.1 No of D. G. set of 1X200 KVA installed with acoustic enclosure and adequate stack height 3. ETP plant was installed and same was found operational 4. Hood and suction system provided in the kitchen with adequate stack height of chimmney. 5. ETP plant log book maintained. Remarks/ATR on 05-04-2017 . Recommendation / Action Taken Details (EE/AEE) on 05-04-2017 -As decided in the CMC Meeting held on 18.01.2017 a letter was issued to the unit on 05.04.2017 regarding submission of hard copies of consent application along with required documents	12-10-2017 Consent to Establish granted.
12	DURGA PACKAGING	PLOT NO. 107, POCKET - C, SECTOR - 3, DSIIDC BAWANA INDUSTRIAL AREA	09-01-2017	DPCC/EC/2/1/2017/16753	Mfg. OF PLASTIC PRODUCTS (TUBES AND BAGS FOR INDUSTRIAL USE ONLY) WITH FLEXO PRINTING Plastic Processed Goods Roto and Flexo Printing without trade effluent discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 06-01-2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D. G. set- N/A Plot Area-250 sq mtr. Date of Establishment/ Commencement- 23.03.2012. Status of Ground Water Extraction-No 1.Water consumption- 200 L/day Source- DSIDC (Bill submitted) Inspection status- No Unit has applied for Authorization vide Id no. 16754 on 09.01.2017.(Photographs of display board and containers submitted.	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report - N/A	21-07-2017 . Remarks/ATR on 12-10-2017 Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D. G. set- N/A Plot Area-250 sq mtr. Date of Establishment/ Commencement- 23.03.2012. Status of Ground Water Extraction-No 1.Water consumption- 200 L/day Source- DSIDC (Bill submitted) Inspection status- No Unit has applied for Authorization vide Id no. 16754 on 09.01.2017. (Photographs of display board and containers submitted. Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report - N/A	12-10-2017 Consent to Establish granted.
13	THE GOLDEN DRAGON (A UNIT OF ROYAL ORCHID CATERERS)	PLOT NO. 12,SEC-4,KRISHNA PLAZA-1,SHOP NO. 301,III FLOOR,DWARKA,NEW DELHI	09-01-2017	DPCC/EC/2/1/2017/16755	Eating House Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Yes (Physio chemical) (a) Effluent analysis report dated 06-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	(a) Effluent analysis report dated 06-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of	09-08-2017 Unit applied for CTE on 09.01.2017 for the activity of Restaurant of seating Capacity of 48. An inspection was carried out on 04.11.2016 and SCN u/s 33 (A) Of Water Act was issued to the unit on 28.11.2016. The unit has not submitted application for CTO As per application unit is having ETP and has provided dimensions of the same It is recommended that CTE may be granted with condition that unit shall apply for CTO within 30 days along with all required documents.	12-10-2017 Consent to Establish granted.

					100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				(2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 31-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - No Status of Ground Water extraction :Nil Water Consumption:3.5 KL/D (Outside Purchased) Trade Effluent: 2 KL/D (Sewer) Domestic Effluent: 1.5 KL/D Status of Inspection :04.11.2016 SCN u/s33(A) details :yes issued on 28.11.2016 Closure directions u/s 31(A)/33 (A)/5 of EPA details :	62.5 KVA. Noise monitoring report dated 31-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - No		
14	AHUJAS WEB PRIVATE LIMITED	D-80, OKHLA INDUSTRIAL AREA, PHASE - I,	09-01-2017	DPCC/EC/2/1/2017/16757	READYMADE GARMENTS WITHOUT WASHING WITH ELECTRIC BOILER. Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... (a) Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Status of Ground Water extraction : Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33 (A)/5 of EPA details :	-	13-01-2017 - Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 Unit submitted another representation on 09.08.2017 w.r.t SCN dated 04.07.2017 along with photograph of ETP and informed that they have installed the ETP and dischrageing wastewater into sewer after treatment through ETP and they are in process of apply for fresh Consent to Establish & Consent to Operate for change of activity from Mfg. of Readymade Garments Without washing to Readymade Garments With washing with Electric Boiler.	12-10-2017 Consent to Establish be made infrutuous since unit has again applied for Consent to Establish afresh.
15	DURGA PACKAGING	PLOT NO. 107, POCKET - C, SECTOR - 3, DSIIDC BAWANA INDUSTRIAL AREA	09-01-2017	DPCC/EC/2/1/2017/16762	Mfg. OF PLASTIC PRODUCTS (TUBES AND BAGS FOR INDUSTRIAL USE ONLY) WITH FLEXO PRINTING Plastic Processed Goods Roto and Flexo Printing without trade effluent discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 06-01-2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-250 sq mtr. Date of Establishment/ Commencement- 23.03.2012. Status of Ground Water Extraction-No 1.Water consumption- 200 L/day Source- DSIDC (Bill submitted) Inspection status- No Unit has applied for Authorization vide Id no. 16754 on 09.01.2017.(Photographs of display board and containers submitted.	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report - N/A	21-07-2017 . Remarks/ATR on 12-10-2017 Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-250 sq mtr. Date of Establishment/ Commencement- 23.03.2012. Status of Ground Water Extraction-No 1.Water consumption- 200 L/day Source- DSIDC (Bill submitted) Inspection status- No Unit has applied for Authorization vide Id no. 16754 on 09.01.2017. (Photographs of display board and containers submitted. Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report - N/A	12-10-2017 Consent to Establish granted. Inspection be conducted.

16	UTOPIA (M/S RVN RESTAURANT & HOTEL PVT LTD.)	PLOT NO-7, KARKARDOOMA, COMMUNITY CENTRE	09-01-2017	DPCC/EC/2/1/2017/16763	RESTAURANT HAVING SEATING CAPACITY 48 SEATS. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)ETP: Oil and Grease Trap - Yes (oil and grease trap cum settling tank) (2)ECS - Channelization with Kitchen D.G. Set - one D.G. set with capacity of 63 KVA and its stack height 3.5 in meters above roof of the building. Source of water supply - 1500 Liters/Days (Water Tanker) Status of Inspection :Inspection of the unit was conducted on 23.08.2016 by the officials of DPCC and following were observed.: 1. The restaurant was found in operation having kitchen at ground floor. 2. Entire trade effluent generated from the kitchen was found being discharged without treatment. 3. Stack height of kitchen and D.G. Set were found inadequate. SCN u/s 31(A)/33(A)/5 of EPA details :Show Cause Notice was issued on 02.09.2016 and no reply was received. Closure directions u/s 31(A)/33 (A)/5 of EPA details : Direction for closure was issued on 04.11.2016 Representations were received from the unit on 22.11.2016 along with copy of receipt of CTE application Id No-16428 on 21.11.2016 and a letter on 28.11.2016 along with Security Bond of Rs. 100,000/ (Rs. One Lakh), Undertaking, photographs of D.G set stack, Oil and Grease Trap and informed that the unit has rectified the deficiencies observed during inspection. Revocation of Closure Direction for 15 days was issued on 30.11.2016.	Effluent Analysis Report dated 16.12.2016 from DPCC lab submitted. Results are as follows pH - 7.4 Total Suspended Solids (TSS) -132 mg/l Bio-chemicals oxygen demands (3 days at 27 degree Celsius) - 80 mg/l Oil and Grease - 9.0 mg/l Parameters are meeting the prescribed standards. Noise Monitoring Report dated 14.12.2016 from DPCC lab submitted. Ambient Noise Level (non-operational) - 59.6 Leq dB Ambient Noise Level (operational) - 63.8 Leq dB Noise Level at 1.0 m away from the enclosure surface (operational)- 74.2 dB Parameters are meeting the prescribed standards.	15-02-2017 Recommended to Inspect the unit. Recommendation / Action Taken Details (EE/AEE) on 22-09-2017 Inspection yet to be conducted.	12-10-2017 Expedite inspection.
17	MAHAVEER INDUSTRIES	PLOT NO S-19 BADLI INDUSTRIAL AREA	10-01-2017		MANUFACTURING OF ALUMINIUM CIRCLES. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS-Yes (Stack attached to exhaust hood over pit furnace) 3. D.G. set- N/A Plot Area-150 sq mt Date of Commencement- 01.04.2016 Status of Ground Water Extraction-No 1.Water consumption- 20 L/day. Source- Outside (bill not submitted) Status of Inspection- No	Effluent analysis report - N/A Emission moniotring report -Yes, issued by DPCC on 04.01.2017. Parameters are within prescribed limit. Noise Test Report-N/A	18-01-2017 - Remarks /ATR on 12-10-2017 Letter to Ask the unit to submit compliance report w.r.t. installation of Online Monitoring System (OLMS) for Particulate Matter and also installation of separate electricity meter (sub-meter) for the air pollution control system installed by the unit issued on 20.02.2017. No reply submitted. Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 .	12-10-2017 Issue show cause notice for refusal of consent.
18	SHIVAM PLASTICS	E-829, DSIDC INDUSTRIAL COMPLEX, NARELA INDUSTRIAL AREA	10-01-2017	DPCC/EC/2/1/2017/16765	Manufacturing of Dana Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 08-09-2005 Approved	Hard copy not received.	.	18-01-2017 . Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 CTO granted for cutting & washing of scrap valid upto 27.11.2008. Unit was asked to submit hard copy of application. Copy not received.	12-10-2017 Inspection be conducted. Also issue show cause notice for refusal of consent.

								Authorisation Status Authorisation Issue Date 28-11-2006 Authorisation Expiry Date 27-11-2008				
19	GUPTA STEEL	D-3, WAZIRPUR INDUSTRIAL AREA	10-01-2017	DPCC/EC/2/1/2017/16767	Hot Re-rolling of S.S. Sheets. Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/ day)	Orange Operate	Non-SPI		(1)ETP: N/A (2)ECS: N/A (3)D.G.Set: Nil (4) Source of water: 0.04 KLD from outside. Stack attached with the furnace is having stack height of 12 meters from ground level.	Stack monitoring report dated 21-11-2016 issued by DPCC submitted which is within limit.	17-01-2017 . Recommendation / Action Taken Details (EE/AEE) on 31-08-2017 .	12-10-2017 Ask the unit to submit name and address of the unit where pickling activity is being carried out for the raw material being used for annealing process. Also all earlier applications be made infructuous.
20	ENPEECON	KH NO. 434,435,436 VILLAGE SABHAPUR,DELHI-94	11-01-2017		Manufacturing of Ready Mix Concrete Ready Mix Concrete Plants (without trade effluent discharge)	Orange Operate	Non-SPI		Status of Pollution Control System (2)ECS - Nil (3)D.G.Set: No Status of Ground Water extraction :No SCN for Closure was issued for not submitting application for Consent to operate. Now the unit has applied for consent to operate. Inspection of the unit was conducted on 18.01.2017 and following were observed. 1. During the inspection, batch mixing of concrete was not going on due to no demand from DMRC client. 2.Sprinkling systems at different locations were found installed for dust control. 3.Four Nos. movable sprinklers were also found for which it has been reported that same was being used as on requirement. 4.Dust collection system with each cement room (one for each batching plant) were found installed to trap fine dust emits during the loading/pouring of cement into the hopper before transporting to screw conveyer mechanism which are connected to the mixers of batching plant. 5.Green hessian cloth found wrapped around the peripheral boundary of the plant about 6 from parafit wall.	Ambient air monitoring report dated 29.12.2016 form Shriram lab submitted. Suspended Particulate matter 83 ug/m3	18-01-2017 Land use is not in conformity with the master plan. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 1.Unit was inspected on 08.03.2016 and show Cause Notice u/s 31 of Air Act was issued to the unit seeking compliance report and a letter to submit the compensation of Rs. 50,000/- as per Honorable NGT Directions were issued on 12.04.2016. 2. unit has submitted the compensation of Rs. 50,000. 3. Further, modified directions was issued on 16.06.2016 for 15 days Show Cause Notice issued u/s 31 (A) of Air Act on 05.10.2016. Reply of the unit was received on 31.10.2016 requesting to grant of time to apply for consent to establish and consent to operate. Reply regarding show cause notice was received on 14.12.2016 stating that the unit has rectified all the deficiencies in view of inspection conducted on 01.09.2016. Further, the inspection was conducted on 18.01.2017.the inspection of the unit was conducted on 18.01.2017 and following were the observations: 1. During the inspection, batch mixing of concrete was not going on due to no demand from DMRC clients. 2. Sprinkling systems at different locations were found installed for dust control. 3. 4 movable sprinklers were also found for which it has been reported that same was being used on requirements. 4. Dust collecting systems with each cement room (1 for each batching plant) were found installed to trap fine dust emits during the loading/ pouring of cement into the hopper before transporting to screw conveyor mechanism which are connected to the mixers of batching plant. 5. Green hessian cloth found wrapped around the peripheral boundary of the plant about 6 ft from parapet wall. 6. The plants are situated in isolated area.	12-10-2017 Reinspection be conducted.
21	BIKANERVALA FOOD PVT. LTD.	116 AND 117, ADITYA ARCADE, 30, COMMUNITY CENTER, PREET VIHAR	12-01-2017	DPCC/EC/2/1/2017/16772	Eating House with 100 Seating Capacity Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into	Orange Operate	Non-SPI		ETP - Yes ECS - Channelization D.G. Sets - No Ground water: Nil. Source of Water is outside. - MCD License which is valid up to 31.03. 2018. - Police License Of Delhi which is valid up to 31.03.2018.	Effluent analysis report dated 06.12.2016 form DPCC Lab submitted. pH - 7.3 TSS - 26 mg/l BOD - 21 mg/l Oil and Grease - 2 mg/l Parameters are meeting the Standards.	15-02-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 22-09-2017 The inspection of the unit was conducted by officials of DPCC on 18.04.2017 and the following were observed : 1. The unit was found in operation i.e food preparation and serving was going on. 2. By pass arrangement was found closed. O and G trap was found operative at GF. 3. ETP was found in operation (installed at roof top).	12-10-2017 Case deferred.

					Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler						4. O and G trap found installed at public land beside collection tank for effluent.	
22	R.K.OVERSEAS	I-2240, DSIIDC NARELA INDUSTRIAL AREA	12-01-2017	DPCC/EC/2/1/2017/16773	Auto parts flocking. Manufacturing of Auto parts using Adhesive Spray Painting, Paint Baking, Paint Stripping Use of Furnace (excluding Cupola / Arc/Induction Furnace)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 250 sq mt Date of commencement- 01.04.2017 Status of Ground Water Extraction-No 1. Water consumption- 2500 L/day. a) Source of water- DSIIDC (copy of bill submitted)	Effluent analysis report - N/A Emission monitoring report - N/A Noise monitoring report - N/A	07-07-2017 . Remarks/ATR on 12-10-2017 Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 250 sq mt Date of commencement-01.04.2017 Status of Ground Water Extraction-No 1. Water consumption- 2500 L/day. a) Source of water- DSIIDC (copy of bill submitted) Effluent analysis report - N/A Emission monitoring report - N/A Noise monitoring report - N/A Remarks/ATR on 20-07-2017 .	12-10-2017 Consent to Establish granted.
23	LEO INDUSTRIES	B-124, MAYAPURI INDUSTRIAL AREA, PHASE-I	13-01-2017	DPCC/EC/2/1/2017/16779	JOB WORK OF METAL NAME PLATE WITH WASHING Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 04-08-2004 Authorisation Expiry Date 03-08-2006 HWM Application No. 2 Application Date 22-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 14-03-2008 Authorisation Status Pending HWM Application No. 4 Application Date 16-11-2010 Authorisation Status Pending 5	Source of water: DJB , Bill enclosed water consumption:3500 litre/day Status of Ground Water extraction :No Status of Pollution Control System (1)ETP ----- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G Set of capacity 250 KVA installed Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33 (A)/5 of EPA details :No	Effluent analysis report: (a) Effluent analysis report dated 28-11-2016 issued by DPCC submitted. Effluent Test Report within Limit - yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 02-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	17-01-2017 . Remarks/ATR on 08-08-2017 . Remarks/ATR on 21-07-2017 . Recommendation / Action Taken Details (EE/AEE) on 05-04-2017 -As per decision taken in CMC Meeting held on 18.01.2017, an inspection was carried out by DPCC Official on 31.03.2017 During inspection following observations were made: 1. Unit found operational and engaged in the activity of job work of metal name plate with washing. 2. Effluent Treatment Plant (ETP) was installed and same found operational. 3. ETP log book found maintained. 4. 1 D.G Set of 250 KVA installed with adequate stack height. 5. HWM guidelines being followed. -Consent to Operate may be granted.	12-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

								HWM Application No. Application Date 06-01-2017 Authorisation Status Pending				
24	LEO INDUSTRIES	A-24,MAYAPURI INDUSTRIAL AREA ,PHASE-1	13-01-2017	DPCC/EC/2/1/2017/16781	STICKERS FOR GARMENTS AUTOMOBILE AND PRINTING VARIOUS MATERIALS WITH TRADE EFFLUENT Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 29-12-2006 Authorisation Status Pending HWM Application No. 2 Application Date 16-11-2010 Authorisation Status Pending HWM Application No. 3 Application Date 06-01-2017 Authorisation Status Pending	Water consumption:2000 litre/day Status of Pollution Control System (1)ETP ----- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 200 KVA installed. Status of Ground Water extraction :Nil Status of Inspection :Nil SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details :Nil	A. Effluent analysis report: (a) Effluent analysis report dated 28-11-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes B. noise monitoring report: (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 02-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	17-01-2017 Remarks/ATR on 08-08-2017 Remarks/ATR on 21-07-2017 Remarks/ATR on 06-04-2017 Recommendation / Action Taken Details (EE/AEE) on 05-04-2017 -Meanwhile unit as submitted a reply on 31.01.2017 along with hard copies of consent application & also with required documents. -As per decision in the meeting held on 18.01.2017 , an inspection was carried out by DPCC, Officials on 05.04.2017. During inspection following observations were made: 1.During inspection, unit found operational & engaged in the activity of manufacturing of stickers for garments, automobiles & various other materials with washing. 2. EFFLUENT Treatment plant installed & same found operational. 3. One D.G set of capacity 200 KVA installed with acoustic enclosure & adequate stack height. 4. HWM Guidelines being complied.	12-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
25	RANA MOTORS PVT. LTD.	A-8, RAJASTHANI UDYOG NAGAR, G.T.K. ROAD	13-01-2017	DPCC/EC/2/1/2017/16789	Service, Repair and Maintenance of Cars. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 13-01-2017 Authorisation Status Pending	Hardcopy not received.	-	18-01-2017 Remarks/ATR on 12-10-2017 Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 Inspection conducted on 20.07.2017. Findings are- 1.Unit found operational & engaged in the activity of service station. 2. ETP found installed and in working condition. Dry and wet sludge seen. 3. ECS/channelization provided over spraypaint section with adequate stack height. 4. One D.G. set found operational with adequate stack height. 5. HWM rules are complied with.	12-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
26	SHANKER MOTORS	A-9/2, JHILMIL INDUSTRIAL AREA, SHAHDARA, DELHI-110095	14-01-2017		SERVICING OF VEHICLES (TWO WHEELERS) WITH WASHING Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ----- Proposed (2)ECS - N/A (3)D.G.Set: NO Status of Ground Water extraction :No Source of Water: Other	No	18-01-2017 Consent to Establish be granted Recommendation / Action Taken Details (EE/AEE) on 24-07-2017 Unit has submitted hard copies of consent application along with required documents on 20-02-0217.	12-10-2017 Consent to Establish granted.
27	BUNTY DHABA	G-8, ADITYA CORPORATE PLAZA, COMMUNITY CENTRE KARKARDOOMA	16-01-2017	DPCC/EC/2/1/2017/16796	Take Away Restaurant and Eating House with 18 no. Seats Restaurants/Eating Houses / Dhabas and other such	Orange Operate	Non-SPI		ETP - Oil and Grease trap -Yes. ECS - Channelization with kitchen. D.G Set - No. Source of water - 800 Liters/Day (Domestic Purpose - 400 Liters/Days Industrial cooling and boiler feeds)	N/A. Unit has applied for the activity of Take Away Restaurant and Eating House with 18 no. Seats	15-02-2017 Recommended for inspection of the unit. Remarks/ATR on 22-09-2017 Inspection of the unit was conducted by the officials of DPCC on 22.04.2017 and following were observed : 1. The restaurant was found operative . O & G trap was found installed	12-10-2017 Consent to Establish and Consent to Operate granted.

					establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Status of Inspection : Inspection of the unit was conducted on 24.08.2016 by the officials of DPCC and the following were observation: 1. The unit is found in operation and engaged in the activity of restaurant (Take away). 2. No Oil and Grease trap found installed. 3. The entire trade effluent generated from the washing of utensils is being discharged directly into public sewer w/o treatment. 4. As informed by manager, the outlet is started from about last 10 days. SCN u/s 31(A)/33(A)/5 of EPA details : Show Cause Notice was issued on 02.09.2016 and no reply was received. Closure directions u/s 31(A)/33 (A)/5 of EPA details : Closure Direction was issued to the unit on 04.11.2016. Representations were received from the unit on 21.11.2016 along with copy of receipt of CTE application vide Id No-16425 on 21.11.2016. The unit also submitted a letter on 29.11.2016 along with Surety Bond of Rs. 500,000/ (Rs. Five Lakhs), Undertaking and photographs of Oil and Grease Trap and informed that it has rectified the deficiencies observed during inspection. Revocation of closure direction for 15 days was issued to the unit on 30.11.2016.		which was in operative condition as oil and Scum was found floating in 1st and 2nd Chamber of O&G trap indicating its fuctional. By-pass arrangement was found closed. 2.O&G trap was found installed in front of restaurant/dhabha. 3. Over burners and tandoor hood and stack arrangement followed by stack arrangement was found installed, Suction is being given through exhaust fan.	
28	INDRAPRASTHA AUTOMOBILES PVT. LTD.	B-72/3, WAZIRPUR INDUSTRIAL AREA	16-01-2017	DPCC/EC/2/1/2017/16798	Servicing (Repair, Maintenance and Washing) of Vehicles. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 13-01-2017 Authorisation Status Pending	(1)ETP:Installed (Physio chemical type) (2)ECS: N/A (3)D.G.Set:1(70 KVA) (4)Source of water supply: 5.8 KLD from outside (5)Status of Ground Water Extraction: Nil	Effluent Analysis Report of ETP dated 18.07.2016 issued by FICCI Research & Analysis Centre is submitted and is within limits. Noise monitoring report of D.G. Set dated 17.10.2016 issued by DPCC Laboratory is submitted and is within limits.	22-02-2017 Remarks/ATR on 29-09-2017 Unit has submitted its reply on 19.09.2017 and informed that they have rectified all the deficiencies. However, photographs are not enclosed with the reply. Remarks/ATR on 05-09-2017 As approved in file, show cause notice u/s 33(A) of Water Act, 31(A) of Air Act and u/s 5 of EP Act and show cause notice for refusal of consent to operate and cancellation of authorization under HWM Rules was issued to the unit vide office letter dated 04.09.2017. Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 As decided, inspection of the premises was carried on 29.06.2017 by DPCC representatives and following were observed: -Unit is operational and engaged in the activity of Servicing of Automobiles. -Unit has installed ETP comprising of Mixing tank, dosage tanks, tube Settler, carbon filter and Sludge drying bed. However, the Same was lying in defunct condition. -Unit has installed a D.G. set of 70 KVA, which is lying on ground floor. Adequate stack height with D.G. set is not provided. -As reported, Unit is relying on DJB supply. However, DJB bill could not be shown at the time of inspection. -Drums full of used oil is stored in open area and Spillage of used oil on ground is visible. -Unit is not complying with HWM Rules, 2016. -By-pass arrangement of trade effluent is observed. -As reported, unit is handing over used oil to authorized recycler.	12-10-2017 Inspection be conducted.

											However, agreement with authorized recycler could not be shown during inspection.	
29	SHREE SHIV SHAKTI PULSES MILLS	H - 1171, DSIIDC, NARELA, INDL. AREA, DELHI - 110040	17-01-2017		Dal Mills Dal Mills	Orange Establish	Non-SPI		Hard Copy not submitted.	.	22-02-2017 . Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 Letter was issued to submit hard copy of application. Hard Copy not received.	12-10-2017 Isue show cause notice for refusal of consent.
30	ATTIC PRODUCTS	A-103/1 OKHLA INDUSTRIAL AREA PHASE - 2	17-01-2017	DPCC/EC/2/1/2017/16816	PACKING AND REPAIRING (WITH PAINT) OF HANDICRAFT ITEMS. Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 17-01-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report of Paint Booth dated 16-11-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 35 KVA. Noise monitoring report dated 20-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption - 200 Ltrs/Day (source - Outside) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Stack monitoring report of Paint Booth dated 16-11-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 35 KVA. Noise monitoring report dated 20-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	17-03-2017 . Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 Inspection of the unit was carried out by representatives of DPCC on 28.07.2017 and following observation were made: -Unit found operational and engaged in the activity of packaging and repairing of handicraft items (with paint). -Unit having 1 DG set of 35 KVA with acoustic enclosure and having adequate stack height. - Unit is complying with the provisions of hazardous waste management rules, 2016. -Unit having paint booth with proper arrangement. - unit is maintaining the Hazardous record.	12-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
31	PEARL GRAND EMPEROR (A UNIT OF UJJWAL PEARL HOSPITALITY)	B-5, GAZIPUR	17-01-2017	DPCC/EC/2/1/2017/16818	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		ETP - Yes Physio-chemical 3 KLD D.G. Sets - 4 No. 03 of capacity of 250 KVA each and one of 500 KVA. -East Delhi Municipal Corporation License valid up to 31.03.2017. Closure Direction was issued to the unit on 26.10.2016 for deficiencies observed The unit submitted its reply along with Surety bond and Undertaking and requested for revocation. The direction was temporarily revoked for 15 days on 24.11.2016.	Effluent analysis report dated 13.12.2016 from DPCC lab submitted. 1 pH 7.4 2 Total Suspended Solids (TSS) (mg/l) 28 3 Bio-chemical oxygen demand [3days at 27oC] (mg/l) 22 4 Oil and Grease (mg/l) 1.6 Parameters are within the prescribed limit. Noise Monitoring Report dated 15.12.2016 from DPCC lab submitted. There exists 04 D.G set 03 of capacity 250 KVA each and one of Capacity 500 KVA. The noise level are within the prescribed limit.	06-02-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 The inspection of the unit was conducted on 09.03.2017 and following are the observations: 1. No party was going on during the inspection. 2. ETP was found operative. Wet sludge was found in SDB (2 chambered) indicating operational status. 3. By pass arrangement found closed. In the collection tank of (GF) stand by lifting pump also provided. 4. Oil and Grease trap (three chambered) found operative, layer of O & G deposition found floating indicating operational of O & G.	12-10-2017 Consent to Operate granted.
32	PREM MOTORS PRIVATE LIMITED	GROUND FLOOR, PLOT NO. 173 B, K-804/2, NEAR MATA CHOWK MAHIPALPUR,	17-01-2017	DPCC/EC/2/1/2017/16819	Auto Car Auto Cycle Servicing and Repairing Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of water:outside (copy of bill provide) Water consumption:6000 Liters/Day Status of Pollution Control System	.	23-02-2017 . Remarks/ATR on 08-08-2017 . Remarks/ATR on 21-07-2017	12-10-2017 Ask the unit to submit proof of conformity as per MPD-2021.

									(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... -An inspection was carried out by Officials of DPCC on 07.01.2017 during inspection following observations were made: 1.Unit fond operational and engaged in the activity of servicing and washing of Maruti Vehicles. 2. Consent not obtained from DPCC. 3. No ETP installed in the premises for waste water generated from the unit. 4. One paint booth installed in the premises. 5. D.G Sets of capacity 82.5 KVA each are installed in the premises in acoustic enclosure and without stack height. -As per approval in the file a show cause notice u/s 31 (A) of Air Act & 33 (A) of Water Act issued to the unit on 16.01.2017. -Unit has submitted a reply on 10.02.2017 wherein they informed that they have removed the activity of washing & painting.		Remarks/ATR on 05-04-2017 Recommendation / Action Taken Details (EE/AEE) on 05-04-2017 -As per decision taken in CMC Meeting held on 23.02.2017, an inspection was carried out by DPCC Official on 25.02.2017 During inspection following observations were made: 1. Unit found operational and engaged in the activity of mechanical work of four wheeler vehicles (Maruti Vehiclese). 2.No painting activity observed during inspection as earlier observed. It has been stopped. 3. Washing activity also stopped and vehicle send to Prem Motors plot no- 3 IDC, M.G Road, Gurgaon. 4. Painting facility exist but found not functioning will be dismantled soon as reported. -Consent to Establish may be granted.	
33	AL BAKE RESTAURANT PVT. LTD.	22, COMMUNITY CENTRE, NEW FRIENDS COLONY	17-01-2017	DPCC/EC/2/1/2017/16822	EATING HOUSE. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		tatus of Pollution Control System (1)ETP - Oil & Grease Trap cum Settling Tank (2)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption - 2900 Ltrs/Day (source - DJB) Status of Inspection : Unit was inspected by the Officials/ Representatives of DPCC on 19.10.2016 and following observations were made:- -Unit Found in Operation for activity Eating House/restaurant (with seating capacity 92 Nos) at 21,22,23 Community Center, New Friends Colony, New Delhi-110025. -Installed O&G trap, however not installed settling tank. -Channelization system provided with kitchen at G.F. with adequate Stack height and not installed channelization system with kitchen at top Floor of the premises. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 04.11.2016 Unit submitted its reply on 28.11.2016 & 24.01.2017 along with copy of Consent to Operate application, Photograph of Oil & Grease Trap cum Settling Tank and informed that they have raised the stack height of	Applied for test report of Effluent Analysis Report of Oil & Grease Trap cum settling Tank.	17-03-2017 Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 Inspection yet to be conducted.	12-10-2017 Expedite inspection. Earlier consent to operae issued on 20.03.2015 be made infructuos since unit has again consent to establish and consent to operate granted.

									Chimney with Kitchen Channelization 3m above roof level, applied for Effluent Analysis report of Oil & Grease Trap cum Settling Tank and they are operating shop at plot no. 21 & 23 also & now applied for Consent to Establish for all the three plot nos.			
									Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil			
34	AL BAKE RESTAURANT PVT. LTD.	97, COMMUNITY CENTRE, NEW FRIENDS COLONY	17-01-2017	DPCC/EC/2/1/2017/16823	EATING HOUSE. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Oil & Grease Trap cum Settling Tank (2)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption - 2000 Ltrs/Day (source - DJB) Status of Inspection : Unit was inspected by the Officials/ Representatives of DPCC on 19.10.2016 and following observations were made:- -Unit Found in Operation for activity Eating House/restaurant (with seating capacity 35 Nos) at 95,97,99 Community Center, New Friends Colony, New Delhi-110025, -Installed O&G trap, however not installed settling tank -Channelization system provided with kitchen with Stack height 2m above R.L. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 04.11.2016 Unit submitted its reply on 28.11.2016 & 24.01.2017 along with copy of Consent to Operate application, Photograph of Oil & Grease Trap cum Settling Tank and informed that they have raised the stack height of Chimney with Kitchen Channelization 3m above roof level, applied for Effluent Analysis report of Oil & Grease Trap cum Settling Tank and they are operating shop at plot no. 95 & 99 also & now applied for Consent to Operate for all the three plot nos. Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil	Applied for Effluent Analysis Report of Oil & Grease Trap cum Settling Tank.	17-03-2017 Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 Inspection yet to be conducted.	12-10-2017 Expedite inspection. Earlier consent to operae issued on 20.03.2015 be made infructuos since unit has again consent to establish and consent to operate granted.
35	ORANGE TREE CAFE	4/2, ROOP NAGAR, GROUND FLOOR, NEAR SHAKTI NAGAR CHOWK	17-01-2017	DPCC/EC/2/1/2017/16825	RESTAURANT AND BAR (48 SEATS). Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 22 sq mt Date of commencement - 01.02.2017 Status of Ground Water Extraction-No 1. Water consumption-3500 L/day. a) Source of water- DJB (cat-II) (copy of DJB waterbill submitted). Inspection status- No	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-07-2017 Remarks/ATR on 12-10-2017 Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 22 sq mt Date of commencement - 01.02.2017 Status of Ground Water Extraction-No 1. Water consumption-3500 L/day. a) Source of water- DJB (cat-II)(copy of DJB waterbill submitted). Inspection status- No Earlier directions u/s 31(A) of Air Act & u/s 33(A) of Water Act was issued on 16.02.2017 to M/s Cafe Yangistan at said address.	12-10-2017 Inspection be conducted.

					/ or Laundry without Boiler							
36	KAMDHENU CEMENT	KH NO. 616/2,VILLAGE SABHAPUR,DELHI-110094	18-01-2017	DPCC/EC/2/1/2017/16826	Manufacturing of Ready Mix Concrete Ready Mix Concrete Plants (without trade effluent discharge)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - No (3)D.G.Set: As per undertaking submitted by the unit, the details of D.G set is mentioned as Nil. However during inspection conducted on 18.01.2017, two D.G Set with capacity of 125 KVA and 180 KVA respectively were found installed. Source of Water: Outside Tanker. Closure directions u/s 31(A)/33 (A)/5 of EPA details : Closure direction was issued to the unit on 03.10.2016. Representation was received from the unit on 31.10.2016 and informed regarding the measures taken for rectification of deficiencies observed during inspection and requested for revocation of closure directions. Temporary Revocation of closure direction was issued on 02.12.2016. Status of Inspection: The inspection of the unit was conducted on 18.01.2017 and following were the observations: 1. During the inspection no batch mixing was going on. The plant was found opened for the repairing and maintenance purposes. 2. A new plant installation (conveyor type) work was found going on during the inspection as informed by the person contacted that the plant will be made operational soon. 3. For dust emission control the unit has installed sprinkling systems at suitable locations(8 fixed and 2 portable/movable). The stocked area and peripheral road within the plant and approached road were found wetted. 4. Green hessian cloth around the peripheral boundary of about 10 ft. high as dust control preventing measures. 5. Two D. G Set of capacity of 125 KVA and 180 KVA were found.	Ambient Air Monitoring report dated 29.12.2016 from ShriRam Lab has been submitted. Results are as follows: Suspended Particulate Matter:76 ug/m3	20-02-2017 Clarification regarding D.G Sets may be sought from the unit. Remarks/ATR on 21-09-2017 The inspection of the unit was conducted on 18.01.2017 Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 1.Unit was inspected on 08.03.2016 and show Cause Notice u/s 31 of Air Act was issued to the unit seeking compliance report and a letter to submit the compensation of Rs. 50,000/- as per Honorable NGT Directions were issued on 12.04.2016. 2. unit has submitted the compensation of Rs. 50,000. 3. Further, modified directions was issued on 16.06.2016 for 15 days Direction of Closure has been issued on 03.10.2016 in view of inspection conducted on 01.09.2016. Reply of the unit wasreceived on 31.10.2016 stating that are supplying ready mix concrete to many government projects in Delhi. Letter to the unit was issued on 30.11.2016 for submission of surety bond and undertaking. Revocation of direction was issued on 02.12.2016. Applied CTE on 08.12.2016 and CTO on 18.01.2017. BSES reconnected the electric supply.	12-10-2017 Reinspection be conducted.
37	BURGERKING (A UNIT OF BURGERKING INDIA PVT. LTD)	PLOT NO 102,103,104,F105,106, PLOT NO 1,2,3 NETAJI SUBHASH PLACE	18-01-2017	DPCC/EC/2/1/2017/16829	Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into	Orange Operate	Non-SPI		(1)ETP:Installed (phsio chemical) capacity 7 KLD (2)ECS: N/A (3)D.G.Set:Nil (4)Source of Water: 6.72 KLD from Municipal Corporation (5) The unit is existing at the said address from 06.08.2015. Delhi Police License valid upto 31.03.2017 MCD License valid upto 31.03.2017	Effluent analysis report dated 22-11-2016 issued by DPCC submitted. Effluent Test Report is within Limit.	22-02-2017 . Remarks/ATR on 31-08-2017 .	12-10-2017 Inspection be conducted.

					Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				In the undertaking submitted alongwith CTO application, it has been mentioned that there is no trade effluent generation and discharge from the aforementioned the unit. Also, Latitude and Longitude of the unit has not been mentioned.		
38	ANAND JI RESTAURANT	35,COMMUNITY CENTRE,NEW FRIENDS COLONY	19-01-2017	DPCC/EC/2/1/2017/16836	cooking Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		status of Pollution Control System (1)ETP ---- Oil and Grease Trap cum settling tank installed (b) Effluent analysis report dated 30-11-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes 4 number of parameters analyzed which are within prescribed limit. (2)D.G.Set: ...N/A... Status of Ground Water extraction : N/A Water consupcion - 900 Ltrs/Day (source - DJB) Status of Inspection : Unit was inspected by the Officials/ Representatives of DPCC on 19.10.2016 and following observations were made:- -Unit Found in Operation for activity Eating House/restaurant (with seating capacity-15 Nos) -Installed O&G trap, however not installed settling tank -Channelization system is not provided with kitchen. SCN u/s 31(A)/33(A) of EPA details : Issued on 04.11.2016 Unit submitted its reply on 23.01.2017 along with copy of application for Consent to Operate dated 19-01-2017 and informed that settling tank along with oil & Grease Trap has been installed & proper stack height has now been provided with Kitchen Channelization.	Effluent analysis report dated 30-11-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes 4 number of parameters analyzed which are within prescribed limit. Remarks/ATR on 22-09-2017 Unit submitted details of Oil & Grease Trap cum Settling Tank including size, dimension, schematic diagram etc. in the form of undertaking on 04.08.2017 Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 Unit submitted details of Oil & Grease Trap cum Settling Tank including size, dimension, schematic diagram etc. in the form of undertaking on 04.08.2017	17-03-2017 . 12-10-2017 Consent to Establish and Consent to Operate granted.
39	MAURYA PRINTERS	D 150 FLATTED FACTORY COMPLEX OKHLA III	19-01-2017	DPCC/EC/2/1/2017/16837	PRINTING OF PLAIN , PRINTED LABELS (STICKERS) Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 13-06-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (a) Effluent analysis report dated - N/A (2)ECS - N/A (a) Stack analysis report dated - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - Water consumption: 2 kilo liters per day Source of water is corporation. Trade effluent _Nil Domestic effluent- 5 kiloliters per day.(Sewer/ Drain) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA	. 06-07-2017 unit applied for Consent to establish and consent to operate on 19.01.2017 and 08.06.2017 for the activity of printing of plain and printed labels (Stickers). It is recommended CTE may be granted and inspection may be carried out to check the current status before deciding CTO and Authorization.	12-10-2017 Implement the decision dated 06.07.2017.

									details :N/A			
									Closure directions u/s 31(A)/33 (A)/5 of EPA details :N/A			
									Month and years of Commencement of Production- 10.10.2016 Existing			
40	SUNNY GRAPHICS PVT LTD.	B-15/2, PH-II,OKHLA INDUSTRIAL AREA	19-01-2017	DPCC/EC/2/1/2017/16842	OFFSET PRINTING INCLUDING WASHING. Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 15-01-2004 Authorisation Status Approved Authorisation Issue Date 16-07-2004 Authorisation Expiry Date 15-07-2006 HWM Application No. 2 Application Date 16-11-2006 Authorisation Status Pending HWM Application No. 3 Application Date 09-01-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 20-09-2016 issued by DPCC Laboratory submitted. Effluent Analysis report within limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 06-09-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption - 900 Liters/Day Source of Water - DJB Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33 (A)/5 of EPA details : N/A	Effluent analysis report dated 20-09-2016 issued by DPCC Laboratory submitted. Effluent Analysis report within limit - Yes. The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 06-09-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	23-02-2017 . Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 As decided, an inspection of the unit was carried out by representatives of DPCC on 12.06.2017 and following observations were made:- -Unit found in operation and engaged in the activity of Offset Printing with Washing. -As informed , plate making is being outsourced (copy of bills provided). -Unit has installed an ETP but same found not in operation. As informed, no washing activity being carried out since plate making activity is being outsourced. -Unit has installed a D.G. set of capacity 140 KVA with acoustic enclosure with inadequate stack height. -unit is not complying with the provisions of HWM Rules, 2016.	12-10-2017 Issue show cause notice for refusal of consent and cancellation of authorization under HW Rules. Also issue issue show cause notice u/s 5 of EP Act.
41	NDCON CONSTRUCTIONS	KH NO. 427,VILLAGE SABHAPUR,DELHI-94	19-01-2017	DPCC/EC/2/1/2017/16845	Manufacturing of Ready Mix Concrete Ready Mix Concrete Plants (without trade effluent discharge)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: Nil as per undertaking. However during inspection one D.G set of capacity 125 KVA was found. Source of Water: Outside Tankers Closure directions u/s 31(A)/33 (A)/5 of EPA details : Closure direction was issued on 03.10.2016. Temporary Revocation of closure direction was issued on 02.12.2016. Status of Inspection : The inspection of the unit was conducted on 18.01.2017 and following were the observations: 1. The batch mixing plant although found in operative condition but the batch mixing was not going on during the inspection. 2. As seen on the site, dust	Ambient Air Monitoring Report dated 29.12.2016 from Shriram Lab has been submitted. Results are as follows: Suspended Particulate Matter: 72 ug/m3 The unit has not submitted Noise Monitoring Report of D.G Set.	20-02-2017 Clarification regarding D.G Set may be sought from the unit. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 1.An inspection was conducted on 08.03.2016 and show Cause Notice u/s 31 of Air Act was issued to the unit seeking compliance report and a letter to submit the compensation of Rs. 50,000/- as per Honorable NGT Directions were issued on 12.04.2016. 2. unit has submitted the compensation of Rs. 50,000. 3. Further, modified directions was issued on 16.06.2016 for 15 days. 4.Direction of Closure has been issued on 03.10.2016 in view of inspection conducted on 01.09.2016. 5.Reply of the unit was received on 02.11.2016 stating that are supplying ready mix concrete to many government projects in Delhi. 6.Letter to the unit was issued on 30.11.2016 for submission of surety bond and undertaking. 7.The unit submitted its reply on 01.12.2016. 8.Revocation of direction was issued on 02.12.2016. 9.Applied CTE on 08.12.2016 and CTO on 19.01.2017. 10. BSES reconnected the electric supply. 11. Inspection of the unit was conducted on 18.01.2017.	12-10-2017 Reinspection be conducted.

									emission control measures has been found taken on the conveyor type batching plant by making enclosure on hopper as well as at the outlet/ pouring bins at mixer by enclosing both portions through corrugated GIC sheets and wrapping of green hessian cloth. 3. The stone aggregate as well as coarse sand found stocked having covered with plastic sheets as well as portable/ movable sprinkling systems were also being used for wetting of sand stack. 4. It has been found that the sand being used by them is river sand which was found partially saturated. 5. Green hessian cloth was also found wrapped along the peripheral boundary and also around the stocking of material within the premises as dust collecting measures which were raised about 10 ft. high from ground.			
42	QDS (A UNIT OF FIVE FIGS HOSPITALITY PVT LTD)	2520 FIRST FLOOR HUDSON LANE KINGSWAY CAMP	20-01-2017	DPCC/EC/2/1/2017/16853	RESTAURANT (48 SEATS). Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set- N/A Plot Area- 160 sq mt Date of commencement -01.09.2016 Status of Ground Water Extraction-No 1. Water consumption-3500 L/day. a) Source of water- DJB (cat-II) (copy of DJB waterbill submitted). Inspection status- No MCD license valid upto 31.03.2017	Effluent Analysis Report issued by DPCC lab on 29.11.2016. All parameters are within prescribed limits. Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-07-2017 . Remarks/ATR on 12-10-2017 Applied for CTE on 07.09.2016 & pending. Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set- N/A Plot Area- 160 sq mt Date of commencement -01.09.2016 Status of Ground Water Extraction-No 1. Water consumption-3500 L/day. a) Source of water- DJB (cat-II) (copy of DJB waterbill submitted). Inspection status- No MCD license valid upto 31.03.2017. Effluent Analysis Report issued by DPCC lab on 29.11.2016. All parameters are within prescribed limits. Emission Monitoring Report -N/A Noise Monitoring report-N/A	12-10-2017 Inspection be conducted.
43	HOTEL BRIGHT	M-85, CONNAUGHT CIRCUS, NEW DELHI	21-01-2017		LODGE GUEST HOUSE SERVICE PROVIDER Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		water consumption:1300 litre/day Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no	a) Noise Monitoring Report: (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 19-01-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	10-10-2017 -Unit has submitted hard copy of Consent to Operate application.	12-10-2017 Consent to Establish granted. Also inspection be conducted.
44	SHREE RATHNAM RESTAURANT PVT. LTD	INDIAN MALL GRANDLAY CINEMA, DDA COMMERCIAL COMPLEX, NEW FRIENDS COLONY	23-01-2017	DPCC/EC/2/1/2017/16872	Restaurant. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)-	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 09-02-2017 issued by DPCC submitted. (2)D.G.Set: NIL	Effluent Test Report within Limit - Yes All parameters analyzed which are within limit -Yes.	28-04-2017 Unit has submitted representation along with photographs of effluent treatment plant, Copy of MCD Health Licence, Security bond & undertaking etc and requested to revocation of Direction. As decided on file temporarily revocation of Direction issued to unit 10.02.2017 to submit fresh effluent analysis report. Unit has submitted representation on 21.02.2017, 20.03.2017 & 03.04.2017 w.r.t temporarily revocation of Direction on 10.02.2017 alongwith copy of receipt of application for Consent to Operate, effluent	12-10-2017 Ask the unit to submit Environmental Compensation Security (ECS) and undertaking as per office order dated 02.08.2017. If unit submits the same and found in order, implement the decision dated 28.04.2017 w.r.t. grant of

					connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				Status of Ground Water extraction : NIL Source of water -DJB (copy enclosed) Status of Inspection : Inspection of the unit was carried out by officials/representative on 16.11.2016 and following observation were made: -Unit found operational and engaged in the activity of Restaurant. -Unit has installed an effluent treatment plant with Oil & Grease Trap but the same found not in operation. -Channelization system provided in Kitchen but adequate stack height not provided. -Unit having common DG set connection provided by the India Mall. -water is provided by the India Mall but bill not available (through common borewell of India Mall) SCN u/s 31(A) Air Act & u/s 33 (A) Water Act were issued on 10.07.2013 Reinforcement of Directions u/s 31(A) Air Act & u/s 33(A) Water Act were issued to unit on 12.01.2017.		analysis report of ETP from DPCC laboratory and requested for revocation of Direction. File was submitted to MS DPCC for revocation of Direction but same was return back with remark put up after Consent decided. Hence application for Consent to Operate may be considered for grant of Consent. Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 As decided by the Cell Incharge on 28.04.2017, Consent to Operate granted. However, to be issued after revocation of directions for closure for which file to be put up administratively. File was put up administratively to the competent authority for approval of revocation of Directions but Chairman DPCC has remarked in this regard on para 54 at N/10 that -I dont think that after the Closure notice, any scope of review is left. Hence a decision may please be taken w.r.t office order dated 02.08.2017.	consent to operate and directions for closure be made infructuous as per office order dated 02.08.2017.
45	SUPER WASH	J-218, SECTOR-2, DSIIDC BAWANA INDUSTRIAL AREA	23-01-2017	DPCC/EC/2/1/2017/16875	JOB WORK OF WASHING OF READYMADE GARMENTS (WITH OIL FRIED BOILER). Readymade Garment (with Washing) with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes (Stack attached to boiler) 3. D.G. set- No Plot Area- 150 sq.mt. Commencement Date- 11.08.2015 Status of Ground Water Extraction-No 1. Water consumption- 11000 L/day a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- Yes (21.09.2015) Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 19.10.2015. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to complywith the pollution control norms & to apply for consent & authorisation issued on 16.02.2016. Directions for Closure issued on 23.09.2016. Reply received on 26.10.2016 .2016 wherein the unit submitted the Security Bond of Rs. 5 lakhs along with the undertaking. Temporarily Directions for closure revoked issued on 22.11.2016 for 30 days for necessary testing/compliances & to apply for Consent to operate/authorization. Inspection conducted on	Water(Effluent) report-Yes, Report issued on 17.09.2016 by FICCI. Parameters are within prescribed limit. Emission monitoring report -Yes, Report issued on 16.08.2016 by FICCI. Parameters are within prescribed limit. Noise Test Report-N.A.	22-02-2017 . Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 Unit inspected on 15.02.2017 engaged in jean washing activity. ETP operational, wet sludge seen, Diesel fired boiler found operationa. lLetter to ask the unit to submit fresh effluent analysis report of ETP & stack monitoring report of ECS from empanelled laboratory of DPCC issued on 01.06.2017. No reply received.	12-10-2017 Issue show cause notice for refusal of consent.

									15.02.2017 Inspection findings are- 1. Unit found operating, engaged in the activity of washing of jeans. 2. ETP found installed (Batch process)and working. Wet sludge seen. 3. Diesel fired boiler found in use. 4. One borewell connection exist without permission from CGWA/DJB.			
46	FORTUNE MARKETING PVT. LTD.	F-24/4, OKHLA INDUSTRIAL AREA, PHASE-II	23-01-2017	DPCC/EC/2/1/2017/16883	ASSEMBLY / MANUFACTURING OF USB FLASH DRIVE AND MANUFACTURING OF RFID / PVC CARD AND INLAY TAGS (WITH SCREEN PRINTING). Plastic Processed Goods Printing with Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 13-02-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- Yes (a) Effluent analysis report dated 08-02-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : No Water consumption - 1000 ltr/day (Outside tankers) Status of Inspection : Yes on 05.10.2016 SCN u/s 31(A)/33(A)/5 of EPA details : 27.01.2017 As decided, inspection of the unit was carried out by the Representatives of DPCC on 05.10.2016 and following were observed- -Unit found in operation and engaged in the activity of Mfg./ Assembling of USB Flash Drive and Mfg. of RFID/ PVC Cord, Inloy Sheet Cutting. - Unit has installed Screen printing machine with screen mould washing basin and under trial run. Waste water to be generated from this activity but Effluent Treatment Plant for treating the waste water generated from this activity has not been installed. - Hazardous waste generates from the screen printing process for which Authorization is required under the Hazardous and other waste (Management and Transboundry movement) Rules, 2016 however the unit has not applied for Authorization so far and measures to comply w.r.t said Rules have not been taken by the unit. - Unit has installed D.G. set of 125 KVA with acoustic enclosure however adequate stack height has not been provided for D.G. set (Stack height found below roof level. It must be 2.5 meters above the building	Effluent analysis report dated 08-02-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	23-02-2017 Unit has applied for CTE on 23.01.2017, Consent to operate and and Authorization under HWM Rules on 13.02.2017. Recommendation / Action Taken Details (EE/AEE) on 22-09-2017 As decided, an inspection of the unit was carried out by Officials/Representatives of DPCC on 25.04.2017 and following observations were made:- -Unit found in operation and engaged in the activity of Mfg./ Assembling of USB Flash Drive and Mfg. of RFID/ PVC Cord and Inlay tag(with screen printing). -Unit has installed ETP for treatment of effluent from screen printing and same found operational. -Wet/dry sludge observed in sludge drying bed. -Unit having 1 D.G. set of capacity 125 KVA with acoustic enclosure and having adequate stack height. -Unit is complying with the provisions of HWM Rules, 2016.	12-10-2017 Consent to Establish granted.

									where D.G. set has been installed). The activity of the Addressee unit falls under Orange category whereas it has applied under Green category. The case of the Addressee unit was taken up by the Cell Incharge, DPCC, on 07.12.2016 and it was decided to Issue Show Cause Notice for Refusal of Consent. As decided , Show Cause Notice for Refusal of Consent and Show Cause Notice u/s 33(A) of the water Act, u/s 31(A) of the Air Act and u/s 5 of EP Act issued to the unit on 27.01.2017 Unit ha submitted reply on 06.02.2017 w.r.t. show cause Notice and informed that they have installed ETP, increased the stack height of DG Set, applied for Consent under orange category, applied for testing and in process to apply Consent to operate and and Authorization under HWM Rules. Unit has applied for CTE on 23.01.2017, Consent to operate and and Authorization under HWM Rules on 13.02.2017			
47	ASHISH GARG	L-1/16/122, KHASRA NO. 79-80, NEW MANDOLI INDUSTRIAL AREA,	24-01-2017	DPCC/EC/2/1/2017/16891	MANUFACTURING OF COPPER RE-ROLLING MILL (COPPER RODS). Copper / Aluminium Re-Rolling Industry (Foins and Strips Etc.) with Capacity less than 25MT/Day	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - Cyclone and wet scrubber (3)D.G.Set: Nil Ground Water: Nil. Proof of possession before 07.02.2007: Rent agreement dated 03.05.2005 and undertaking of the Landlord submitted. Poof of location within the redevelopment area: The unit has not submitted authenticcate proof of location of the unit within the redevelopment area. OLMS: Unit has not provided information regarding installation of online Monitoring system.	Emission Monitoring report dated 16.01.2017 from DPCC Lab submitted. Results are as follows Particulate Matter (mg/ Nm3) : 77 Remarks: fugitive emission observed from furnace.	15-02-2017 Inspection of the unit may be conducted. Also unit may be asked to submit proof regarding location of the unit within the boundaries of redevelopment area and status of installation of OLMS Remarks/ATR on 22-09-2017 As per the committee decision, the unit has submitted the roof of the location of the unit within the boundaries of the redevelopment area. However, Closure directions were issued to the unit on 16.01.2017 and the unit was sealed in the sealing drive for the PGC order compliance on 31.07.2017 as the name of the unit was listed at serial no. 69 in the 103 list. The unit represented for de-sealing and the case was put up accordingly in the main file for which the approval for desealing as per order dated 02.08.2017 has been obtained. Accordingly the desealing orders were issued on 21.08.2017. Recommendation / Action Taken Details (EE/AEE) on 25-05-2017 As per the decision, a letter to the unit was issued on 01.12.2016 asking the unit to submit proof of the location of the unit within the boundaries of the redevelopment area. Inspection yet to be conducted.	23-02-2017 Inspection be conducted. Also unit be asked to submit proof of its location of the unit within the boundaries of redevelopment area, in original, from Industries Department and status of installation of OLMS. Also ask the unit to provide display board at the front of the unit.
48	AL BAKE RESTAURANT PVT. LTD.	97, COMMUNITY CENTRE, NEW FRIENDS COLONY	24-01-2017	DPCC/EC/2/1/2017/16893	EATING HOUSE. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Oil & Grease Trap cum Settling Tank (2)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption - 2000 Ltrs/Day (source - DJB) Status of Inspection : Unit was inspected by the Officials/ Representatives of DPCC on	Applied for test report of Effluent Analysis Report of Oil & Grease Trap cum settling Tank.	17-03-2017 . Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 Inspection yet to be conducted.	12-10-2017 Expedite inspection. Earlier consent to operae issued on 20.03.2015 be made infructuos since unit has again consent to establish and consent to operate granted.

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php 13-Oct-17

									level, applied for Effluent Analysis report of Oil & Grease Trap cum Settling Tank and they are operating shop at plot no. 21 & 23 also & now applied for Consent to Operate for all the three plot nos.			
									Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil			
50	GOEL POLYMER	B-2561,NARELA INDUSTRIAL AREA,DELHI-40	24-01-2017	DPCC/EC/2/1/2017/16896	Man. of Dana Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- Yes, stack attached to exhaust hood of extruder and mixture 3. D.G. set- N/A Plot Area- 350 sq mt Date of commencement- 12.2005 Status of Ground Water Extraction-No 1. Water consumption- 500 L/day. a) Source of water-outside (copy of bill not submitted) Status of Inspection-Yes (10.05.2016) and its findings are as follows: 1. Unit found operating & engaged in the activity of Mfg of Plastic Dana from Plastic scrap without having valid consent from DPCC. Also not applied for registration under plastic rules. 2. No ECS installed. No channelization provided over extruder and thus causing air pollution. 3. One Borewell connection exists without permission from DJB/CGWA. SCN for closure u/s 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 and u/s 5 of the Environment (Protection) Act, 1986 issued. Directions for closure u/s 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 and u/s 5 of the Environment (Protection) Act, 1986 issued on 19.12.2016. the addressee has submitted representation on 24.01.2017, 25.01.2017 alongwith Security Bond of Rs.2, 00,000/- (Rs. Two Lacs Only) and undertaking to abide by the all pollution control norms as applicable and requested to revoke the said closure directions dated 19.12.2016. Temporary Revocation of closure Directions for 30 days also issued. Inspection conducted on 05.07.2017 and findings are- 1. Unit found operational and engaged in the activity of Mfg. of dana (reprocessing without washing). 2. Proper channelization provided over extruder.	Effluent analysis report -N/A. Emission monitoring report -issued by DPCC, lab on 21.02.2017. Meeting the norms. Noise monitoring report - N/A	07-07-2017 . Remarks/ATR on 20-07-2017 .	12-10-2017 Consent to Establish granted.
51	BAGGA LINK SERVICE LTD	G.F. 1141/2, RITHALA, DELHI	24-01-2017	DPCC/EC/2/1/2017/16898	SERVICE STATION OF BIKES. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 10-11-2014 Pending	Status of Pollution Control System (1)ETP ----Physiochemical,Oil and Grease Trap,Other ETP Name -- Filtration and Absorption	Nil	23-02-2017 As per decision of committee on the previous consent application dated 16.12.2015 vide ID no 12772 inspection was carried out on 13.10.2016 and the observations are as follows: - The unit is operating in Rithala which is a redevelopment industrial area. - Batch type ETP is installed and the same was found in operational	12-10-2017 Issue show casue notice for refusal of consent and cancellation of authorization under HW Rules.

								Authorisation Status	(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Status of Ground Water extraction :Nil Source of Water: 2.5 KLD from DJB. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		status. - Used oil is stored and sold to registered recyclers. - ETP sludge is stored in hazardous waste room. - DG set is provided with acoustic enclosure and adequate stack height. A letter to submit certificate, in original, from Industries department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit may be issued as unit has not submitted the same. Remarks/ATR on 21-09-2017 Application for CTO dated 16.12.2015 vide ID No DPCC/EC/2/1/2015/12772 is made infructuous on 12.06.2017 Remarks/ATR on 31-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 19-05-2017 SCN for refusal of consent was issued on 06.04.2017. Unit has submitted its reply on 16.04.2017 seeking some time to approach the Industries Deptt for taking the certificate of redevelopment area. Earlier Application for CTO dated 16.12.2015 vide ID No DPCC/EC/2/1/2015/12772 is also pending.	
52	VINOD KUMAR (RMC PLANT)	KH NO. 434,VILLAGE SABHAPUR,DELHI-94	25-01-2017	DPCC/EC/2/1/2017/16910	Manufacturing of Ready Mix Concrete Ready Mix Concrete Plants (without trade effluent discharge)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil as per undertaking. However during inspection one D.G set of capacity 125 KVA was found. Closure directions u/s 31(A)/33(A)/5 of EPA details : Direction for closure issued on 03.10.2016 Revocation of direction for 15 days was issued on 02.12.2016. Status of Inspection : The inspection of the unit was conducted on 18.01.2017 by the officials of DPCC and following were observed: 1. The plant was found not operative due to the reason reported that due to want of order requirement by DMRC. 2. On the batch mixing plant (scrapper type) in material stocked area and fixed sprinkler as well as movable sprinkling system has been provided to control/ suppression of dust. 3. Green hessian cloth as well as GIC corrugated sheets were found erected provided around the stocked material and peripheral boundary of about 10 ft. high and above were provided.	Ambient Air Monitoring Report dated 29.12.2016 from Shriram Lab has been submitted. Results are as follows: Suspended Particulate Matter: 397 ug/m3 The unit has not submitted Noise Monitoring Report of D.G Set.	20-02-2017 Clarification regarding D.G Set may be sought from the unit. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 1.Unit was inspected on 08.03.2016 and show Cause Notice u/s 31 of Air Act was issued to the unit seeking compliance report and a letter to submit the compensation of Rs. 50,000/- as per Honorable NGT Directions were issued on 30.03.2016. 2. unit has submitted the compensation of Rs. 50,000. 3. Further, modified directions was issued on 16.06.2016 for 15 days. 4.Direction of Closure has been issued on 03.10.2016 in view of inspection conducted on 02.09.2016. 5.Reply of the unit was received on 31.10.2016 stating that are supplying ready mix concrete to many government projects in Delhi. 6.Letter to the unit was issued on 30.11.2016 for submission of surety bond and undertaking. 7.The unit submitted its reply on 01.12.2016. 8.Revocation of direction was issued on 02.12.2016. 9.Applied CTE on 08.12.2016 and CTO on 25.01.2017. 10. BSES reconnected the electric supply. 11. Inspection of the unit was conducted on 18.01.2017.	12-10-2017 Reinspection be conducted.
53	KRISHNA INDUSTRIES	PLOT NO E-886, DSIIDC, NARELA INDUSTRIAL AREA	28-01-2017		DAL MILL Dal Mills	Orange Operate	Non-SPI		Hard Copy not submitted.	.	22-02-2017 . Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 Hard Copy submitted. Bag house installed however in the DPCC test report stack height above roof level is mentioned as N.A. Rent agreement not submitted.	12-10-2017 Ask the unit to provide adequate stack height over bag house installed and submit compliance report. If the unit submits the same and found satisfactory, Consent to Operate granted.
54	YASH ENTERPRISES	PLOT NO. 68, PH - II, BADLI, INDL. AREA, DELHI - 110042	28-01-2017		PLASTIC TRIPAL AND PLASTIC DANA Manufacturing of Reprocessed PVC	Orange Operate	Non-SPI		Status of Pollution Control System CTE dated 13.10.2016 pending and as approved in CTE processing, inspection is yet to	.	12-10-2017 .	12-10-2017 Consent to Establish granted. Also ask the unit to submit hard copy of consent to operate application along

					Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)				be conducted. Hard copy of CTO application not received.			with requisite documents and inspection be conducted.
55	GOYAL GLOBAL PULSES (PRIVATE) LIMITED	PLOT NO J-3134, DSIIDC, NARELA INDUSTRIAL AREA	30-01-2017	DPCC/EC/2/1/2017/16928	DAL MILLS Dal Mills	Orange Operate	Non-SPI		Hard Copy not submitted.		22-02-2017 Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 Letter to ask the unit to submit hard copy of Consent to Operate application with requisite documents within 15 days issued on 27.03.2017. Hard copy not received.	12-10-2017 Issue show cuase notice for refusal of consent.
56	VARDHMAN INDUSTRIES	KHASRA NO. 487/51, PEERA GARHI	30-01-2017	DPCC/EC/2/1/2017/16933	COPPER AMD ALUMINUM WIRE DRAWING. Copper Wire Drawing without Super Enamelling, pickling (Dry Process Wire Drawing (without Pickling/ Galvanizing)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 25-01-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no		08-08-2017 Ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area. Also inspection be conducted.	
57	J K PRINTERS	487 221 SCHOOL ROAD PEERA GARHI	31-01-2017	DPCC/EC/2/1/2017/16943	OFFSET PRINTING AND LAMINATION Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 10-05-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no		08-08-2017 Remarks/ATR on 11-10-2017 - An inspection of the unit was conducted by DPCC officials on 11.10.2017, for verifying the hazardous waste management activity. - During inspection following observation were made : - 1. Unit found operational and engaged in the activity of offset printing without trade effluent discharge. 2. No DG set found installed within the premises. 3. Unit is non water as well as non air polluting therefore no ETP/ECS found installed/required. 4. Source of water is Delhi Jal Board for domestic purpose only, no borewell was observed. 5. HWM guidelines being followed. 6. Applied for CTO and Authorization. - Consent to Operate may be granted.	12-10-2017 Ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area.
58	DESI VIBES (A UNIT OF KHYATI & TIARA HOSPITALITY PVT. LTD.)	SHOP NO. 7, DEFENCE COLONY MARKET	31-01-2017	DPCC/EC/2/1/2017/16948	Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (a) Effluent analysis report dated 17-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - Not Applicable (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water Consumption: 5500 Liters/Day (Source - DJB) Month & Year of establishment - August 2016	02-05-2017 As decided in common file of Defence Colony Market, inspection of the unit to be carried out ti verify the rectification measures. Unit has submitted copy of SDMC Licence issued on 14.07.2016 for the activity of Eating House(with seating capacity of 98 person) as conformity of the unit. Unit has mentioned the proposed date of establishment on 01.08.2016 & Gross Capital investment i(In rupees of unit without deprecation) is Rs 15,36,204 and accordingly submitted Consent Fee. Remarks/ATR on 12-10-2017 As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 06.10.2017 and following observations were made- -Unit found in operation & engaged in the activity of Restaurant with seating capacity of 86 seats however, as per MCD & Delhi Police License, seating capacity is 98 seats. - Unit has installed Oil & Grease Trap cum Settling Tank (Size 0.60mx0.95mx1.15m, 1.30mx0.95mx1.15m & 0.60mx0.95mx1.15m). -Earlier installed ETP lying at rooftop in dismantled condition. As informed, as per DPCC policy, they have installed Oil & Grease Trap cum Settling Tank (as seating capacity is less than 100 seats) hence, ETP is not required. -Channelizaton system provided in Kitchen with stack height 2m above roof level.	12-10-2017 Consent to Establish granted.	

									Status of Inspection : Inspection was carried out by Representatives of DPCC on 27.12.2016 and following are the brief of observations made during inspection. -Unit found in operation & Engaged in the activity of Restaurant with seating capacity of 98 seats. -Unit has installed an ETP but same found not in operation. -Log book of ETP not maintained. -Channelization provided in the kitchen with inadequate stack height. -One D.G set of 82.5KVA with acoustic Enclosure with inadequate stack height. -Not applied for consent to establish and consent to operate. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 17.01.2017. Unit submitted its reply on 01.02.2017 along with copy of Enquiry counter slip of application for Consent to Establish Dated 31.01.2017, photographs of Stack iof D.G set and informed that process of installation of Oil & Grease Trap cum Settling tank has been started, increased the stack height of D.G set and applied for Effluent Analysis Report of Oil & Grease Trap & Noise monitoring Report of D.G. set from DPCC. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		-One D.G. set of capacity 82.5 KVA with acoustic enclosure & stack height 2m above acoustic enclosure. -Two Bin system provided (for segregation of wet & dry solid waste). As informed, dispose the same through SDMC.	
59	CORSAN CORVIAM CONSTRUCCION S.A.-SADHBHAV ENGINEERING LTD-JV	PROJECT CC-47, NEAR MUNDKA RAILWAY STATION, RANI KHERA VILLAGE	01-02-2017	DPCC/EC/2/1/2017/16949	READYMIX CONCRETE PLANT (WITHOUT TRADE EFFLUENT DISCHARGE). Ready Mix Concrete Plants (without trade effluent discharge)	Orange Operate	Non-SPI		As decided in CTE application, inspection was conducted on 09.02.2016 and during inspection the RMC plant found operational without obtaining consent to operate and without taking appropriate steps to control pollution. Accordingly, SCN for refusal of consent and SCN for closure u/s 33(A) of water Act and 31(A) of Air Act imposing compensation of Rs. 50000 has been issued to the unit vide letter dated 23.03.2016.The unit has deposited Rs 50000 compensation vide its letter dated 07.04.2016. As decided in Consent Management committee held on 06.09.2016, the unit was again inspected on 08.09.2016 and it was found operational without obtaining consent to operate and without taking appropriate steps to control air/water pollution. Directions for closure was issued vide letter dated 03.10.2016. Unit has submitted its representation on 02.11.2016 and informed the following: -Coarse/fine sand 7 gravel has been covered by tarpaulin.		01-09-2017 .	12-10-2017 Seek compliance report from concerned agencies. Ask the unit to submit Environmental Compensation Security and Undertaking as per office order dated 02.08.2017.

									-Feeder point of Sand/gravel and feeder point RMC Plant has been covered. -Sprinkling water and fine spray from nozzle has been provided. -collection tank is provided and waste water is being discharged after 4 hours. -C & D waste has been disposed of lying outside the boundary. -Consent to operate shall be submitted with necessary documents like Noise monitoring report of D.G.Sets and ambient air quality report of the area which is under completion. It has also been mentioned that RMC plant is being operated for construction of Delhi Metro phase -iii project which is of national interest and requested for revocation of directions. The unit has not submitted hard copies of the consent application.			
60	DELUXE WASH	D-226,SECTOR-5,BAWANA INDUSTRIAL AREA ,DELHI-39	01-02-2017	DPCC/EC/2/1/2017/16950	Jeans Washing Readymade Garment (with Washing)	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes 3. D.G. set- No Plot Area- 100 sq.mt. Commencement Date- 21.08.2015 Status of Ground Water Extraction-No 1. Water consumption- 3300 L/day a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- Yes (13.01.2016) Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to complywith the pollution control norms & to apply for consent & authorisation issued on 29.04.2016 Directions for Closure issued on 23.09.2016. Reply received on 07.11.2016 wherein the unit submitted Security Bond of Rs. 5 lakhs along with the undertaking. As per undertaking it is informed that security bond is submitted for dyeing activity but they are doing only washing	Water(Effluent) report-Yes, Report issued on 12.01.2017 by DPCC. Parameters are within prescribed limit.(Hard copy not submitted) Emission moniotring report -No. However, same water test report entered in the column of emission monitoring report online. Noise Test Report-N.A.	22-02-2017 Inspection is yet to be conducted. Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 .	12-10-2017 Consent to Establish and Consent to Operate.
61	TRIPLEX ELECTRONICS	PLOT NO.30, BADLI INDUSTRIAL ESTATE PH- II	01-02-2017	DPCC/EC/2/1/2017/16951	pvc dana manufacturing Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Operate	Non-SPI		Decision was taken in the meeting held on 18.01.2017 on CTE application to submit hardcopies. However, meantime the unit submit hardcopies of consent application on 24.01.2017. Status of Pollution Control system/Devices- 1. ETP-Yes 2. ECS- Yes (Stack attached to Extruder and mixture) 3. D.G. set- No Plot Area- 240 sq.mt. Establishment Date- 01.07.2007 Status of Ground Water Extraction-No	Water(Effluent) report-Yes, Issued on 19.09.2016 by DPCC lab. Parameters are within prescribed limit. Result of one Parameter Total metal is not submitted. Emission monitoring report -Yes, Issued on 19.12.2016 by DPCC lab. Parameters are within prescribed limit. Noise Test Report-N.A.	22-02-2017 . Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 Letter issued on 19.04.2017 to ask the unit to submit complete effluent analysis report of ETP. Reply not received.	12-10-2017 Issue show cause notice for refusal. Also inspection be conducted.

									1. Water consumption- 4000 L/day . a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- No Form 2 for registration under plastic rules submitted.			
62	NYC PIE (A UNIT OF 7 WORLD FOODS LLP)	28-A, DEFENCE COLONY MARKET	06-02-2017		EATING HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap cum settling tank (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Water Consumption - 1500 Ltrs/Day (Source - DJB) Status of Inspection : Inspection was carried out by Representatives of DPCC on 27.12.2016 and following are the breif of observations made during inspection : - -Unit found operational and engaged in the activity of pizza making restaurant -Oil and grease and effluent treatment plant is not installed. -Channelization is present but not adequate stack height of chimmney provided -Seating capacity of 21. -Water bill, electricity bill and MCD license is not shown during inspection. -Not applied for consent to establish and consent to operate. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 17.01.2017. Unit submitted its reply on 07.02.2017 and informed that they have installed Oil & Grease trap cum Settling Tank and applied Consent to establish and operate. Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil	20-03-2017 Applied for CTO on 23.02.2017. Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 Effluent Analysis Report dated 12.05.2017 provided by DPCC Lab to take necessary action by CMC-II . Report reveals that parameters of TSS & Oil & Grease are not meeting the prescribed standards. Also, a complaint was received from Sh. Rajesh Kumar against the unit regarding removal of water pollution control device form the Kitchen causing chocking and overflowing of sewer. As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 06.10.2017 and following observations were made- -M/s NYC Pie (A unit of 7 World Foods LLP.) has closed down the restaurant. Now M/s NYC Pie (A unit of Double AA Restaurants Pvt. Ltd.) is operating at the said premises since 1st August 2017 & engaged in the activity of Eating House with seating capacity of 18 seats. -Unit has not installed Oil & Grease Trap cum Settling Tank to treat the wastewater generated from Kitchen. -Unit has provided Channelizaton system with Kitchen however stack height found inadequate. -Two Bin system provided (for segregation of wet & dry solid waste). As informed, dispose the same through SDMC.	12-10-2017 Consent to Establish and Consent to Operate be made infructuous since unit was found closed. Issue show cause notice u/s 31(A) of Air Act and u/s 33(A) of Water Act to M/s NYC Pie (A unit of Double AA Restaurants Pvt. Ltd.).	
63	JUGAAD BAR AND BISTRO RESTAURANT (A UNIT OF SNM HOSPITALITY)	SHOP. NO. 10, DDA MAIN MARKET, DEFENCE COLONY	06-02-2017		Restaurant cum Bar Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap cum settling tank (2)ECS - N/A (3)D.G.Set: 62.5 KVA Status of Ground Water extraction : Nil Water Consumption - 3.8 KLD (Source - DJB) Status of Inspection : Inspection was carried out by Representatives of DPCC (Team No. 2) on 28.12.2016 and following are the breif of observations made during inspection : -	20-03-2017 Not applied for CTO. Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 06.10.2017 and following observations were made- -Unit found in operation & engaged in the activity of Restaurant with seating capacity of 48 seats. - Unit has installed Oil & Grease Trap cum Settling Tank (Size 0.55mx0.55mx0.80m, 0.62mx0.55mx0.80m & 0.70mx0.55mx0.80m) & cleaned properly. -Channelizaton system provided in Kitchen with stack height 2m above roof level. -One D.G. set of capacity 62.5 KVA with acoustic enclosure & stack height 2m above acoustic enclosure. -Two Bin system provided (for segregation of wet & dry solid waste). As informed, dispose the same through SDMC.	12-10-2017 Consent to Establish granted.	

									-Unit found operational and engged in the activity of restaurant and bar with seating capacity of 48 seats. -Unit has installed oil and grease trap cum settling tank but not cleaned properly. -Unit has not applied for Consent to Establish and Consent to Operate yet. -Unit has 1. DG set with capacity of 62.5 KVA with proper acoustic enclosure and proper stack height. -Unit has proper channelization and also proper stack height with roof level. -MCD license online copy verified (Scanned copy) SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 17.01.2017. Unit submitted its reply on 06.02.2017 along with photographs of Oil & Grease Trap cum Settling Tank & D.G. set, copy of MCD licence and informed that they have installed proper stack height with D.G. set and Installed proper channelization system with kitchen, Also, they have applied for Consent to Establish on 06.02.2017 and requested for 20 days time to submit application for Consent to Operate after obtaining Effluent Analysis Report of ETP & Noise monitoring Report of D.G. set from DPCC. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		
64	R K	HPCL FUEL STATION, DELHI-MATHURA CROSSING, NEAR ASHRAM CHOWK, RING ROAD, MAHARANI BAGH	07-02-2017	DPCC/EC/2/1/2017/16977	Two Wheeler Servicing and Washing Center Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A Unit has not submitted hard copies of the application along with documents.	23-02-2017 Unit has not submitted hard copies of the application along with documents. Recommendation / Action Taken Details (EE/AEE) on 22-09-2017 Unit submitted hard copy of Consent to Establish application along with documents on 06.07.2017 however they have not submitted Approved Layout Plan (from Oil Companies) - Allotment letter/dealership with one of the four National Oil Companies i.e. Indian Oil Company,Hindustan Petroleum, Bharat Petroleum and IBP - Letter from Oil Company stating that dealership agreement is valid as on date. - Proof of conformity with the provisions of Master Plan of Delhi from the concerned authority/local body OR Relevant provision in the Master Plan showing conformity of the activity	12-10-2017 Ask the unit to submit Approved Layout Plan (from Oil Companies) - Allotment letter/dealership with one of the four National Oil Companies i.e. Indian Oil Company,Hindustan Petroleum, Bharat Petroleum and IBP - Letter from Oil Company stating that dealership agreement is valid as on date. - Proof of conformity with the provisions of Master Plan of Delhi from the concerned authority/local body OR Relevant provision in the Master Plan showing conformity of the activity etc.
65	CAR CARE CENTRE	31X/17, GALI NO. 3, ANAND PARBAT INDUSTRIAL AREA	08-02-2017		Car Repairing and Denting Painting (Without Washing activity) Automobile Repair and Servicing (without Washing)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-09-2014 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no	08-08-2017 . Remarks/ATR on 12-10-2017 -An inspection was carried out by DPCC officials on 11.10.2017 and following observations were made: 1. During inspection unit found operational and engaged in activity of Car repairing and denting painting without washing. 2. No DG set found installed within the premises. 3. Unit is non water polluting so no ETP found installed. 4. No channelization was provided for painting of car. 5. HWM guidelines being not followed.	12-10-2017 Issue Show cause notice for refusal of consent and cancellation / refusal of authorization. Also issue show cause notice u/s 31 (A) of Air and u/s 5 of EP Act.

									SCN u/s 31(A)/33(A)/5 of EPA details :no		-A show cause notice for refusal of consent and show cause notice u/s 31 (A) of Air and u/s 5 of EP Act may be issued to unit.	
66	MAESTOSO HOSPITALITY LLP	SHOP NO: 25, 27 & 29, DEFENCE COLONY FLYOVER MARKET	09-02-2017		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap cum Settling Tank (Proposed) (2)ECS - Not Applicable (3)D.G.Set Noise Report : Nil Status of Ground Water extraction : Nil Water Consumption: 6000 Liters/Day (Source - DJB) Month & Year of establishment - Feburary 2017 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil		02-05-2017 Unit has submitted copy of SDMC Licence issued on 08.02.2017 for the activity of restaurant (with seating capacity of 30 person) as conformity of the unit. Unit has mentioned the proposed date of establishment on 20.02.2017 & Gross Capital investment (In rupees of unit without deprecation) is Rs 24,06,000 and accordingly submitted Consent Fee.	12-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
67	ANTONY ROAD TPT SOLUTION PVT LTD	RAJGHAT DEPOTT-II	09-02-2017	DPCC/EC/2/1/2017/16999	SERVICING, REPAIRING AND WASHING OF CLUSTER BUSES. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-02-2017 Authorisation Status Pending	Hard Copy not submitted.		22-02-2017 Remarks/ATR on 12-10-2017 Unit submitted hard copies of consent and authorization applications. CTE issued. Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes, stack attached to paint booth. 3. D.G. set- Yes (40 KVA) Plot Area- 16200 sq mt Date of commencement - 22.11.2013 Status of Ground Water Extraction-No 1. Water consumption- 1800 L/day. a) Source of water- Outside (no bill submitted) Inspection is yet to be conducted. Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 Unit submitted hard copies of consent and authorization applications. Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes, stack attached to paint booth. 3. D.G. set- Yes (40 KVA) Plot Area- 16200 sq mt Date of commencement - 22.11.2013 Status of Ground Water Extraction-No 1. Water consumption- 1800 L/day. a) Source of water- Outside (no bill submitted) Inspection is yet to be conducted. Effluent analysis report -issued by DPCC, lab on 06.01.2017. Meeting the norms. Emission monitoring report -N/A Noise monitoring report - issued by DPCC, lab on 27.12.2016. Meeting the norms.	12-10-2017 Inspection be conducted.
68	PRIME AUTOMATION	PLOT NO 28, FIE, PATPARGANJ INDUSTRIAL AREA	09-02-2017	DPCC/EC/2/1/2017/17006	Service Station of Bikes Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 02-02-2017 Pending	Status of Pollution Control System (1)ETP ---- Yes. (2)ECS - No	N/A	20-02-2017 Recommended for Inspection in view of Hazardous Waste Remarks/ATR on 01-09-2017 The unit had submitted its reply on 27.06.2017 in which it stated: 1.They had installed an adequate ETP.	12-10-2017 Inspection be conducted.

								Authorisation Status	(3)D.G.Set: 01 (65KVA) (4) Status of Ground Water extraction : N/A (5) source of water: Municipal Authority. (6) Waste Effluent----- (a) Domestic---- 400 litres/day (b) Trade---- 1000 litres/day. (7) Mode of Disposal: Public Sewer.	2.They are not by passing the effluent,the waste water ocured from the washing is collected in collection tank via oil and grease trap and undergo reaction cum settling tank by pump for necessary chemical reaction. 3. HW waste is stored in leak proof container under roof shed and there is no spillage. Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 -As per the committee decision taken on 23.02.2017,an inspection of the unit was conducted on 03.06.2017 and following were the observation: 1. The unit was found in operation,washing of vehicles was going on. 2. ETP was found installed with collection tank,clarifier, pH correction tanks, DMF and ACF,SDB(2 no). No O&G provided. 3. Although ETP was provided but the entire trade effluent generated from washing process was being discharged through by pass arrangement provided in the pH correction tank.(The trade effluent from collection tank was being pumped to the clarifier and overflow by pass through pH correction tank without any treatment). 4. Management of HW was found not as per rule w.r.t labeling and oil and grease soaked rags were not being stored/kept in the container as informed the same is being disposed through general waste through association of area help. Spillage of waste oil was seen near hazardous waste storage site. - Show Cause Notice under rule 6, Show cause notice for refusal of consent, show cause notice u/s 33(A) of Water act and Show cause notice u/s 5 of EPA Act was issued to the unit on 21.06.2017. - The unit submitted its reply on 27.06.2017 stating that have rectified all the deficiencies during the inspection conducted on 23.02.2017.	
69	ORIENTAL AUTOMOBILE	Y-34, PHASE-II, OKHLA INDUSTRIAL AREA	10-02-2017		WASHING AND SERVICING OF CARS Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 12-04-2010 Authorisation Status Pending HWM Application No. 2 Application Date 08-06-2017 Authorisation Status Pending	Unit has not submitted hard copies of Consent application form along with Documents / test reports.	23-02-2017 . Remarks/ATR on 22-09-2017 As decided, an inspection of the unit was carried out by Representatives of DPCC on 24.07.2017 and following observations were made: -Unit found in operation and engaged in the activity of Washing and Servicing of Cars. -Unit have installed an ETP and same found in operation. -Wet sludge observed in sludge drying bed. -Logbook of ETP maintained. -Unit is complying with the provisions of Hazardous Waste Management Rules, 2016. -Unit is having one paint booth with electric heater. -No oil fired burner exist therefore no stack is required. -Record of Hazardous Waste Maintained Recommendation / Action Taken Details (EE/AEE) on 10-08-2017 As decided, an inspection of the unit was carried out by Representatives of DPCC on 24.07.2017 and following observations were made: -Unit found in operation and engaged in the activity of Washing and Servicing of Cars. -Unit have installed an ETP and same found in operation. -Wet sludge observed in sludge drying bed. -Logbook of ETP maintained. -Unit is complying with the provisions of Hazardous Waste Management Rules, 2016. -Unit is having one paint booth with electric heater. -No oil fired burner exist therefore no stack is required. -Record of Hazardous Waste Maintained	12-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance. Earlier applications be made infructuous.
70	R.K.PRINTERS	PLOT NO.A-26L,GALI NO.4 ANAND PARBAT INDUSTRIAL AREA	10-02-2017	DPCC/EC/2/1/2017/17012	Mfg. OFFSET PRINTING. Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 08-08-2008 Authorisation Status Pending HWM Application No. 2	Status of Pollution Control System (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted.	22-09-2017 . Remarks/ATR on 11-10-2017 - Consent to Operate may be granted. Remarks/ATR on 11-10-2017 - An inspection of the unit was conducted by DPCC officials on 11.10.2017, for verifying the hazardous waste management activity. - During inspection following observation were made : - 1. Unit found operational and engaged in the activity of offsetprinting. 2. No DG set found installed within the premises. 3. Unit is non water as well as non air polluting therefore no ETP/ECS found installed/required. 4. Source of water is outsourcing only for domestic purpose. 5. HWM guidelines being followed..	12-10-2017 Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.

									Application Date 12-08-2010	Authorisation Status Pending	(3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Status of Ground Water extraction : Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33 (A)/5 of EPA details :	6. Applied for CTO and Authorization. Remarks/ATR on 10-10-2017 Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
71	R.K. PACKAGING	PLOT NO. A-23A, GALI NO. 4, ANAND PARBAT INDUSTRIAL AREA	10-02-2017	DPCC/EC/2/1/2017/17013	MANUFACTURING OF OFFSET PRINTING. Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-07-2004 Authorisation Status Approved Authorisation Issue Date 12-08-2004 Authorisation Expiry Date 11-08-2006 HWM Application No. 2 Application Date 12-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 08-08-2008 Authorisation Status Pending HWM Application No. 4 Application Date 12-08-2010 Authorisation Status Pending HWM Application No. 5 Application Date 11-08-2015	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no	08-08-2017 . Remarks/ATR on 11-10-2017 - Consent to Operate may be granted. Remarks/ATR on 11-10-2017 - An inspection of the unit was conducted by DPCC officials on 11.10.2017, for verifying the hazardous waste management activity. - During inspection following observation were made : - 1. Unit found operational and engaged in the activity of offsetprinting. 2. No DG set found installed within the premises. 3. Unit is non water as well as non air polluting therefore no ETP/ECS found installed/required. 4. Source of water is outsourcing only for domestic purpose. 5. HWM guidelines being followed.. 6. Applied for CTO and Authorization.	12-10-2017 Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.		

								Authorisation Status	Pending				
								HWM Application No.	6				
								Application Date	08-09-2016				
								Authorisation Status	Pending				
								HWM Application No.	7				
								Application Date	20-09-2017				
								Authorisation Status	Pending				
72	GREEN DOT	G-8, SECTOR-10, PLOT NO-10, MANISH PLAZA MLU, DWARKA	13-02-2017	DPCC/EC/2/1/2017/17028	EATING HOUSE. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI			Status of Pollution Control System 1)ETP-No Oil & Grease trap is to be installed. (2)ECS - N/A (3) D.G.Set: No Water Consumption - 1000 litres / day (Source - Outside) Status of Ground Water extraction : No Trade Effluent Discharge - 900 ltrs /day Mode of Disposal of treated effluent-Sewer Status of Inspection : No SCN u/s 31(A)/33(A) details :Yes SCN is issued to the unit on 19.12.2016 regarding deficiencies observed during inspection. Closure directions u/s 31(A)/33 (A)/5 of EPA details :N/A		09-08-2017 Unit applied Consent to Establish on 08.02.2017 for the activity of Eating House. No information has been given regarding dimensions of Oil and Grease Trap cum settling tank. It is recommended ask the unit to provide proper Size/ dimensions of Oil and Grease Trap with Photograph thereafter CTE may be granted with the condition that it will apply for Consent to Operate within 30 days.	12-10-2017 Consent to Establish granted.
73	FORTUNE MARKETING PVT. LTD.	F-24/4, OKHLA INDUSTRIAL AREA, PHASE-II	13-02-2017	DPCC/EC/2/1/2017/17032	ASSEMBLY / MANUFACTURING OF USB FLASH DRIVE AND MANUFACTURING OF RFID / PVC CARD AND INLAY TAGS (WITH SCREEN PRINTING). Plastic Processed Goods Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No.	1	Status of Pollution Control System (1)ETP ---- Yes (a) Effluent analysis report dated 08-02-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : No Water consumption - 1000 ltr/day (Outside tankers) Status of Inspection : Yes on 05.10.2016	Effluent analysis report dated 08-02-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	23-02-2017 Unit has applied for CTE on 23.01.2017, Consent to operate and and Authorization under HWM Rules on 13.02.2017. Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 As decided, an inspection of the unit was carried out by Officials/Representatives of DPCC on 25.04.2017 and following observations were made:- -Unit found in operation and engaged in the activity of Mfg./ Assembling of USB Flash Drive and Mfg. of RFID/ PVC Cord and Inlay tag(with screen printing). -Unit has installed ETP for treatment of effluent from screen printing and same found operational. -Wet/dry sludge observed in sludge drying bed. -Unit having 1 D.G. set of capacity 125 KVA with acoustic enclosure and having adequate stack height. -Unit is complying with the provisions of HWM Rules, 2016.	12-10-2017 Consent to Establish and Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance. Earlier applications be made infructuous.

								SCN u/s 31(A)/33(A)/5 of EPA details : 27.01.2017 As decided, inspection of the unit was carried out by the Representatives of DPCC on 05.10.2016 and following were observed- -Unit found in operation and engaged in the activity of Mfg./ Assembling of USB Flash Drive and Mfg. of RFID/ PVC Cord, Inloy Sheet Cutting. - Unit has installed Screen printing machine with screen mould washing basin and under trial run. Waste water to be generated from this activity but Effluent Treatment Plant for treating the waste water generated from this activity has not been installed. - Hazardous waste generates from the screen printing process for which Authorization is required under the Hazardous and other waste (Management and Transboundry movement) Rules, 2016 however the unit has not applied for Authorization so far and measures to comply w.r.t said Rules have not been taken by the unit. - Unit has installed D.G. set of 125 KVA with acoustic enclosure however adequate stack height has not been provided for D.G. set (Stack height found below roof level. It must be 2.5 meters above the building where D.G. set has been installed). The activity of the Addressee unit falls under Orange category whereas it has applied under Green category. The case of the Addressee unit was taken up by the Cell Incharge, DPCC, on 07.12.2016 and it was decided to Issue Show Cause Notice for Refusal of Consent. As decided , Show Cause Notice for Refusal of Consent and Show Cause Notice u/s 33(A) of the water Act, u/s 31(A) of the Air Act and u/s 5 of EP Act issued to the unit on 27.01.2017 Unit ha submitted reply on 06.02.2017 w.r.t. show cause Notice and informed that they have installed ETP, increased the stack height of DG Set, applied for Consent under orange category, applied for testing and in process to apply Consent to operate and and Authorization under HWM Rules. Unit has applied for CTE on 23.01.2017, Consent to operate and and Authorization under HWM Rules on 13.02.2017			
74	SUNPROOF ELASTOMERS		17-02-2017		MANUFACTURING OF RUBBER		Non-SPI		Status of Pollution Control System	22-09-2017	12-10-2017

		641/3,RZ BLOCK,GALI NO.-4, ANAND PARBAT INDUSTRIAL AREA			MOULDED OIL SEALS Rubber Auto Parts Excluding Production of Tyres And Tubes (without Reclamation And Devulcanisation of Rubber)	Orange Renewal			(1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Status of Ground Water extraction : Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33 (A)/5 of EPA details :			Ask the unit to submit report for VOC emission or SSI / MSME Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
75	RIDLEY LIFE SCIENCE PRIVATE	PLOT NO D 1651 DSIIDC NARELA INDL AREA	20-02-2017		MEDICINES PHARAMACEUTICAL FORMULATION WITH BOILER. Medicines / Pharmaceutical Formulation- with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS- Stack attached to bioler 3. D.G. set- 200 KVA Plot Area- 350 sq mt Date of Establishment/ Commenceent- 24.11.2016 Status of Ground Water Extraction-No 1.Water consumption-330 l/day Source- DSIIDC (Bill not submitted) Earlier, inspection was conducted by DPCC Lab w.r.t. NGT orders for lifting the effluent sample of unit namely M/s Unipex Pharmaceuticals Pvt. Ltd. During visit by DPCC Lab officials, unit found operating and violating the norms as ETP was non-operational, etc. SCN for closure u/s 33 (A) of the Water Act, 1974 and u/s 31 (A) of the Air Act, 1981 and u/s 5 of EPA was issued to M/s Unipex Pharmaceuticals Pvt. Ltd. on 03.08.2016. Reply received from M/s Ridley Life Science Private Limited (Director Rajesh Bansal) with undertaking on 22.08.2016 stating that M/s Unipex Pharmaceuticals Pvt. Ltd. has already shifted from their and present unit is also having activity of Fomulation of Medicines, requested 45 days to comply with all the pollution norms. Modified Directions to apply for Consent to	Effluent Analysis Report submitted on 24.01.2017 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report submitted on 19.10.2016 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report- N/A	05-04-2017 . Remarks/ATR on 12-10-2017 . Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 .	12-10-2017 Issue show cause notice for refusal of consent.

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

					Trade Effluent Discharge			Application Date 09-02-2017 Authorisation Status Pending	Supplier). 5.Domestic effluent discharged - 20 Liters/Day which is disposed through Sewer.		Inspection yet to be conducted. Recommendation / Action Taken Details (EE/AEE) on 27-06-2017 Inspection yet to be Conducted.	
80	KHUSHI WASHING	B-2317 DSIIDC INDUSTRIAL AREA NARELA	21-02-2017	DPCC/EC/2/1/2017/17086	Jobs work of Washing of Readymade garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 20-02-2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS-Yes 3. D.G. set- N/A Plot Area- 200 sq mt Date of Establishment/ Commenceent-23.08.2017 Status of Ground Water Extraction-No 1.Water consumption- 14000 l/day Source- Outside (Bill not submitted) Earlier, inspection was conducted by DPCC Lab w.r.t. NGT orders for lifting the effluent sample of unit. During visit by DPCC Lab officials, unit found operating and violating the norms as ETP was non-operational, etc. SCN for closure u/s 33 (A) of the Water Act, 1974 and u/s 31 (A) of the Air Act, 1981 and u/s 5 of EPA was issued on 03.08.2016. Inspection was conducted on 28.03.2017 and following are the observation: 1. Unit is found operating & engaged in the activity of washing of Jeans. 2. ETP found installed but not in working condition and no wet & dry sludge seen. 3. One diesel fired boiler found exist with adequate stack height. 4. One borewell found exist without permission from DJB/ CGWA. 5. HWM rules are not complied with. Applied Authorization under HWM Rules on 21.02.2017.	Effluent Analysis Report submitted on 19.10.2016 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report submitted on 14.12.2016 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report- N/A	05-04-2017 . Remarks/ATR on 12-10-2017 . Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 Letter to issue show cause notice for refusal of consent and cancellation of authorization issued on 03.05.2017. Show cause notice u/s 33(A) of Water Act and u/s 5 of EP Act issued on 03.05.2017. Unit submitted representation on 29.05.2017 that ETP is installed and operational. Complying HWM rules.	12-10-2017 Reinspection be conducted.
81	PRATEEK POLY PRINT	PLOT NO. 23, POCKET-F, SECTOR-1, DSIIDC INDUSTRIAL COMPLEX BAWANA	21-02-2017	DPCC/EC/2/1/2017/17089	PRINTING WORKS WITH ROTOGRAVURE PRINTING MACHINE WITH OUT TRADE EFFLUENT Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-250 sq mt Date of Establishment/ Commencement- 18.04.2017 Status of Ground Water Extraction-No 1.Water consumption- 200 L/day Source- Public Tap Inspection status- No	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-07-2017 . Remarks/ATR on 12-10-2017 .	12-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
82	J. S. AUTOMOBILES	SHED NO 32 SFC CATEGORY-II DSIIDC INDUSTRIAL COMPLEX ROHTAK ROAD, NANGLOI	22-02-2017	DPCC/EC/2/1/2017/17102	Mechanical Rubber And Servicing with washing of Vehicles (Two Wheelers) Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 22-02-2017 Authorisation Status Pending	Source of Water:DJB, Borewell Water Consumption:2400 litre/day Status of Ground Water extraction :YES Status of Pollution Control System (1)ETP -ETP - Physiochemical,Oil and Grease Trap,Other ETP Name : Media filter (2)ECS - N/A	Effluent analysis report: (a) Effluent analysis report dated 14-02-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	06-04-2017 -Consent to Operate may be granted. Remarks/ATR on 11-10-2017 - Unit has been submitted a representation on 09-10-2017, in response to our Show Cause Notice issued to unit on 21.09.2017. In there representation states that all the discrepancies has been rectified which were observed during inspection dated 5.04.2017. - A re-inspection was conducted by DPCC officials on 11.10.2017 for the verifying the facts in response to a representation submitted by unit on 09.10.2017. - During inspection following observation were made:-	12-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

									(3)D.G.Sett : N/A -An inspection was carried out by representatives of DPCC on 05.04.2017. During inspection following observations were made: 1. Unit found operational & engaged in the activity of two wheeler automobiles, servicing, repairing with washing. 2. ETP found installed & same was found operational. 3. No D.G set found installed within the premises. 4. Main Source of water supply is borewell, existed borewell approved by CGWA. 5. HWM guidelines being followed. 6. Applied for CTO & Authorization under HWM Rules as 22.02.2017. SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		1. Unit found operational & engaged in the activity of two wheeler automobiles, servicing, repairing with washing. 2. ETP found installed & same was found operational. 3. No D.G set found installed within the premises. 4. Source of water supply is borewell, existed borewell is approved by CGWA. 5. HWM guidelines being followed. 6. ETP log book found maintained. 7. Applied for CTO & Authorization under HWM Rules as 22.02.2017. - Consent to Operate may be granted. Remarks/ATR on 22-09-2017 -Show Cause Notice for cancellation of authorization and show cause notice u/s 5 of EPA (Environment Protection Act) was issued to the unit on 21.09.2017 Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 -Show Cause Notice for cancellation of authorization and show cause notice u/s 5 of EPA (Environment Protection Act) yet to be issued.	
83	MANWHAR FOOD & BEVERAGES PVT. LTD.	PLOT NO. 5, SHAKTI NAGAR CHOWK, ROOP NAGAR	22-02-2017	DPCC/EC/2/1/2017/17104	Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. OGT- Yes 2. ECS- N/A 3. D.G. set- N/A Plot Area-80 sq mt Date of Establishment/ Commencement- 30.06.2015 Status of Ground Water Extraction-Yes 1.Water consumption- 1000 L/day Source-DJB (Bill submitted) Cat II Inspection status-Yes (21.11.2016) and findings are as follows: 1.Unit found in operation and engaged in the activity of restaurant without having a consent from DPCC. 2. no ETP/ OGT found installed and waste water is being directly discharged into drain without any treatment. 3. No ECS found installed 4. One DG of 20 KVA found installed adequate stack height. 5. MCD and Police license valid upto 31.03.2018. SCN was issued on 23.11.2016. Again inspection was conducted on 01.02.2017 and it was found that unit is not following the norms. Therefore closure direction was issued to the unit on 16.02.2017. Unit has submitted security bond and undertaking and applied for CTE.	Effluent Analysis Report issued by DPCC on 27.03.2017 Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-07-2017 . Remarks/ATR on 12-10-2017 Temporary revocation for 15 days was issued to the unit on 07.03.2017. Inspection was again conducted on 07.08.2017 and its findings are as follows: 1. Unit found operational and engaged in the activity of Restaurant with capacity of 48 seats. 2. Oil and Grease Trap found installed and functional. 3. Channelization provided over kitchen section. 4. MCD/ Police license valid upto 31.03.2018. Applied for CTO on 28.03.2017. Remarks/ATR on 09-08-2017 Temporary revocation for 15 days was issued to the unit on 07.03.2017. Inspection was again conducted on 07.08.2017 and its findings are as follows: 1. Unit found operational and engaged in the activity of Restaurant with capacity of 48 seats. 2. Oil and Grease Trap found installed and functional. 3. Channelization provided over kitchen section. 4. MCD/ Police license valid upto 31.03.2018.	12-10-2017 Implement the decision dated 03.10.2017 w.r.t. grant of Consent to Establish and Consent to Operate. Directions for closure be made infructuous as per office order dated 02.08.2017.
84	SOMANI FOODS (SEVEN HEAVEN)	B-52, LAWRENCE ROAD INDUSTRIAL AREA	22-02-2017	DPCC/EC/2/1/2017/17110	BANQUET Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - based on physico-chemical (a) Effluent analysis report dated - 17-01-2016 - issued by - DPCC- submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 2	The unit has submitted ETP effluent analysis report issued by DPCC on 17-01-2016. The unit has submitted two noise monitoring report issued by DPCC on 28-11-2016 for DG sets.	07-04-2017 The schematic diagram of ETP is provided without indicating dimensions. Photographs of ETP are not not enclosed.	12-10-2017 Consent to Operate granted.

					and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(a) The unit has 2 D.G. Set(s) of 125 KVA each. Noise monitoring report dated 28-11- 2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Source of Water : 2.2 KLD from Other Sources Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33 (A)/5 of EPA details : No			
85	BANSAL PLASTICS	PLOT NO J-252, POCKET-P, SECTOR-3, UDYOG VIHAR, BAWANA INDUSTRIAL AREA	23-02-2017		Manufacturing of Plastic Dana Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- attached to extruder 3. D.G. set- N/A Plot Area-150 sq mt Date of Establishment/ Commencement- 23.12.2010 Status of Ground Water Extraction-No 1.Water consumption- 500 L/day Source- Outside (Bill not submitted) Inspection status- Yes (05.07.2017) and findings are as: 1. Unit found operational and engaged in the activity of mfg. of Plastic dana from Plastic scrap. 2. Proper channelization with section an hood arrangement provided over extruder.	Effluent Analysis Report-N/A Emission Monitoring Report submitted on 07.03.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report-N/A	21-07-2017 . Remarks/ATR on 12-10-2017 .	12-10-2017 Consent to Establish granted.
86	ODEON SOCIAL WITH SMOKE HOUSE DELI (A UNIT OF IMPRESARIO ENTERTAINMENT & HOSPITALITY PVT LTD)	D- 23 GF & 1ST FLOOR CONNAUGHT PLACE NEW DELHI	27-02-2017		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (b) Effluent analysis report dated 08-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33 (A)/5 of EPA details :No	(a) Effluent analysis report dated 08-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-06-2017 Consent to Establish may be granted.	12-10-2017 Consent to Establish granted.
87	HOTEL BLESSINGS	5202-06, PART OF 5198, BASANT ROAD, PAHARGANJ	27-02-2017	DPCC/EC/2/1/2017/17133	GUEST HOUSE (31 ROOMS) WITH STAFF KITCHEN. Hotel/ Guest Houses having upto 50 rooms (double	Orange Establish	Non-SPI		No. of Rooms - 31 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 1200 L/day Discharge - 1100 L/day	Effluent Analysis Report issued by DPCC on 30.03.2017. Emission Monitoring Report issued by DPCC on 06.04.2017.	11-10-2017 Applied for CTO on 01.06.2017 and CTO case taken up in committee on 03.10.2017 and decided to defer the case and to be taken in a separate meeting. Remarks/ATR on 12-10-2017	12-10-2017 Case deferred and to be taken up in a separate meeting.

					bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler				ETP/OGT -Yes ECS - attached to boiler DG set - 1 x 75 KVA MCD License - Valid upto 31/03/2017 Police License - Valid upto 31/03/2017 Commencement date- 01/09/2008 Unit is having kitchen facility.	Noise Monitoring reports issued by DPCC on 31.03.2017.	Applied for CTO on 01.06.2017 which was taken up in CMC meeting held on 03.10.2017 & decided to defer the case & to be taken in a separate meeting.	
88	THAI HOUSE BY KYLIN (A UNIT OF KAIZEN RESTAURANT PVT. LTD)	N- 6, 1ST AND 2ND FLOOR, N- BLOCK MARKET, GREATOR KAILASH PART- I	28-02-2017	DPCC/EC/2/1/2017/17143	BAR CUM RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Seating capacity- 48 seats. Status of Pollution Control System 1. ETP Physiochemical : No 2. Oil & Grease Trap- yes with size (1.5m x 1.0m x 1.0 m) 3. D.G.Set:125 KVA (stack height 3m above roof) 4. Total water consumption : 4080 lit/day (source DJB) 5. Total Trade Effluent-3090 Lit/day Status of Ground Water extraction : No Water supply from Municipal Authority- 4080 Litres/day Commencement of Production- 17.09.2016 (Existing) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33 (A)/5 of EPA details :N/A	.	17-05-2017 Unit has applied for Consent to Establish on 28.02.2016 for the activity of Bar Cum Restaurant with seating capacity of 48. It is recommended that unit may be granted Consent to Establish. Remarks/ATR on 14-09-2017 Unit has applied for consent to Establish on 28.02.2017 for the activity of Bar cum Restaurant with seating capacity of 48. Water consumption is 4080 lit/day.The source of water is DJB. Oil & Grease Trap has been installed with size (1.5 x 1.0 x 1.0 m) Unit has 1 DG Set of capacity 125 KVA. Stack height is above roof level. Unit has not submitted valid MCD License. It is recommended that unit may be granted Consent to Establish after the unit submits valid MCD License.	12-10-2017 Consent to Establish granted.



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 8th meeting on 12.10.2017 w.r.t. Table Agenda Item No 1 - 20 Cases taken up by the Committee with the permission of Chairman of the Committee (Annexure II).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	PARSVNATH METRO MALL	PRATAP NAGAR METRO STATION	29-01-2015	DPCC/EC/2/1/2015/9998	COMMERCIAL/OFFICE COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Renewal	Non-SPI				19-05-2015 (1)STP- Biological Only (a) AR dated 29.03.2011 issued by GGSIPU submitted. (b) Effluent analysis report dated 13-01-2015 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - No .Nitrate nitrogen as N mg/l i.e 55 mg/l is exceeding the prescribed limit (10 mg/l) (2)ECS - N/A (3)D.G.Set Noise Report : 2 The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 02-02-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - No The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 02-02-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - No (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No (7) Water consumption-9600 lt/day (bill enclosed of DJB 8 Oct -2011) (8) Ground water -nil Effluent analysis report of STP and Noise monitoring report of both D.G sets are not meeting the prescribed parameters. Remarks/ATR on 12-10-2017 Unit has submitted fresh effluent analysis report of STP dated 17.11.2016 and parameters are found within limit. Remarks/ATR on 09-08-2017 Status of Pollution Control system/Devices: 1. ETP- Yes a) Adequacy report of STP dated March, 2011 issued by G.G.S.I.P.U. submitted. 2. ECS- No 3. D.G. set- 2x 250 KVA Plot Area- 2530 sq mt Proposed Date- 15.04.2009 Status of Ground Water Extraction:No 1. Water consumption: 9600 L/day. a) Source of water: DJB (copy of DJB water bill submitted) Status of Inspection: No Effluent analysis report of STP dated 18.08.2015 submitted from Shriram Institute for Industrial Research. All Parameters are within prescribed limit except Total Phosphate(P) Air (Emission)-N/A Noise monitoring report dated 05.08.2105 from Center for Occupational and Environmental Health submitted. Noise monitoring report within	12-10-2017 Consent to Operate(Renewal) granted.

											limit. Remarks/ATR on 09-08-2017 . Remarks/ATR on 01-07-2016 Status of Pollution Control system/Devices: 1. ETP- Yes a) Adequacy report of STP dated March, 2011 issued by G.G.S.I.P.U. submitted. 2. ECS- No 3. D.G. set- 2x 250 KVA Plot Area- 2530 sq mt Proposed Date- 15.04.2009 Status of Ground Water Extraction:No 1. Water consumption: 9600 L/day. a) Source of water: DJB (copy of DJB water bill submitted) Status of Inspection: No Effluent analysis report of STP dated 18.08.2015 submitted from Shriram Institute for Industrial Research. All Parameters are within prescribed limit except Total Phosphate(P) Air (Emission)-N/A Noise monitoring report dated 05.08.2105 from Center for Occupational and Environmental Health submitted. Noise monitoring report within limit.	
2	KNITCRAFT APPARELS INTERNATIONAL PVT. LTD.	A-81, PHASE-I, NARAINA INDUSTRIAL AREA	28-06-2016	DPCC/EC/2/1/2016/15270	MFG. OF READYMADE GARMENTS (WITH WASHING). Readymade Garment (with Washing) with Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 25-05-2009 Authorisation Status Pending	Source of Water: DJB (CAT-II) name not matched and address matched Water Consumption: 500 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Working (2)ECS - Working (3)D.G.Set Noise Report : 1 D.G. Set(s) of 125 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31 (A)/33(A)/5 of EPA details : No	Effluent: (b) Effluent analysis report dated 02-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes Emission: -Stack monitoring report dated 23-04-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes -Stack monitoring report dated 23-04-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes Noise: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 23-04-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - No	21-07-2016 Noise monitoring report fails to meet the prescribed standard. Remarks/ATR on 12-10-2017 unit has submitted fresh noise monitoring report was issued to the unit on 03.11.2016 Remarks/ATR on 05-04-2017 -Unit has not submitted any reply w.r.t letter issued on 03.11.2016. Recommendation / Action Taken Details (EE/AEE) on 23-12-2016 . 22-05-2017 As decided in common file of Defence Colony Market, inspection of the unit to be carried out to verify the rectification measures. Unit has applied only for Consent to establish. Unit has submitted copy of SDMC Licence issued on 13.09.2013 for the activity of Eating House(with seating capacity of 48 person) as conformity of the unit. Unit has mentioned the date of establishment on 01.08.2016 & Gross Capital investment i(In rupees of unit without deprecation) is Rs 16,48,000 and accordingly submitted Consent Fee. Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 06.10.2017 and following observations were made- -Unit found in operation & engaged in the activity of Restaurant with seating capacity of 48 seats. -Unit has installed Oil & Grease Trap cum Settling Tank (Size 0.55mx0.55mx0.95m, 0.52mx0.55mx0.95m & 0.55mx0.55mx0.95m). - Channelizaton system provided in Kitchen with stack height 2m above roof level. -One D.G. set of capacity 62.5 KVA with acoustic enclosure & stack height 2m above acoustic enclosure.	12-10-2017 Consent to Operate(Renewal) granted.
3	BONNE BOUCHE (A UNIT OF KINGPIN ENTERPRISES)	SHOP NO. 16, FIRST AND SECOND FLOOR, DEFENCE COLONY MARKET	02-03-2017	DPCC/EC/2/1/2017/17166	Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (a) Effluent analysis report dated 27-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A (3)D.G.Set - 62.5 KVA (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water Consumption: 2500 Liters/Day (Source - DJB)	The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Effluent analysis report dated 27-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	12-10-2017 Consent to Establish granted.	

									Status of Inspection : Inspection was carried out by Representatives of DPCC on 28.12.2016 and following are the brief of observations made during inspection. -Unit found operational and engaged in the activity of restaurant cum bar with 48 seats cover. -Unit has not installed oil and graese trap cum settling tank. -Channelization system provided in the kitchen with adequate stack height. -One DG set having capacity of 62.5KVA with acoustic enclosure with inadequate stack height. -Not applied for Consent to Establish and Consent to Operate. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 17.01.2017. Unit submitted its reply on 01.03.2017 along with copy of MCD licence, application for Consent to Establish with its required documents and informed that they have order for installation of Oil & Grease Trap cum Settling tank, increased the stack height of D.G set and applied for Effluent Analysis Report of Oil & Grease Trap & Noise monitoring Report of D.G. set from DPCC. Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil		-Two Bin system provided (for segregation of wet & dry solid waste). As informed, dispose the same through SDMC.	
4	DOLCE VITA	D91/5 OKHLA INDUSTRIAL AREA PHASE 1	29-03-2017		Cookies, Puff and Dry Cakes Bakery Products and Confectionery with Trade Effluent/Emission Discharge with oil fired furnace Food and Fruit Processing Industry Bakery Biscuit Production	Orange Establish	Non-SPI		(1)ETP -No (2)ECS - N/A (3)D.G.Set: 7 KVA Source of Water: total water requirement 100 litre per day (Domestic) However the unit has not mentioned the source of water. Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details :Nil	N/A	06-04-2017 Unit has not submitted/filled up Consent application as well as undertaking and also not submitted hard copy of the same with required documents. Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 Unit has submitted representation on dated 24.07.2017 along with hard copy of all the required documents with application copy for Consent to Establish. Duct attached to Oven is having inadequate stack height(Nil from roof level)	12-10-2017 Ask the unit to submit complete information. Also inspection be conducted.
5	LEE GARDEN VICTORIAN PALACE	MAIN G.T. KARNAL ROAD, OPP. JAIN MANDIR, NANGLI POONA	07-04-2017		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- STP installed. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 250 KVA and 250 KVA. Noise monitoring report dated 06-04-2017 issued by DPCC submitted. Noise monitoring	Effluent analysis report of STP issued by DPCC dated 30.03.2017 submitted and parameters are within limit. (a) The unit has 2 D.G. Set(s) of 250 KVA and 250 KVA. Noise monitoring report dated 06-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 250 KVA and 250 KVA. Noise monitoring report dated 06-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	12-10-2017 Inspection conducted on 29.09.2017 and following are the observations- 1. During inspection STP found operational. However, no marriage/party was going on. 2. It was informed that no cooking of food is done in the premise during marriage/function/party and during function all readymade foods are brought from outside and utensil are only washed in the premises for which STP is installed. 3. Rain water harvesting system provided.	12-10-2017 Consent to Operate granted. Directions for closure be made infructuous as per office order dated 02.08.2017. Also inspection be conducted.

					Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				report within Limit - Yes. The unit has 2 D.G. Set(s) of 250 KVA and 250 KVA. Noise monitoring report dated 06- 04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes.			
6	PASCOS	D 11 OKHLA INDUSTRIAL AREA PH I	21-04-2017		SERVICE STATION OF SCV(SMALL COMMERCIAL VEHICLES). Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 21-04- 2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes (a)Effluent analysis report dated 23-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set: 50 KVA (a) The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 11-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 3500 Liters/Day (Source - Outside) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 23-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 11-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	22-05-2017 As per manufacturing process submitted by the unit no denting/painting involved. Inspection is required to checking w.r.t provisions of Hazardous Waste Management Rule. Recommendation / Action Taken Details (EE/AEE) on 11-10- 2017 As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 12.06.2017 and following observations were made:- -Unit found in operation and engaged in the activity of Service Station of SCV (Small Commercial Vehicles) with Washing without Paint booth. -Unit has installed an ETP and same found in operation. -Logbook of ETP Maintained. -Wet and dry sludge of ETP stored in plastic container. -Unit is complying with the provisions of HWM Rules,2016. -Unit has installed 1 D.G set of 50 KVA with acoustic enclosure and with adequate stack height.	12-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
7	BONNE BOUCHE (A UNIT OF KINGPIN ENTERPRISES)	SHOP NO. 16, FIRST AND SECOND FLOOR, DEFENCE COLONY MARKET	27-04-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap cum settling tank installed (photographs and size not submitted) (a) Effluent analysis report dated 27-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A (3)D.G.Set - 62.5 KVA (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water Consumption: 2500 Liters/Day (Source - DJB) Status of Inspection : Inspection was carried out by Representatives of DPCC on 28.12.2016 and following are the brief of observations made during inspection. -Unit found operational and engaged in the activity of restaurant cum bar with 48	The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Effluent analysis report dated 27-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	22-05-2017 As decided on file, inspection to be carried out to verify the rectification measures taken by the unit before taking further necessary action. Recommendation / Action Taken Details (EE/AEE) on 12-10- 2017 As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 06.10.2017 and following observations were made- -Unit found in operation & engaged in the activity of Restaurant with seating capacity of 48 seats. -Unit has installed Oil & Grease Trap cum Settling Tank (Size 0.55mx0.55mx0.95m, 0.52mx0.55mx0.95m & 0.55mx0.55mx0.95m). - Channelizaton system provided in Kitchen with stack height 2m above roof level. -One D.G. set of capacity 62.5 KVA with acoustic enclosure & stack height 2m above acoustic enclosure. -Two Bin system provided (for segregation of wet & dry solid waste). As informed, dispose the same through SDMC.	12-10-2017 Consent to Operate granted.

									seats cover. -Unit has not installed oil and grease trap cum settling tank. -Channelization system provided in the kitchen with adequate stack height. -One DG set having capacity of 62.5KVA with acoustic enclosure with inadequate stack height. -Not applied for Consent to Establish and Consent to Operate. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 17.01.2017. Unit submitted its reply on 01.03.2017 along with copy of MCD licence, application for Consent to Establish with its required documents and informed that they have order for installation of Oil & Grease Trap cum Settling tank, increased the stack height of D.G set and applied for Effluent Analysis Report of Oil & Grease Trap & Noise monitoring Report of D.G. set from DPCC. Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil			
8	PUBLIC PRINTING (DELHI) SERVICE	C-80, PHASE-1, OKHLA INDUSTRIAL AREA	09-05-2017		OFFSET PRINTING WITH TRADE EFFLUENT. Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 13-01-2004 Authorisation Status Approved Authorisation Issue Date 21-10-2004 Authorisation Expiry Date 20-10-2006 HWM Application No. 2 Application Date 14-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 16-07-2010 Authorisation Status Pending HWM Application No. 4 Application Date 09-05-2017	Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 27-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes An inspection has carried out on dated 24/07/2017 and following are brief observation are - (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 1200 Litres/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 27-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	23-05-2017 Inspection to be conducted to checking of compliance of HWM Rule. Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 An inspection has carried out on dated 24/07/2017 and following are brief observation are - - unit found operational and engaged in the activity of offset printing with trade effluent discharge. - unit has installed ETP and same found operational. - wet and dry sludge observed. - logbook of ETP maintain -unit is complying with the provision of Hazardous waste management Rules, 2016. - Record of Hazardous waste maintained. unit has submitted a representation on 28.07.2017 along with undertaking and informed that output of quantity of ETP sludge has been missed while submitting the undertaking to the department inadvertently during submission of application for Authorization under HWM, Rules. Now, they have requested to include the factor of quantity output of ETP sludge as per latest undertaking.	12-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

								Authorisation Pending Status				
9	JUGAAD BAR AND BISTRO RESTAURANT (A UNIT OF SNM HOSPITALITY)	SHOP. NO. 10, DDA MAIN MARKET, DEFENCE COLONY	30-05-2017		Restaurant cum Bar Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap Effluent analysis report dated 27-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption - 3.8 KLD (Source - DJB) Status of Inspection : Inspection was carried out by Representatives of DPCC (Team No. 2) on 28.12.2016 and following are the breif of observations made during inspection : - -Unit found operational and engged in the activity of restaurant and bar with seating capacity of 48 seats. -Unit has installed oil and grease trap cum settling tank but not cleaned properly. -Unit has not applied for Consent to Establish and Consent to Operate yet. -Unit has 1. DG set with capacity of 62.5 KVA with proper acoustic enclosure and proper stack height. -Unit has proper channelization and also proper stack height with roof level. -MCD license online copy verified (Scanned copy) SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 17.01.2017. Unit submitted its reply on 06.02.2017 along with photographs of Oil & Grease Trap cum Settling Tank & D.G. set, copy of MCD licence and informed that they have installed proper stack height with D.G. set and Installed proper channelization system with kitchen, Also, they have applied for Consent to Establish on 06.02.2017 and requested for 20 days time to submit application for Consent to Operate after obtaining Effluent Analysis Report of ETP & Noise monitoring Report of D.G. set from DPCC.	Effluent analysis report dated 27-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes -Unit found in operation & engaged in the activity of Restaurant with seating capacity of 48 seats. - Unit has installed Oil & Grease Trap cum Settling Tank (Size 0.55mx0.55mx0.80m, 0.62mx0.55mx0.80m & 0.70mx0.55mx0.80m) & cleaned properly. -Channelizaton system provided in Kitchen with stack height 2m above roof level. -One D.G. set of capacity 62.5 KVA with acoustic enclosure & stack height 2m above acoustic enclosure. -Two Bin system provided (for segregation of wet & dry solid waste). As informed, dispose the same through SDMC.	07-06-2017 Hardcopy of Consent application form along with required documents not received. Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 06.10.2017 and following observations were made-	12-10-2017 Consent to Operate granted.

									Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil			
10	DESI VIBES (A UNIT OF KHYATI & TIARA HOSPITALITY PVT. LTD.)	SHOP NO. 7, DEFENCE COLONY MARKET	31-05-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		S Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 17-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 5.5 KLD (Source - DJB) Status of Inspection : An inspection of the unit was carried out by representatives of DPCC on 27.12.2016 and following were observed: -Unit found in operation & Engaged in the activity of Restaurant with seating capacity of 98 seats. - -Unit has installed an ETP but same found not in operation. -Log book of ETP not maintained. -Channelization provided in the kitchen with inadequate stack height. -One D.G set of 82.5KVA with acoustic Enclosure with inadequate stack height. -Not applied for consent to establish and consent to operate. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 17.01.2017 Unit submitted its reply on 01.02.2017 and 02.03.2017 along with photographs of stack height of D.G. set, stack height of chimney with Kitchen channelization & Oil & Grease Trap cum Settling Tank, copy of Application for consent to Establish, fee slip of Effluent Analysis report, fee slip of Noise monitoring report of D.G. set and informed that they have applied for Effluent Analysis report of Oil & grease Trap cum Settling Tank and requested for grant of 20 days time to apply for Consent to Operate. Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Effluent analysis report dated 17-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	06-06-2017 Hardcopy of Consent application form along with required documents not received. Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 06.10.2017 and following observations were made- -Unit found in operation & engaged in the activity of Restaurant with seating capacity of 86 seats however, as per MCD & Delhi Police License, seating capacity is 98 seats. - Unit has installed Oil & Grease Trap cum Settling Tank (Size 0.60mx0.95mx1.15m, 1.30mx0.95mx1.15m & 0.60mx0.95mx1.15m). -Earlier installed ETP lying at rooftop in dismantled condition. As informed, as per DPCC policy, they have installed Oil & Grease Trap cum Settling Tank (as seating capacity is less than 100 seats) hence, ETP is not required. -Channelization system provided in Kitchen with stack height 2m above roof level. -One D.G. set of capacity 82.5 KVA with acoustic enclosure & stack height 2m above acoustic enclosure. -Two Bin system provided (for segregation of wet & dry solid waste). As informed, dispose the same through SDMC.	12-10-2017 Consent to Operate granted.
11	ROSSELL HOSPITALITY (DIVISION OF	C-61, GROUND FLOOR, PHASE-I,	31-05-2017		FOOD PROCESSING. Food and Fruit	Orange Operate	Non-SPI		Status of Pollution Control System	Effluent analysis report dated 29-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit	06-06-2017 Hardcopy of Consent application form along with required documents not received.	12-10-2017 Consent to Operate granted.

	ROSSELL INDIA LTD)	OKHLA INDUSTRIAL AREA			Processing Industry - Fruit and Vegetables				(1)ETP - Yes Effluent analysis report dated 29-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 26-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 5 KLD (Source - Others) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil	- Yes The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 26-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 Unit submitted the hard copy of application for Consent to Operate along with required documents / test reports on 06.06.2017.	
12	SKM PRODUCTS PVT. LTD.	F-66, PHASE-I, OKHLA INDUSTRIAL AREA	05-06-2017		REFURBISHMENT OF BATTERIES WITHOUT ANY TRADE EFFLUENT DISCHARGE. Battery Charging without trade effluent discharge	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil KVA Status of Ground Water extraction : Borewell (Copy of permission enclosed with the online Consent application form) Water Consumption: 100 Liters/DAY (Source- Borewell) Status of Inspection :Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil		06-06-2017 Hardcopy of Consent form along with required documents not received. Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 Unit submitted the hard copy of application for Consent to Establish along with required documents on 12.06.2017.	12-10-2017 Consent to Establish granted.
13	SAROVAR PORTICO (EARLIER LIVING ROOM A UNIT OF BLISSPOINT DEVELOPERS AND INFRASTRUCTURE PVT LTD)	A9 NARAINA VIHAR	21-06-2017		GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water: DJB (Bill provided) water consumption:1350 Liters/Day Status of Ground Water extraction :nil Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 2 D.G. Set(s) of 160 KVA and 200 KVA. -An inspection was carried out	(1)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 160 KVA and 200 KVA. Noise monitoring report dated 12-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 2 D.G. Set(s) of 160 KVA and 200 KVA. Noise monitoring report dated 12-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 . Remarks/ATR on 12-10-2017 Consent to Operate may be granted. Remarks/ATR on 12-10-2017 . Remarks/ATR on 21-09-2017 - Consent to Establish and Consent to Operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 -Again an inspection was carried out by representatives of DPCC on 12.07.2017. During inspection following observations were made: 1.During inspection, unit found operational & engaged in the activity of guest house (62 beds with 31 rooms).	12-10-2017 Consent to Operate granted.

									by DPCC representatives on 12.01.2017. during inspection following observations were made: 1.During inspection, unit found operational & engaged in the activity of hotel having 39 rooms (with kitchen & without laundry). 2. Kitchen channelization provided with suction system having adequate stack height of chimney. 3. Two nos. of D.G. set 1x160 KVA & 1x200 KVA installed at roof level with acoustic enclosure and adequate stack height. 4. Water supply from DJB, no borewell observed during inspection. 5. Oil & Grease Trap found installed in the unit. 6. MCD license, Delhi Police license, Electricity bills, water bill not shown during inspection. 7. Not applied for Consent to Establish & Consent to Operate yet. -A Show Cause u/s 31 (A) and u/s 33 (A) was issued on 17.03.2017.		2. Unit is not having any kitchen, for commercial activity. 3. Two nos. of D.G. set 1x160 KVA & 1x200 KVA installed with acoustic enclosure and adequate stack height. 4. Unit is not using any plastic disposable glasses/plates. 5. Unit has already applied for consent to establish and operate.	
14	ODEON SOCIAL WITH SMOKE HOUSE DELI (A UNIT OF IMPRESARIO ENTERTAINMENT & HOSPITALITY PVT LTD)	D- 23 GF & 1ST FLOOR CONNAUGHT PLACE NEW DELHI	23-06-2017		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (a) Effluent analysis report dated 08-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31 (A)/33(A)/5 of EPA details :No		10-10-2017 .	12-10-2017 Consent to Operate granted.
15	HOME (AT THE RATE) F37 (A UNIT OF RAM RESORTS & INDUSTRIES (P) LTD.	F-37, EAST OF KAILASH	07-07-2017		Guest House. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)Oil & Grease Trap - Installed (2)ECS - N/A (3)D.G.Set : 62.5 KVA The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 06-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Number of parameters analyzed which are within limit .	Noise monitoring report dated 06-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Number of parameters analyzed which are within limit.	20-07-2017 Unit has not informed regarding size/details of Oil & Grease trap cum settling tank. Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 27.09.2017 and following observations were made:- -Hotel installed Oil & Grease Trap cum Settling Tank with Kitchen to treat the wastewater generated from the Kitchen. -Channelization system provided with Kitchen with adequate stack height. -D.G. set of capacity 62.5 KVA installed with acoustic enclosure &	12-10-2017 Consent to Operate(Renewal) granted.

									Status of Ground Water extraction : NIL Water Consumption : 7500 ltr/day (Source - DJB) (Bill enclosed) Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31 (A)/33(A)/5 of EPA details : NIL		adequate stack height. -Hotel has provided two bins system (for wet & dry solid waste) for segregation of solid waste. As informed, dispose the same through SDMC. -No use of disposable plastic glasses observed.	
16	THE METROPOLITAN HOTEL NIKKO (SUNAIR HOTEL)	302, BANGLA SAHIB ROAD	05-08-2017		HOTEL Hotel (3 Star and Above) - connected to / Discharging Effluent into Public/ Municipal/ DJB Sewer having Kitchen and / or Laundry with boiler	Red Renewal	Non-SPI		Water Consumption: 35000 Liters/Day Source of Water Supply: NDMC Status of Ground Water Extraction: 190000 Liters/Day Status of Pollution Control systems: 1. ETP: STP(225000 Liters/Day) 2. ECS: Stack attached to boiler 3. D.G set: 2 D.G sets of 1000KVA An inspection was carried out by DPCC officials on 28.08.2017 and following observations were made: 1. During inspection unit found operational & engaged in activity of Hotel having 178 rooms, 2 banquets & 3 restaurant. 2. STP found installed and same was found operational. 3. Two DG sets of 1000KVA found installed at basement with acoustic enclosure/room having common stack, having stack height 9m above from roof level. 4. Solid waste found in managed condition. 5. Organic waste converter found installed & same was found operational. 6. One boiler found installed & same was found operational. 7. Rain Water Harvesting pits found in working condition. 8. STP treated water being used in horticulture, gardening etc. 9. Applied for CTO(R) on 05.08.2017. SCN u/s 31(A)/33(A)/5 of EPA details : nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : nil	1. Effluent Analysis Report: (a) Effluent analysis report dated 29.03.2017 issued by DPCC. Effluent analysis report found within limit: Yes. 2. Noise Monitoring Report: (a) Unit has 2 D.G sets of 1000 KVA. Noise monitoring report dated 23.06.2017 issued by DPCC. Noise monitoring report found within limit: Yes.	13-09-2017 Unit has submitted Consent to Operate (Renewal) application hard copy. Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 -Unit has applied for CTO (R) on 05.08.2017. It is pertinent to mention here that honorable NGT was imposed fine of Rs. 5 lakhs the unit because honorable NGT Committee found some discrepancies during inspection. -The hotel has submitted Rs 5 Lakhs and also inspection of the said unit was carried out by DPCC officials on 28.08.2017. -During inspection everything found n order. -Unit has submitted representation dated 25.08.2017 and 03.10.2017 in this regard. -The entire discussion of this case was discussed among all the CMC Member on 03.10.2017 after discussion everyone has their own views that we may not keep pending consent to Operate (Renewal) application of this unit. -Also an inspection of this hotel was carried out by NGT Members (Committee-1) on 10.10.2017. DPCC official was also present during inspection, nothing was found adverse everything as suggested by NGT in their previous inspection has been rectified. -Consent to Operate (Renewal) may be granted.	12-10-2017 Consent to Operate(Renewal) granted.
17	B.B. STEELS PRIVATE LIMITED	55, S.S.I INDUSTRIAL AREA	29-08-2017		ROLLING OF S.S. INGOTS INTO THINNER SECTION VIZ FLATS AND BARS. Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/ day)	Green Renewal	Non-SPI		ETP : NA ECS : Wet Scrubber installed. Report submitted. Plot Area : 1013 sqm Water Consumption : 1000 Lt/Day (outside)	Stack monitoring report of ECS issued by DPCC dated 18.08.2017 submitted and parameters are found within the limit.	12-10-2017 .	12-10-2017 Consent to Operate(Renewal) granted.
18	DELHI DISTRICT CRICKET		04-09-2017		CRICKET STADIUM RESTAURANT.		Non-SPI		water consumption: 14000 Liters/Day	1. Effluent analysis report: (a) Effluent analysis report dated 29-08-	12-10-2017 -Unit has submitted hard copy of CTO application.	12-10-2017

	ASSOCIATION (WILLINGDON PAVILION)	FEROZASHAH KOTLA GROUNDS, NEW DELHI			Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate			Status of Pollution Control System (1)ETP ----- Other ETP Name : ETP (2)ECS - N/A (3)D.G.Set Noise Report : 9 Status of Ground Water extraction : Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no	2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. D.G.Set Noise Report : 9 (a) The unit has 9 D.G. Set(s) of 250 KVA,500 KVA,500 KVA,1010 KVA,1010KVA,1010KVA,1010KVA,1010KVA and 1010 KVA. Noise monitoring report dated 28-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b)The unit has 9 D.G. Set(s) of 250 KVA,500 KVA,500 KVA,1010 KVA,1010KVA,1010KVA,1010KVA,1010KVA and 1010 KVA. Noise monitoring report dated 28-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (c)The unit has 9 D.G. Set(s) of 250 KVA,500 KVA,500 KVA,1010 KVA,1010KVA,1010KVA,1010KVA,1010KVA and 1010 KVA. Noise monitoring report dated 28-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (d) The unit has 9 D.G. Set(s) of 250 KVA,500 KVA,500 KVA,1010 KVA,1010KVA,1010KVA,1010KVA,1010KVA and 1010 KVA. Noise monitoring report dated 28-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (e)The unit has 9 D.G. Set(s) of 250 KVA,500 KVA,500 KVA,1010 KVA,1010KVA,1010KVA,1010KVA,1010KVA and 1010 KVA. Noise monitoring report dated 28-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (f)The unit has 9 D.G. Set(s) of 250 KVA,500 KVA,500 KVA,1010 KVA,1010KVA,1010KVA,1010KVA,1010KVA and 1010 KVA. Noise monitoring report dated 28-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (g)The unit has 9 D.G. Set(s) of 250 KVA,500 KVA,500 KVA,1010 KVA,1010KVA,1010KVA,1010KVA,1010KVA and 1010 KVA. Noise monitoring report dated 28-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (h)The unit has 9 D.G. Set(s) of 250 KVA,500 KVA,500 KVA,1010 KVA,1010KVA,1010KVA,1010KVA,1010KVA and 1010 KVA. Noise monitoring report dated 28-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (i)The unit has 9 D.G. Set(s) of 250 KVA,500 KVA,500 KVA,1010 KVA,1010KVA,1010KVA,1010KVA,1010KVA and 1010 KVA. Noise monitoring report dated 28-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	Inspection was carried out by DPCC official on 11.10.2017 and following were the observations: Cricket stadium restaurant (area about 1500sqm) is part of ferozeshah ground cricket stadium (area about 14acre) in the Admin. block willingdon pavilion and presently non-operational. ETP of 10KLD installed to treat the waste water generated from kitchen of restaurant and in functional condition. Treated water will be discharged in public sewer alongwith other waste water generated from stadium. Channelization system with adequate stack height provided in kitchen. Restaurant will be used only for members and players. DDCA is occupier of restaurant (60seats)as well as ferozeshah kotla cricket ground stadium having seating capacity of about 38000 for cricket matches . Four borewell exits in the stadium, permission not available during inspection. 9DG sets (6x1000, 2x500 and 1x250 KVA) with acoustic enclosure and adequate stack height.Out of these 9DG sets, One DG set of 500 KVA is being used for Restaurant & Admin. building. As reported major construction work of stadium was completed in 1996, however some other construction work completed in 2008 and details not available. Unit has obtained MCD health trade license valid upto 31.03.2018 for willingdon pavilion and Fire safety certificate for DDCA bar located at ground of freozeshah kotla ground from Delhi fire services on 29.09.2017 to the period of three years. There is provision of PNG supply in kitchen. DDCA neither applied for consent to establish/ consent to operate nor installed STP for the complete cricket stadium. CTE was granted on 08.09.2014 for cricket stadium restaurant. Unit submitted representation dated 10.10.2017 informing that till date ferozeshah kotla does not have consent to Operate which is going to conduct a T20 international match of India Vs Newzeland on 01.11.2017, there is one restaurant in stadium and requested for CTO applied on 06.09.2017. Considering the above, Committee decided that Consent to Operate granted for restaurant activity for a period of 03 months from the date of submission of consent application. Also issue a letter to DDCA for seeking reasons for not obtaining Consent under Air and Water Act for entire stadium premises.	
19	ASHOK AND CO. PAN BAHAR LTD.	PLOT NO 49-A, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	04-10-2017		MANUFACTURING AND PACKAGING OF PAN MASALA (WITHOUT	Green Establish	Non-SPI		.	.	11-10-2017 Unit has submitted hard copy with all requisite document.	12-10-2017 Consent to Establish granted.

					TOBBACCO AND NICOTINE FREE). Pan Masala (Mixing Only)						Remarks/ATR on 11-10-2017 Consent to establish may be granted.	
20	MADRAS DOSA & CHINESE	AL-107, GROUND FLOOR ,SHALIMAR BAGH	09-10-2017		Restaurant with 60 Seats. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: -Nil. Status of Ground Water extraction : Nil Source of Water: 80 L per day, Source-Others Status of Inspection : yes, 17.05.2017 SCN u/s 31(A)/33(A)/5 of EPA details : Yes, 19.06.2017 Closure directions u/s 31 (A)/33(A)/5 of EPA details: Yes, 18.08.2017 An inspection was carried out by DPCC officials on 17.05.2017 and observed that - Unit is operational and engaged in the activity of restaurant (with 60 seats) - Unit has one kitchen with which channelization along with chimney system is not provided. - No waste water treatment facility is installed. SCN u/s 33(A) of Water Act and 31(A) of Air Act was issued to the unit on 19.06.2017. Unit has submitted its reply on 21.07.2017 and requested some time. Directions for closure was issued to the unit on 18.08.2017.:	N/A	11-10-2017 Unit has submitted Envirommental Compensation security of Rupees 2.0 lakhs along with underetaking and applied for CTE on 09.10.2017	12-10-2017 Orders for desealing and restoration of electricity / water supply be issued in pursuance of office order dated 02.08.2017.