

DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/Committee II(b) Category/9th Meeting /2017/ 4457-6/ Dated: 17/10/17

Subject: Minutes of the 9th Meeting of the Committee for II(b) Category Cases constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on 13.10.2017 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Please find enclosed herewith the Minutes of the 9th Meeting of the aforementioned Committee, held on 13.10.2017 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.


(Satender Kumar)

Sr. Env. Engineer (CDC)
Consent Management Cell- V

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC.


(Satender Kumar)

Sr. Env. Engineer (CDC)
Consent Management Cell- V

Minutes of the 9th Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016, **held on 13.10.2017 in the conference room of Chairman, DPCC at Delhi Secretariat, New Delhi-110002.**

As per Office Order Dated 31.05.2017, Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 of the cases falling under Category II(b) [activities / process other than those falling under clause II(a) of the said order] are to be decided by the Committee headed by Member Secretary, DPCC and consisting of all SEEs & EEs of the concerned Cell.

Attendance Sheets for meeting on 13.10.2017 are enclosed as Annexure "A".

Following are the Minutes of the Meetings:-

Agenda Item No 1: Pending cases of Consent to Establish and Consent to Operate / Renewal of the Period 01.01.2017 to 12.10.2017 (in reverse chronology).

Decisions were taken online in these cases and list of 246 no. of units including decisions taken in these cases are at Annexure - I.

The following cases are not listed in the online agenda due to software problem, therefore, Committee decided to take up these cases in offline. Decisions were taken offline after briefing the cases by the concerned engineers and decisions taken are given in the following table:-

Sl. No	CMC	Name & Address of the Unit	Date of Consent Application	Activity of the Unit	Decision of the Committee on 13.10.2017
1	IV	Café Coffee Day, 1-CSC, Shanti Niketan, New Delhi, - 110021	12.10.2017 (Consent to Operate)	Coffee Shop	Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
2	II	Café Coffee Day, Plot No 12, Community Centre, New Friends Colony, New Delhi, - 110001	12.10.2017 (Consent to Operate)	Coffee Shop	Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left, a circular stamp in the center, and several other signatures and initials on the right.

Agenda Item No 2: Pending cases of Consent to Establish and Consent to Operate / Renewal of the Period 01.03.2012 to 31.03.2014.

This agenda could not be taken up by the Committee due to paucity of time and it was decided to take up this agenda in the next CMC meeting.

Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on the list mentioned above (**Annexure-I**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.


The meeting ended with a vote of thanks to the Chair.



(S.M. Ali)
Member Secretary, DPCC



(Dr. Chandra Prakash)
SEE, CMC-II



(M. Arif)
SEE, CMC-III




(B.L. Chawla)
SEE, CMC-I



(P.S. Pankaj)
Incharge / EE, CMC-I



(Satender Kumar)
SEE, CMC-V



(Shyam Sunder)
EE, CMC-I



(M.S. Rawat)
EE, CMC-V



(Sanjay Vatts)
EE, CMC-II




(Ramesh Chandra)
EE, CMC-II



(Amit Chaudhary)
EE, CMC-III



(Sunil Kumar)
EE, CMC-IV



(Surender Singh)
EE, CMC-V



(K. Kumar)
EE, CMC-IV



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 9th meeting on 13.10.2017 w.r.t. Agenda Item No 1 - 246 Pending Cases of Consent to Establish and Consent to Operate / Renewal of the period 01.01.2017 to 12.10.2017 (in reverse chronology) (Annexure 1).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	ASHISH GARG	L-1/16/122, KHASRA NO. 79-80, NEW MANDOLI INDUSTRIAL AREA,	24-01-2017	DPCC/EC/2/1/2017/16891	MANUFACTURING OF COPPER RE-ROLLING MILL (COPPER RODS). Copper / Aluminium Re-Rolling Industry (Foil and Strips Etc.) with Capacity less than 25MT/Day	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - Cyclone and wet scrubber (3)D.G.Set: Nil Ground Water: Nil. Proof of possession before 07.02.2007: Rent agreement dated 03.05.2005 and undertaking of the Landlord submitted. Poof of location within the redevelopment area: The unit has not submitted authenticate proof of location of the unit within the redevelopment area. OLMS: Unit has not provided information regarding installation of online Monitoring system.	Emission Monitoring report dated 16.01.2017 from DPCC Lab submitted. Results are as follows Particulate Matter (mg/ Nm3) : 77 Remarks: fugitive emission observed from furnace.	15-02-2017 Inspection of the unit may be conducted. Also unit may be asked to submit proof regarding location of the unit within the boundaries of redevelopment area and status of installation of OLMS Remarks/ATR on 22-09-2017 As per the committee decision, the unit has submitted the roof of the location of the unit within the boundaries of the redevelopment area. However, Closure directions were issued to the unit on 16.01.2017 and the unit was sealed in the sealing drive for the PGC order compliance on 31.07.2017 as the name of the unit was listed at serial no. 69 in the 103 list. The unit represented for de-sealing and the case was put up accordingly in the main file for which the approval for desealing as per order dated 02.08.2017 has been obtained. Accordingly the desealing orders were issued on 21.08.2017. Recommendation / Action Taken Details (EE/AEE) on 25-05-2017 As per the decision, a letter to the unit was issued on 01.12.2016 asking the unit to submit proof of the location of the unit within the boundaries of the redevelopment area. Inspection yet to be conducted.	23-02-2017 Inspection be conducted. Also unit be asked to submit proof of its location of the unit within the boundaries of redevelopment area, in original, from Industries Department and status of installation of OLMS. Also ask the unit to provide display board at the front of the unit.
2	PYARE LAL GOEL	B-2561,NARELA INDUSTRIAL AREA,DELHI-40	24-01-2017	DPCC/EC/2/1/2017/16895	Manufacturing of Poly Bag Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N.A 2. ECS-N.A 3. D.G. set-Nil Plot Area- 250 sq mt Date of Commencement- December, 2013 Status of Ground Water Extraction-No 1.Water consumption- 500 L/d. Source- Outside (No bill submitted) Status of Inspection-No	Effluent monitoring report -N/A Stack monitoring report- N.A. Noise monitoring report N.A.	11-10-2017 .	13-10-2017 Inspection be conducted.
3	PYARE LAL GOEL	B-2561,NARELA INDUSTRIAL AREA,DELHI-40	25-01-2017	DPCC/EC/2/1/2017/16900	Manufacturing of Poly Bag Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N.A 2. ECS-N.A 3. D.G. set-Nil Plot Area- 250 sq mt Date of Commencement- December, 2013 Status of Ground Water Extraction-No 1.Water consumption- 500 L/d. Source- Outside (No bill submitted) Status of Inspection-No	Effluent monitoring report -N/A Stack monitoring report- N.A. Noise monitoring report N.A.	11-10-2017 .	13-10-2017 Inspection be conducted.
4	BAJRANG ENTERPRISE	J-252,POCKET-P,SECTOR-3,BAWANA INDUSTRIAL AREA,DELHI-39	27-02-2017	DPCC/EC/2/1/2017/17126	Industrial Packaging Plastic Material	Orange Establish	Non-SPI		The unit has applied for Consent to Establish under Orange Category and submitted consent fee for	.	26-09-2017 May please peruse the documents/file. In view of the Office Order No. F.No. DPCC/Consent/ 2017/569-580 dated 31.05.2017 regarding processing of the consent cases, case is recommended for grant of	13-10-2017 Consent to Establish granted.

					Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)				one years applicable under orange category (as per previous categorization). As per new categorization approved in 63rd DPCC Board meeting dated 27.02.2017, now activity falls under Green Category.		Consent to Establish for period of one years.	Subsequently, inspection be conducted.
5	AHUJAS WEB PRIVATE LIMITED	D-80, OKHLA INDUSTRIAL AREA, PHASE - I,	08-03-2017	DPCC/EC/2/1/2017/17204	READYMADE GARMENTS WITHOUT WASHING WITH ELECTRIC BOILER. Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 75 KVA. Noise monitoring report dated 27-01-2017 issued by DPCC submitted. Number of parameters analyzed within limit - Yes. Status of Ground Water extraction : Nil Water Consumption - 300 Ltrs/Day (Source - Others) Status of Inspection :Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 27-01-2017 issued by DPCC submitted. Number of parameters analyzed within limit - Yes.	20-03-2017 . Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 Unit submitted another representation on 09.98.2017 w.r.t SCN dated 04.07.2017 along with photograph of ETP and informed that they have installed the ETP and dischrageing wastewater into sewer after treatment through ETP and they are in process of apply for fresh Conesnt to Establish & Consent to Operate for change of activity from Mfg. of Readymade Garments Without washing to Readymade Garments With washing with Electric Boiler.	13-10-2017 Case deferred.
6	R.S BEVERAGES	PLOT NO. 104,POCKET N-1,SECTOR-5,BAWANA INDUSTRIAL AREA,DELHI	27-03-2017		Package Drinking Water Mineralised Water/Water Treatment Plant	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS-N/A 3. D.G. set- 1x125 KVA Plot Area-250 sq mt Date of Establishment/ Commenceent- 27.05.2017 (Proposed) Status of Ground Water Extraction-No 1.Water consumption- 40000 l/day Source- DSIIDC (bill not submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring Report - N/A	05-04-2017 . Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 .	13-10-2017 Inspection be conducted.
7	HOTEL BROADWAY	4/15 A, ASAF ALI ROAD,	28-03-2017		HOTEL AND RESTAURANT. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Kitchen - Yes Boiler/HWG - No Water consumption - 23000 L/day Discharge - 200 L/day ETP/OGT - Yes ECS - Yes DG set - Yes MCD License - 31.03.2017 Police License - Valid upto 31/03/2017 Commencement date- 1956	Effluent Analysis Report- issued by DPCC lab on 28.02.2017. Parameters are within limit. Emission Monitoring Report- No Noise Monitoring reports- issued by DPCC lab on 16.03.2017. Parameters are within limit.	13-10-2017 .	13-10-2017 Inspection be conducted.
8	KHAZANA BOX PRODUCTS		02-04-2017		MFG. OF CARD BOARD BOXES		Non-SPI		Status of Pollution Control system Devices-	Effluent Analysis Report-N/A	23-05-2017 .	13-10-2017

		H-153, SECTOR-3, DSIIDC INDUSTRIAL AREA, BAWANA, NEW DELHI-110039			WITH PRINTING WITHOUT TRADE EFFLUENT Cardboard/ Paper or Corrugated Box & Other Products (with Printing Activity Including Effluent Generation) from Card board as raw material Printing without Trade Effluent Discharge	Orange Establish			1. ETP-N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-100 sq mt Date of Establishment/ Commencement- 10.04.2017 Status of Ground Water Extraction-No 1.Water consumption- 350 L/day Source- DSIIDC (Bill submitted) Inspection status- No	Emission Monitoring Report -N/A Noise Monitoring report-N/A	Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 Inspection yet to be conducted.	Expedite inspection.
9	PIONEER MARKTRADE (P) LTD	DELHI 6, FOOD MALL, TIS HAZARI METRO STATION	05-04-2017		FOOD MALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Yes (Proposed) 2. ECS- N/A 3. D.G. set- N/A Plot Area-1982 sq mt Date of Establishment/ Commencement- 15.04.2017 Status of Ground Water Extraction-No 1.Water consumption- 10000 L/day Source- DMRC (letter regarding water connection submitted) Inspection status- No MCD & Police License not submitted.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	23-05-2017 Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 Inspection yet to be conducted.	13-10-2017 Expedite inspection.
10	GERA PAINT INDUSTRIES	PLOT NO 8,POCKET-H,SECTOR-1,DSIDC BAWANA INDUSTRIAL AREA	24-04-2017		Mfg. of Paint and Varnish Enamel Paints	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 21-07-2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS- N/A 3. D.G. set- No Plot Area-250 sq mt Date of Establishment/ Commencement- 01.01.2011 Status of Ground Water Extraction-No 1.Water consumption- 200 L/day Source- DSIIDC (Bill submitted) Inspection status- Yes (22.05.2017) and findings are as follows: 1. Unit found operational and engaged in the activity of mfg of paint. 2. HWM Rules are not complied with. Unit has not applied for Authorization.	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	23-05-2017 Recommendation / Action Taken Details (EE/AEE) on 13-10-2017	13-10-2017 Inspection be conducted.
11	DWARKA (A UNIT OF CHANDHOK SYNDICATE)	3-F, KAMLA NAGAR	26-04-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging	Orange Renewal	Non-SPI		Hardcopy not submitted.		11-08-2017 Recommendation / Action Taken Details (EE/AEE) on 13-10-2017	13-10-2017 Inspection be conducted.

					Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler							
12	SHRI TIRUPATI PACKAGING	H-122, SECTOR-5, DSIDC BAWANA INDUSTRIAL AREA, DELHI-110039.	28-04-2017		MFG. OF PLASTIC LAMINATION AND FLEXO PRINTING (W/O ANY TRADE EFFLUENT) Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap) Roto and Flexo Printing without trade effluent discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 28-04-2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- No Plot Area-200 sq mt Date of Establishment/ Commencement- 01.01.2017 Status of Ground Water Extraction-No 1.Water consumption- 60 L/day Source- Outside (Bill not submitted) Inspection status- No Unit has applied for CTE vide Id. No. 16486 & authorization on 28.04.2017 (photographs of display board & containers submitted)	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	23-05-2017 Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 Inspection yet to be conducted.	13-10-2017 Expedite inspection.
13	HOTEL LA FRANSO	A-33/1, STREET NO-1, MAHIPALPUR	22-05-2017		GUEST HOUSE WITH 10 ROOMS (DOUBLE BED). Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System 1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil -An inspection was carried out by officials of DPCC on 11.10.2017 During inspection following observations were made: 1.Unit found operational and engaged in the activity of guest house with 10 rooms (double bedded). 2. STP (common with hotel airport land) found installed & same was found operational. 3. STP log book found maintained. 4. No D.G set found installed within the premises. 5. Source of water, DJB. 6. Applied CTO on 22.05.2017.		13-10-2017 Consent to Operate may be granted.	13-10-2017 Consent to Establish and Consent to Operate granted.
14	J.S. METAL INDUSTRIES	308/1, SHAHZADA BAGH INDUSTRIAL AREA	25-05-2017		COPPER WIRE DRAWING (WITHOUT PICKLING) Copper Wire Drawing without Super Enamelling, pickling (Dry Process	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 21-05-2009 Authorisation Status Pending HWM Application No. 2 Application Date 30-05-2012 Authorisation Status Approved	Status of Pollution Control system Devices- 1. ETP -N/A 2. ECS- N/A 3. D.G. set- No Plot Area-100 sq mt Date of Establishment/ Commencement- 01.01.2001 Status of Ground Water Extraction-No 1.Water consumption- 70 L/day Source- DJB (Bill submitted) CAT-II Inspection status- No Unit has MCD(factory license) valid upto 31.03.2016 Unit has CTO(R) expired on dated 29.05.2017 and	Effluent Analysis Report -N/A Emission Monitoring Report -N/A Noise Monitoring reports -N/A	06-06-2017 Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 Inspection is yet to be conducted.	13-10-2017 Expedite inspection.

								Authorisation Issue Date 20-07-2012 Authorisation Expiry Date 29-05-2017	applied for Authorization on 25.05.2017 (Photographs of Display board are attached).			
								HWM Application No. 3 Application Date 25-05-2017 Authorisation Status Pending				
15	DOGRA PRESS	D-149-150, POCKET-D, SECTOR-3, DSIIDC, BAWANA	29-05-2017		Offset Printing Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		Hard copy not submitted.		07-06-2017 Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 Inspection is yet to be conducted.	13-10-2017 Expedite inspection.
16	BALAJI RESTAURANT (A UNIT OF GODAVARI HOTELS PRIVATE LIMITED)	PLOT NO: 17 A/41, GURUDWARA ROAD, WEA KAROL BAGH,	30-05-2017		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		07-06-2017 Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 Unit submitted hardcopies. No. of Seats -48 Kitchen - Yes Boiler/HWG - No Water consumption - 600 L/day Discharge - 200 L/day ETP/OGT - Yes ECS - Yes DG set - No MCD License - No Police License - Valid upto 31/03/2017 Commencement date- 18.12.2008 Effluent Analysis Report- issued by DPCC lab on 07.06.2017. Parameters are within limit. Emission Monitoring Report- No Noise Monitoring reports- No	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
17	HOTEL PORT VIEW	L-384-A, KH. NO. 734/2, MAHIPALPUR	31-05-2017		GUEST HOUSE. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System Water Consumption: 6000 Liters/day Status of Ground Water extraction :No Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31 (A)/33(A)/5 of EPA details :No -An inspection was carried out by officials of DPCC on 11.10.2017 During inspection following observations were made: 1.Unit found operational and engaged in the activity of guest house with 22 rooms double beaded without kitchen/ laundry. 2. Unit has one D.G Set of capacity 125 KVA installed with acoustic enclosure & 25 meter stack height above roof level.	1. Effluent analysis report (a) Effluent analysis report dated 06-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 18-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-10-2017 -CTO may be granted.	13-10-2017 Consent to Operate granted.

									2. STP installed in the premises found functional. 3. STP Log book maintained. 4. Source of water DJB. 5. Unit has applied CTO ON 31.05.2017			
18	V K BOX INDUSTRIES	B-99, GTK ROAD INDUSTRIAL AREA	06-06-2017		MFG.OF CARBOARD AND PRINTING PRESS AND LAMINATION WITH PLATE MAKING. Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 04-08-2009 Authorisation Status Pending HWM Application No. 2 Application Date 15-12-2010 Authorisation Status Pending HWM Application No. 3 Application Date 06-06-2017 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 392 sq mt Date of commencement- 01.04.2011 Status of Ground Water Extraction-No 1. Water consumption- 1000 L/day. a) Source of water- Outside (copy of bill not submitted) Unit has also applied under form-I of HWM rules.	Effluent analysis report -issued by DPCC lab, on 16.05.2017 submitted. Parameters are found within limit. Emission monitoring report -N/A Noise monitoring report - N/A	06-07-2017 Inspection may be conducted. Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 Inspection is yet to be conducted.	13-10-2017 Expedite inspection.
19	MEMBRANE TYRES PVT LTD	PLOT-56, FIE, PATPARGANJ INDUSTRIAL AREA, DELHI-92	07-06-2017		PRECURED TYRE RETREDING Tyre Retreading (with Boiler)	Orange Renewal	Non-SPI		1. ETP- No 2. ECS- No 3. Water Consumptio - 74 L/day 4. Trade Effluent- 40 L/day 5. Fuel Type- High Speed Diesel	- Noise Monitoring Report was submitted by DPCC on 01.06.2017 and all the parameters are within the prescribed limits. - Emission Monitoring Report was submitted by DPCC on 05.06.2017 and all the parameters are within the prescribed limits.	06-07-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 01-09-2017 Inspection yet to be conducted.	13-10-2017 Expedite inspection.
20	AMBE AUTO	C-148, PHASE-I, OKHLA INDUSTRIAL AREA	07-06-2017		Servicing and repairing of two wheelers automobiles Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-06-2017 Authorisation Status Pending	status of Pollution Control System (1)ETP ---- Yes (Physiochemical) (2)ECS - N/A (3)D.G.Set : 1 (15 KVA) Status of Ground Water extraction : Nil Water Consumption: 4000 Liters/Day (Source - DJB & Others) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 10-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Noise monitoring report dated 11-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	06-07-2017 Consent to Establish issued on 29-05-2015. Remarks/ATR on 21-09-2017 Inspection is carried out on 24/07/2017 and observation are found - - Unit found Operational and engaged in the activity of servicing and repairing of two wheeler with washing. - Unit has installed ETP and same found Operational. - Some dry sludge observed, Logbook of ETP not maintained. - Unit is not Complying with provision of Hazardous Waste Management Rules, 2016. - Unit having 1 DG set of 15 KVA with acoustic enclosure and having adequate satack height. As per approval on file, SCN u/s 5 of EPA was issued to 12.09.2017. Reply awaited. Recommendation / Action Taken Details (EE/AEE) on 10-08-2017 Inspection is carried out by Representatives of DPCC on 24/07/2017 and following observations were made:- - Unit found Operational and engaged in the activity of servicing and repairing of two wheeler with washing. - Unit has installed ETP and same found Operational. - Some dry sludge observed, Logbook of ETP not maintained. - Unit is not Complying with provision of Hazardous Waste Management Rules, 2016.	13-10-2017 Take action as decided in file.

16-Oct-17

					Formulation- with Boiler			Authorisation Status	Discharge- 1000 L/D, disposed into public. 5. Domestic Trade Effluent-300 L/D, disposed into public sewer. 6. Water Consumption- 1000 L/day source is Corporation.	01-05-2017 and all the parameters are within the prescribed limit as per the report. Noise Monitoring Report was submitted by DPCC on 21-03-2014 and all the parameters are within the prescribed limit as per the report		
25	YAUMI BAKERS	PLOT NO. 33, PHASE-II, BADLI INDUSTRIAL AREA	08-06-2017		Manufacturing of Bakery Products/ Bread Food and Fruit Processing Industry Bakery Biscuit Production	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-185 sq mt Date of Establishment/ Commencement- 23.05.2017 Status of Ground Water Extraction-No 1.Water consumption- 450 L/day Source- Ground water (Permission from DJB/CGWA not submitted) Inspection status- No	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	13-10-2017	13-10-2017 Consent to Establish granted.
26	PRAKASH TEXTILE	F-28/3, PHASE 2, OKHLA INDUSTRIAL AREA	08-06-2017		READYMADE GARMENTS AND ACCESSORIES WITHOUT WASHING. Readymade Garment with oil fired boiler (without Washing/Dying)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 20-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (3)D.G.Set Noise Report : 140 KVA (a) The unit has 1 D.G. Set (s) of 140 KVA. Noise monitoring report dated 10-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water Consumption: 300 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil	Stack monitoring report dated 20-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Noise monitoring report dated 10-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	06-07-2017 stack monitoring report of boiler and noise monitoring report of DG set reveals that the height of stacks are inadequate. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Unit has submitted representation on 09.08.2017 along with photographs and stated that they extended the stack height with DG set and Diesel fired boiler upto 3 m above the roof level.	13-10-2017 Consent to Operate granted.
27	M.S. REGENCY	15A/23, W.E.A., AJMAL KHAN ROAD, KAROL BAGH	08-06-2017		GUEST HOUSE WITH 24 ROOMS AND 57 BEDS Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having	Orange Establish	Non-SPI		No. of Rooms - 24 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 1500 L/day Discharge - 1300 L/day ETP/OGT- No ECS - attached to boiler DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2017 Police License - Valid upto 31/03/2017 Commencement date- 06/11/2009	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	11-08-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.

					Kitchen and / or Laundry with Boiler				Unit is having kitchen facility.			
28	BINSAR AUTOMOBILES	PLOT NO 28/21, GALI NO 3, FRIENDS COLONY INDUSTRIAL AREA	08-06-2017		TWO WHEELERS WORKSHOP (WASHING AND REPAIRING). Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 08-06-2017 Authorisation Status Pending	1. ETP- No 2. ECS- No 3. Water Consumption : 1700 L/ day 4. Trade Effluent Generated: 1550 L/ day - Consent to Establish was issued to the unit on 06.07.2016.	Analysis Report of water effluent was submitted by DPCC on 15.03.2017 and all the parameters are within the prescribed limit.	06-07-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 31-08-2017 Inspection yet to be conducted.	13-10-2017 Expedite inspection.
29	MAURYA PRINTERS	D 150 FLATTED FACTORY COMPLEX OKHLA III	08-06-2017		PRINTING OF PLAIN , PRINTED LABELS (STICKERS) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 13-06-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (a) Effluent analysis report dated - N/A (2)ECS - N/A (a) Stack analysis report dated - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - Water consumption: 2 kilo liters per day Source of water is corporation. Trade effluent _Nil Domestic effluent- 5 kiloliters per day.(Sewer/ Drain) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31 (A)/33(A)/5 of EPA details :N/A Month and years of Commencement of Production- 10.10.2016 Existing	.	06-07-2017 unit applied for Consent to establish and consent to operate on 19.01.2017 and 08.06.2017 for the activity of printing of plain and printed labels (Stickers). It is recommended CTE may be granted and inspection may be carried out to check the current status before deciding CTO and Authorization. Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 Inspection yet to be conducted.	13-10-2017 Expedite inspection.
30	HOTEL SUNSHINE	17B/20-21, DEV NAGAR, KAROL BAGH	08-06-2017		GUEST HOUSE (45 ROOM 62 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	11-08-2017 .	13-10-2017 Case deferred and to be taken up in a separate meeting.
31	MOMENT GUEST HOUSE	7A/74, W.E.A KAROL BAGH	09-06-2017		GUEST HOUSE WITH 20 ROOMS AND 20 BEDS Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging	Orange Establish	Non-SPI		No. of Rooms - 20 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 1500 L/day Discharge - 1100 L/day ETP/OGT - No ECS - attached to boiler DG set - 1 x 82.5 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	11-08-2017 .	13-10-2017 Case deferred and to be taken up in a separate meeting.

					Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler				31/03/2018 Commencement date- 14/09/2012 Unit is having kitchen facility.			
32	AKASHDEEP PRINTERS	B-292, PH-I, OKHLA INDUSTRIAL AREA	09-06-2017		PRINITNG WITHOUT TRADE EFFLUENT DISCHARGE. Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 19-04-2005 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction :Nil Water consumption: 100 ltr (source- outside) Date of commencement- 01.08.2017 (proposed) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil		06-07-2017 Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection of the unit was was carried out by the representatives of DPCC on 01.09.2017 and following observation were made: -Unit found operational and engaged in the activity of offset printing with trade effluent discharge (with plate making). -Unit has not installed ETP to treat waste water generated from plate making and waste water generated from plate making is being discharged into drain without treatment. -Unit has applied for CTE for the activity of printing without trade effluent discharge, however during inspection trade effluent generated from plate making being discharged into drain without treatment. -Unit having 1 DG set (60 Kva) without acoustic enclosure and adequate stack height. -Unit is not complying with the provision of Hazardous Waste Management rules, 2016. -Contacted person not provided any documentary proof w.r.t year of establishment of the unit. Another unit namely M/s R.K. beri & Sons is operating at back side of the above premises and premises B-293, Okhla industrial Area, phase-I and engaged in the activity of manufacturing of paper cutter knives with heat treatment by Oil Quenching without consent from DPCC. As decided, Show Cause Notice u/s 33 (A) Water Act u/s 31 (A) Air Act and u/s 5 of EPA Act to be issued to M/s Akashdeep Printers and SCN u/s 25/26 Water Act & 21 of Air Act to M/s R. K. beri & Sons also be issued.	13-10-2017 Take action as decided in file.
33	HOTEL SUNSTAR RESIDENCY	8A/50, WEA, CHANNA MARKET, KAROL BAGH	09-06-2017		GUEST HOUSE WITH (17 ROOM 41 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		11-08-2017 .	13-10-2017 Case deferred and to be taken up in a separate meeting.
34	THE SUNCOURT HOTEL YATRI	8 A/33, CHANNA MARKET, WEA, KAROL BAGH	09-06-2017		GUEST HOUSE HAVING 24 ROOM AND 53 BED Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		11-08-2017 .	13-10-2017 Case deferred and to be taken up in a separate meeting.
35	SHRI GANESH PLASTIC	E-54, SECTOR-5,BAWANA INDUSTRIAL AREA	09-06-2017		Manufacturing of Dana (With Reprocessing with washing) Reprocessing of Waste Plastic / PVC	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP -Yes (proposed) 2. ECS- attached to extruder 3. D.G. set- No Plot Area- 250 sq mt &	Effluent Analysis Report -N/A Emission Monitoring Report -N/A Noise Monitoring reports -N/A	06-07-2017 Remarks/ATR on 13-10-2017 .	13-10-2017 Expedite inspection.

					(with Washing Activity)				built up area - 230 sq mt Date of Establishment/ Commencement- 27.04.2016 Status of Ground Water Extraction-No 1.Water consumption- 4400 L/day Source- Outside (Bill not submitted) Inspection status- No		Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection is yet to be conducted.	
36	BABA CONTINENTAL	5/30,WEA,KAROL BAGH	09-06-2017		Guest House 19 Rooms Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		No. of Rooms - 19 Kitchen - Laundry - Boiler/HWG - Yes Water consumption - Discharge - ETP/OGT - No ECS - attached to boiler DG set - 1 x 40 KVA MCD License - Police License - Hard copy of remaining requisite documents not submitted. Unit is having kitchen facility.	Effluent Analysis Report- N/A Emission Monitoring Report- No Noise Monitoring reports- No	11-08-2017 .	13-10-2017 Case deferred and to be taken up in a separate meeting.
37	DRUMS OF HEAVEN	S-14, GROUND FLOOR, GREEN PARK EXTN. MARKET	10-06-2017		RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap capacity 2000 liters per day (Size not provided) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (a) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... a)Noise monitoring report of - N/A Status of Ground Water extraction :Nil Water Consumption- 4800 Liters per Day (DJB) Trade Effluent- 3480 Liters per day (Sewer) Domestic Effluent- 1920 liters per day (Sewer) SCN u/s 31(A)/33(A)/5 of EPA details :24.07.2015 Status of Inspection : Closure directions u/s 31 (A)/33(A)/5 of EPA details : Month and years of Commencement of Production- june 1994 Existing	.	06-07-2017 Unit is applied for CTO on 10.06.2017 for the activity of Restaurant with seating capacity of 34. Unit has installed Oil and Grease Trap of capacity 2000 liters per day. Dimension of Oil and grease trap is not provided. As decided in file Inspection may be carried to know the present status of effluent treatment system / Oil and Grease Trap before taking necessary action in this case. Inspection yet to be conducted. It is recommended an inspection may be conducted. Recommendation / Action Taken Details (EE/AEE) on 13-09-2017 Inspection Yet to be Conducted.	13-10-2017 Expedite inspection.
38	HOTEL KARAT 87 INN	PLOT NO: 18/19, WEA, KAROL BAGH, NEW DELHI	10-06-2017		GUEST HOUSE (29 ROOM 70 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) -	Orange Establish	Non-SPI		No. of Rooms - 29 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 2000 L/day Discharge - 1600 L/day ETP/OGT - Yes ECS - attached to boiler DG set - 1 x 125 KVA	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	11-08-2017 .	13-10-2017 Case deferred and to be taken up in a separate meeting.

					connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler				MCD License - Valid upto 31/03/2017 Police License - Valid upto 31/03/2017 Commencement date- 12/12/2013 Unit is having kitchen facility.			
39	SPB-87	PLOT NO: 17 A/2, WEA KAROL BAGH, NEW DELHI	10-06-2017		GUEST HOUSE (20 ROOM 20 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		No. of Rooms - 20 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 1000 L/day Discharge - 850 L/day ETP/OGT - Yes ECS - attached to boiler DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2017 Commencement date- 22/11/2010 Unit is having kitchen facility.	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	11-08-2017 .	13-10-2017 Case deferred and to be taken up in a separate meeting.
40	R.K. MOULDERS	PLOT NO. 50/17A, GALI NO. 1, ANAND PARBAT INDUSTRIAL AREA	10-06-2017		MFG. OF CLUTCH PLATE Aluminium Pressure Die Casting	Orange Renewal	Non-SPI		water consumption: 80 litre/day Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no	1. Stack monitoring report: b) Stack monitoring report dated 23-05-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	06-07-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-09- 2017 - Consent to Operate (Renewal) may be granted.	13-10-2017 Inspection be conducted.
41	SIAM INTERNATIONAL	PLOT NO: 10174/1, NAI WALA GURDWARA ROAD, KAROL BAGH	10-06-2017		GUEST HOUSE (21 ROOM 42 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		No. of Rooms - 21 Kitchen - Yes Laundry - Boiler/HWG - No Water consumption - 1500 L/day Discharge - 1250 L/day ETP/OGT - Yes ECS - No DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date- 23/09/2011 Unit is having kitchen facility.	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	11-08-2017 .	13-10-2017 Case deferred and to be taken up in a separate meeting.
42	DELHI KNIGHTERS RESTAURANT (A UNIT OF DELHI KNIGHTERS RESTAURANT & CATERS PVT LTD)	PLOT NO-4, R. G. CITY CENTRE COMPLEX, MOTIA KHAN, PAHAR GANJ,	13-06-2017		RESTAURANT AND BAR SERVICES (UPTO 80 SEATS). Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging	Orange Operate	Non-SPI		Status of Pollution Control System Devices- 1. ETP -Yes 2. ECS- No 3. D.G. set- No Plot Area- 29 sq mt & built up area - 25 sq mt Date of Establishment/ Commencement- 01.07.2013 Status of Ground Water Extraction-No 1.Water consumption- 650	Effluent Analysis Report issued by DPCC on 25.04.2017 Emission Monitoring Report -No Noise Monitoring reports -N/A	06-07-2017 .	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.

					Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				L/day Source- water is supplied by complex owner/builder (Bill not submitted) Inspection status- Yes MCD license valid upto 31.03.2016. Electricity energisation date is 14/06/2013. Status of Inspection- Yes (15.07.2015) SCN was isued on 21.07.2015 as restuarant was operating without consent from DPCC and for defeciencias observed during inspection. Modified direction was issued on 10.08.2015 for 45 days. Unit was again inspected on 05.01.2016 . Letter was issued on 25.01.2016 to rectify the defecinecies observed during inspection on 05.01.2016 and to apply for Consent with requisite documents. Photographs for ETP, MCD licensce, health licensce submitted		
43	ABBUS	U22 BGN, GROUND FLOOR, RAJOURI GARDEN METRO STATION, NEW DELHI-110027	13-06-2017		Take away and fine dining Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB	Orange Establish	Non-SPI		Water Consumption: 5000 litre/day Source of Water : DMRC Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31 (A)/33(A)/5 of EPA details : no	06-07-2017 Consent to Establish may be granted Recommendation / Action Taken Details (EE/AEE) on 20-09-2017 Water Consumption: 5000 litre/day Source of Water : DMRC Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33(A)/5 of EPA details : no Status of Test Report Remarks/Recommendation Consent to Establish may be granted	13-10-2017 Consent to Establish granted.

					Sewer and having Kitchen and / or Laundry without Boiler							
44	SOHAN LAL & SONS	A-41, PHASE-II, MAYAPURI INDUSTRIAL AREA	15-06-2017		MANUFACTURING OF ADHESIVE. Manufacturing of Synthetic Adhesive without Heating	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 23-09-2004 Authorisation Status Pending HWM Application No. 2 Application Date 26-09-2012 Authorisation Status Approved Authorisation Issue Date 11-12-2012 Authorisation Expiry Date 25-09-2017 HWM Application No. 3 Application Date 29-09-2017 Authorisation Status Pending	water consumption:1116 litre/day Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		06-07-2017 -consent to operate (renewal) may be granted. Remarks/ATR on 21-09-2017 - Consent to Operate (Renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 20-09-2017 An inspection was carried out by the DPCC officials on 07.07.2017 and following were observation made- - During inspection unit found operational and engaged in the activity of mfg of industrial adhesives. -unit has no water as well non air polluting therefor no ETP and ECS found installed - no D.G. Set found in installed in the premises. - Unit is connected to CETP Mayapuri for discharge effluent. -HWm guidlines being followed.	13-10-2017 Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
45	CHINA PEARLS	SHOP NO. 10-13, A-31, FRONT SIDE, KAILASH COLONY MARKET	15-06-2017		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (5000 liters per day) Dimension Not provided. (a) Effluent analysis report dated 04-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 62.5 KVA. Noise monitoring report dated 27-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Water Counsumption- 5 kilo liters per day (DJB) Trade Effluent- 4 kilo liters per day (disposal in Sewer) Domestic Effluent- 0.4 kilo liters per day (disposal in Sewer) Status of Inspection :N/A	Water Analysis Report: Effluent analysis report dated 04-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise Monitoring Report: Noise monitoring report dated 27-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 Unit has applied for CTO (Renewal) on 15.06.2017 for the activity of Restaurant of seating capacity of 64 and unit has installed Oil and Grease Trap of Capacity 5000 liters per day(Dimension not provided). Unit submitted Water analysis Report and Noise monitoring report and same found in permissible limit. Recommendation / Action Taken Details (EE/AEE) on 22-09-2017 Inspection yet to be carried out.	13-10-2017 Expedite inspection.

									SCN u/s 31(A)/33(A)/5 of EPA details :N/A			
									Closure directions u/s 31 (A)/33(A)/5 of EPA details :N/A			
									month and year of commencement of production- 12.10.2004			
46	KUMBHAT METAL INDUSTRIES	B-25/2, JHILMIL INDUSTRIAL AREA,DELHI-110095	15-06-2017		COPPER WIRE DRAWING WITHOUT SUPER ENAMELLING. Copper Wire Drawing without Super Enamelling, pickling (Dry Process	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 25-08-2017 Authorisation Status Pending	1. ETP - No 2. ECS - No 3. D.G Set - No . 4. Water Consumption - 100 liters/day and source is outside. 5. Quantity of Domestic Effluent Generated - 80 Liters/Day which is disposed through public sewer. 6 Quantity of Trade Effluent Generated - Nil liters/day .	N/A	06-07-2017 Recommended to grant the Consent. Recommendation / Action Taken Details (EE/AEE) on 30-08-2017 Show Cause Notice u/s 33(A) of the Water Act and u/s 31 (A) of the Air Act and Show Cause Notice u/s 5 of the EPA, 1986 was issued to the unit on 24.07.2017 . The unit has submitted its reply on 18.08.2017 in response to the SCN informing that they have rectified the deficiencies w.r.t hazardous waste as suggested during the inspection and also informed that they are in process to apply for Consent to Operate and Authorization and will be submitted very soon and requested to grant them 60 days for submitting the same.	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
47	BALAJI RESTAURANT (A UNIT OF GODAVARI HOTELS PRIVATE LIMITED)	PLOT NO: 17 A/41, GURUDWARA ROAD, WEA KAROL BAGH,	15-06-2017		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hard copy not submitted.		06-07-2017 . Remarks/ATR on 13-10-2017 Effluent Analysis Report- issued by DPCC lab on 07.06.2017. Parameters are within limit. Emission Monitoring Report- No Noise Monitoring reports- No Remarks/ATR on 21-07-2017 Hard copy of Consent to Establish application on 30.06.2017. Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS-N/A 3. D.G. set- No Plot Area- 40 sq mt Date of Establishment/ Commencement-08.12.2008 Status of Ground Water Extraction-No 1.Water consumption-600 L/day Source- DJB (Bill submitted) cat II Inspection status- No MCD license and Police license valid upto 31.03.2017. Effluent analysis report - N.A Emission monitoring report -N.A Noise monitoring report - N.A	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
48	DURATUF GLASS INDUSTRIES PVT. LTD	S-59,60,PH-1,BADLI INDUSTRIAL ESTATE,DELHI-110042	16-06-2017		Manufacturing of Toughened Glass Glass Processing (Cutting, Grinding, Polishing etc.) with Trade Effluent Discharge and without Furnace	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes 3. D.G. set- N/A Plot Area- 1000 sq mt (S 60 is 620 sq yd. and S 59 is 527 m) Date of Commissioning- 29.11. 2016 Status of Ground Water Extraction-No 1. Water consumption- 4400 L/day. a) Source of water- Outside(copy of outside water bill not submitted) Status of Inspection- No. However, DPCC lab inspected the unit and lifted the treated sample of waste water on 04.01.2016 and meeting the norms. Show cause notice for	Effluent analysis report -issued by DPCC, lab on 03.01.2017. Meeting the norms. Emission monitoring report -issued by DPCC, lab on 09.06.2017. Meeting the norms. Noise monitoring report - N/A	06-07-2017 Recommendation / Action Taken Details (EE/AEE) on 13-09-2017 Modified directions issued on 15.11.2016 for submission of consent to operate application incorporating the issue of date of establishment and consent fee within 30 days. Reply received on 01.02.2017 wherein the unit has submitted fresh ETP report issued by DPCC lab on 06.01.2017, the parameters found within limit (However lead and total metal was not detected). Unit will soon apply for consent to operate Inspection conducted on 20.07.2017. Findings are- 1. Unit found operational and engaged in the activity of mfg. of toughened glass. 2. ETP found installed and functional. 3. ECS/ channelization installed with adequate stack height. Inspection again conducted on 08.09.2017. Findings are- 1. Unit found in operation & engaged in mfg. of mfg. of toughened glass for automotive vehicles. 2. Trade effluent discharge is generated from glass drilling, grinding & washing activities.	13-10-2017 Issue show cause notice for refusal of consent. Also inspection be conducted.

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

									extraction : Nil Water Consumption: 500 Liters/Day (source - DJB) Status of Inspection : An inspection of the Addressee was carried out by the Officials of DPCC on 29.03.2017 and following observation were made:- -Unit found in operation and engaged in the activity of Manufacturing of Readymade Garments with washing. -Unit having 1 HSD fired Boiler at roof top with adequate stack height. Unit also having two electric Boilers. -Unit has not installed ETP to treat waste water generating from washing activity and waste water found directly discharged without any treatment. -Unit having one DG Set (100 KVA) with acoustic enclosure but inadequate stack height(approx 1m from acoustic level). SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 05.05.2017 Unit has applied for Consent to Operate on 16-06-2017 Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil		1 unit found operational and engaged in the activity of Mfg. of Ready made Garment without washing. 2 unit having 1 DG set of 100KVA with acoustic enclosure but inadequate stack height(0.5 m from acoustic level) and its lying at ground floor. 3 unit having 1 oil fired boiler at roof top with adequate stack height. 4 Machines related to washing activity lying packaged and dismental condition. As informed same will be removed soon. 5 No washing activity observed during inspection.	
52	M/S NAND LAL & SONS	PROPERTY NO. VI/6449-52, (NEW) SITUATED AT KATRA BARYAN, FATEHPURI, DELHI	18-06-2017		SWEETS AND SNACKS Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. OGT -Yes (proposed) (photographs submitted) 2. ECS- N/A 3. D.G. set- No Plot Area- 70 sq mt & built up area - 70 sq mt Date of Establishment/ Commencement- 18.04.1966 Status of Ground Water Extraction-No 1.Water consumption- 2000 L/day Source- DJB & Ground water (Bill submitted) CAT II Inspection status- Yes (25.05.2017) and the findings are as follows: 1. Unit is located on a road towards Fatehpuri Masjid towards Farashkana and Chawri Bazar. 2. First floor and second floor of premises is being used for manufacturing of sweets and namkeen. 3. LPG is used as fuel for cooking. 37 LPG cylinders found stored/ used in the premises. 4. O&G Trap installed and found cleaned. 5. Channelization system provided over 5 cooking bhattis followed by ducts	Effluent Analysis Report -N/A Emission Monitoring Report -N/A Noise Monitoring reports -N/A	06-07-2017 Recommendation / Action Taken Details (EE/AEE) on 13-10-2017	13-10-2017 Consent to Establish dated 16.06.2017 and Consent to Operate granted. Earlier consent to establish dated 08.06.2017 be made infrctuous.

									(5no.s) 6. MCD License in the name of M/s Chaina Ram Sindhi Halwai (Applicant: Nand Lal & Sons) valid upto 31.03.03.2017. 7. As informed by Sh. Hari Gidwans, unit has applied for renewal of MCD license. 8. One borewell exist and in use. Permission from DJB/CGWA not shown during inspection. MCD license valid upto 31.03.2018 & Police license not submitted. SCN under section 31(A) of Air act & 33(A) of water act was issued.			
53	MANAV ENTERPRISES	455, FIE, PATPARGANJ INDUSTRIAL AREA, DELHI-110092	19-06-2017		OFFSET AND DIGITAL PRINTING (WITHOUT TRADE EFFLUENT) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 19-06-2017 Authorisation Status Pending	1. ETP - No 2. ECS - No 3. D.G Set - No . 4. Water Consumption - 200 liters/day and source is purchase water. 5. Quantity of Domestic Effluent Generated - 150 Liters/Day which is disposed through public sewer. 6 Quantity of Trade Effluent Generated - Nil liters/day .	N/A	06-07-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 06-07-2017 Inspection be conducted.	13-10-2017 Expedite inspection.
54	LAMBA FOOD PRODUCTS	PLOT NO. 3 - 4, PKT - I, SEC - 4, DSIIDC, BAWANA, INDL AREA	20-06-2017		SNACKS AND NAMKEEN ETC Food and Fruit Processing Industry - Confectioneries	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- No 3. D.G. set- No Plot Area-250sq mt & built-up area - 250 sq mt. Date of Establishment/ Commenceent- 27.04.2017 Status of Ground Water Extraction- No 1.Water consumption- 6000 l/day Source- DSIIDC (Bill not submitted) Inspection status- No As decided in the meeting dated 06.04.2017, letter was issued to the unit as unit was failed to submit hard copy of CTE application on 22.05.2017 . Rent agreement not submitted. Electricity energisation date is 09.06.2009.	Effluent Analysis Report issued by DPCC on 31.05.2017. Emission Monitoring Report- N/A Noise Monitoring Report - N/A	06-07-2017 Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 Inspection is yet to be conducted.	13-10-2017 Expedite inspection.
55	JAIPRAKASH INDUSTRIES	PLOT NO. H-239, SEC-2, BAWANA INDL. AREA	21-06-2017		MFG. OF SECONDARY ABS DANA Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Renewal	Non-SPI		Hard copy not submitted.		06-07-2017 Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 Inspection is yet to be conducted.	13-10-2017 Expedite inspection.
56	JAI BHAGWAN GOEL DAL MILLS (UNIT-II)	C-62, SECTOR-4, DSIIDC BAWANA INDUSTRIAL AREA	21-06-2017		DAL MILL. Dal Mills	Green Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Stack attached to bag house of dall mills 3. D.G. set- N/A Plot Area-250 sq mt Date of Establishment/ Commencement-	Effluent Analysis Report-N/A Emission Monitoring Report submitted on 09.06.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report-N/A	13-10-2017 Consent to Operate granted.	13-10-2017

									29.10.2014 Status of Ground Water Extraction-No 1.Water consumption- 200 L/day Source- Ground water (Permission from DJB/CGWA not submitted) Inspection status- No			
57	PANCHRATNA THAAL	28/8,GROUND FLOOR EAST PATEL NAGAR	21-06-2017		RESTAURANT 48 SEATS Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System Water Consumption: 4000 litre/day Source of Water: Municipal Authority Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A -Status of Inspection : An inspection of the unit was done on 21.04.2017, by DPCC representative in response to a anonymous complaint received in this office on 09.03.2017. During inspection following observation were made :- - Unit found operational and engaged in the activity of restaurant with seating capacity of 48 seats. - No oil and grease trap found installed. - Effluent generated from the process being directly discharge in to public sewer. - No DG set found installed within the premises. - MCD license and Delhi Police license was not shown during inspection, only receipt for application was shown for obtaining MCD license. - Not applied for Consent to Establish and Consent to Operate in DPCC. -SCN u/s 31(A)/33(A)/5 of EPA details: on the basis of deficiencies which were observed during inspection SCN u/s 31(A) and 33(A) was issued on 30.05.2017. - Unit has been submitted a representation on 20.06.2017, in response to SCN issued to them on 30.05.2017. in their reply unit has stated that they are in the process to apply Consent to establish and Consent to Operate and installation of oil and grease trap also requested to grant 45 days time for the same. - Unit has been applied for	06-07-2017 Consent to Establish may be granted. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 - Consent to Establish may be granted and unit may be directed to submit application for Consent to Operate with requisite documents.	13-10-2017 Consent to Establish be granted and to submit application for Consent to Operate with requisite documents.	

									Consent to Establish on 21.06.2017.			
58	VARDHMAN INDUSTRIES	PLOT NO 27, SEC-1, PKT-M, DSIIDC BAWANA INDL. AREA	21-06-2017		DALL MILLS. Dai Mills	Green Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-stack attached Bag filter/ house 3. D.G. set-Nil Plot Area- 250 sq mt Date of Commencement- 01.02.2012 Status of Ground Water Extraction-No 1.Water consumption- 250 L/d. Source- DSIIDC (bill submitted) Status of Inspection-No	Effluent monitoring report -N/A Stack monitoring report- Not submitted Noise monitoring report N.A.	13-10-2017	13-10-2017 Consent to Operate(Renewal) granted.
59	S.K. ENTERPRISES	PLOT NO. 185, PKT-H, SEC-3, DSIIDC, BAWANA INDUSTRIAL AREA	22-06-2017		MFG OF RUBBER COMPOUND SHEET AND GOODS WITHOUT TUBE AND TYRE Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-N/A 3. D.G. set-Nil Plot Area- 100 sq mt Date of Commencement- 18.12.2006 Status of Ground Water Extraction-No 1.Water consumption- 250 L/d. Source- DSIIDC (bill submitted) Status of Inspection-No	Effluent monitoring report -N/A Stack monitoring report- N.A. Noise monitoring report N.A.	13-10-2017	13-10-2017 Ask the unit to submit report for VOC emission or SSI / MSME Registration. If unit submits the same and found in order, consent to operate be granted.
60	SONU ENTERPRISES	B-2618, DSIIDC INDUSTRIAL AREA, NARELA	22-06-2017		MFG. OF PP FABRIC PACKAGING MATERIAL WITH FLEXO PRINTING WITHOUT ANY TRADE EFFLUENT Roto and Flexo Printing without trade effluent discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 31-05-2016 Authorisation Status Rejected Authorisation Refused Date 26-05-2017 HWM Application No. 2 Application Date 24-06-2017 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP- No 2. ECS- No 3. D.G. set- N/A Plot Area- 250 sq m. Date of Commissioning- 22.06.2017 Status of Ground Water Extraction-No 1. Water consumption-200 L/day. a) Source of water- Outside(copy of outside water bill not submitted) Status of Inspection- Based on deficiencies observed during earlier inspection, refusal of consent and authorization and closure directions u/s 5 of EPA and u/s 31 (A) of Air act was issued to the unit. However, unit has again applied for consent and also applied under Form-I of Plastic rules, 2016.	Effluent analysis report -N/A Emission monitoring report - N/A Noise monitoring report - N/A	06-07-2017	13-10-2017 Consent to Establish dated 22.06.2017 and Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance. Directions for closure be made infructuous as per office order dated 02.08.2017. Also earlier consent to establish dated 15.03.2016 be made infructuous.
61	SONU ENTERPRISES	B-2618, DSIIDC INDUSTRIAL AREA, NARELA	24-06-2017		MFG. OF PP FABRIC PACKAGING MATERIAL WITH FLEXO PRINTING WITHOUT ANY TRADE EFFLUENT Roto and Flexo Printing without trade effluent discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 31-05-2016 Authorisation Status Rejected Authorisation Refused Date 26-05-2017 HWM Application No. 2 Application Date 24-06-2017	Status of Pollution Control system/Devices- 1. ETP- No 2. ECS- No 3. D.G. set- N/A Plot Area- 250 sq m. Date of Commissioning- 22.06.2017 Status of Ground Water Extraction-No 1. Water consumption-200 L/day. a) Source of water- Outside(copy of outside water bill not submitted) Status of Inspection- Based on deficiencies observed during earlier inspection, refusal of consent and authorization and closure directions u/s	Effluent analysis report -N/A Emission monitoring report - N/A Noise monitoring report - N/A	06-07-2017	13-10-2017 Consent to Establish dated 22.06.2017 and Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance. Directions for closure be made infructuous as per office order dated 02.08.2017. Also earlier consent to establish dated 15.03.2016 be made infructuous.

								Authorisation Pending Status	5 of EPA and u/s 31 (A) of Air act was issued to the unit. However, unit has again applied for consent and also applied under Form-I of Plastic rules, 2016.			
62	ANNPURNA BHOJ AND GUEST HOUSE	680,CHURCH MISSION ROAD,FATEHPURI	25-06-2017		GUEST HOUSE AND EATING HOUSE 48 SEATS Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI				13-10-2017	13-10-2017 Inspection be conducted.
63	SHREE RAM FOOD PRODUCTS	KHASRA NO. 45/22, VILLAGE- PRAHLADPUR BANGAR,	26-06-2017		Manufacturing of bread and bakery products Food and Fruit Processing Industry -Bakery (Bread & Biscuit) / Blanco Cakes	Green Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-N/A 3. D.G. set- Nil Plot Area- 376 sq mt Date of Commencement- 15.02.2017 Status of Ground Water Extraction-No 1.Water consumption- 200 L/d. Source- Outside (bill not submitted) Status of Inspection-No	Effluent monitoring report -N/A Stack monitoring report- N.A. Noise monitoring report N.A.	13-10-2017	13-10-2017 Ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area.
64	NANAK FEED MILLS	PLOT NO-68, PKT.-J, SEC-1, DSIDC BAWANA INDL. AREA	29-06-2017		SORTING OF WHEAT RICE AND PULSES AND CATTLE FEED Processing of Condiments, Spices, Groundnuts and Dal Etc	Green Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-Yes, attached to cyclone 3. D.G. set- Nil Plot Area- 250 sq mt Date of Commencement- 01.04.2011 Status of Ground Water Extraction-No 1.Water consumption- 200 L/d. Source- DSIIDC (bill submitted) Status of Inspection-No	Effluent monitoring report -N/A Stack monitoring report- issued by DPPC, Lab on 11.04.2017. Parameters are within limit. Noise monitoring report N.A.	13-10-2017	13-10-2017 Consent to Operate granted.
65	SAMRAT RESTAURANT	SHOP NO.74 AOUTRAM LANE, KINGSWAY CAMP	29-06-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)-	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- Yes, 1 x 62.5 KVA Plot Area- 250 sq mt Date of Establishment/ Commencement-	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	13-10-2017	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

									07.11.2016 wherein the unit submitted Security Bond of Rs. 5 lakhs along with the undertaking. As per undertaking it is informed that security bond is submitted for dyeing activity but they are doing only washing. As decided in common file, Closure Directions revoked temporarily for 30 days on 22.11.2016 for necessary testing/compliances & to apply for Cosent to operate/authorization etc. It was also decided that final revocation shall be considered only after inspection. Inspection conducted on 04.05.2017. 1.Unit found operational and engaged in the activity of washing of readymade garments. 2.ETP found installed but not in working condition. 3.Channelization not provided over spray paint section. 4.One diesel fire boiler found installed but not functional at the time of inspection.whereas,another boiler is found in working condition using wood. Itt was decided in the meeting dated 25.05.2017 to put up the file administratively .			
70	KASHMIRI LAL FOOD PRODUCTS	D-1560, DSIDC INDUSTRIAL COMPLEX, NARELA INDUSTRIAL AREA	02-07-2017		Dal Mill Dal Mills	Green Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-Yes, attached to bag house 3. D.G. set-Nil Plot Area- 350 sq mt Date of Commencement- 24.07.2005 Status of Ground Water Extraction-No 1.Water consumption- 70 L/d. Source- Outside (No bill submitted) Status of Inspection-No	Effluent monitoring report -N/A Stack monitoring report- issued by DPCC, Lab on 17.04.2017 Noise monitoring report N.A.	13-10-2017	13-10-2017 Consent to Operate granted.
71	INDRAPRASTHA SERVICE STATION	I.P. ESTATE, RING ROAD	05-07-2017		FILLING CUM SERVICING OF VEHICLES Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 22-08-2006 Authorisation Status Approved Authorisation Issue Date 22-08-2006 Authorisation Expiry Date 21-08-2008 HWM Application No. 2 Application Date 20-08-2008 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- yes 2. ECS- N/A 3. D.G. set- 1x50 KVA Plot Area-150 sq mt Date of Establishment/ Commencement- 10.02.2016 Status of Ground Water Extraction-No 1.Water consumption- 1000 L/day Source- DJB (Bill submitted) Inspection status- No	Effluent Analysis Report-issued by DPCC, lab on 04.05.2017. Meeting the norms. Emission Monitoring Report -N/A Noise Monitoring report-issued by DPCC, lab on 26.05.2017. Meeting the norms.	13-10-2017	13-10-2017 Inspection be conducted.

								HWM Application No. 3 Application Date 20-08-2010 Authorisation Status Pending HWM Application No. 4 Application Date 24-07-2015 Authorisation Status Pending				
72	KANNIYA TRADING COMPANY	A - 137 - 138, DSIIDC, NARELA, INDL. AREA	08-07-2017		DAL MILLS. Dal Mills	Green Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Stack attached to bag house/filter. 3. D.G. set- N/A Plot Area-350 sq mt Date of Establishment/ Commencement- 20.07.2017 Status of Ground Water Extraction-No 1.Water consumption- 200 L/day Source-DSIIDC (water bill submitted) Inspection status- No	Effluent Analysis Report-N/A Emission Monitoring Report-submitted issued by DPCC,lab on 14.09.2017. Parameters are within limit. Noise Monitoring report-N/A	13-10-2017	13-10-2017 Consent to Establish granted.
73	SHIV SHAKTI ICE FACTORY	B-2630, NARELA INDUSTRIAL AREA	10-07-2017		MANUFACTURING OF ICE SLABS Manufacturing of Ice without Trade Effluent Discharge	Green Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-N/A 3. D.G. set-Nil Plot Area- 250 sq mt Date of Commencement- 10.08.2004 Status of Ground Water Extraction-Yes 1.Water consumption- 350 L/d. Source- Outside (No bill submitted & Ground water permission shown) Status of Inspection-No	Effluent monitoring report -N/A Stack monitoring report- N.A. Noise monitoring report N.A.	13-10-2017	13-10-2017 Consent to Operate granted.
74	AMAN INTERNATIONAL	4555-56 MAIN BAZAR PAHARGANJ DELHI	11-07-2017		GUEST HOUSE (20 ROOMS). Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	09-08-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.
75	AMAN CONTINENTAL	1048, 984, MAIN BAZAR, MANTOLA, PAHARGANJ	11-07-2017		GUEST HOUSE (39 ROOMS). Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed)	Orange Establish	Non-SPI		Hard copy not submitted.	.	09-08-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.

					(excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler							
76	GOLD REGENCY	4344-50, MAIN BAZAR, PAHARGANJ	11-07-2017		GUEST HOUSE (34 ROOMS). Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		09-08-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.
77	GOLD INN	4653-54, GALI RAM PRASAD, SHORA KOTHI, PAHARGANJ	11-07-2017		GUEST HOUSE (18 ROOMS). Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		09-08-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.
78	HOTEL LANDMARK INN	PLOT NO: 10184, MAIN ARYA SAMAJ ROAD, KAROL BAGH,	11-07-2017		GUEST HOUSE (24 ROOMS 34 BEDS) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		09-08-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.
79	KRISHNA MASALA CO.	184-185, PH-II, SHAHZADA BAGH INDUSTRIAL AREA	11-07-2017		GRINDING OF SPICES Spice Grinding	Green Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-Stack attached to suction hood. 3. D.G. set-Nil Plot Area- 160 sq mt Date of Commencement- 06.04.1998 Status of Ground Water Extraction-Yes 1.Water consumption- 30 L/d. Source- Outside (No bill submitted) Status of Inspection-No	Effluent monitoring report -N/A Stack monitoring report- issued by DPCC on 15.06.2017. Parameters are within limit. Noise monitoring report N.A.	13-10-2017	13-10-2017 Consent to Operate(Renewal) granted.
80	HOTEL FREESIA (A UNIT OF M/S FREESIA HOTELS PVT LTD)	E-19, DEFENCE COLONY	11-07-2017		HOTEL WITH KITCHEN. Hotel/ Guest Houses having upto	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Installed		20-07-2017 Now, unit has submitted application for Consent to Operate online on 11.07.2017 however hard copy of Consent application along with required document is yet to be received.	13-10-2017 Ask the unit to submit required documents. If unit submits the

					50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler				(2)ECS - N/A (3)D.G.Set : 180 KVA The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 23-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Water consumption: 9000 ltr/day (Domestic-5000 ltr/day & Kitchen Washing-4000 ltr/day) (Source : Others) Status of Ground Water extraction : NIL Status of Inspection : Inspection of the unit was carried out by officials of DPCC on 28.12.2016 and following observation were made: -Unit found in operation and engaged in the activity of Hotel with Kitchen with capacity of 30 rooms. -Unit has installed an ETP but same found not in operation. -Log book of ETP not maintained. -Channelization system not provided in the kitchen. -Unit having 1 boiler (oil fired), however stack height found inadequate. -Unit having 1 D.G set with capacity of 180 KVA with acoustic enclosure with inadequate stack height. SCN u/s 31(A)/33(A)/5 of EPA details : issued on 17.01.2017 Unit has submitted reply on 02.02.2017 and informed that ETP is being operated regularly & properly, Logbook of ETP is being maintained, they are in process of installing Channelization system in kitchen, ordered for increase in stack height of D.G set & Boiler and requested for grant of 45 days to carry out the same Closure directions u/s 31 (A)/33(A)/5 of EPA details : NIL		Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 Inspection of the unit was carried out by officials of DPCC on 06.10.2016 and following observation were made: -Unit found in operation and engaged in the activity of Hotel with Kitchen with capacity of 30 rooms. -Unit has installed an ETP but same found not in operation. -Log book of ETP could not be shown. -Channelization system provided over tandoor with stack height below roof level. However, Channelization system not provided over gas burner/ range. -Unit having 1 boiler (oil fired), however stack height 3m above roof level. -Unit having 1 D.G set with capacity of 180 KVA with acoustic enclosure with stack height 2m above acoustic enclosure which is required to be 3m above acoustic enclosure. -Bins provided for solid waste however proper segregation of solid waste with Two Bins system (for proper segregation of wet & dry waste) is not provided. Unit submitted a representation on 10.10.2017 along with photographs of Two Bins (for wet & dry solid waste segregation) and informed that Two Bins system (for proper segregation of wet & dry waste) has been provided & order for work of ducting has been placed which will be installed in due time.	same and found in order, consent to operate granted.
81	BHARTIA GUEST HOUSE	3439, DARIBA PAN, PAHARGANJ	12-07-2017		GUEST HOUSE (24 ROOMS DOUBLE) W/O KITCHEN AND LAUNDARY. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) -	Orange Establish	Non-SPI		No. of Rooms - 24 Kitchen - No Laundry - Boiler/HWG - No Water consumption - 2500 L/day Discharge - 2000 L/day ETP/OGT - N/A ECS - No DG set - 1 x 25 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto	Effluent Analysis Report- N/A Emission Monitoring Report- No Noise Monitoring reports- No	09-08-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.

					connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler				31/03/2018 Commencement date- 16/12/2016			
82	D.R. METALS (PROP, RA) KUMAR SHARMA)	K. NO 25/17, GALI NO 6, MASTER MOHALLA, LIBASPUR INDUSTRIAL AREA	12-07-2017		MFG. OF PRESSURE COOKER WITH BUFFING. Process Involving Buffing	Green Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-N/A 3. D.G. set-Nil Plot Area- 173.91 sq mt Date of Commencement- 01.04.2015 Status of Ground Water Extraction-Yes 1.Water consumption- 200 L/d. Source- Outside (No bill submitted) Status of Inspection-Based on complaint. Inspection was conducted on 17.03.2016. Findings are- 1. Unit found operational and engaged in the activity of Mfg. Of Pressure Cooker With Buffing. 2. No ECS installed with buffing process, 3.Nom consent obtained from DPCC. 4. One borewell exists without permission from DJB/CGWA. On the basis of defeciencies observed, SCN was issued to the unit and reminder SCN was issued on 30.08.2016. As no reply received, Closure directions was issued to the unit on 19.12.2016. Unit submitted undertaking and security bond of Rs. two lakhs and requested for de sealing. Deasling letter to unit was issued on 07.09.2017.	Effluent monitoring report -N/A Stack monitoring report- N/A Noise monitoring report N.A.	13-10-2017	13-10-2017 Ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area. Also inspection be conducted.
83	PALM DOR	8595/1, DB GUPTA ROAD, PAHARGANJ	14-07-2017		Guest House Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		No. of Rooms - 29 Kitchen - Yes Laundry - Boiler/HWG - Water consumption - 2000 L/day Discharge - 1740 L/day ETP/OGT - Yes ECS - No DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date- 27/07/2010 Unit is having kitchen facility.	Effluent Analysis Report issued by DPCC on 29.06.2017. Emission Monitoring Report- No Noise Monitoring reports issued by DPCC on 06.06.2017.	09-08-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.
84	A&M DESIGN AND PRINT PRODUCTION	65, PATPARGANJ INDUSTRIAL AREA	14-07-2017		Printing without Trade Effluent Discharge. Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 07-07- 2004 Authorisation Status Approved	1. ETP- No 2. ECS- No 3. DG Set-125 KVA 4. Domestic effluent discharge- 150L/D which is disposed through public sewer. 5. Trade effluent discharge- Nil 6. Source of water supply-	N/A	21-07-2017 Inspection to be conducted Recommendation / Action Taken Details (EE/AEE) on 21-09- 2017 Expedite inspection and the unit has submitted its fees	13-10-2017 Expedite inspection.

								Authorisation Issue Date 30-07-2004 Authorisation Expiry Date 29-07-2006	Water/drinking water suppliers. 7. Water consumption- 250L/D for human use.			
								HWM Application No. 2 Application Date 08-08-2006 Authorisation Status Pending				
								HWM Application No. 3 Application Date 20-03-2012 Authorisation Status Approved				
								Authorisation Issue Date 29-05-2012 Authorisation Expiry Date 19-03-2017				
								HWM Application No. 4 Application Date 17-07-2017 Authorisation Status Pending				
85	NARESH RUBBER INDUSTRIES	PLOT NO- 87, POCKET M, SECTER-5, DSIDC BAWANA INDUSTRIAL AREA	15-07-2017		MFG. OF SPORTS GOODS (RUBBER BALLS AND PLASTIC BALLS AND BATS ETC.) Plastic Processed Goods Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Hardcopy not submitted.		13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
86	SAFFRON RESTAURANT PVT. LTD.	8647, GROUND FLOOR, ARAKASHA ROAD, PAHARGANJ	19-07-2017		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one	Orange Establish	Non-SPI		Hard copy not submitted.		09-08-2017	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.

					Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler							
87	YATRI GUEST HOUSE	PLOT NO.120/2 KH NO. 384/GALI NO.-3 BLOCK-A MAHIPALPUR	19-07-2017		Hotel/ Guest Houses. Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A -An inspection was carried out by officials of DPCC on 11.10.2017 During inspection following observations were made: 1.Unit found operational and engaged in the activity of guest house without laundry & restaurant. 2. STP found installed & same was found operational. 3. STP log book found maintained. 4. NO D.G set found installed within the premises. 5. Source of water, DJB. 6. Applied CTO on 19.07.2017.	1. Effluent analysis report (a) Effluent analysis report dated 18-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) Effluent analysis report dated 08-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-10-2017 -unit has submitted hard copy of CTO application.	13-10-2017 Consent to Operate granted.
88	MANGAT RAM DAL MILLS PVT LTD	M-16, PHASE I, BADLI INDUSTRIAL ESTATE	20-07-2017		DAL MILL Dal Mills	Green Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-Yes, attached to bag house/filter 3. D.G. set-Yes, 1 x 125 KVA Plot Area- 1000 sq mt Date of Commencement- 08.05.2001 Status of Ground Water Extraction-No 1.Water consumption- 500 L/d. Source- DJB (bill submitted) Status of Inspection-No	Effluent monitoring report -N/A Stack monitoring report- issued by DPCC, Lab on 09.06.2017. Parameters are within limit. Noise monitoring report issued by DPCC, Lab on 02.05.2017. Parameters are within limit.	13-10-2017	13-10-2017 Renewal of Consent to Operate granted.
89	HARI PIORKO GRAND	4776, 4777, 4781 (PART), MAIN BAZAR, PAHARGANJ	21-07-2017		GUEST HOUSE (34 ROOMS WITH 48 BEDS) W/O KITCHEN AND LAUNDARY). Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		No. of Rooms- 34 Kitchen - No Laundry - Boiler/HWG - No Water consumption - 4000 L/day Discharge - 3500 L/day ETP/OGT - No ECS - No DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date- 10/06/2016 Unit is having Kitchen facility.	Effluent Analysis Report- N/A Emission Monitoring Report- No Noise Monitoring reports - No	09-08-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.
90	FIRE AND ICE RESTAURANT	4776 AND 4777, FF, MAIN BAZAR, PAHARGANJ	21-07-2017		EATING HOUSE WITH 49 SEATS. Restaurants /Eating houses/ Dhabas	Orange Establish	Non-SPI		No. of Seats- 49 Kitchen - Yes Laundry - Boiler/HWG - No Water consumption - 600	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports - No	09-08-2017	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.

					and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				L/day Discharge - 600 L/day ETP/OGT - No ECS - No DG set - No MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date- 05/10/2010 Unit is having Kitchen facility.			
91	SOCIAL AFFAIRE RESTRO BAR	17A/12 WEA KAROL BAGH	22-07-2017		EATING HOUSE WITH 48 SEATS Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		No. of Seats- 48 Kitchen - Yes Laundry - Boiler/HWG - No Water consumption - 2500 L/day Discharge - 2100 L/day ETP/OGT - No ECS - No DG set - No MCD License - Valid upto 31/03/2017 Police License - Not submitted Commencement date- 10/01/2017 Unit is having kitchen facility.	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports - No	09-08-2017	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
92	HOTEL LAKSHMI PALACE	PLOT NO: 6/65, W.E.A., GURUDWARA ROAD, KAROL BAGH,	23-07-2017		GUEST HOUSE WITH 27 ROOMS WITH 56 BED Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hard copy not submitted.		09-08-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.
93	THE SHIPRA INTERNATIONAL	8596 D.B. GUPTA ROAD NEAR SHIELA CINEMA PAHARGANJ	24-07-2017		Guest house with 40 Rooms and 83 Beds Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		09-08-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.
94	HOTEL KWALITY	53, ARAKSHAN ROAD PAHARGANJ DELHI	24-07-2017		Guest House (44 Rooms with 57 Beds) W/o Kitchen and Laundry Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40	Orange Operate	Non-SPI		Hard copy not submitted.		09-08-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.

					to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler							
95	SOLTI GUEST HOUSE	A-103 KHASRA NO. 388 ROAD NO. 3 MAHIPALPUR	24-07-2017		Hotel/ Guest Houses . Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP -Yes (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no -An inspection was carried out by officials of DPCC on 11.10.2017 During inspection following observations were made: 1.Unit found operational and engaged in the activity of guest house having kitchen and restaurant & without laundry with 8 rooms. 2. STP installed in the premises found functional. 3. STP Log book of ETP maintained. 4. No D.G Set found installed within the premises. 5. Source of water DJB. 6. Kitchen channelization provided with adequate stack height. 7. Unit applied CTO on 24.07.2017.	1. Effluent analysis report (a) Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-10-2017 -Consent to Operate may be granted.	13-10-2017 Consent to Operate granted.
96	HOTEL GOLDEN DELUXE	12A/7, WEA, SARASWATI MARG, KAROL BAGH, NEW DELHI-110005	25-07-2017		Guest House with 23 rooms having 35 beds Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		No. of Rooms- 23 Kitchen - No Laundry - No Boiler/HWG - No Water consumption - 1000 L/day Discharge - 800 L/day ETP/OGT - No ECS - No DG set - No MCD License - Valid upto 31/03/2018 Police License - Not submitted Commencement date- 01/11/1996	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports - No	09-08-2017 .	13-10-2017 Case deferred and to be taken up in a separate meeting.
97	RAMA INN	4 (MCD NO 8539), ARAKASHA ROAD, PAHARGANJ	25-07-2017		GUEST HOUSE (26 ROOMS WITH 66 BEDS) W/O KITCHEN AND LAUNDARY).	Orange Establish	Non-SPI		No. of Rooms- 26 Kitchen - No Laundry - No Boiler/HWG - Yes Water consumption - 5000	Effluent Analysis Report- N/A Emission Monitoring Report- No Noise Monitoring reports - No	09-08-2017 .	13-10-2017 Case deferred and to be taken up in a separate meeting.

					Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler				L/day Discharge - 4500 L/day ETP/OGT - N/A ECS - attached to boiler DG set - 1 x 45 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date - 12/01/2009			
98	HOTEL CHAND PALACE	54, ARANKASHAN ROAD, PAHARGANJ	25-07-2017		GUEST HOUSE (39 ROOMS WITH 89 BEDS) W/O KITCHEN AND LAUNDARY Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Hard copy not submitted.		09-08-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.
99	HOTEL PALLAVI PALACE	8572, ARANKASHAN ROAD, PAHARGANJ	25-07-2017		GUEST HOUSE (24 ROOMS WITH 45 BEDS) W/O KITCHEN AND LAUNDARY Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Hard copy not submitted.		09-08-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.
100	HOTEL MOHAN INTERNATIONAL	2, ARANKASHAN ROAD, PAHARGANJ	26-07-2017		GUEST HOUSE (43 ROOMS WITH 68BEDS) W/O KITCHEN AND LAUNDARY Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and	Orange Operate	Non-SPI		Hard copy not submitted.		09-08-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.

101	S.D.M. ELECTRIC PRODUCTS (PVT.) LTD.	B-88/3, PH-I, MAYAPURI INDUSTRIAL AREA	27-07-2017		/ or Laundry with Boiler Mfg. of Poly Bags tube, Paper bags and flexo printing. Roto and Flexo Printing without trade effluent discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 31-08-2004 Authorisation Status Approved Authorisation Issue Date 27-03-2006 Authorisation Expiry Date 26-03-2008 HWM Application No. 2 Application Date 30-05-2012 Authorisation Status Approved Authorisation Issue Date 11-07-2012 Authorisation Expiry Date 29-05-2017 HWM Application No. 3 Application Date 27-07-2017 Authorisation Status Pending	water consumption: 200 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no		09-08-2017 Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 - As per decision taken by the consent committee headed by MS, DPCC in category II(b) cases on 22.09.2017, an inspection of the unit was conducted by DPCC officials. - During inspection following observation were made : 1. Unit found operational and engaged in the activity of mfg of poly bags tube and flexo printing without trade effluent discharge. 2. No DG set found installed within the premises. 3. No borewell was observed. 4. HWM guidelines being followed. 5. Applied for CTO renewal and authorization. - Consent to Operate may be granted.	13-10-2017 Case deferred.
102	KRISHNA DX GUEST HOUSE	43, ARAKASHAN ROAD, PAHARGANJ	27-07-2017		GUEST HOUSE (47 ROOMS) W/O KITCHEN AND LAUNDARY. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		09-08-2017 Case deferred and to be taken up in a separate meeting.	13-10-2017
103	MITTAL ENTERPRISES	PLOT NO. 485 F.I.E. PATPARGANJ DELHI	27-07-2017		Printing without Trade Effluent Discharge Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		1. ETP- No 2. ECS- No 3. DG Set- No. 4. Domestic effluent discharge- 80 L/D which is disposed through sewer. 5. Trade effluent discharge- Nil 6. Source of water supply- Outside. 7. Water consumption- 100L/D .	N/A	01-08-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Expedite inspection.	13-10-2017 Expedite inspection.
104	JOLLY ENGINEERING WORKS	E-43, GT KARNAL ROAD, S.M.A INDUSTRIAL AREA	29-07-2017		BUFFING AND DRY POLISHING MATERIAL BUILDER	Green Renewal	Non-SPI	1	Status of Pollution Control system Devices- 1. ETP- N/A	Effluent Analysis Report-N/A Emission Monitoring Report	13-10-2017	13-10-2017

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

					Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler							
108	CAFE BROWNIE	8502/41, ARAKASHA ROAD, PAHARGANJ	03-08-2017		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		09-08-2017	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
109	LOVELY WASH CARE COMPANY	J-132, SECTOR-4, BAWANA INDUSTRIAL AREA	03-08-2017		READYMADE JEANS WASHING. Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 03-08-2017 Authorisation Status Pending	Hardcopy not submitted.		09-08-2017 Remarks/ATR on 13-10-2017 File was put up administratively and it was decided by the Competent Authority, DPCC to issue SCN for refusal of CTE and CTO and Directions for closure u/s 31(A) of Water Act, u/s 33(A) of Water Act & u/s 5 of EPA. Recommendation / Action Taken Details (EE/AEE) on 03-10-2017 Unit was inspected on 29.09.2017 and following were the observations: 1. Unit found operational and engaged in the activity of washing of Jeans with spray paint section. 2. ETP found in defunct condition and all untreated effluent found discharge directly into the drain. 3. One wood fired boiler found exist. 4. HWM rules are not complied with.	13-10-2017 Issue show cause notice for refusal of consent and cancellation / refusal of authorization. Also issue show cause notice u/s 31(A) of Air Act , u/s 33(A) of Water Act and u/s 5 of EP Act.
110	JINDAL PULSES	H-1385, DSIDC NARELA INDUSTRIAL AREA	04-08-2017		dal mill. Dal Mills	Green Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-stack attached Bag filter/ house 3. D.G. set- Nil Plot Area- 350 sq mt Date of Commencement- 02.08.2002 Status of Ground Water Extraction-No 1.Water consumption- 350 L/d. Source- DSIIDC (bill submitted) Status of Inspection-No	Effluent monitoring report -N/A Stack monitoring report- issued by DPCC on 13.07.2017. Parameters are within limit. Noise monitoring report N.A.	13-10-2017	13-10-2017 Consent to Operate (Renewal) granted.
111	PARMOD PULSES PROCESSORS	H-1366, DSIDC INDL. COMPL., NARELA INDUSTRIAL AREA	04-08-2017		DAL MILL. Dal Mills	Green Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Stack attached to bag house of dall mills 3. D.G. set- N/A Plot Area-350 sq mt Date of Establishment/ Commencement- 29.10.2014 Status of Ground Water	Effluent Analysis Report-N/A Emission Monitoring Report submitted on 13.07.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report-N/A	13-10-2017	13-10-2017 Consent to Operate(Renewal) granted.

									Extraction-No 1.Water consumption- 350 L/day Source- DSIIDC (water bill submitted) Inspection status- No			
112	V.R. INDUSTRIES	G-12, DSIDC, PHASE-III, BADLI INDUSTRIAL ESTATE	04-08-2017		ALUMINIUM PRODUCTS WITH TEFLON COATING WITHOUT CASTING Spray Painting, Paint Baking, Paint Stripping Household/kitchen appliances (assembly)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 22-08-2017 Authorisation Status Pending	Hardcopy not submitted.		09-08-2017 . Remarks/ATR on 13-10-2017 Inspection is yet to be conducted. Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 Inspection is yet to be conducted. 1. ETP-N.A 2. ECS- No 3. D.G. set- No Plot Area- 100 sq.mt. Commencement Date- 03.04.2017 Status of Ground Water Extraction-No 1. Water consumption- 130 L/day; a) Source of water- Outside (copy of water bill not submitted) Effluent monitoring report -N/A Stack monitoring report- N/A Noise monitoring report N.A.	13-10-2017 Expedite inspection.
113	RITU GUPTA	S-50, BADLI INDL. AREA, PHASE-1, DELHI	06-08-2017		POLISHING OF AUTOMOBILE RIM BY BUFFING PROCESS Buffing on Metal	Green Operate	Non-SPI		1. ETP-N.A 2. ECS- Yes, Stack attached to buffing with ECS. 3. D.G. set- No Plot Area- 45 sq.mt. Commencement Date- 03.05.2016 Status of Ground Water Extraction-No 1. Water consumption- 100 L/day. a) Source of water- DJB (copy of water bill submitted) Inspection was conducted on 16.01.2017 during inspection of K.D.R. Industries of same premises. Following are the observations: 1.Unit found in operation and engaged in the activity of buffing owned by M/s. Ritu Gupta. 2. No ECS installed. 3. Unit is operating without consent from DPCC.	Effluent monitoring report -N/A Stack monitoring report- Issued by DPCC, Lab on 01.08.2017. Parameters are within limit. Noise monitoring report N.A.	13-10-2017 . Consent to Operate granted.	
114	HOTEL ATITHI PALACE (A UNIT OF KRISHNA ENTERPRISES)	50, DARYAGANJ (NEAR RAM MANDIR)	08-08-2017		LODGING HOUSE WITH 38 ROOMS AND 69 BEDS Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		No. of Rooms - 38 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 3000 L/day Discharge - 2500 L/day ETP/OGT - No ECS - No DG set - No MCD License - Valid upto 31/03/2019 Police License - Not submitted Commencement date- 07/10/2015	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	01-09-2017 . Case deferred and to be taken up in a separate meeting.	13-10-2017
115	HOTEL YUVRAJ DELUXE	PLOT NO. 38, ARAKASHAN ROAD, PAHARGANJ	13-08-2017		GUEST HOUSE (38 ROOMS WITH 75 BEDS) W/O	Orange Operate	Non-SPI		No. of Rooms - 38 Kitchen - No Laundry - No	Effluent Analysis Report- N/A	01-09-2017 .	13-10-2017

					KITCHEN AND LAUNDARY Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler				Boiler/HWG - Yes Water consumption - 3000 L/day Discharge - 2500 L/day ETP/OGT - N/A ECS - attached to boiler DG set - 1 x 40 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date- 26/07/2008	Emission Monitoring Report issued by DPCC on 17.07.2017 Noise Monitoring reports issued by DPCC on 13.07.2017		Case deferred and to be taken up in a separate meeting.
116	SHREE RANI SATI DALL MILLS	PLOT NO, A-163-164, DSIIDC, NARELA INDUSTRIAL AREA	14-08-2017		DALL MILL. Dal Mills	Green Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Yes, attached to bag house 3. D.G. set- Nil Plot Area-350 sq mt Date of Establishment/ Commencement- 21.01.2015 Status of Ground Water Extraction-No 1.Water consumption- 200 L/day Source- Outside (water bill not submitted) Inspection status- No	Effluent Analysis Report-N/A Emission Monitoring Report issued by DPCC on 31.05..2017. Parameters are within prescribed limits. Noise Monitoring report-N/A	13-10-2017	13-10-2017 Consent to Operate granted.
117	GKB HI TECH LENSES PVT. LTD.	C-67/1, OKHLA INDUSTRIAL AREA	14-08-2017		MFG. OF OPHTHALMIC LENSES WITH TREADE EFFLUENT DISCHARGE. Contact Lens (with Trade Effluent)	Green Operate	Non-SPI		Brief of the cases Status of Pollution Control System (1) ETP - Yes (2) ECS - N/A (3)D.G.Set: 160 KVA Noise Monitoring report issued by DPCC on 26.04.2017 submitted. Number of parameters tested within limit - Yes. Status of Ground Water extraction : Nil Water Consumption - 5000 ltr/day, Source- DJB (Bill not enclosed) Status of Inspection : Yes on 12.01.2017 As decided in common file, the unit was inspected by DPCC Officials / representatives on 12.01.2017 during inspection of unit M/s P. R. Apparel Pvt. Ltd. in the premises and following were observed during inspection:- - Unit found in operational and engaged in the activity of Mfg. of Opthalamic Lenses with trade effluent discharge. - Unit has has installed ETP and same found in operational however sludge drying bed found dry and	Noise Monitoring report issued by DPCC on 26.04.2017 submitted. Number of parameters tested within limit - Yes.	13-09-2017 Unit submitted its representations on 13.03.2017 & 30.08.2017 and informed that they rectified all the deficiencies observed during inspection & have submitted application for Consent to Operate with required documents/ test reports. However, unit has failed to submit required balance Consent fee w.r.t Letter dated 13.02.2017. Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 Inspection yet to be conducted.	13-10-2017 Implement the earlier decision.

									no wet / dry sludge observed at site. hence it reveals its not operating ETP regularly. - Logbook of ETP not maintained / available at site. flowmeter at inlet and outlet of ETP not installed. - Unit having 1 DG Set (160 KVA) lying at G.F. with acoustic enclosure however, stack height inadequate. - 1 borewell exist and permission from from DJB / CGWA not shown. - Unit operating since October 2016 without obtaining CTO from DPCC. SCN u/s 31(A)/33(A) details : Issued on 13.02.2017. And also, Letter was issued on 13.02.2017 to submit required Consent fee for the period unit became operational. Unit submitted its representations on 13.03.2017 & 30.08.2017 and informed that they rectified all the deficiencies observed during inspection & have submitted application for Consent to Operate with required documents/ test reports. However, unit has failed to submit required balance Consent fee w.r.t Letter dated 13.02.2017. Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil			
118	COOL FLOW INDUSTRIES	J-223, SEC-1, BAWANA INDUSTRIAL AREA COMPLEX	14-08-2017		FOR AUTO PARTS HYDRAULIC MOULDING Manufacturing of Auto parts using Adhesive	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 14-08-2017 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- No Plot Area- 100 sq mt Date of commencement- 09.01.2012 Status of Ground Water Extraction-No 1. Water consumption-90 L/day. a) Source of water- DSIIDC (copy of water bill submitted) Status of Inspection-No Applied under HWM rules.	Effluent analysis report -N/A Emission monitoring report -N/A Noise monitoring report -N/A	14-09-2017 . Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 Inspection is yet to be conducted.	13-10-2017 Expedite inspection.
119	OM INTERNATIONAL	7/7, D.B. GUPTA ROAD, PAHARGANJ, NEW DELHI-110055	15-08-2017		GUEST HOUSE (36 ROOMS FOR 72 PERSONS) WITH MEALS AND LAUNDRY Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB	Orange Establish	Non-SPI		No. of Rooms - 36 Kitchen - Yes Laundry - Yes Boiler/HWG - No Water consumption - 6000 L/day Discharge - 6000 L/day ETP/OGT- Yes (proposed) ECS - No DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date - 01/09/2017	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	01-09-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.

					Sewer and having Kitchen and / or Laundry with Boiler				Unit has Kitchen facility.			
120	HOSTEL CHECKMATE	5, ARAKARSHAN ROAD, PAHARGANJ	16-08-2017		GUEST HOUSE WITH 39 ROOMS AND 88 BEDS Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		No. of Rooms - 39 Kitchen - No Laundry - Boiler/HWG - Yes Water consumption - 2200 L/day Discharge - 2000 L/day ETP/OGT - N/A ECS - attached to boiler DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date- 02/03/2017	Effluent Analysis Report- N/A Emission Monitoring Report- No Noise Monitoring reports- No	01-09-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.
121	RASOI FOOD PRODUCTS CO.	PLOT NO.-144, POCKET-L, SEC-2, DSIDC BAWANA INDUSTRIAL AREA	19-08-2017		Dal Mill. Dal Mills	Green Operate	Non-SPI		1. ETP-N.A 2. ECS- Yes, Stack attached to Bag House. 3. D.G. set- No Plot Area- 250 sq.mt. Commencement Date- 17.09.2010 Status of Ground Water Extraction-No 1. Water consumption- 500 L/day. a) Source of water- Outside (copy of water bill not submitted)	Effluent monitoring report -N/A Stack monitoring report- Issued by DPCC, Lab on 09.07.2017. Parameters are within limit. Noise monitoring report N.A.	13-10-2017	13-10-2017 Consent to Operate granted.
122	CAFE BROWNIE	8502/41, ARAKASHA ROAD, PAHARGANJ	20-08-2017		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		No. of Seats- 25 Kitchen - Yes Boiler/HWG - Water consumption - 100 L/day Discharge - 100 L/day ETP/OGT - Yes ECS - No DG set - No MCD License - Valid upto 31/03/2020 Police License - Valid upto 31/03/2020 Commencement date- 18/12/2013	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	01-09-2017	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
123	THE INDIAN GRILL	8501/15, ARAKASHA ROAD, PAHARGANJ	20-08-2017		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual	Orange Operate	Non-SPI		No. of Seats - 25 Kitchen - Yes Boiler/HWG - Water consumption - 500 L/day Discharge - 400 L/day ETP/OGT - No ECS - No DG set - No MCD License - Valid upto 31/03/2020 Police License - Valid upto 31/03/2020 Commencement date- 18/12/2013	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	01-09-2017	13-10-2017 Consent to Establish granted. Susequently, inspection be condctued.

					Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler							
124	MALWA MOTORS PVT. LTD	W-10, PH-II, OKHLA INDUSTRIAL AREA	20-08-2017		SERVICING AND WASHING OF TWO WHEELERS. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 01-09-2009 Authorisation Status Pending HWM Application No. 2 Application Date 30-08-2012 Authorisation Status Approved Authorisation Issue Date 16-10-2012 Authorisation Expiry Date 29-08-2017 HWM Application No. 3 Application Date 20-08-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical,Oil and Grease Trap Effluent analysis report dated 08-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 08-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-10-2017	13-10-2017 Inspection be conducted.
125	HOTEL AURA	1185/31 ARAKASHAN ROAD PAHARGANJ	20-08-2017		hotel/guest house Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		No. of Rooms - 25 Kitchen - No Laundry -No Boiler/HWG - Water consumption - 3000 L/day Discharge - 2000 L/day ETP/OGT- N/A ECS - Yes DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date- 01/04/2009	Effluent Analysis Report- N/A Emission Monitoring Report issued by DPCC on 19.07.2017 Noise Monitoring reports issued by DPCC on 10.07.2017	01-09-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.
126	SAFFRON RESTAURANT PVT. LTD.	8647, GROUND FLOOR, ARAKASHA ROAD, PAHARGANJ	21-08-2017		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other	Orange Operate	Non-SPI		Hard copy not submitted.	.	01-09-2017	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted. Remarks/ATR on 13-09-2017 No. of Seats - 35 Kitchen - Yes Boiler/HWG - No Water consumption - 500 L/day Discharge - 300 L/day ETP/OGT - No ECS - Yes DG set - No MCD License - Valid upto 31/03/2018

					such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler						Police License - Valid upto 31/03/2017 Commencement date- 05.10.2010 Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	
127	HOTEL SWISSTEN INN	8433, ARYA NAGAR, PAHARGANJ	21-08-2017		GUEST HOUSE (25 ROOMS WITH 48 BEDS) W/O KITCHEN AND LAUNDARY. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		01-09-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.
128	TATA STARBUCKS PVT. LTD.	N-16, GROUND FLOOR, CONNAUGHT PLACE	22-08-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (a) Effluent analysis report dated 08-09-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 100 KVA. Noise monitoring report dated 03-10-2017 issued by DPCC submitted. Noise monitoring report within Limit - yes (b) Stack monitoring report (for more than 1000 KVA) dated issued by submitted and parameters within limit / not satisfactory. Status of Ground Water extraction : Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31	(a) Effluent analysis report dated 08-09-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 03-10-2017 issued by DPCC submitted. Noise monitoring report within Limit - yes	13-10-2017 Consent to Establish may be granted.	13-10-2017 Consent to Establish granted.

								(A)/33(A)/5 of EPA details :				
129	SHILPA INDUSTRIES	PLOT NO. 52, PKT-H, SEC-4, DSIDC, BAWANA INDUSTRIAL AREA	22-08-2017		MANUFACTURING OF STAINLESS STEEL KITCHENWARES AND UTENSILS. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Yes, attached to exhaust hood of buffing section 3. D.G. set- Nil Plot Area-150 sq mt Date of Establishment/ Commencement- 01.10.2008 Status of Ground Water Extraction-No 1.Water consumption- 100 L/day Source- Outside (water bill not submitted) Inspection status- No	Effluent Analysis Report-N/A Emission Monitoring Report issued by DPCC on 08.08.2017. Parameters are within prescribed limits. Noise Monitoring report-N/A	13-10-2017	13-10-2017 Consent to Operate(Renewal) granted.
130	SHRI HARI SHARNAM RESTAURANT	208, 1ST FLOOR, KATRA BARIYAN, FATEHPURI	22-08-2017		RESTAURANT. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		No. of Seats - 40 Kitchen - Yes Boiler/HWG - No Water consumption - 2500 L/day Discharge - 2000 L/day ETP/OGT - No ECS - No DG set - No MCD License - Valid upto 31/03/2019 Police License - Valid upto 31/03/2016 Commencement date- 26/09/2012	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	01-09-2017	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
131	HOTEL ANANDA	8/41, WEA, ABDUL AZIZ ROAD, KAROL BAGH	23-08-2017		GUEST HOUSE (30 ROOMS WITH 60 BEDS) WITH STAFF KITCHEN. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		01-09-2017 Remarks/ATR on 13-09-2017 No. of Rooms - 30 Kitchen - Yes Laundry -No Boiler/HWG - Yes Water consumption - 3000 L/day Discharge - 2800 L/day ETP/OGT- N/A ECS - Yes DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2017 Police License - Valid upto 31/03/2017 Commencement date- 16.10.2010 Effluent Analysis Report- N/A Emission Monitoring Report - N/A Noise Monitoring report - N/A	13-10-2017 Case deferred and to be taken up in a separate meeting.
132	RAM RICHPAL & SONS	I-2177,NARELA INDUSTRIAL AREA,DELHI-110040	23-08-2017		Iron And Steel wire products with Powder Coating Powder Coating without phosphating	Green Operate	Non-SPI		Hard copy not submitted.		13-10-2017 Remarks/ATR on 13-10-2017 Hardcopy submitted. Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Yes, Attached to powder coating booth 3. D.G. set- Nil Plot Area-250 sq mt Date of Establishment/ Commencement- 05.04.2006 Status of Ground Water Extraction-No 1.Water consumption- 300 L/day Source- outside (water bill not submitted) Inspection status- No Effluent Analysis Report-N/A Emission Monitoring Report- N/A	13-10-2017 Consent to Establish and Consent to Operate granted.

										Noise Monitoring report- N/A	
133	LAMBODAR BUILDWELL PRIVATE LIMITED	PLOT NO-245, POCKET-D, SECTOR-2, DSIDC INDUSTRIAL AREA, BAWANA	23-08-2017		Flavour Hukka Material Supari (Betelnut) and Pan Masala Grinding	Green Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- Nil Plot Area-200 sq mt Date of Establishment/ Commencement- 23.09.2017 Status of Ground Water Extraction-No 1.Water consumption- 350 L/day Source- Private ater (water bill not submitted) Inspection status- No	Effluent Analysis Report-N/A Emission Monitoring Report- N/A Noise Monitoring report-N/A	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
134	COLOUR SOLUTION	I-281,SECTOR-2,BAWANA INDUSTRIAL AREA,DELHI	25-08-2017		READYMADE JEANS WASHING. Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS-stack attached boiler. 3. D.G. set-Nil Plot Area- 250 sq mt Date of Commencement- 09-04-2016 Status of Ground Water Extraction-No 1.Water consumption- 4300 L/d. Source- Outside (bill not submitted) Status of Inspection-No	Effluent monitoring report -N/A Stack monitoring report- N/A Noise monitoring report N.A.	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
135	SUPER INDUSTRIES	M-43, SEC-I, BAWANA INDUSTRIAL AREA	26-08-2017		MFG. OF RUBBER GOODS AND PLASTIC GOODS (without using plastic scrap as a raw material) Plastic Processed Goods Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-stack attached suction hood. 3. D.G. set-Nil Plot Area- 150 sq mt Date of Commencement- 03.06.2005 Status of Ground Water Extraction-No 1.Water consumption- 250 L/d. Source- DSIIDC (bill submitted) Status of Inspection-No	Effluent monitoring report -N/A Stack monitoring report- issued by DPCC on 24.07.2017. Parameters are within limit. Noise monitoring report N.A.	13-10-2017 Ask the unit to submit report for VOC emission or SSI / MSME Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
136	HOTEL PAULS COURT (A UNIT OF A. N. OVERSEAS PVT. LTD.)	5/62, WEA, AJMAL KHAN ROAD, KAROL BAGH	28-08-2017		Hotel (without kitchen, laundry and boiler) Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	01-09-2017 Case deferred and to be taken up in a separate meeting.
137	HOTEL PRIYA PALACE	8484-85 ARYA NAGAR PAHARGANJ	29-08-2017		Guest House With 21 Rooms and 33 Beds Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star	Orange Establish	Non-SPI		Hard copy not submitted.	.	01-09-2017 Case deferred and to be taken up in a separate meeting.

					and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler							
138	HARI PIORKO GRAND	4776, 4777, 4781 (PART), MAIN BAZAR, PAHARGANJ	29-08-2017		GUEST HOUSE (34 ROOMS WITH 48 BEDS) W/O KITCHEN AND LAUNDARY). Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hard copy not submitted.	.	01-09-2017 Remarks/ATR on 13-09-2017 No. of Rooms - 34 Kitchen - No Laundry -No Boiler/HWG - No Water consumption - 4000 L/day Discharge - 3500 L/day ETP/OGT- N/A ECS - Yes DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date- 10.06.2016 Effluent Analysis Report- N/A Emission Monitoring Report issued by DPCC on 19.07.2017 Noise Monitoring reports issued by DPCC Lab on 11.08.2017.	13-10-2017 Case deferred and to be taken up in a separate meeting.
139	R R FOODS LLP	KHASRA NO. 38/20/21 PRAHALADPUR BANGAR INDUSTRIAL AREA, NEAR GOVT. GIRLS SR. SEC. SCHOOL	29-08-2017		Flour Mill, Dal/Spices grinding. Flour Mills Processing of Condiments, Spices, Groundnuts and Dal Etc	Green Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-N/A 3. D.G. set-Nil Plot Area- 1672.25 sq mt Date of Commencement- 01.01.2006 Status of Ground Water Extraction-No 1.Water consumption- 100 L/d. Source- Outside(bill not submitted) Status of Inspection-No	Effluent monitoring report -N/A Stack monitoring report-N/A Noise monitoring report N.A.	13-10-2017 Ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area.	
140	R R ENTERPRISES	KHASRA NO. 38/20/21 PRAHALADPUR BANGAR INDUSTRIAL AREA, NEAR GOVT. GIRLS SR. SEC. SCHOOL	29-08-2017		Processing of Dals Dal Mills	Green Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-N/A 3. D.G. set-Nil Plot Area- 334.45 sq mt Date of Commencement- 14.01.2006 Status of Ground Water Extraction-No 1.Water consumption- 100 L/d. Source- DSIIDC (bill submitted) Status of Inspection-No	Effluent monitoring report -N/A Stack monitoring report-N/A Noise monitoring report N.A.	13-10-2017 Remarks/ATR on 13-10-2017 Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-N/A 3. D.G. set-Nil Plot Area- 334.45 sq mt Date of Commencement- 14.01.2006 Status of Ground Water Extraction-No 1.Water consumption- 100 L/d. Source- Outside(bill not submitted) Status of Inspection-No	13-10-2017 Ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area etc.
141	ASSOCIATES PACKAGING	D - 1555, DSIIDC, NARELA, INDL. AREA, DELHI - 110040	31-08-2017		PRINTING PRESS Roto and Flexo Printing without trade effluent discharge	Orange Operate	Non-SPI		Brief of the cases Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-350 sq mt Date of Establishment/ Commencement- 01.04.2016 Status of Ground Water Extraction-No 1.Water consumption-110 L/day Source-PNC (Bill submitted) Inspection status- No	Status of Test Report Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	13-10-2017 Inspection be conducted.	
142		SECTOR-2, K-93, DSIIDC BAWANA INDUSTRIAL AREA	31-08-2017		Reprocessing of Plastic (With		Non-SPI		Status of Pollution Control system Devices-	Effluent monitoring report- N/A	12-10-2017 .	13-10-2017

	ECO PLAST RECYCLING COMPANY				Washing) Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Establish			1. ETP- Proposed 2. ECS (Hood & Channelization)- N/A 3. D.G. set-Nil Plot Area- 150 sq mt Date of Commencement- 10.10.2017 Status of Ground Water Extraction-No 1.Water consumption- 7500 L/day. Source- PNC (No bill submitted) Status of Inspection-No	Emission monitoring report- N/A Noise monitoring report- N/A		Consent to Establish granted.
143	POOJA PALACE	8472 ARYA NAGAR, ARAKASHAN ROAD, PAHAR GANJ	01-09-2017		GUEST HOUSE WITH 24 ROOMS AND 35 LODGERS Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		13-09-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.
144	CHOPRASONS	PLOT NO B-73, GTK ROAD INDUSTRIAL AREA	04-09-2017		CAR SERVICE CENTRE (REPAIR AND SERVICING OF LIGHT VEHICLES) Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 20-07-2009 Authorisation Status Pending HWM Application No. 2 Application Date 18-07-2012 Authorisation Status Approved Authorisation Issue Date 04-09-2012 Authorisation Expiry Date 17-07-2017 HWM Application No. 3 Application Date 04-09-2017 Authorisation Status Pending	Status of Pollution Control System Hard copy not submitted.		13-09-2017 Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- Stack attached to bag house of dall mills 3. D.G. set- N/A Plot Area-128 sq mt Date of Establishment/ Commencement- 2007 Status of Ground Water Extraction-No 1.Water consumption- 2000 L/day Source- DJB (water bill (Cat. II) submitted) Inspection status- No Effluent Analysis Report-submitted on 04.08.2017 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report- N/A Noise Monitoring report-N/A Inspection is yet to be conducted.	13-10-2017 Inspection be conducted.
145	SHERE PUNJAB INN	7877 ARAKARSHAN ROAD PAHARGANJ	06-09-2017		GUEST HOUSE WITH 16 ROOMS AND 19 LODGERS Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed)	Green Establish	Non-SPI		Hard copy not submitted.		13-09-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.

					(excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler							
146	A.V.K PRODUCTS.	KH NO-21/20,,GALI NO-4,SAMAIPUR INDUSTRIAL AREA	08-09-2017		MANUFACTURING OF HOT TOP Use of Furnace (excluding Cupola / Arc/Induction Furnace)	Orange Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP- No 2. ECS- Stack attached to FURNACE 3. D.G. set- N/A Plot Area-500 sq mt Date of Establishment/ Commencement- 01.06.1985 Status of Ground Water Extraction-No 1.Water consumption- 50 L/day Source- Outside(no bill submitted) Inspection status- No	Effluent Analysis Report-N/A Emission Monitoring Report- submitted on 01.08.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report-N/A	13-10-2017	13-10-2017 Inspection be conducted.
147	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOOD WORKS LTD)	SHOP NO-85, AND 87, GROUND FLOOR, MALL ROAD, G.T.B. NAGAR, KINGSWAY CAMP NEW DELHI	12-09-2017		RESTAURANT (48 SEATING) Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
148	HOTEL PAULS COURT (A UNIT OF A. N. OVERSEAS PVT. LTD.)	5/62, WEA, AJMAL KHAN ROAD, KAROL BAGH	12-09-2017		Hotel (without kitchen, laundry and boiler) Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hard copy not submitted.		13-09-2017	13-10-2017 Case deferred and to be taken up in a separate meeting.
149	FIRE AND ICE RESTAURANT	4776 AND 4777, FF, MAIN BAZAR, PAHARGANJ	12-09-2017		EATING HOUSE WITH 49 SEATS. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and	Orange Operate	Non-SPI		No. of Seats - 49 Kitchen - Yes Boiler/HWG - No Water consumption - 600 L/day Discharge - 100 L/day ETP/OGT - Yes ECS - No DG set - No MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2017 Commencement date- 31.08.2012	Status of Test Report Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports - No	13-10-2017	13-10-2017 Inspection be conducted.

150	LIBRA AUTOMOTIVES PVT. LTD	B-41, PHASE-I, MAYAPURI INDUSTRIAL AREA	12-09-2017		/ or Laundry without Boiler REPAIRING DENTING PAINTING AND SERVICING OF CAR ACTIVITY. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 12-09- 2017 Authorisation Status Pending	water consumption:6000 litres/day Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 140 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no	1. Stack monitoring report: (a) Stack monitoring report dated 20-07-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 12-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	14-09-2017 Recommendation / Action Taken Details (EE/AEE) on 13-10- 2017 -As decided in the meeting dated 20.09.2017 an inspection was carried out by officials of DPCC on 11.10.2017 During inspection following observations were made: 1. Unit found operational and engaged in the activity of repairing , denting, painting & servicing of car. 2. ETP found installed & same was found operational. 3. ETP log book found maintained. 4. One D.G set 14 KVA found installed with acoustic enclosure & having 4 meter stack height above building. 5. Channelization was provided for paint booth with 8 meter stack height above ground level. 6. HWM guidelines are being followed. 7. Unit applied for CTO & authorization on 12.09.2017.	13-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
151	IMPERIAL HOTEL	4875,CHURCH MISSION ROAD,FATEHPURI	12-09-2017		Guest House 28 Rooms Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		13-09-2017 Remarks/ATR on 14-09-2017 No. of Rooms - 27 Kitchen - No Laundry -No Boiler/HWG - No Water consumption - 1500 L/day Discharge - 800 L/day ETP/OGT- N/A ECS - Proposed DG set - No MCD License - Valid upto 31/03/2020 for the activity Restaurant Police License - In Police license 65 beds in 28 rooms is shown but the license copy found incomplete without valid date. Commencement date- 01.04.2004 Effluent Analysis Report- N/A Emission Monitoring Report - N/A Noise Monitoring reports issued - N/A	13-10-2017 Case deferred and to be taken up in a separate meeting.
152	HOTEL INDIA (A UNIT OF AYUSHI INDIA HOLDING PVT. LTD)	691,BAGH DIWAR,QUEENS GARDEN,	12-09-2017		Guest House 22 Rooms Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		13-09-2017 Remarks/ATR on 14-09-2017 No. of Rooms - 22 Kitchen - No Laundry -No Boiler/HWG - No Water consumption - 1500 L/day Discharge - 800 L/day ETP/OGT- N/A ECS - N/A DG set - No MCD License - Valid upto 31/03/2020 Police License - Valid upto 31/03/2020 Commencement date- 01.06.2011 Effluent Analysis Report- N/A Emission Monitoring Report - N/A Noise Monitoring reports issued - N/A	13-10-2017 Case deferred and to be taken up in a separate meeting.
153	HOTEL CHITRA	176,KATRA BARIYAN,FATEHPURI	12-09-2017		GUEST HOUSE Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) -	Orange Establish	Non-SPI		Hard copy not submitted.		13-09-2017 Remarks/ATR on 14-09-2017 No. of Rooms - 27 Kitchen - No Laundry -No Boiler/HWG - No	13-10-2017 Case deferred and to be taken up in a separate meeting.

					connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler						Water consumption - 1500 L/day Discharge - 800 L/day ETP/OGT- N/A ECS - Proposed DG set - No MCD License - Valid upto 31/03/2017 Police License - Valid upto 31/03/2017 Commencement date- 10.02.2012 Effluent Analysis Report- N/A Emission Monitoring Report - N/A Noise Monitoring reports issued - N/A	
154	SHREE HARI ASSOCIATES	F-1670, DSIDC COMPLEX, NARELA INDUSTRIAL AREA	13-09-2017		DAL MILL (CHANNA KHANDA CATTLE FEED). Dal Mills	Green Renewal	Non-SPI		Hard copy not submitted.	.	13-10-2017 .	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate(Renewal) be granted. If any deficiencies are found, query letter be issued.
155	EMBLEM HOTEL (A UNIT OF NC HOSPITALITY PVT. LTD.)	E-5, KALINDI COLONY, NEW FRIENDS COLONY	13-09-2017		GUEST HOUSE. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - OGT (2)ECS - N/A Stack monitoring report of boiler dated 03-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 100 KVA. Noise monitoring report dated 27-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Status of Inspection : An inspection of the unit was carried out by representatives of DPCC on 19.01.2017 and following observations were made: -Unit found in operation and engaged in the activity of Guest House with In- house Kitchen. -Oil & Grease Trap cum Settling Tank installed but not properly cleaned. -Channelization system provided in the kitchen with adequate stack height. -Unit having 1 LPG Boiler with inadequate stack height. -Unit having 1 D.G. Set of capacity 100 KVA with acoustic enclosure with adequate stack height. SCN u/s 31(A)/33(A) details : issued on 16.02.2017	Stack monitoring report dated 03- 07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 27-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	13-09-2017 Unit has failed to submit the reply w.r.t to SCN dated 16.02.2017 however they have submitted application for CTE & CTO. As decided in common file of New Friends Colony, inspection be conducted. Recommendation / Action Taken Details (EE/AEE) on 03-10- 2017 As decided, Inspection of the unit was carried out by the officials/representatives of DPCC on 29.09.2017 and following observations were made: - Unit found operational and engaged in the activity of guest house with in-house kitchen. - unit has installed Oil & Grease trap cum settling tank. - Unit is having one LPG fired boiler with stack height 4 m above roof level. - Unit is having 1 DG set of 100 KVA with acoustic enclosure and having 2.5 m stack height above roof level. - Proper Channelization system provided in kitchen with adequate stack height. - Solid waste generated is being kept in 2 bins system (separately wet & dry waste) and segregation is being done at source & dispose through SDMC (as informed). - No disposable plastic glasses found in use.	13-10-2017 Consent to Operate granted.

									Unit has failed to submit the reply w.r.t to SCN dated 16.02.2017 however they have submitted application for CTE & CTO. Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil			
156	SAWAN BANQUETS (A UNIT OF G S HOSPITALITY SERVICES)	54-A/1, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	13-09-2017		BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		water consumption: 19770 litre/day Status of Pollution Control System (1)ETP - Other ETP Name : ETP (2)ECS - N/A (3)D.G.Set Noise Report : 3 Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no	1. Effluent Analysis Report: Effluent analysis report dated 18.04.2017 issued by DPCC submitted. Effluent Analysis Report within Limit- Yes. 2. Noise monitoring report: (a) The unit has 3 D.G. Set(s) of 62.5 KVA,125 KVA and 200 KVA. Noise monitoring report dated 24-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 3 D.G. Set(s) of 62.5 KVA,125 KVA and 200 KVA. Noise monitoring report dated 24-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (c) The unit has 3 D.G. Set(s) of 62.5 KVA,125 KVA and 200 KVA. Noise monitoring report dated 24-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	20-09-2017 -Consent to Operate may be granted. Remarks/ATR on 13-10-2017 unit submit hard copy of application along with requisite documents. - Consent to Operate may be granted. Remarks/ATR on 21-09-2017 may be asked to unit submit hard copy of application along with requisite documents.	13-10-2017 Consent to Operate granted.
157	EASTERN ENTERPRISES	PLOT NO. 61, PKT - F, SEC - 4, DSIIDC, BAWANA, INDL. AREA, DELHI - 110039	14-09-2017		LPG GAS STOVE PARTS Manufacturing of Ferrous and Non-Ferrous Metal Products (without using any Heating Equipment) with Buffing	Green Establish	Non-SPI		Hard copy not submitted.	.	13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
158	1 OAK (A UNIT OF MAK HOSPITALITIES)	C-49, 50 DEFENCE COLONY MARKET, OPP. MOOLCHAND HOSPITAL	15-09-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A Effluent analysis report dated 13-10-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 13-10-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-10-2017 A complaint was received against the unit and as per approval in common file of Defence Colony Market, inspection to be carried out.	13-10-2017 Inspection be conducted.
159			15-09-2017				Non-SPI	1				13-10-2017

	KAMAL PHARMACY (AYURVEDIC) PVT. LTD.	14, NAJAFGARH ROAD INDUSTRIAL AREA			MFG. OF HARBEL MEDICINES Pharmaceuticals formulation only (Dry Process)	Orange Renewal		HWM Application No. Application Date 03-11-2006 Authorisation Status Pending HWM Application No. 2 Application Date 23-10-2009 Authorisation Status Pending HWM Application No. 3 Application Date 02-06-2010 Authorisation Status Pending HWM Application No. 4 Application Date 18-10-2012 Authorisation Status Approved Authorisation Issue Date 28-03-2013 Authorisation Expiry Date 17-10-2017	water consumption: 500 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 82.5 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no	1.Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 04-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	22-09-2017 -Consent to Operate (Renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 As decided in CMC held on 22.09.2017, an inspection was conducted by DPCC officials on 11.10.2017 and during inspection following observation were made. 1. Unit found operational and engaged in the activity of mfg. of herbal medicine. 2. One D.G set 82.5 KVA found installed with acoustic enclosure & adequate stack height. 3. Unit is non-water /non air polluting therefore no ETP/ECS installed. 4. Source of water is DJB, Only for domestic purpose. 6. HWM guidelines are being followed. 7. Unit applied for CTO 13.09.2017. - Consent to Operate (Renewal) may be granted.	Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
160	HARPREET MOTORS PVT. LTD.	68, SSI, G T KARNAL ROAD	15-09-2017		REPAIRING AND SERVICING OF CARS. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 18-09-2012 Authorisation Status Approved Authorisation Issue Date 06-11-2012 Authorisation Expiry Date 17-09-2017 HWM Application No. 2 Application Date 15-09-2017 Authorisation Status Pending	Hard copy not submitted	.	20-09-2017 . Recommendation / Action Taken Details (EE/AEE) on 13-10-2017 Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set- N/A Plot Area-1116 sq mt Date of Establishment/ Commencement- 2012 Status of Ground Water Extraction-No 1.Water consumption- 9000 L/day Source- Outside (water bill not submitted) Inspection status- No Effluent Analysis Report submitted on 04.09.2017 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report- N/A Noise Monitoring report submitted on 06.09.2017 issued by DPCC. Parameters are within prescribed limits. Inspection is yet to be conducted.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. Expedite inspection.
161	PRAGATI AGRO PROCESSORS	H-1392, DSIDC NARELA INDL. AREA	16-09-2017		DAL MILL AND BESAN. Dal Mills	Green Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Stack attached to	Effluent Analysis Report-N/A Emission Monitoring Report submitted on 13.07.2017 issued	13-10-2017 . Consent to Operate granted.	

									bag house of dall mills 3. D.G. set- N/A Plot Area-350 sq mt Date of Establishment/ Commencement- 29.10.2014 Status of Ground Water Extraction-No 1.Water consumption- 350 L/day Source- DSIIDC (water bill submitted) Inspection status- No	by DPCC. Parameters are within prescribed limits. Noise Monitoring report-N/A		
162	THE LALIT NEW DELHI (A UNIT OF BHARAT HOTEL LIMITED)	BARAKHAMBA AVENUE, CONNAUGHT PLACE	20-09-2017		Hotel Five Star. Hotel (3 Star and Above) - connected to / Discharging Effluent into Public/ Municipal/ DJB Sewer having Kitchen and / or Laundry with boiler	Red Renewal	Non-SPI		water consumption:500000 Liters/Day Status of Pollution Control System (1)ETP - Oil and Grease Trap,ETP - Bio-logical (2)ECS - N/A (3)D.G.Set Noise Report : 4 D.G. Sets of 500 KVA,1500 KVA,1500 KVA and 1250 KVA Status of Ground Water extraction :300000 Liters/Day Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no	1. Effluent analysis report: (a) Effluent analysis report dated 07-09-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) Effluent analysis report dated 07-09-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2.Stack monitoring report: (a) Stack monitoring report dated 11-09-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes 3.Noise monitoring report: (a) The unit has 4 D.G. Set(s) of 500 KVA,1500 KVA,1500 KVA and 1250 KVA. Noise monitoring report dated 04-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 4 D.G. Set(s) of 500 KVA,1500 KVA,1500 KVA and 1250 KVA. Noise monitoring report dated 04-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	22-09-2017 Decision will be taken after NGT inspection.	13-10-2017 File be put up administratively.
163	SINGHAL PLASTIC	B-2420, DSIDC INDUSTRIAL AREA, NARELA	22-09-2017		PVC PLASTIC PRODUCTS AND GRANULES REPROCESSING Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Proposed 3. D.G. set- N/A Plot Area-250 sq mt Date of Establishment/ Commencement- 22.09.2017. Status of Ground Water Extraction-No 1.Water consumption- 350 L/day Source- DSIIDC (water bill submitted) Inspection status- No	Effluent Analysis Report-N/A Emission Monitoring Report N/A Noise Monitoring report-N/A	13-10-2017 .	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
164	J.P. INDUSTRIES	T-5/239, MANGOLPURI INDUSTRIAL AREA, PHASE-I	22-09-2017		MFG. OF MICROCELLULAR SHEET. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Operate	Non-SPI		1. ETP - N/A 2. ECS - Stack attached to thermic fluid boiler 3. D.G. Set - Nil 4. Status of Ground water extraction : Nil 5. Source of water - 350 L/D, Source- Others 6. Status of inspection - Nil 7. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 8. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil	Air (Emissions): Test reports within norms (issued by DPCC on 13.07.2017) Water (Effluents) : N/A Noise : N/A	12-10-2017 CETP certificate not in the name of unit. Also unit has not submitted SSI registration or VOC emission report. Recommendation: A letter may be issued to ask the unit to submit SSI registration or VOC emission report and CETP receipt in the name of unit, in original or certified by CETP society.	13-10-2017 Consent to Establish granted. Ask the unit to submit report for VOC emission or SSI / MSME Registration and CETP receipt. If unit submits the same and found in order, consent to operate be granted.
165	SANKAR PLASTIC	PLOT NO-101, POCKET-G, SECTOR-1, DSIDC INDUSTRIAL AREA, BAWANA	22-09-2017		PLASTIC GRANULES REPROCESSING Reprocessing of Waste Plastic / PVC	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Proposed 3. D.G. set- N/A Plot Area-200 sq mt	Effluent Analysis Report-N/A Emission Monitoring Report N/A Noise Monitoring report-N/A	13-10-2017 .	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.

					(without Washing Activity)				Date of Establishment/ Commencement- 01.08.2017. Status of Ground Water Extraction-No 1. Water consumption- 350 L/day Source- DSIIDC (water bill submitted) Inspection status- No			
166	KAVYA ENTERPRISES	A-27, PHASE-II, MANGOLPURI INDUSTRIAL AREA	22-09-2017		MANUFACTURING OF EVA SHEETS (YOGA MATTRESS/SPORTS SHEETS) Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Establish	Non-SPI		1. ETP - N/A 2. ECS - N/A 3. D.G. Set - Nil 4. Status of Ground water extraction : Nil 5. Source of water - 350 L/D, Source- DIB 6. Status of inspection - Yes, 25.08.2017 7. SCN u/s 31(A)/33(A)/5 of EPA details -Yes, 13.09.2017 8. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil	N/A	12-10-2017 CTE may be granted.	13-10-2017 Consent to Establish granted.
167	GAHELI CENTER OF RESEARCH AND DEVELOPMENT PRIVATE LIMITED	SHED NO. 1, SECOND FLOOR, DSIIDC COMPLEX, WAZIRPUR INDUSTRIAL AREA	22-09-2017		Testing of Materials In House Testing Laboratory with Trading Activity	Orange Establish	Non-SPI		1. ETP - Proposed 2. ECS - N/A 3. D.G. Set - Nil 4. Status of Ground water extraction : Nil 5. Source of water - 250 L/D, Source- Others 6. Status of inspection - Nil 7. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 8. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil	N/A	12-10-2017 CYE may be granted.	13-10-2017 Consent to Establish granted.
168	RAJVAIDYA SHITAL PRASAD & SONS	285, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	23-09-2017		MANUFACTURING OF AYURVEDIC MEDICINES. Medicines / Pharmaceutical Formulation- with Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 18-08-2006 Authorisation Status Pending HWM Application No. 2 Application Date 26-06-2014 Authorisation Status Pending	1. ETP- Yes, of design capacity 1000 L/D. 2. ECS- Stack attached to Furnace and Boiler. 3. DG Set- 3 no.s of 20 KVA, 30 KVA and 82.5 KVA respectively installed. 4. Trade Effluent-450 L/D. 5. Domestic Effluent-450 L/D and its mode of disposal into Sewer. 6. Water Consumption- 1000 L/D and its source purchase water.	Noise Monitoring Report was submitted by DPCC on 31.07.2017 and all the parameters are within prescribed limit as per report. Stack Monitoring Report was submitted by DPCC on 01.08.2017 and all the parameters are within prescribed limit as per report. Analysis Reportof water effluent was submitted by DPCC on 20.07.2017 and all the parameters are within prescribed limit as per report.	13-10-2017 Recommended for Inspection.	13-10-2017 Inspection be conducted.
169	AUTO VIKAS SALES & SERVICE(P) LTD.	12-A,SHIVAJI MARG,NAJAFGARH ROAD INDUSTRIAL AREA	25-09-2017		AUTHORIZED SERVICE STATION (SERVICING OF VEHICLES) Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 08-11-2004 Authorisation Status Approved Authorisation Issue Date 09-11-2004 Authorisation Expiry Date 08-11-2006 HWM Application No. 2	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 140 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no	1. Effluent analysis report: (a) Effluent analysis report dated 14-08-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 04-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-10-2017	13-10-2017 Inspection conducted on 12.10.2017 and ETP found operational and unit is complying HW Rules. Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.

								Application Date 13-11-2006 Authorisation Status Pending HWM Application No. 3 Application Date 02-07-2012 Authorisation Status Approved Authorisation Issue Date 20-09-2012 Authorisation Expiry Date 01-07-2017 HWM Application No. 4 Application Date 25-09-2017 Authorisation Status Pending				
170	GURUPRASAD UDUPI RESTAURANT	TOP FLOOR D.D.A. SHOPPING COMPLEX,PHASE-2,MUNIRKA	25-09-2017		restaurant Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no		12-10-2017 Consent to Establish may be granted.	13-10-2017 Consent to Establish granted.
171	ALSTEN ENTERPRISES	A-118, MANGOLPURI INDUSTRIAL AREA, PHASE-II,	25-09-2017		Mfg. of Footwear Upper using adhesive Manufacturing of Footwear Uppers using Adhesive	Green Establish	Non-SPI		1. ETP - N/A 2. ECS - N/A 3. D.G. Set - Nil 4. Status of Ground water extraction : Nil 5. Source of water - 500 L/D, Source- DJB 6. Status of inspection - Nil 7. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 8. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil	N/A	13-10-2017 Hard copy not submitted. Only first page of undertaking and project report is uploaded.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
172	D K PLAZA	A-12, VISHAL ENCLAVE, RAJOURI GARDEN,	26-09-2017		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - ETP - Physiochemical	1) Noise monitoring report : (a) The unit has 2 D.G. Set(s) of 125 KVA and 82.5 KVA. Noise monitoring report dated 20-04-2017 issued by DPCC submitted.	12-10-2017 -Consent to Operate may be granted.	13-10-2017 Consent to Operate granted.

					(with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(2)ECS - N/A (3)D.G.Set Noise Report : 2 Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no	Noise monitoring report within Limit - Yes (b) The unit has 2 D.G. Set(s) of 125 KVA and 82.5 KVA. Noise monitoring report dated 20-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.		
173	RAJ PLASTIC INDUSTRIES	I-2047, DSIDC, NARELA INDUSTRIAL AREA	26-09-2017		Plastic Granual. Cutting and washing of Plastic scrap. Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 11-12-2008 Authorisation Status Pending	Hard copy not submitted.	.	13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. Also inspection be conducted.
174	KOUSHALYA INDUSTRIES	I-275, SECTOR-3, DSIIDC BAWANA INDUSTRIAL AREA	26-09-2017		Manufacturing of LPG Stove Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Establish	Non-SPI		Hard copy not submitted.	.	13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
175	AGRO PURE CAPITAL FOODS PVT. LTD.	D-1511, DSIIDC NARELA INDL. AREA	27-09-2017		DALL MILL Dai Mills	Green Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Stack attached to bag house of dall mills 3. D.G. set- N/A Plot Area-350 sq mt Date of Establishment/ Commencement- 21.08.2017. Status of Ground Water Extraction-No 1.Water consumption- 2000 L/day Source- DSIIDC (water bill submitted) Inspection status- No	Effluent Analysis Report-N/A Emission Monitoring Report submitted on 06.09.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report-N/A	13-10-2017	13-10-2017 Consent to Operate (Renewal) granted.
176	GIRDHARS INTERNATIONAL	F-16, UDYOG NAGAR, ROHTAK ROAD PEERA GARHI	27-09-2017		MANUFACTURING OF CANDLES. Mfg. of Candles having oil fired boiler with trade effluent discharge	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 D.G.Set of 125 KVA and 250 KVA. Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no	1. Stack monitoring report (a) Stack monitoring report dated 12-10-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes (b) Stack monitoring report dated 12-10-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes (c) Stack monitoring report dated 12-10-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 2 D.G. Set(s) of 125 KVA and 250 KVA. Noise monitoring report dated 12-10-2017 issued by DPCC submitted. Noise monitoring report within	12-10-2017 -Consent to Establish may be granted	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.

										Limit - Yes (b) The unit has 2 D.G. Set(s) of 125 KVA and 250 KVA. Noise monitoring report dated 12-10-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
177	KAVITA LABELS (INDIA) PVT. LTD.	B-45, PHASE-I MAYAPURI INDUSTRIAL AREA	27-09-2017		MANUFACTURING OF WOVEN LABELS,PRINTED LABELS AND HEAT TRANSFER LABELS WITHOUT TRADE EFFLUENT Roto and Flexo Printing without trade effluent discharge Labels/ Stickers (without trade effluent discharge)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no		12-10-2017 Consent to Establish may be granted.	13-10-2017 Consent to Establish granted.
178	SHANTI ENTERPRISES	A-124, PHASE-II, MANGOLPURI INDUSTRIAL AREA	28-09-2017		MANUFACTURING OF MICROCELLULAR SHEETS Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Operate	Non-SPI		1. ETP - N/A 2. ECS - Stack attached to thermic fluid boiler 3. D.G. Set - Nil 4. Status of Ground water extraction : Nil 5. Source of water - 350 L/D, Source-DJB 6. Status of Inspection - Nil 7. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 8. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil	Air (Emissions): Test reports within norms (issued by DPCC on 13.07.2017) Water (Effluents) : N/A Noise : N/A	13-10-2017 Unit has not submitted SSI registration or VOC emission report. Also hard copy of documents not submitted.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
179	JHANJI EXPORTS PVT. LTD.	C-32, OKHLA INDUSTRIAL AREA, PHASE-I	28-09-2017		MANUFACTURING OF LEATHER GARMENTS WITH POLISHING. Manufacturing of Leather Garments with Polishing / Colouring (without dyeing/trade Effluent Discharge) Use of Furnace (excluding Cupola / Arc/Induction Furnace)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 28-04-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 19-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 62.5 KVA. Noise monitoring report dated 11-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Status of Inspection : Yes SCN u/s 5 of EPA details : Yes Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 11-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Stack monitoring report dated 19-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-10-2017 Unit has submitted fresh Consent to Operate for the activity of Manufacturing of Leather Garments with Polishing with Oil Fired Tumbler.	13-10-2017 Inspection be conducted.
180			28-09-2017				Non-SPI	1				13-10-2017

	KUMAR AUTOMOBILES	B-281, PHASE I, OKHLA INDUSTRIAL AREA			Automobiles Workshop-cum- service Station including washing. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal		HWM Application No. Application Date 19-12- 2003 Authorisation Status Approved Authorisation Issue Date 16-07- 2004 Authorisation Expiry Date 15-07- 2006 <
--	----------------------	--	--	--	---	-------------------	--	---

					Rubber Auto Parts Excluding Production of Tyres And Tubes (without Reclamation And Devulcanisation of Rubber) Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Operate			Water consumption : 150 Liters/Day Source of Water : Municipal Authority/Other source Status of Pollution Control System 1. ETP Oil and Grease Trap - Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. 2. ECS - N/A 3. D.G.Set Noise Report : 1 - Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards.			Ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area . Also ask the unit to submit report for VOC emission or SSI / MSME Registration.
183	INDIAN SPICE XPRESS	SHOP NO- G-19, PLOT NO. 8, MANGLAM PARADISE MALL, SEC-3, ROHINI	29-09-2017		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP - Oil and Grease Trap of 0.45 KLD 2. ECS - N/A 3. D.G. Set - Nil 4. Status of Ground water extraction : Nil 5. Source of water - 350 L/D, Source- Others 6. Status of inspection - Nil 7. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 8. Closure Directions u/s 31(A)/33(A)/5 of EPA details - yes, 19.04.2017	N/A	13-10-2017 Unit has submitted environmental compensation security of Rs. 2.0 Lacs along with undertaking on 20.09.2017.	13-10-2017 Consent to Establish and Consent to Operate granted. Directions for closure be made infructuous as per office order dated 02.08.2017.
184	BIKANERWALA FOODS	10181-82,1ST FLOOR,ARYA SAMAJ ROAD, KAROL BAGH NEW DELHI-11005	29-09-2017		Restaurant with bakery Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Proposed 2. Oil & Grease Trap- Proposed 3. D.G. set- Nil Plot Area-170.56 sq mt Date of Establishment/ Commencement- 10.10.2017 Status of Ground Water Extraction-No 1.Water consumption- 500 L/day Source- DJB (water bill submitted) Inspection status- No MCD License and Delhi Police License submitted and valid upto 31.03.2018 A PGMS complaint was received in this office. SCN for closure and SCN for refusal was issued on the basis of deficiencies observed during inspection.	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	13-10-2017	13-10-2017 Case deferred.

					Laundry without Boiler							
185	ARC MOTORS PVT. LTD.	D-16/2, OKHLA INDUSTRIAL AREA, PHASE-II	03-10-2017		Automobile Servicing and Repair Station with Washing Activity Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 03-10-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical Effluent analysis report dated 25-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 45 KVA. Noise monitoring report dated 26-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Status of Inspection : Carried out by Representatives of DPCC on 02.08.2017 and following observations were made- -ETP is under installation. -unit is not complying with the provisions of HWM Rules, 2016. SCN u/s 33(A)/5 of EPA details : Issued on 13.09.2017 Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 08-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 26-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-10-2017 Unit has submitted application for Consent to Operate along with required documents/ test reports on 03.10.2017 and applied for Authorization under HWM Rules but not submitted reply w.r.t SCN dated 13.09.2017.	13-10-2017 Inspection be conducted.
186	AGGARWAL POLYMERS	PLOT NO-83, POCKET-H, SECTOR-3, DSIDC INDUSTRIAL AREA, BAWANA	03-10-2017		REPROCESSING OF PLASTIC WASTE Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		Hardcopy not submitted.	.	13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. Subsequently, inspection be conducted.
187	PRIME STREET CAFE	F-12,13, 1ST FLOOR, INNER CIRCLE, CONNAUGHT PLACE	03-10-2017		RESTAURANT (48 Seats). Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (a) AR dated issued by submitted. (3)D.G.Set: ...N/A... Status of Ground Water extraction : Status of Inspection :	.	13-10-2017 Consent to operate may be granted.	13-10-2017 Consent to Operate granted.

									SCN u/s 31(A)/33(A)/5 of EPA details :			
									Closure directions u/s 31 (A)/33(A)/5 of EPA details :			
188	BIKANERVALA	10181-82,CHOWK GURDWARA ROAD KAROL BAGH NEW DELHI	04-10-2017		MANUFACTURING OF SWEETS AND NAMKEEN Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		.		13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. Subsequently, inspection be conducted.
189	AHUJAS WEB PRIVATE LIMITED	D-80, OKHLA INDUSTRIAL AREA, PHASE - I,	04-10-2017		READYMADE GARMENT WITH WASHING WITH ELECTRIC AND DIESEL BOILER. Readymade Garment with Electric/ Gas fired boiler (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Status of Inspection : As decided, an inspection of the unit was carried out by representatives of DPCC on 14.06.2017 and following observations were made:- -Unit found operational and engaged in the activity of Mfg. of Readymade Garments with Washing with Electric and Diesel fired Boiler. -Unit has not installed ETP to treat the wastewater generated from washing of garments. -Wastewater generated from washing activity is being discharged directly into sewer. -Unit having 1 D.G. set of 75 KVA with acoustic enclosure and having adequate stack height. -Unit having a Diesel fired boiler at roof top with inadequate stack height.		13-10-2017 Unit has submitted fresh application for Consent to Establish for change of activity but hard copy is yet to be received.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
									SCN u/s 31(A)/33(A)			

									details : As decided, SCN u/s 33(A) of Water Act and 31 (A) of Air Act & also SCN for refusal of Consent issued to unit on 04.07.2017 based upon deficiencies observed during inspection . Unit submitted a representation w.r.t to SCN for Refusal of Consent dated 04.07.2017 on 01.08.2017 and informed that they have installed an ETP, adequate stack height has been provided with Diesel fired boiler, and they are under process of applying for Noise monitoring Report of D.G. set & application for Consent to Establish & Consent to Operate. Unit submitted another representation on 09.08.2017 w.r.t SCN dated 04.07.2017 along with photograph of ETP and informed that they have installed the ETP and dischrageing wastewater into sewer after treatment through ETP and they are in process of apply for fresh Conesnt to Establish & Consent to Operate for change of activity from Mfg. of Readymade Garments Without washing to Readymade Garments With washing with Electric Boiler. Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil		
190	JUNCTION (A UNIT OF TEWARI CAFE PVT. LTD.)	SHOP NO-3,4,5,6,7,8,9 AND 10, G.F., CSC COMPLEX, HAUZ KHAS	04-10-2017		RESTAURANT CUM BAR. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and / or Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no	12-10-2017 -Consent to Establish may be granted.	13-10-2017 Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.
191	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD.)	PLOT NO. 27-28, CENTRAL MARKET, WEST PUNJABI BAGH	05-10-2017		RESTAURANT (48 SEATING) Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and	Orange Operate	Non-SPI		Status of Ground Water extraction : Nil Water consumption : 500 Liters/Day Source of Water : Other source Status of Pollution Control System (1)ETP - Oil and Grease Trap - Effluent analysis report - Effluent analysis report dated 25-09-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards - Effluent analysis report dated 29-08-2017 issued by DPCC submitted. Effluent Test Report not within prescribed standards - Noise monitoring report dated 19-09-2017 issued by DPCC	13-10-2017 - Hard Copy of application not submitted.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

					having Kitchen and / or Laundry without Boiler				dated 25-09-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards Effluent analysis report dated 29-08-2017 issued by DPCC submitted. Effluent Test Report not within prescribed standards (2)ECS - N/A (3)D.G.Set : 1 (45 KVA) - Noise monitoring report dated 19-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards	submitted. Noise monitoring report within prescribed standards		
192	DUNKIN DONUTS RESTAURANT (A UNIT OF JUBILANT FOOD WORKS LTD)	SHOP NO. 6, BLOCK N, GROUND FLOOR AND MEZZANINE FLOOR, CONNAUGHT PLACE	05-10-2017		RESTAURANT (86 SEATING) Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Ground Water extraction : Nil Water consumption : 500 Liters/Day Source of Water : Municipal Authority Status of Pollution Control System (1)ETP - Oil and Grease Trap Effluent analysis report dated 25-09-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. (2)ECS - N/A (3)D.G.Set: 1 (125 KVA) - Noise monitoring report dated 13-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards	- Effluent analysis report dated 25-09-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. - Noise monitoring report dated 13-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards	13-10-2017 - Hard Copy of application not submitted.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
193	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	SHOP - A, GROUND FLOOR, MUNICIPAL NO 26A, AND 27A-UA, JAWAHAR NAGAR, NEAR MALKA GANJ CHAUK, KAMLA NAGAR	05-10-2017		RESTAURANT (29SEATING) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or	Orange Operate	Non-SPI		Hardcopy not submitted.	.	13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

					Laundry without Boiler							
194	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	N-7, CONNAUHT PLACE NEW DELHI	05-10-2017		RESTAURANT (86 SEATING) Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Ground Water extraction : Nil Water consumption : 500 Liters/Day Source of Water : Municipal Authority Status of Pollution Control System (1)ETP -: Yes Effluent analysis report dated 25-09-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. (2)ECS - N/A (3)D.G.Set : (1)62.5 KVA - Noise monitoring report dated 13-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards. - Hard Copy of application not submitted.	Effluent analysis report dated 25-09-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. - Noise monitoring report dated 13-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards.	13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
195	DOMINOS PIZZA RESTAURANT (A UNIT OF M/S JUBILANT FOODWORKS LTD)	CONNAUGHT PLACE, BLOCK M-40, DELHI 110001	05-10-2017		RESTAURANT (48 SEATING) Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (a) AR dated issued by submitted. (b) Effluent analysis report dated 25-09-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Effluent analysis report dated 30-08-2017 issued by DPCC submitted. Effluent Test Report within Limit - No . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 63 KVA. Noise monitoring report dated 06-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no	a) Effluent analysis report dated 25-09-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 06-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-10-2017 Consent to operate may be granted.	13-10-2017 Effluent analysis reptot dated 25.09.2017 is found within limit. Consent to Establish and Consent to Operate granted.

									Closure directions u/s 31 (A)/33(A)/5 of EPA details :no			
196	JAIN PLASTIC PRODUCTS	PLOT NO- 485-A/10-A, DILSHAD GARDEN, NORTH OF G.T. ROAD, SHAHDARA INDUSTRIAL AREA	06-10-2017		MANUFACTURING OF POLYPROPYLENE BAGS (WITH PRINTING) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 06-10-2017 Authorisation Status Pending	1. ETP- No. 2. ECS- No. 3. DG Set- No. 4. Trade Effluent-Nil. 5. Domestic Effluent-20 L/D and its mode of disposal into Sewer. 6. Water Consumption- 50 L/D and its source can Supplier.	N/A	13-10-2017 Recommended for inspection.	13-10-2017 Ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area. Also inspection be conducted.
197	DIVINE PLASTIC INDUSTRIES	PLOT NO 214, BLOCK-H, POCKET-G, SECTOR-2, DSIIDC, BAWANA INDUSTRIAL AREA	06-10-2017		Manufacturing of Reprocessed Plastic Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity) Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- Stack attached to plastic reprocessing 3. D.G. set- N/A Plot Area-100 sq mt Date of Establishment/ Commencement- 15.09.2014 Status of Ground Water Extraction-No 1.Water consumption- 100 L/day Source-Outside (water bill not submitted) Inspection status- No	Effluent Analysis Report-N/A Emission Monitoring Report- N/A Noise Monitoring report-N/A	13-10-2017 .	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
198	J.S. OVERSES	PLOT NO.1380, DSIDC, NARELA INDUSTRIAL AREA	06-10-2017		S.S. UTENSILS (With Buffing) Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Stack attached to hood and buffing section 3. D.G. set- N/A Plot Area-350 sq mt Date of Establishment/ Commencement- 15.09.2014 Status of Ground Water Extraction-No 1.Water consumption- 90 L/day Source-DSIIDC (water bill not submitted) Inspection status- No	Effluent Analysis Report-N/A Emission Monitoring Report- submitted issued by DPCC,lab on 30.08.2017. Noise Monitoring report-N/A	13-10-2017 .	13-10-2017 Consent to Operate granted.
199	KANNIYA TRADING COMPANY	A - 137 - 138, DSIIDC, NARELA, INDL. AREA	06-10-2017		DAL MILLS. Dal Mills	Green Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Stack attached to bag house/filter. 3. D.G. set- N/A Plot Area-350 sq mt Date of Establishment/ Commencement- 20.07.2017 Status of Ground Water Extraction-No 1.Water consumption- 200 L/day Source-DSIIDC (water bill submitted) Inspection status- No	Effluent Analysis Report-N/A Emission Monitoring Report- submitted issued by DPCC,lab on 14.09.2017. Parameters are within limit. Noise Monitoring report-N/A	13-10-2017 .	13-10-2017 Consent to Establish and Consent to Operate granted.
200	PRATEEK POLY PRINT	PLOT NO-97, POCKET-F, SECTOR-1, DSIIDC, BAWANA INDUSTRIAL AREA	06-10-2017		ROTO GRAVURE PRINTING WITHOUT TRADE EFFLUENT DISCHARGE. Roto and Flexo Printing without trade effluent discharge Plastic Processed Goods	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 06-10-2017 Authorisation Status Pending	Hardcopy not submitted.		13-10-2017 .	13-10-2017 Inspection be conducted.
201		PLOT NO 88 B/1, PHASE-I, MAYAPURI INDUSTRIAL AREA	06-10-2017		Servicing of Automobiles.		Non-SPI	1	Status of Ground Water extraction : Nil	1. Effluent analysis report Effluent analysis report dated 31-	13-10-2017 - Hard copy of the application submitted.	13-10-2017

	SIKKA AUTOMOBILE PVT. LTD.				Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal		HWM Application No. Application Date 24-05-2012 Authorisation Status Approved Authorisation Issue Date 19-07-2012 Authorisation Expiry Date 23-05-2017 HWM Application No. Application Date 29-09-2017 Authorisation Status Pending	Water consumption : 4200 Liters/Day Source of Water : Municipal Authority Status of Pollution Control System 1. ETP : Yes 2. ECS - Yes 3 D.G.Set Noise Report : 1 D.G. Set of 200 KVA -An inspection was carried out by officials of DPCC on 11.10.2017 During inspection following observations were made: 1.Unit found operational and engaged in the activity of Automobile service station. 2. ETP installed in the premises found functional. 3. Log book of ETP maintained. 4. Unit is complying HWM rules. 5. Unit has one D.G Set of capacity 180 KVA installed at roof to of the building in an acoustic enclosure with stack height (3 meters) 05-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. 2. Stack monitoring report Stack monitoring report dated 16- 08-2017 issued by DPCC submitted found within prescribed standards 3. Noise monitoring report Noise monitoring report dated 12- 06-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards.		Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
202	TANUJ PROCESS	A-21/27 NARAINA INDUSTRIAL AREA PHASE - II	09-10-2017		OFFSET PRINTING WITHOUT TRADE EFFLUENT Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. Application Date 08-07-2004 Authorisation Status Approved Authorisation Issue Date 05-08-2004 Authorisation Expiry Date 04-08-2006 HWM Application No. Application Date 09-08-2006 Authorisation Status Pending HWM Application No. Application Date 21-10-2011 Authorisation Status Pending HWM Application No. Application Date 09-10-2017	Status of Ground Water extraction : Nil Water consumption : 200 Liters/Day Source of Water : Municipal Authority Status of Pollution Control System 1. ETP : N/A 2. ECS - N/A 3. D.G.Set : No - Hard copy of the application not submitted.	13-10-2017 - Unit may be asked to submit hard copy of the application along with documents, and also inspection may be conducted for verifying g hazardous activity.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. Also inspection be conducted.

								Authorisation Status Pending				
203	ASHOKA ROLLS MANUFACTURERS PRIVATE LIMITED	21, GALI NO.5, LONI ROAD, JAWAHAR NAGAR INDUSTRIAL AREA	10-10-2017		Rubber Coating on Rollers Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber) with Boiler Light Engineering work	Orange Operate	Non-SPI		1. ETP- No. 2. ECS- Stack attached to Boiler. 3. DG Set- 1no.s of 250 KVA installed. 4. Trade Effluent- Nil. 5. Domestic Effluent-800 L/D and its mode of disposal into Sewer. 6. Water Consumption- 11000 L/D and its source is Burwell.	Noise Monitoring Report was submitted by DPCC on 09.08.2017 and all the parameters are within the prescribed limit as per the report. Emission Monitoring Report was submitted by DPCC on 04.09.2017 and all the parameters are within the prescribed limit as per the report	13-10-2017 Inspection may be Conducted.	13-10-2017 Ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area. Also inspection be conducted.
204	GARAM DHARAM DHABA(A UNIT OF VEERU FOODS PVT LTD	M-16,GROUND FLOOR & MEZZANINE FLOOR OUTER CIRCLE CONNAUGHT PLACE	10-10-2017		RESTAURANT CUM BAR HAVING SEATING CAPACITY OF 98 Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (b) Effluent analysis report dated 30-08-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31 (A)/33(A)/5 of EPA details :NO	Effluent analysis report dated 30-08-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-10-2017 Consent to operate may be granted.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
205	WD HOUSE(A UNIT OF SPINNING PLATES HOSPITALITY PVT LTD)	80 M BLOCK MARKET,GREATER KAILASH PART-II,	10-10-2017		Restaurant cum bar having seating capacity of 95 Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical Effluent analysis report dated 08-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 160 KVA. Noise monitoring report dated 18-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Water Consumption : 6000 Liters/Day (Source - DJB) Status of Ground Water extraction : Nil	Effluent analysis report dated 08-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 18-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-10-2017 Hardcopy of application for Consent to Operate along with required documents/ test reports is yet to be received.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

									Status of Inspection : Nil			
									SCN u/s 31(A)/33(A)/5 of EPA details : Nil			
									Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil			
206	THE HUDSON CAFE (A UNIT OF DEV DHINGRA HOSPITALITIES)	2524, HUDSON LANE KINGWAY CAMP	10-10-2017		RESTAURANT (36 SEATS). Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.		13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. Subsequently, inspection be conducted.
207	PRINTO HOME PVT. LTD.	A-7, DDA SHED, PHASE-I, OKHLA INDUSTRIAL AREA	11-10-2017		PRINTING WITHOUT TRADE EFFLUENT DISCHARGE. Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil		13-10-2017 Hardcopy of application for Consent to Establish along with required documents is yet to be received.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
208	S.K PROCESSORS	C-466, DSIIDC NARELA INDUSTRIAL AREA	11-10-2017		WASHING OF READYMADE GARMENTS WITH SPRAY PAINT AND OIL FIRED BOILER Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Hardcopy not submitted.		13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. Subsequently, inspection be conducted.
209	PERFECT COLOR CLOSURES	SHED NO.30,31,DSIDC SCHEME I, PH-II,OKHLA INDUSTRIAL AREA	11-10-2017		MANUFACTURING OF PILFER PROOF CAPS(ALUMINIUM SHEET METAL CAPS) AND PRINTING WITH OIL FIRED OVEN. Sheet Metal Printing with Oil fired Oven or Furnace	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 25-11-2009 Authorisation Status Pending HWM Application No. 2	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Status of Inspection : Nil		13-10-2017 Unit has submitted fresh application for Consent to Establish with change of activity however, hardcopy of the same is yet to be received.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

								Application Date 11-01-2011 Authorisation Status Pending HWM Application No. 3 Application Date 05-08-2016 Authorisation Status Pending	SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil			
210	CAFETERIA AND CO. (A UNIT OF JUMBO RESTAURANTS PVT. LTD.)	293, GF, FF, SF, SATYA NIKETAN, DHAULA KUAN	11-10-2017		RESTAURANT (48 SEATS). Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats) - connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no		12-10-2017 Consent to Establish may be granted.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
211	DIAMOND PRINT N PACK PVT LTD	PLOT NO. 8, SEC 1, PKT K, DSIIDC, BAWANA, INDL. AREA, DELHI	11-10-2017		OFFSET PRINTING Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		Hardcopy not submitted.		13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
212	AZIZAA BANQUET HALL (ROSHNI HOTELS PVT LTD)	B-7,GF,FF,G.T.KARNAL ROAD INDUSTRIAL AREA	11-10-2017		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.		13-10-2017	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
213	ARYA SONS U V COATING PRIVATE LIMITED.	D-18, DSIDC PACKAGING COMPLEX, KIRTI NAGAR.	11-10-2017		U V Printing and other enhancement related to printing activities Printing without	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A		12-10-2017 -Consent to Establish may be granted.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory,

					Trade Effluent Discharge				(3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no			Consent to Establish be granted. If any deficiencies are found, query letter be issued.
214	RAJINDRA MOTORS	A-17, DSIDC, JHILMIL INDUSTRIAL AREA, SHAHDARA	11-10-2017		SERVICING AND WASHING, DENTING AND PAINTING OF TWO WHEELERS Automobile Servicing and Repair Station with Washing Activity Denting and Painting of Vehicles	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 27-03-2008 Authorisation Status Pending HWM Application No. 2 Application Date 07-10-2009 Authorisation Status Pending HWM Application No. 3 Application Date 22-07-2010 Authorisation Status Approved Authorisation Issue Date 04-12-2012 Authorisation Expiry Date 21-07-2015	1. ETP- Yes of design capacity 1500 L/D. 2. ECS- No. 3. DG Set- N/A. 4. Trade Effluent-1450 L/D and its mode of disposal into Sewer. 5. Domestic Effluent-450 L/D and its mode of disposal into Sewer. 6. Water Consumption- 2000 L/D and its source DJB.	N/A	13-10-2017 Recommended to grant the consent Subsequently Inspection be conducted.	13-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
215	CAFE COFFEE DAY	K1/14, CR PARK	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 45 KVA. Noise monitoring report dated 11-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details :Nil	The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 11-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-10-2017 Hardcopy of application for Consent to Operate with required documents/test report/details of OGT cum Settling Tank yet to be provided by the unit.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

									Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil			
216	CAFE COFFEE DAY	FIRST FLOOR SHOP NO-101 AND 108 FF FLOT NO-8, KRISHNA TOWER 12, DWARKA	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)oil and grease Trap-yes (20x 24x 20) inch (2)D.G.Set: 45 KV (a) The unit has 1 D.G. Set (s) of 45 KVA. Noise monitoring report dated 24-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - No (3)Status of Ground Water extraction : N/A (4) Water consumption- 1100 liters per day (5) source of water- DJB (6) Trade Effluent- 800 liters per day (7) Domestic effluent- 20 liters per day Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A	The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 24-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - No	13-10-2017 Unit applied for Consent to Operate on 12.10.2017 for the activity of Coffee Shop with seating capacity of 28. seats. . Unit has installed Oil and grease tarp with Dimension (20x24x20) inch. Unit not Submitted hard Copy of Consent Application.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
217	CAFE COFFEE DAY	S-34, GREEN PARK MAIN	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)Oil and Grease Trap - yes (20x24x20) inch (a) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: 45 KVA (a)The unit has 1 D.G. Set (s) of 45 KVA. Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption- 1100 liters per day (DJB) Trade Effluent- 800 (Sewer/Drain) Domestic Effluent- 20 Liters per Day (disposal in sewer connected to drain) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31 (A)/33(A)/5 of EPA details :	Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-10-2017 Unit applied for Consent to Operate on 12.10.2017 for the activity of Coffee Shop with seating capacity of 48 seats. . Unit has installed Oil and grease tarp with Dimension (20x24x20) inch. Unit not Submitted hard Copy of Consent Application.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
218	CAFE COFFEE DAY	A 6, SHIVALIK COLONY MALVIYA NAGAR	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments	Orange Operate	Non-SPI		(1)Oil and Grease Trap - yes (20x24x20) inch (a) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	(a) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (a) The unit has 1 D.G. Set(s) of	13-10-2017 Unit applied for Consent to Operate on 12.10.2017 for the activity of Coffee Shop with seating capacity of 42 seats. . Unit has installed Oil and grease tarp with Dimension (20x24x20) inch. Unit not Submitted hard Copy of Consent To Operate application.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory,

					(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				Limit - Yes (2)ECS - N/A (a) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: 45 KVA (a) The unit has 1 D.G. Set (s) of 45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption- 1100 liters per day (DJB) Trade Effluent- 800 (Sewer/Drain) Domestic Effluent- 20 Liters per Day (disposal in sewer connected to drain) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/a Closure directions u/s 31 (A)/33(A)/5 of EPA details :N/A	45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes		Consent to Operate be granted. If any deficiencies are found, query letter be issued.
219	CAFE COFFEE DAY	S-4, GREEN PARK	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)Oil and Grease Trap - yes (20x24x20) inch (a) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: 45 KVA (a) The unit has 1 D.G. Set (s) of 62.5 KVA. Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - No Status of Ground Water extraction : Nil Water Consumption- 1100 liters per day (DJB) Trade Effluent- 800 (Sewer/Drain) Domestic Effluent- 20 Liters per Day (disposal in sewer connected to drain) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :	(a) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - No	13-10-2017 Unit applied for Consent to Operate on 12.10.2017 for the activity of Coffee Shop with seating capacity of 42seats. . Unit has installed Oil and grease tarp with Dimension (20x24x20) inch. Unit not Submitted hard Copy of Consent To Operate application.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
220	CAFE COFFEE DAY	E-12, DDA MARKET, MASJID MOTH, GREATER KAILASH-2	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap Effluent analysis report dated 18-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 11-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	Effluent analysis report dated 18-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 11-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-10-2017 Hardcopy of application for Consent to Operate with required documents/test report/details of OGT cum Settling Tank yet to be provided by the unit.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

					Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 62.5 KVA. Noise monitoring report dated 11-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil			
221	CAFE COFFEE DAY	A-12, REGAL BUILDING, CONNAUGHT PLACE	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Ground Water extraction : Nil Water consumption : 1100 Liters/Day Source of Water : Municipal Authority Status of Pollution Control System 1. ETP Oil and Grease Trap - Effluent analysis report not submitted. 2. ECS - N/A 3. D.G.Set: No - Hard copy of the application not submitted. - Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. - Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards.	- Effluent analysis report not submitted. - Noise monitoring report : N/A	13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
222	CAFE COFFEE DAY	AWWA PALLAVI SHOPPING COMPLEX, OPP. TAJ PLACE, CHANAKYAPURI	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Ground Water extraction : Nil Water consumption : 1100 Liters/Day Source of Water : Municipal Authority Status of Pollution Control System 1. ETP Oil and Grease Trap - Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards.	- Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. - Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards.	12-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

									2. ECS - N/A 3. D.G.Set : 1 (45 KVA) - Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards. - Hard copy of the application not submitted.			
223	CAFE COFFEE DAY	C-4/8 AMAR COLONY, LAJPAT NAGAR	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No	13-10-2017 Hardcopy of application for Consent to Operate with required documents/test report/details of OGT cum Settling Tank yet to be provided by the unit. As per online Noise Monitoring Report of D.G. set from DPCC Laboratory, reveals that noise level and stack height of D.G. Set not meeting the prescribed standards.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
224	CAFE COFFEE DAY	44, JANPATH	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Ground Water extraction : Nil Water consumption : 1100 Liters/Day Source of Water : Municipal Authority Status of Pollution Control System 1. ETP Oil and Grease Trap - Effluent analysis report dated 10-07-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. 2. ECS - N/A 3. D.G.Set : 1 (100 KVA) - Noise monitoring report dated 13-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards. - Hard copy of the application not submitted.	- Effluent analysis report dated 10-07-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. - Noise monitoring report dated 13-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards.	12-10-2017 .	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
225	CAFE COFFEE DAY	DCM BUILDING NO 16, BARAKHAMBA ROAD	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas	Orange Operate	Non-SPI		Status of Ground Water extraction : Nil Water consumption : 1100	- Effluent analysis report dated 18-07-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards.	12-10-2017 .	13-10-2017 Ask the unit to submit hardcopy of consent application along with

					and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				Liters/Day Source of Water : Municipal Authority Status of Pollution Control System 1. ETP Oil and Grease Trap - Effluent analysis report dated 18-07-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. 2. ECS - N/A 3. D.G.Set Noise Report : 1 - Noise monitoring report dated 13-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards. - Hard copy of the application not submitted.	- Noise monitoring report dated 13-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards.		requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
226	CAFE COFFEE DAY	M-39, M BLOCK MARKET, GREATER KAILASH-I	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)Oil and Grease Trap - yes (20x24x20) inch (a)Effluent analysis report dated 18-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: 45 KVA (a)Noise monitoring report of - N/A - Status of Ground Water extraction : Nil Water Consumption- 1100 liters per day (DJB) Trade Effluent- 800 (Sewer/Drain) Domestic Effluent- 20 Liters per Day (disposal in sewer connected to drain) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31 (A)/33(A)/5 of EPA details :N/A	(a)Effluent analysis report dated 18-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-10-2017 Unit applied for Consent to Operate on 12.10.2017 for the activity of Coffee Shop with seating capacity of 35 seats. . Unit has installed Oil and grease tarp with Dimension (20x24x20) inch. Unit not Submitted hard Copy of Consent To Operate application and requisite documents.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
227	CAFE COFFEE DAY	AB-12, SAFDARJUNG ENCLAVE	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Ground Water extraction : Nil Water consumption : 1100 Liters/Day Source of Water : Municipal Authority Status of Pollution Control System 1. ETP Oil and Grease Trap - Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. 2. ECS - N/A 3. D.G.Set Noise Report : 1 (45 KVA) - Noise monitoring report	- Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. - Noise monitoring report dated 25-08-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards.	12-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

									dated 25-08-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards.			
									- Hard copy of the application not submitted.			
228	CAFE COFFEE DAY	GROUND FLOOR, G-11, SECTOR-5, ASHIRWAD CHOWK, DWARKA	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)Oil and Grease trap- yes (20x24x20 inch). (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)D.G.Set: 45 KVA (a) (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 24-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (3) Status of Ground Water extraction :N/A (4) Water consumption- 1100 liters per day (DJB) (5) Trade Effluent- 800 liters per day (6) Domestic Effluent- 20 liters per day Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31 (A)/33(A)/5 of EPA details :N/A	(a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 24-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Unit not Submitted hard Copy of Consent To Operate application along with requisite documents.	13-10-2017 Unit applied for Consent to Operate on 12.10.2017 for the activity of Coffee Shop with seating capacity of 24 seats. . Unit has installed Oil and grease tarp with Dimension (20x24x20) inch. Unit not Submitted hard Copy of Consent To Operate application along with requisite documents.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
229	CAFE COFFEE DAY	SHOP C9/23, GF SECTOR-7, ROHINI	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP - Oil and Grease trap of 1.1 KLD 2. ECS - N/A 3. D.G. Set - 1 of 45 KVA 4. Status of Ground water extraction : Nil 5. Source of water - 1100 L/D, Source- DJB 6. Status of inspection - Nil 7. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 8. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil	Air (Emissions): N/A Water (Effluents) : N/A Noise : Test report is not within norms (issued by DPCC on 13.09.2017)	13-10-2017 Hard copy not submitted	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
230	DARZI BAR (A UNIT OF RADIOACTIVE LLP)	H-55 AND H-89,OUTER CIRCLE,CONNAUGHT PLACE	12-10-2017		Restaurant Having seating capacity of 98	Orange Operate	Non-SPI		Status of Ground Water extraction : Nil Source of ground water : Municipal Corporation.	- Effluent analysis report dated 04-08-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards.	13-10-2017 Consent to Operate may be granted.	13-10-2017 Ask the unit to submit hardcopy of consent application along with

					Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				Total Water Consumption : 500 l/day Status of Pollution Control System (1)ETP - Yes - Effluent analysis report dated 04-08-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. (2)ECS - N/A (3)D.G.Set : 1 (82.5 KVA) - Noise monitoring report dated 17-08-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards.			requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
231	CAFE COFFEE DAY	C-64, SHIVALIK COLONY MALVIYA NAGAR	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)Oil and Grease Trap - yes (20x24x20) inch (a) Effluent analysis report dated - N/A - (2)ECS - N/A (a) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: 45 KVA (a) The unit has 1 D.G. Set (s) of 45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption- 1100 liters per day (DJB) Trade Effluent- 800 (Sewer/Drain) Domestic Effluent- 20 Liters per Day (disposal in sewer connected to drain) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31 (A)/33(A)/5 of EPA details : (1)Oil and Grease Trap - yes (20x24x20) inch (a) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set: 45 KVA (a) The unit has 1 D.G. Set (s) of 62.5 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption- 1100 liters per day (DJB) Trade Effluent- 800	(a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Unit not Submitted hard Copy of Consent application with requisite documents.	13-10-2017 Unit applied for Consent to Operate on 12.10.2017 for the activity of Coffee Shop with seating capacity of seats. . Unit has installed Oil and grease tarp with Dimension (20x24x20) inch. Unit not Submitted hard Copy of Consent application with requisite documents.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
232	CAFE COFFEE DAY	PLOT NO 5, COMMUNITY CENTRE, SAKET	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)Oil and Grease Trap - yes (20x24x20) inch (a) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set: 45 KVA (a) The unit has 1 D.G. Set (s) of 62.5 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption- 1100 liters per day (DJB) Trade Effluent- 800	(a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes b) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-10-2017 Unit applied for Consent to Operate on 12.10.2017 for the activity of Coffee Shop with seating capacity of 89 seats. . Unit has installed Oil and grease tarp with Dimension (20x24x20) inch. Unit not Submitted hard Copy of Consent application with requisite documents.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

									(Sewer/Drain) Domestic Effluent- 20 Liters per Day (disposal in sewer connected to drain) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :			
233	CAFE COFFEE DAY	SHOP NO 14, PLOT NO 5, DDA MARKET, SARITA VIHAR	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap Effluent Analysis Report from DPCC Laboratory dated 10.07.2017 submitted.Number of parameters tested within limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 62.5 KVA. Noise monitoring report dated 21-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil	Effluent Analysis Report from DPCC Laboratory dated 10.07.2017 submitted.Number of parameters tested within limit - Yes. The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 21-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-10-2017 Hardcopy of application for Consent to Operate with required documents/test report/details of OGT cum Settling Tank yet to be provided by the unit.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
234	CAFE COFFEE DAY	SHOP NO 3, COMMUNITY CENTRE, SAKET	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)Oil and Grease Trap - yes (20x24x20) inch (a) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: 45 KVA (a) The unit has 1 D.G. Set (s) of 45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption- 1100 liters per day (DJB) Trade Effluent- 800 (Sewer/Drain) Domestic Effluent- 20 Liters per Day (disposal in sewer connected to drain) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31 (A)/33(A)/5 of EPA details :	(a) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-10-2017 Unit applied for Consent to Operate on 12.10.2017 for the activity of Coffee Shop with seating capacity of 89 seats. . Unit has installed Oil and grease tarp with Dimension (20x24x20) inch. Effluent and Noise monitoring Report issued by DPCC are under Prescribed Limit. Unit not Submitted hard Copy of Consent To Operate with requisite documents.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
235	CAFE COFFEE DAY	SHOP NO 1, 2 AND 3, CSC, NILGIRI MARKET, ALAKNANDA	12-10-2017		COFFEE SHOP. Restaurants/Eating	Orange Operate	Non-SPI		Status of Pollution Control System	The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 11-09-2017 issued by	13-10-2017 Hardcopy of application for Consent to Operate with required documents/test report/details of OGT cum Settling Tank yet to be	13-10-2017 Ask the unit to submit hardcopy of

					Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 11-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil	DPCC submitted. Number of parameters analyzed which are within limit - No	provided by the unit.	consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
236	CAFE COFFEE DAY	E-29, HAUZ KHAS MAIN MARKET	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)Oil and Grease Trap - yes (20x24x20) inch (a) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: 45 KVA (a) The unit has 1 D.G. Set (s) of 62.5 KVA. Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption- 1100 liters per day (DJB) Trade Effluent- 800 (Sewer/Drain) Domestic Effluent- 20 Liters per Day (disposal in sewer connected to drain) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31 (A)/33(A)/5 of EPA details : Month and years of Commencement of Production-19.09.2013 Existing	(a) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-10-2017 Unit applied for Consent to Operate on 12.10.2017 for the activity of Coffee Shop with seating capacity of 42 seats. . Unit has installed Oil and grease tarp with Dimension (20x24x20) inch. Effluent and Noise monitoring Report issued by DPCC are under Prescribed Limit. Unit not Submitted hard Copy of Consent To Operate with requisite documents.	13-10-2017 Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.
237	CAFE COFFEE DAY	1604, GROUND FLOOR, OUTRAM LANE, KINGSWAY CAMP	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area	Orange Operate	Non-SPI		Hardcopy not submitted.	.	13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

					less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler							
238	CAFE COFFEE DAY	M-6, GROUND FLOOR, GREATER KAILASH-2 MARKET	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 62.5 KVA. Noise monitoring report dated 21-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil	he unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 21-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No	13-10-2017 Hardcopy of application for Consent to Operate with required documents/test report/details of OGT cum Settling Tank yet to be provided by the unit. As per online Noise Monitoring Report of D.G. set from DPCC Laboratory, reveals that noise level and stack height of D.G. Set not meeting the prescribed standards.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
239	CAFE COFFEE DAY	PLOT NO 6, NORTH SIDE, COMMUNITY CENTER, EAST OF KAILASH	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31	The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No	13-10-2017 Hardcopy of application for Consent to Operate with required documents/test report/details of OGT cum Settling Tank yet to be provided by the unit. As per online Noise Monitoring Report of D.G. set from DPCC Laboratory, reveals that noise level and stack height of D.G. Set not meeting the prescribed standards.	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

								(A)/33(A)/5 of EPA details : Nil				
240	CAFE COFFEE DAY	SHOP NO-14A, COMMUNITY CENTRE BASANT LOK VASANT VIHAR	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Ground Water extraction : Nil Water consumption : 1100 Liters/Day Source of Water : Municipal Authority/DJB (Copy of bill enclosed) Status of Pollution Control System 1. ETP Oil and Grease Trap - Effluent analysis report not submitted. 2. ECS - N/A 3. D.G.Set Noise Report : 1 (63 KVA) - Noise monitoring report dated 25-08-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards. - Hard copy of the application not submitted.	- Effluent analysis report : Not submitted - Noise monitoring report dated 13-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards.	13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
241	CAFE COFFEE DAY	2526, HUDSON LANE, KINGSWAY CAMP	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hardcopy not submitted.	.	13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
242	CAFE COFFEE DAY	40-42, JANPATH	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Ground Water extraction : Nil Water consumption : 1100 Liters/Day Source of Water : Municipal Authority Status of Pollution Control System 1. ETP Oil and Grease Trap - Effluent analysis report dated 18-07-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards.	- Effluent analysis report dated 18-07-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. - Noise monitoring report dated 13-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards.	12-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

									2. ECS - N/A 3. D.G.Set Noise Report : 1 (125 KVA) - Noise monitoring report dated 13-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards.			
									- Hard copy of the application not submitted.			
243	CAFE COFFEE DAY	M-37, GROUND FLOOR, CONNAUGHT PLACE	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Ground Water extraction : Nil Water consumption : 1100 Liters/Day Source of Water : Municipal Authority Status of Pollution Control System 1. ETP Oil and Grease Trap - Effluent analysis report dated 18-07-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. 2. ECS - N/A 3. D.G.Set Noise Report : 1 - Noise monitoring report dated 13-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards. - Hard copy of the application not submitted.	- Effluent analysis report dated 18-07-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards. - Noise monitoring report dated 13-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards.	12-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
244	CAFE COFFEE DAY	3631, NETAJI SUBHASH MARG, DARYA GANJ	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hardcopy not submitted.	.	13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
245	CAFE COFFEE DAY	SHOP NO 61, MALL ROAD, KINGSWAY CAMP	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production	Orange Operate	Non-SPI		Hardcopy not submitted	.	13-10-2017	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

					of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler							
246	KAPUR RUBBER INDUSTRIES	A-3, MANGOLPURI INDUSTRIAL AREA. PHASE-II,	12-10-2017		MANUFACTURING OF FOOTWEARS Printing without Trade Effluent Discharge Use of Boiler (excluding Electric / Coal Fired) EVA Footwear and EVA Compound Footwear (rubber) Manufacturing of Footwear Uppers using Adhesive Process Involving Buffing	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 12-10-2017 Authorisation Status Pending	Status of Pollution Control System 1. ETP - N/A 2. ECS - Stack attached to exhaust of mixing mill no-2. Stack attached to exhaust of mixing mill no-1. Stack attached to exhaust of buffing section. Stack attached to boiler. 3. D.G. Set - 1 of 180 KVA 4. Status of Ground water extraction : Nil 5. Source of water - 1000 L/D, Source- DJB 6. Status of inspection - Nil 7. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 8. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil	Air (Emissions): Test reports within norms (issued by DPCC on 13.07.2017) Water (Effluents) : N/A Noise : Test reports within norms (issued by DPCC on 25.07.2017)	13-10-2017 Hard copy not submitted	13-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.