



Government of India
Ministry of Environment, Forest and Climate Change
 (Issued by the State Level Expert Appraisal
 Committee(SEAC),
 DELHI)



Minutes of 2nd Additional Agenda of 145th Meeting of SEAC to be held on 19.06.2024 from 04:00 PM onwards. State Level Expert Appraisal Committee meeting held from 19/06/2024 to 19/06/2024 **Date: 19/06/2024**

MoM ID: EC/MOM/SEAC/365733/6/2024

Agenda ID: EC/AGENDA/SEAC/365733/6/2024

Meeting Venue: Conference Room of DPCC, 3rd Floor, Block- 1 , DMRC IT Park Building, Shashtri Park, Delhi-110053

Meeting Mode: Physical

Date & Time:

19/06/2024	04:00 PM	05:00 PM
------------	----------	----------

1. Opening remarks

The 145th Meeting of State Level Expert Appraisal Committee (SEAC) was held on 19.06.2024 in the Conference Room of DPCC under the Chairmanship of Sh. Vijay Garg. Attendance is enclosed.

2. Confirmation of the minutes of previous meeting

MOM of 144th meeting was unanimously confirmed.

3. Details of proposals considered by the committee

Day 1 -19/06/2024

3.1. Agenda Item No 1:

3.1.1. Details of the proposal

Environment Clearance for Proposed expansion of Group Housing, Project at Plot No. PKT-02(a) Pocket-2/ Block-A Sector - 32, Rohini, Delhi by ICE FEEL MOUNT LLP located at NORTH WEST,DELHI			
Proposal For		Fresh EC	
Proposal No	File No	Submission Date	Activity (Schedule Item)
SIA/DL/INFRA2/468764/2024	DPCC/SEIAA-IV/P2/C-481/D L/2024	17/04/2024	Building / Construction (8(a))

3.1.2. Project Salient Features

1. The Proposal is for grant of Environment Clearance for **Proposed expansion of Group Housing, Project at Plot No. PKT-02(a) Pocket-2/ Block-A Sector - 32, Rohini, Delhi by M/s ICE Feel Mount LLP.**

Earlier Environment Clearance was granted by SEIAA, Delhi vide file no. DPCC/SEIAA-IV/C460/DL/2023 dated 31.01.2024 having plot area 8216 sqm and built-up area 50700 sqm. Now, the built-up area is increasing from 50700 sqm to 53700 sqm. Therefore, project proponent has applied for EC for expansion of the project.

2. The Project is located at **Latitude:** 28°44'15.94"N; **Longitude:** 77°04'06.48"E.

3. Area Details:

The total plot area of the project is 8216 sqm which will remain same. The proposed total built-up area (FAR + Non FAR area) will increase from 50700 sqm to 53700 sqm. The FAR area will decrease from 16831.493 sqm to 16412.9 sqm. The Non-FAR area will increase from 31335.379 sqm to 37287.11 sqm. No. of basement floor will increase from 1 no. to 2nos.. No. of blocks will be 4 nos. which will remain same and there will be no additional block which will be constructed. The maximum nos. of floors will change from 1B+ST+31 to 2B+ST+28. Total no. of dwelling units will decrease from 219 nos. to 183 nos.(Saleable DU's: 129 & EWS DU's: 54). The total no of expected population will be same as 940 persons. The max. height of the building will decrease from 103.55 m to 95.6 m.

4. Water Details:

During Construction Phase: Total water requirement for labours will be 5.20 KLD out of which fresh water requirement will be 3.30 KLD and treated waste water requirement will be 1.90 KLD. Water requirement for anti-smog guns will be 4.8 KLD and 2 KLD for sprinkling and approx. 4 KLD for construction related activities. Quantity of sewage generated during the construction phase will be 3.66 KLD

During Operational Phase: Total water requirement of the project will be 87 KLD which will be met by 53 KLD of fresh water from DJB and 34 KLD treated water from in house STP. Total waste water generated from the project will be 56 KLD which will be treated in house STP of 75 KLD capacity. Treated water from STP will be 50 KLD out of which 34 KLD will be recycled and reused for Flushing (18 KLD), Gardening (15 KLD), DG Cooling (1 KLD). Rest of the treated water, i.e. 16 KLD will be used for green area of Sector Parks.

1 Rain water tank of 80 KL will be provided.

5. Solid Waste Details:

During Construction Phase, about 24 Kg/day of municipal solid waste will be generated.

During the Operation Phase, Total solid waste generated from project will be 470 kg/day. Out of which 290 kg/day will be Biodegradable waste and 290 kg/day will be Non-Biodegradable waste. The biodegradable wastes will be composted in an onsite OWC. The non-biodegradable will be disposed through authorized vendors. E-Waste Generation will be 4.62 Kg/day which will be disposed through authorized vendors.

6. Power Details

During Operation Phase, Total power requirement will be 1556 kW which will be met by Tata Power Delhi Distribution Limited (TPDDL). For power back up, 2 no. of Gas based generator sets of total capacity 1250 KVA (2 x 625KVA) will be installed.

Solar photovoltaic power panels of minimum 112.6 KWp will be provided.

7. **Parking Facility Details:** Total proposed parking is 333 ECS. EV charging will be provided for the 30 % of the parked electric vehicles.

8. **Eco-Sensitive Areas Details:** Distance of Okhla Wildlife Sanctuary from project site is 29.07 Km and

from Asola Wildlife Sanctuary is 29.47 Km.

9. **Plantation Details:** The proposed green area is 2514.142 sqm (30.6% of plot area). Total no. of trees to be planted within project site is 105 nos.. Currently, there is sparse vegetation within the site.

10. **Cost Details:** Total cost of the project is approx. Rs. 155.57 Crores.

3.1.3. Deliberations by the committee in previous meetings

Date of SEAC 1 :14/06/2024

Deliberations of SEAC 1 :

Based on the information furnished, documents shown & submitted, presentation made by the project proponent the SEAC sought the following information:

1. Population calculations are not commensurate with the reduction in Dwelling Units.
2. PP to submit revised landscape plan clearly indicating the soft green area.
3. Assurance for supply of Treated Sewage during Construction Phase. PP is required to clarify the arrangement for reusing the aforesaid treated water along with the mechanism proposed for making this water fit for use in construction.
4. Revise and revisit facts and figures with respect to water and waste water generation, solid waste generation, parking calculation etc. after taking into account the change in population.
5. Proof of disposal of earth excavated till now and to submit plan for disposal of surplus soil excavation due to proposed extra basement.
6. Plan for disposal of excess treated water generated.
7. Proposal for installation of OWC.

3.1.4. Deliberations by the SEAC in current meetings

Based on the information furnished, documents shown & submitted, presentation made by the project proponent and **recommended the case to SEIAA for grant of Environmental clearance** imposing the following specific conditions:

3.1.5. Recommendation of SEAC

Recommended

3.1.6. Details of Environment Conditions

3.1.6.1. Specific

Air, water, waste, aesthetics, climate change, energy, green

- | | |
|----|---|
| 1. | <ol style="list-style-type: none">1. Treated water of DJB STP should be used for construction purposes with tertiary treatment of treated water of DJB STP to ensure it is fit for construction use.2. The project proponent shall adhere to the total water requirement – 73.58 KLD, Fresh water requirement – 48.16 KLD, 25.42 KLD treated water from in house STP. Total waste water generated from the project will be 55.15 KLD which will be treated in house STP of 65 KLD capacity. Treated water from STP will be 49.63 KLD out of which 25.42 KLD will be recycled and reused for Flushing & Horticulture. Rest of the excess treated water, i.e. 24.21 KLD will be used supplied to nearby park.3. The treated waste water through STP shall achieve the effluent standards: pH (5.5-9.0), BOD |
|----|---|

(10 mg/l), COD (50 mg/l), Nitrogen Total (10 mg/l), TSS (20 mg/l), Oiland Grease (10 mg/l), Dissolved Phosphate as P (1 mg/l), Ammonical Nitrogen< 5mg/l, Faecal Coliform (MPN/100 ml) – Desirable 100 permissible 230. The PP shall explore the possibility to install natural STP as committed.

4. The project proponent should adhere to the Cost of Environmental Monitoring as committed i.e. Capital cost of Rs. 39.5Lacs&Recurring cost of Rs. 7.85Lacs/ year during Construction phase and Capital cost of Rs. 200.4 Lacs & Recurring cost of Rs. 9.46Lacs/ year during Operation phase.
5. At least 7.2 % (i.e. 112.6kWp) of the total energy demand to be sourced from Solar (Renewable) energy as committed and PP shall try to enhance it further.
6. PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places as committed. PP to ensure that this should be provided in AC/DC combination. In addition, provision should be made to allow extension of electric charging facility to all parking slots in the future.
7. Minimum 1 tree for every 80 Sq. Mt of plot area should be planted within the project site.
8. Ground water should be extracted only after the permission from the competent authority.
9. Bills/Receipt issued by DJB against purchase of treated water from STP should be part of six monthly EC compliance report. Bills issued by private agency for supply water will not be sufficient.
10. During construction phase, only drinking water required by the labourers and the other fresh water requirement for Anti-Smog Guns is allowed to be supplied through tankers
11. Sensors to measure ground water level/Piezometers certified by CGWB should be installed by the PP immediately. These piezometers should have IoT facility and send data to the server for storage. Weekly data from these piezometer should be submitted along with EC compliance report. Calibration of these sensors should be done once in 6 months. Data of these piezometers should be also be
 - a) Highlighted on PP website with monthly updation.
 - b) Shared with DJB (ground water division) on quarterly basis.
12. Rain water storage tank with a capacity of minimum 1 day of fresh water requirement will be provided. Rainwater should be harvested and stored for reuse.
13. Formal approval shall be taken from the DJB/CGWA for any ground water abstraction of dewatering. The project proponent shall adopt suitable measures for controlling ground water backing up around basements.
14. The Environment Management Cell consisting of Director, Senior Environment Expert and Junior Environment Expert having specific knowledge related to environmental safeguards/ air/ water pollution shall be created and made functional before commissioning of the proposed development.
15. IoT based Flow Meters/ Sensors should be installed to monitor consumption of fresh water as well as treated water and log book for these flow meters be maintained in a regular manner. Flow meters shall be installed at Inlet of STP, outlet of STP, inlet of flushing tanks, inlet of cooling water tanks and reuse line for horticulture purposes and at the outfall/ sewer connection to be provided only for emergency discharge purposes with prior intimation to regulatory authority. Calibration for all the Flow meters shall be maintained on quarterly basis
16. Construction & Demolition waste should be disposed of at authorized C&D waste processing unit.
17. Wind- breaker of appropriate height i.e. 1/3rd of the building height and maximum up to 10 metres shall be provided all around the project site before the start of construction.
18. The Project Proponent should take measures for control of Dust Pollution during construction phase in the Environmental Management Plan by taking measures as per MoEF&CC Notification No. GSR 94 (E) dated 25.01.2018/Hon'ble National Green Tribunal order in O.A. No.21 of 2014 and O.A. No. 95 of 2014 in the matter of VardhamanKaushik Vs. Union of India & others and Sanjay KulshreshthaVs Union of India & others, CAQM/CPCB/DPCC extant statutory orders/guidelines/directions issued time to time including registration/ self-

audit on Dust Pollution Control Self-Assessment Portal with provision of video fencing and sensors for monitoring PM 2.5, PM 10. At least 04 Anti-Smog Gun shall be installed before starting the construction.

19. Project proponent shall be responsible for establishment, operation and maintenance of all common facilities and also for compliance of EC conditions during operation stage.
20. Only LED lighting fixtures should be used for energy conservation.
21. The cost of Environment Management Plan should be distinctly allocated in the budget of the project and details of the same along with time frame of the implementation should be reported in six monthly monitoring reports.
22. In view of MoEF&CC Office Memorandum No. 21-270/2008-IA.III dated 19.06.2013 read with MoEF&CC Office Memorandum No. 22-154/2015-IA.III dated 10.11.2015, this environmental clearance is granted focusing only on the environment concerns. The project will be regulated by the concerned local Civic Authorities under the provisions of the relevant provisions of the extant MPD-2021, Building Control Regulations and Safety Regulations.
23. The Environmental Clearance is subject to the condition that concerned local civic agencies will give the permission for use/ occupation of the building only after the written assurance of DJB/ New Delhi Municipal Council / DDA/ other such local civic authority (as the case may be) regarding supply of adequate water for the residents/ occupiers.
24. Grant of environmental clearance does not necessarily implies that water/ power supply shall be granted to the project and that their proposals for water/ power supply shall be considered by the respective authorities on their merits and decision taking.
25. The investment made in the project, if any, based on environmental clearance so granted, in anticipation of the clearance from water/ power supply angle shall be entirely at the cost and risk of the project proponent and SEAC/SEIAA, Delhi shall not be responsible in this regard in any manner.
26. The PP shall store all the construction material within the project site. Provision shall be made for providing facilities such as mobile toilets, safe drinking water, medical healthcare, crèche etc for the construction workers hired locally.
27. As proposed, fresh water requirement from DDA shall not exceed 54 KLD. Occupancy Certificate shall be issued only after getting necessary permission for required water supply from DDA/ concerned Authority.
28. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/ reused for Flushing, Gen-sets Cooling, HVAC and Horticulture and no treated water shall be disposed in to municipal drain.
29. The PP shall provide toxic gas (Combustible gas, Carbon dioxide and Hydrogen sulphide, Methane, VOCs, Ammonia) detectors for STP area.
30. The PP shall install the gas based generator sets as committed.
31. The project proponent shall implement the Traffic Management Plan.
32. Energy audit shall be carried out periodically to review energy conservation measures.
33. All sensor/meters based equipments should be calibrated on quarterly basis.
34. Climate responsive design as per Green Building Guidelines in practice should be ensured to the maximum extent.
35. Vegetation should be adopted appropriately on the ground as well as over built structures such as roofs, basements, podiums etc.
36. Green belt development surrounding the campus, avenue tree planting and garden development should commence from the beginning of the construction phase. Only indigenous species should be used for green belt and avenue trees.
37. Exposed roof area and covered parking should be covered with material having high solar reflective index.
38. Building design should cater to the differently-abled citizens.
39. PP shall keep open space unpaved to the maximum extent possible so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow

	effective fire tender movement in the periphery and shall keep atleast 10 % of the plot area as pervious. 40. All the vibrating parts will be checked periodically and serviced to reduce the noise generation and sound producing equipment. 41. Construction activities will be allowed only during day-time period. 42. Lubrication will be carried out periodically for plant machinery. 43. PP should install the air filters in the basement consisting of advanced adsorption technologies.
--	---

3.1.6.2. Standard

8(a)	Building / Construction
Statutory compliance	
1.	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
2.	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc.
3.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
4.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
5.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
6.	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
7.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
8.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
9.	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
10.	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
Air quality monitoring and preservation	
1.	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.

2.	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
3.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.
4.	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
5.	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
6.	Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
7.	Wet jet shall be provided for grinding and stone cutting.
8.	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
9.	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.
10.	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
11.	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
12.	For indoor air quality the ventilation provisions as per National Building Code of India.

Water quality monitoring and preservation

1.	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
2.	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
3.	Total fresh water use shall not exceed the proposed requirement as provided in the project details.
4.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
5.	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project

	under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
6.	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
7.	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
8.	Use of water saving devices/fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
9.	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
10.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
11.	The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
12.	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
13.	All recharge should be limited to shallow aquifer.
14.	No ground water shall be used during construction phase of the project.
15.	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
16.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
17.	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.
18.	No sewage or untreated effluent water would be discharged through storm water drains.
19.	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.

20.	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
21.	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.
Noise monitoring and prevention	
1.	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
2.	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
3.	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.
Energy Conservation measures	
1.	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
2.	Outdoor and common area lighting shall be LED.
3.	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
4.	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
5.	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
6.	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.
Waste Management	
1.	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
2.	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
3.	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.

4.	Organic waste compost/Vermiculture pit/Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
5.	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
6.	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
7.	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
8.	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
9.	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
10.	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.
Green Cover	
1.	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
2.	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
3.	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
4.	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.
Transport	
1.	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. d. Parking norms as per local regulation.
2.	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
null	

1.	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.
Human health issues	
1.	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
2.	For indoor air quality the ventilation provisions as per National Building Code of India.
3.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
4.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
5.	Occupational health surveillance of the workers shall be done on a regular basis.
6.	A First Aid Room shall be provided in the project both during construction and operations of the project.
Miscellaneous	
1.	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
2.	ii. environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
3.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
4.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
5.	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and/or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
6.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
7.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose.

	Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report
8.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
9.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
10.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
11.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during their presentation to the Expert Appraisal Committee.
12.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
13.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
14.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
15.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
16.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
17.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
18.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

4. Any Other Item(s)

N/A

5. List of Attendees

Sr. No.	Name	Designation	Email ID	Remarks
1	Dr Anwar Ali Khan	Member Secretary, SEAC	env*****@delhi.gov.in	
2	Vijay Garg	Chairman, SEAC	gar*****@gmail.com	
3	Sumit Kumar Gautam	SEAC MEMBER	gau*****@gmail.com	

4	Chetan Agarwal	SEAC MEMBER	che*****@hotmail.com	Absent
5	Jyoti Mendiratta	SEAC MEMBER	jma*****@gmail.com	
6	Dr KC Tiwari	SEAC MEMBER	kcc*****@gmail.com	Absent
7	Pranay Lal	SEAC MEMBER	pra*****@gmail.com	Absent
8	Paromita Roy	SEAC MEMBER	rom*****@gmail.com	
9	Dr Sirajuddin Ahmed	SEAC MEMBER	sir*****@gmail.com	Absent
10	Ashish Gupta	SEAC MEMBER	ash***@firstprinciple.org	