



Government of India
Ministry of Environment, Forest and Climate Change
 (Issued by the State Level Expert Appraisal
 Committee(SEAC),
 DELHI)



**Minutes of Agenda of 146th Meeting of SEAC to be held on 12.07.2024 from 10:30
 AM onwards State Level Expert Appraisal Committee meeting held from 12/07/2024 to 12/07/2024**

MoM ID: EC/MOM/SEAC/275641/7/2024

Agenda ID: EC/AGENDA/SEAC/275641/7/2024

Meeting Venue: Conference Room of DPCC, 3rd Floor, Block- 1 , DMRC IT Park Building, Shashtri Park, Delhi-110053

Meeting Mode: Physical

Date & Time:

12/07/2024	10:30 AM	04:00 PM
------------	----------	----------

1. Opening remarks

The 146th Meeting of State Level Expert Appraisal Committee (SEAC) was held on 12.07.2024 in the Conference Room of DPCC under the Chairmanship of Sh. Vijay Garg. Attendance is enclosed.

2. Confirmation of the minutes of previous meeting

MOM of 145th meeting was unanimously confirmed.

3. Details of proposals considered by the committee

Day 1 -12/07/2024

3.1. Agenda Item No 1:

3.1.1. Details of the proposal

“Proposed Hospital Building” at LP-03-06, Aerocity, IGI Airport, New Delhi- 110037 By Delhi International Airport Ltd. by AIRPORT LAND DEVELOPMENT - DELHI INTERNATIONAL AIRPORT LIMITED located at NEW DELHI,DELHI			
Proposal For		Fresh EC	
Proposal No	File No	Submission Date	Activity (Schedule Item)
SIA/DL/INFRA2/465440/2	DPCC/SEIAA-IV/P2/C-482/D	29/04/2024	Building / Construction (8(

024	L/2024		a))
---------------------	--------	--	-----

3.1.2. Project Salient Features

1. The proposal is for EC for **“Proposed Hospital Building” at LP-03-06, Aerocity, IGI Airport, New Delhi- 110037 by M/s Delhi International Airport Ltd.**

2. The Project is located at **Latitude: 28°32'42.89"N; Longitude: 77° 6'56.46"E.**

3. Area Details:

The total plot area of the project will be 16,453 sqm. The total built-up area will be 98,113 sqm. The proposed FAR Area is 40,265 sqm. The proposed Non FAR Area is 57,848 sqm. The proposed Ground Coverage is 6186 sqm. The numbers of basements are 4 nos. The proposed number of hospital beds is 633 nos. The maximum number of floors will be 4B+G+6. Total no. of expected population will be 7023 persons. Total no. of Towers/ Blocks will be 2 no. Max. Building height will be 30 m.

4. Water Details:

During Construction Phase: Total water requirement of the project will be 12 KLD which will be met by 5 KLD of fresh water and 7 KLD treated waste water from nearby STP.

During Operational Phase: Total water requirement of the project will be 822 KLD which will be met by 407 KLD of fresh water from DIAL and 415 KLD treated waste water from in house STP. Total waste water generated from the project will be 463 KLD which will be treated on-site STP of 500 KLD capacity. Waste water generated from Labs, OT, CU, DU, CSSD will be 28.4 KLD which will be treated in-house ETP of 30 KLD capacity and treated water from ETP will be further treated in on-site STP. Treated waste water from in-house STP will be 415 KLD which will be recycled and reused for Flushing (123 KLD), Road Washing/Cleaning (2 KLD), Gardening (10 KLD), HVAC (280 KLD).

10 RWH pits have been proposed for rainwater harvesting.

5. Solid Waste Details:

During Construction Phase, 75 kg/day domestic waste generated by labour at the site will be segregated within the site. Biodegradable waste will be composted, and non-biodegradable waste will be handed over to recyclers

During the Operation Phase, Total solid waste generation from the project will be 1951 kg/day, out of which 1006 kg/day will be biodegradable waste which will be processed in onsite OWC and 671 kg/day will be non-biodegradable waste which will be disposed through authorized vendors. Bio-medical waste generation will be 274 Kg/day which will be disposed through authorized agencies. Hazardous waste generation will be 36 litres/day which will be handed over to authorized recyclers.

6. Power Details

During Operation Phase, Total connected load will be 9076 kW which will be met by BSES. For power back up, 3 no. of DG sets of total capacity 4500 KVA (3×1500 kVA) will be installed.

Solar PV system of capacity 38 kWp will be provided

7. **Parking Facility Details:** Total proposed parking is 823 ECS. EV charging facility for 250 ECS (30 % of total parking) will be provided.

8. **Eco-Sensitive Areas Details:** Distance of Okhla Wildlife Sanctuary from project site is 17.68 Km E and from Asola Wildlife Sanctuary is 15.37 Km SE.

9. **Plantation Details:** The proposed green area including terrace green area is 1645.3 sqm (10.04% of asset area). No. of existing trees present at site are 9 nos which will be cut. Total no. of trees proposed to be planted is 205 nos.

10. **Cost Details:** Total cost of the project is approx. Rs. 200 Crores.

After due deliberations, the SEAC in its 144th meeting held on 14.06.2024 recommended the following:

Based on the information furnished, documents shown & submitted, presentation made by the project proponent the SEAC sought the following information:

1. Tree survey and transplantation plan to be submitted.
2. Reference for Ground Coverage and FAR needs to be attached.
3. Calculation of total green area needs to be done including holistic calculation to work out to achieve soft green area upto 10 % of total plot area.
4. Revised proposal to achieve atleast 10 % of power load requirement from solar energy.
5. Proposal to install UV system in ETP.
6. Undertaking stating that bio medical waste will be disposed through authorized vendor.
7. Legible dual-plumbing plan along with proper drainage plan to be submitted.
8. Revised traffic management plan in line with the DIAL master plan.
9. Check ambient lightning calculation wrt cooling system and submit revised ECBC analysis.
10. PP to submit revised EMP cost after taking into account the cost involved in terms of dust mitigation measures including dust portal compliance, installation of anti-smog guns.
11. Revised water requirement calculation during construction phase after taking into account the water to be used in Anti - Smog Guns.

In view of information sought by SEAC, ADS was raised and in its response project proponent replied on 01.07.2024 for the abovementioned information sought by SEAC.

3.1.3. Deliberations by the committee in previous meetings

Date of SEAC 1 :14/06/2024

Deliberations of SEAC 1 :

After due deliberations, the SEAC in its 144th meeting held on 14.06.2024 has recommended the following:

Based on the information furnished, documents shown & submitted, presentation made by the project proponent the SEAC sought the following information:

Tree survey and transplantation plan to be submitted.

Reference for Ground Coverage and FAR needs to be attached.

Calculation of total green area needs to be done including holistic calculation to work out to achieve soft green area upto 10 % of total plot area.

Revised proposal to achieve atleast 10 % of power load requirement from solar energy.

Proposal to install UV system in ETP.

Undertaking stating that bio medical waste will be disposed through authorized vendor.

Legible dual-plumbing plan along with proper drainage plan to be submitted.

Revised traffic management plan in line with the DIAL master plan.

Check ambient lightning calculation wrt cooling system and submit revised ECBC analysis.

1. PP to submit revised EMP cost after taking into account the cost involved in terms of dust mitigation measures including dust portal compliance, installation of anti-smog guns.

2. Revised water requirement calculation during construction phase after taking into account the water to be used in Anti Smog Guns.

3.1.4. Deliberations by the SEAC in current meetings

3.1.5. Recommendation of SEAC

Recommended

3.1.6. Details of Environment Conditions

3.1.6.1. Specific

Water/ Waste Water Conditions	
1.	- UV system shall be installed in the proposed ETP system also. - Treated water of DJB STP should be used for construction purposes with tertiary treatment of treated water of DJB STP to ensure it is fit for construction use. - During construction phase, only drinking water required by the labourers and the other fresh water requirement for Anti-Smog Gun is allowed to be supplied through tankers. - Bills/Receipt issued by DJB against purchase of treated water from STP should be part of six monthly EC compliance report. Bills issued by private agency for supply water will not be sufficient. - The project proponent shall adhere to the total water requirement – 822 KLD, Fresh water requirement – 407 KLD, Treated water requirement – 415 KLD (463 KLD from inhouse STP) shall be used for reuse & recycling in Flushing (123 KLD), Road Washing/Cleaning (2 KLD), HVAC (280 KLD), Gardening (10 KLD). - As proposed, fresh water requirement shall not exceed 407 KLD. Occupancy Certificate shall be issued only after getting necessary permission for required water supply from DDA/DJB/NDMC/ DIAL/ Concerned Authority. - Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/ reused for flushing, gardening, cooling etc. - The PP shall provide toxic gas (Combustible gas, Carbon dioxide and Hydrogen sulphide, Methane, VOCs, Ammonia) detectors for STP area. - Internet of Things (IoT) based Flow Meters/ Sensors should be installed to monitor consumption of fresh water as well as treated water and log book for these flow meters be maintained in a regular manner. Flow meters shall be installed at Inlet of STP, outlet of STP, inlet of flushing tanks, inlet of cooling water tanks and reuse line for horticulture purposes and at the outfall/ sewer connection to be provided only for emergency discharge purposes with prior intimation to regulatory authority. Calibration for all the Flow meters shall be maintained on quarterly basis. - All sensor/meters based equipments should be calibrated on quarterly basis. - Sensors to measure ground water level/Piezometers certified by CGWB should be installed by the PP immediately. These piezometers should have IoT facility and send data to the server for storage. Weekly data from these piezometers should be submitted along with EC compliance report. Calibration of these sensors should be done once in 6 months. Data of these piezometers should be also be - Highlighted on PP website with monthly updation. - Shared with DJB (ground water division) on quarterly basis. - No. of Rain water harvesting pit shall be 10 nos. and Rain water storage tank of capacity of min. 1 day of total fresh water requirement shall be provided. Boring for Rain Water Harvesting system should not be permitted/ done before completion of structure work. All recharge should be limited to shallow aquifer. Depth of boring should leave a buffer of atleast 5 m above ground water table.

Solid/ C&D Waste Conditions	
1.	1. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in organic waste converter. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from the project will be sent to dumping site. 2. Construction & Demolition waste should be disposed of at authorized C&D waste collection centre/ processing unit. PP shall ensure compliance of C&D waste Management rules, 2016. 3. PP shall purchase RMC from Ready-mix Concrete plant consented by DPCC 4. The PP shall store all the construction material within the project site. Provision shall be made for providing facilities such as mobile toilets, safe drinking water, medical healthcare, crèche etc for the construction workers hired locally. 5. Construction activities will be allowed only during day-time period.
Air/ Dust/Noise Conditions	
1.	1. The Project Proponent should take measures for control of Dust Pollution during construction phase in the Environmental Management Plan by taking measures as per MoEF&CC Notification No. GSR 94 (E) dated 25.01.2018/Hon'ble National Green Tribunal order in O.A. No.21 of 2014 and O.A. No. 95 of 2014 in the matter of Vardhaman Kaushik Vs. Union of India & others and Sanjay Kulshreshtha Vs Union of India & others, CAQM/CPCB/DPCC extant statutory orders/guidelines/directions issued time to time including registration/ self-audit on Dust Pollution Control Self-Assessment Portal with provision of video fencing and sensors for monitoring PM 2.5, PM 10. Atleast 04 Anti-Smog Gun shall be installed before starting the construction, 2. Wind- breaker of appropriate height i.e. 1/3rd of the building height and maximum up to 10 metres shall be provided all around the project site before the start of construction and demolition work. Regenerating plastic panels should be used instead of GI sheets. 3. The generator sets shall be installed as per extant directions of CPCB/ CAQM with due compliances of directions issued under GRAP for Delhi & NCR. 4. PP should install the air filters in the basement consisting of advanced adsorption technologies. 5. Air Pollution Mitigation Plan for all points and non points should be implemented.
Energy Saving/ EV Parking Conditions	
1.	1. Atleast 3% of solar/renewable shall be provided as committed and PP shall try to enhance it further and also explore the possibilities to take renewable energy from airport to this project. 2. PP to provide minimum 30% of total car parking requirement with electric charging facility by providing charging points at suitable places as committed. PP to ensure that this should be provided in AC/DC combination. In addition, provision should be made to allow extension of electric charging facility to all parking slots in the future. 3. Green building norms should be followed with a minimum 4 star GRIHA/IGBC/ASSOCHAM-GEM rating. 4. Climate responsive design as per Green Building Guidelines in practice should be ensured to the maximum extent. 5. Energy audit shall be carried out periodically to review energy conservation measures. 6. Exposed roof area and covered parking should be covered with material having high solar reflective index. 7. The sufficient mitigation measures must be taken by the PP to mitigate the effect of heat island.
Green Area/ Plantation Conditions	
1.	

	1. Transplantation shall take place as per Tree Transplantation Policy, 2020. 2. There shall be development of green area as 12.14% out of which 5.48% will be within the asset line and rest 6.66% will be outside the asset line. 3. Minimum 1 tree for every 80 Sq. Mt of plot area should be planted within the project site. 4. Vegetation should be adopted appropriately on the ground as well as over built structures such as roofs, basements, podiums etc. 5. Green belt development surrounding the site, avenue tree planting and garden development should commence from the beginning of the construction phase. Only indigenous species should be used for green belt and avenue trees. 6. PP shall keep open space unpaved to the maximum extent possible so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement and shall keep atleast 10 % of the plot area as pervious.
EMP/ Environment Management Cell Conditions	
1.	1. The project proponent should adhere to the Cost of Environmental Monitoring as committed i.e. capital cost of Rs. 11.5 Lacs and recurring cost of Rs. 8.95 Lacs/ year during construction phase and capital cost of Rs. 117.5 Lacs and recurring cost of Rs. 30.2 Lacs/ year during operation phase. 2. The cost of Environment Management Plan should be distinctly allocated in the budget of the project and details of the same along with time frame of the implementation should be reported in six monthly monitoring reports. 3. The Environment Management Cell consisting of 1 Administrative officer, 1 Environment Officer, 1 Maintenance Incharge, 1 Air Management incharge, 1 Waste water Management incharge, 1 Waste Management incharge, 2 STP & RWH persons, 1 Collection & disposal person, 1 Fire & safety person having specific knowledge and experience related to environmental safeguards/ air/ water pollution shall be created and made functional before commissioning of the proposed development.
Miscellaneous Conditions	
1.	1. Project proponent shall be responsible for establishment, operation and maintenance of all common facilities and also for compliance of EC conditions during operation stage. 2. In view of MoEF&CC Office Memorandum No. 21-270/2008-IA.III dated 19.06.2013 read with MoEF&CC Office Memorandum No. 22-154/2015-IA.III dated 10.11.2015, this environmental clearance is granted focusing only on the environment concerns. The project will be regulated by the concerned local Civic Authorities under the provisions of the relevant provisions of the extant MPD-2021, Building Control Regulations and Safety Regulations. 3. The Environmental Clearance is subject to the condition that concerned local civic agencies will give the permission for use/ occupation of the building only after the written assurance of DIAL/ DJB/ New Delhi Municipal Council / other such local civic authority (as the case may be) regarding supply of adequate water for the residents/ occupiers. 4. Grant of environmental clearance does not necessarily implies that water/ power supply shall be granted to the project and that their proposals for water/ power supply shall be considered by the respective authorities on their merits and decision taking. 5. The investment made in the project, if any, based on environmental clearance so granted, in anticipation of the clearance from water/ power supply angle shall be entirely at the cost and risk of the project proponent and SEAC/SEIAA, Delhi shall not be responsible in this regard in any manner. 6. All the vibrating parts will be checked periodically and serviced to reduce the noise generation and sound producing equipment. 7. Lubrication will be carried out periodically for plant machinery. 8. Building design should cater to the differently-abled citizens.

3.1.6.2. Standard

8(a)	Building / Construction
Statutory compliance	
1.	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
2.	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc.
3.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
4.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
5.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
6.	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
7.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
8.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
9.	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
10.	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
Air quality monitoring and preservation	
1.	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
2.	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
3.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.
4.	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets

	may be decided with in consultation with State Pollution Control Board.
5.	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
6.	Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
7.	Wet jet shall be provided for grinding and stone cutting.
8.	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
9.	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.
10.	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
11.	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
12.	For indoor air quality the ventilation provisions as per National Building Code of India.
Water quality monitoring and preservation	
1.	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
2.	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
3.	Total fresh water use shall not exceed the proposed requirement as provided in the project details.
4.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
5.	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
6.	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
7.	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.

8.	Use of water saving devices/fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
9.	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
10.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
11.	The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
12.	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
13.	All recharge should be limited to shallow aquifer.
14.	No ground water shall be used during construction phase of the project.
15.	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
16.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
17.	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.
18.	No sewage or untreated effluent water would be discharged through storm water drains.
19.	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
20.	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
21.	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.
Noise monitoring and prevention	
1.	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during

	day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
2.	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
3.	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.
Energy Conservation measures	
1.	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
2.	Outdoor and common area lighting shall be LED.
3.	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
4.	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
5.	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
6.	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.
Waste Management	
1.	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
2.	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
3.	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
4.	Organic waste compost/Vermiculture pit/Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
5.	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
6.	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
7.	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at

	least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
8.	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
9.	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
10.	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.
Green Cover	
1.	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
2.	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
3.	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
4.	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.
Transport	
1.	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. d. Parking norms as per local regulation.
2.	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
null	
1.	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.
Human health issues	

1.	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
2.	For indoor air quality the ventilation provisions as per National Building Code of India.
3.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
4.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
5.	Occupational health surveillance of the workers shall be done on a regular basis.
6.	A First Aid Room shall be provided in the project both during construction and operations of the project.
Miscellaneous	
1.	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
2.	ii. environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
3.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
4.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
5.	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and/or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
6.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
7.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report
8.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
9.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.

1 0.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
1 1.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP reportand also that during their presentation to the Expert Appraisal Committee.
1 2.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
1 3.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
1 4.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
1 5.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
1 6.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
1 7.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
1 8.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

3.2. Agenda Item No 2:

3.2.1. Details of the proposal

Group Housing at Khasra no.219/220 part at Sindhora kalan Village Gulabi Bagh by Sanjay Surana, Suraj Mal Surana & Chandrika Surana. by Sanjay Surana located at NORTH,DELHI			
Proposal For		Fresh EC	
Proposal No	File No	Submission Date	Activity (Schedule Item)
SIA/DL/INFRA2/472744/2024	DPCC/SEIAA-IV/C-490/DL/2024	24/06/2024	Building / Construction (8(a))

3.2.2. Project Salient Features

1. The Proposal is for grant of Environmental Clearance for Group Housing at Khasra no. 219/220 part at Sindhora kalan Village Gulabi Bagh by Sanjay Surana, Suraj Mal Surana & Chandrika Surana. 2. The Project is located at Latitude: 28°40'31.70"N; Longitude: 77°11'25.66"E. 3. Area Details:
--

The total plot area of the project is 3740.91 sqm. The proposed total built-up area is 24901.16 sqm. The proposed ground coverage of the project is 807.66 sqm. The proposed total FAR area is 9069.40 sqm. The proposed total Non-FAR area is 10471.19 sqm. Total basement area of the project is 5360.57 sqm. The number of floors will be 3B+S+29 floors. The number of basements will be 3. Total no. of dwelling units will be 44 (EWS DU's: 30). The total no of expected population will be 318. The maximum height of the building will be 113.75 m.

4. Water Details:

During Construction Phase, the total water requirement will be 20 KLD, out of which treated water will be 5 KLD which will be taken from Keshopur STP. The STP water will be treated before using it for construction purposes. The remaining 15 KLD will be obtained from tanker supply out of which 07 KLD will be used for domestic purposes & 08 KLD water will be used for Anti-smog gun.

During the Operation Phase, the total water requirement of the project will be 53 KLD which will be met by 24 KLD of fresh water from DJB and 29 KLD treated water from in house STP. Total wastewater generated from this project will be 33 KLD which will be treated in house STP of 50 KLD. Treated water generated will be 29 KLD which will be completely reused for flushing (11 KLD), Gardening (07 KLD), and Cooling (11 KLD) within the premises. No excess treated water will be discharged into the sewer lines.

2 number of Rain Water Harvesting (RWH) Pits are proposed.

5. Solid Waste Details:

During the Construction Phase, about 21 kg/day of solid waste will be generated which will be disposed of at the solid waste site.

During Operation Phase, total solid waste generated will be 133 kg/day. Out of which 86 kg/day will be biodegradable waste, 38 kg/day will be non-biodegradable waste and 9 kg/day will be plastic waste. The biodegradable waste will be composed in an in-house OWC. The non-biodegradable waste and plastic waste will be disposed through authorized recyclers.

10 lit/month of used oil will be generated from the Generator sets which will be given to authorized recyclers.

6. Power Details:

During Operation Phase, the total power requirement will be 1030 KW which will be met by the TPDDL. For power backup, 2 no. of GG sets of total capacity 660 kVA (1X160 + 1X500 KVA) will be installed.

5% i.e. 51.5 KW of total power load will be met through renewable energy.

7. Parking Facility Details: Total proposed parking is 134 ECS.

8. Eco-Sensitive Areas Details: Distance of Okhla Wildlife Sanctuary from project site is 15.75 Km and from Asola Wildlife Sanctuary is 20.15 Km.

9. Plantation Details: The proposed green area is 1,470 sqm (39.3% of the total plot area), which will include Soft green area of 848.98 sqm and Hard green area of 621.02 sqm. Total no. of trees proposed to be planted are 50. Currently, there is no vegetation present at the site.

10. Cost Details: Total cost of the project is approx. Rs 92 crores.

3.2.3. Deliberations by the committee in previous meetings

N/A

3.2.4. Deliberations by the SEAC in current meetings

After due deliberations, the SEAC in its 146th meeting held on 12.07.2024 has recommended the following:

Based on the information furnished, documents shown & submitted, presentation made by the project proponent the SEAC sought the following information:

1. Management plan for disposal of excavated earth along with assurance letter.
2. Revisit power requirement for the project which seems to be on higher side along with revised solar energy utilization to achieve atleast 10 % of power load requirement.
3. Management plan for disposal and recycling of construction and demolition waste from authorised recycler with assurance from authorised recycler.
4. Revised EMP (Environment Management Plan) for dust mitigation measures during construction as per MoEF Notification No. GSR 94 (E) dated 25.01.2018/ Hon'ble National Green Tribunal order in O.A. No.21 of 2014 and O.A. No. 95 of 2014 in the matter of Vardhaman Kaushik Vs. Union of India & others and Sanjay Kulshreshtha Vs Union of India & others/ CAQM Directions issued time to time including registration on Dust Pollution Control Self-Assessment Portal with provision of video fencing and sensors for monitoring PM 2.5, PM 10 including the cost of functioning of EMP cell.
5. Revised detail of solid waste generation including wet sludge & dry sludge of STP with management plan for disposal of composted waste with quantification.

3.2.5. Recommendation of SEAC

Deferred for ADS

3.3. Agenda Item No 3:

3.3.1. Details of the proposal

Group Housing by R R Texknit LLP. by R R Texknit LLP located at SOUTH WEST,DELHI			
Proposal For		Fresh EC	
Proposal No	File No	Submission Date	Activity (Schedule Item)
SIA/DL/INFRA2/481309/2024	DPCC/SEIAA-IV/P2/C-489/DL/2024	25/06/2024	Building / Construction (8(a))

3.3.2. Project Salient Features

1. The Proposal is for grant of EC for **“Group Housing” at Khasra No. 1230/2, Sector-B, Pocket 1, Vasant Kunj, Part of Revenue Estate of Village Mehrauli, New Delhi by M/s R R Texknit LLP.**

2. The Project is located at **Latitude:** 28°31'17.13"N; **Longitude:** 77° 9'34.96"E.

3. Area Details:

The total plot area of the project is 5353.61 sqm. The proposed total built-up area is 25650 sqm. Proposed ground coverage is 1517.99 sqm. The Proposed FAR Area is 12,168.16 sqm and Proposed Total Non-FAR Area is 5,701.12 sqm. Total basement area will be 7,380.72 sqm. The total no. of Basements will be 3 nos. Total no. of expected population will be 792 persons. Total nos. of Units will be 74 (EWS DU's: 32 & CSPs: 32). Total no. of towers will be 3 nos (3B+S+9, 3B+S+9, 3B+S+9). Max. building height will be 33.25 m.

4. Water Details:

During Construction Phase: Total water requirement will be 25 KLD, out of which fresh water will be 20 KLD and treated water will be 5 KLD which will be taken from Vasant Kunj STP. Fresh water requirement for domestic purposes will be 12 KLD and for Anti-smog guns will be 8 KLD.

During Operational Phase: Total water requirement of the project will be 95 KLD which will be met by 57 KLD of fresh water from DJB and 38 KLD treated water from in house STP. Total waste water generated from the project will be 74 KLD which will be treated in house STP of 110 KLD capacity. Treated water from STP will be 67 KLD out of which 38 KLD will be recycled and reused for Flushing (28 KLD) and Gardening (10 KLD). Rest of the treated water i.e. 29 KLD will be discharged into the sewer line.

5 RWH pits have been proposed for rainwater harvesting.

5. Solid Waste Details:

During Construction Phase, about 38 Kg/day of municipal solid waste will be generated which will be disposed of at the solid waste site.

During the Operation Phase, Total solid waste generated from project will be 348 Kg/day. Out of which 209 kg/day will be Biodegradable waste, 111 kg/day will be recyclable waste and 28 kg/day will be plastic waste. The biodegradable wastes will be composted in an onsite OWC. The recyclable will be given to authorized recyclers.

14 lit/month of used oil will be generated from the Generator sets which will be given to authorized recyclers.

6. Power Details

During Operation Phase, Total power requirement will be 1022 KW which will be met by the BSES Rajdhani Power Limited. For power back up, 2 no. of GG sets of total capacity 1000 KVA (2x500 KVA) will be installed.

Solar photovoltaic power panels of minimum 76.65 KVA (7.5% of total power load) will be provided.

7. Parking Facility Details: Total proposed parking is 290 ECS.

8. Eco-Sensitive Areas Details: Distance of Okhla Wildlife Sanctuary from project site is 13.93 Km and from Asola Wildlife Sanctuary is 5.79 Km.

9. Plantation Details: The proposed green area is 2094.840 sqm (39.7 % of plot area). Total no. of proposed trees is 56 nos. within project site. Currently, there are 11 trees present at the boundary of the site.

10. Cost Details: Total cost of the project is approx. Rs 145 Crores.

3.3.3. Deliberations by the committee in previous meetings

N/A

3.3.4. Deliberations by the SEAC in current meetings

After due deliberations, the SEAC in its 146th meeting held on 12.07.2024 has recommended the following:

Based on the information furnished, documents shown & submitted, presentation made by the project proponent the SEAC sought the following information:

1. PP to explore the possibility of discharging excess treated water into nearby water bodies/green land with due permission from competent authority.
2. Proposal for installing STP and OWC on the same floor.
3. Proposal for utilising filtrate from filter press of STP into holding tank and revised schematic/line

diagram of STP to be submitted showing true details including flow meters installation. O&M cost of STP & OWC be mentioned in the EMP cost.

4. Revised solar energy utilization to achieve atleast 10 % of power load requirement or submit maximum permissibility.
5. Revised parking proposal to achieve atleast 30 % of the ECS for electric vehicle. In addition, provision should be made to allow extension of electric charging facility to all parking slots in the future.
6. Revised EMP (Environment Management Plan) for including cost of Environment Management Cell and dust mitigation measures during construction as per MoEF Notification No. GSR 94 (E) dated 25.01.2018/ Hon'ble National Green Tribunal order in O.A. No.21 of 2014 and O.A. No. 95 of 2014 in the matter of Vardhaman Kaushik Vs. Union of India & others and Sanjay Kulshreshtha Vs Union of India & others/ CAQM Directions issued time to time including registration on Dust Pollution Control Self-Assessment Portal with provision of video fencing and sensors for monitoring PM_{2.5}, PM₁₀.
7. Revised traffic management plan incorporating the requisite entry/exit infrastructure improvements to be provided/ undertaken by the project proponent to ease the vehicle movement within the project premises.
8. Revised proposal with mitigation measures in detail regarding heat island effect such as realistic shaded tree plantation etc.

3.3.5. Recommendation of SEAC

Deferred for ADS

3.4. Agenda Item No 4:

3.4.1. Details of the proposal

Modification and Expansion of Indian Insititute of Technology located at Hauz Khas, Delhi by Indian Insititute o f Technology by INDIAN INSTITUTE OF TECHNOLOGY located at SOUTH,DELHI			
Proposal For		Amendment in ToR	
Proposal No	File No	Submission Date	Activity (Schedule Item)
SIA/DL/INFRA2/483998/2024	DPCC/SEIAA-IV/C-470/DL/2023	28/06/2024	Townships/ Area Development Projects / Rehabilitation Centres (8(b))

3.4.2. Project Salient Features

1. The Proposal is for grant of EC for **Modification and Expansion of Indian Insititute of Technology located at Hauz Khas, Delhi by Indian Insititute of Technology by Indian Institute Of Technology.**

Earlier environmental clearance was granted for the existing project by SEIAA, Delhi vide letter F. No. 42/DPCC/SEIAA-SEAC/10/1429 dated 11.11.2010 having a total plot area of 12,64,727 sqm and built-up area of 6,42,560 sqm.

Later on project proponent sought EC for Modification and Expansion of campus from MoEF&CC vide file no. 21-350/2017-IA-III dated 26.06.2018. The Build up Area increased to 7,70,563.07 sqm post modification and expansion.

Subsequently, PP submitted application for modification and expansion vide Proposal no.

SIA/DL/INFRA2/451098/2023 dated 21.10.2023. Plot area remains same i.e. 12, 64,727 sqm and Built-up area increases to 8,69,304.286 sqm post modification and expansion.

Further, the above application was granted Terms of Reference by SEIAA, Delhi vide letter no. DPCC/SEIAAIV/C-470 (TOR)/DL/2023/2041-2044 dated 12.03.2024.

PP decided to add 2 new blocks to the campus which results in the Built-up area increasing to 9,37,526.086 sqm. Therefore, PP submitted an application for amendment in ToR letter issued by SEIAA, Delhi vide letter no. DPCC/SEIAA-IV/C-470 (TOR)/DL/2023/2041-2044 dated 12.03.2024

2. The Project is located at **Latitude:** 28°33'1.94"N; **Longitude:** 77°11'1.79"E.

3. Area Details:

The total plot area of the project is 12,64,727 sqm which will remain same. The proposed total built-up area will increase from 8,69,304.286 sqm to 9,37,526.086 sqm. The FAR area will increase from 8,01,650.86 sqm to 8,37,290.86 sqm. The Non-FAR area will increase from 67,653.426 sqm to 1,00,235.226 sqm. Ground coverage will increase from 2,17,901.465 sqm to 2,26,036.465 sqm. Total no. of expected population will increase from 28,722 to 32,252 persons. Maximum building height will be 26 m.

4. Water Details:

During Construction Phase, water will be obtained through STP treated effluent/Private water tankers.

During Operational Phase, total water requirement of the project will be 5136 KLD which will be met by 2340 KLD of fresh water from DJB and 2796 KLD treated water from in house STP. 99 additional treated water from existing IIT campus. Total waste water generated from the project will be 3058 KLD which will be treated in house existing STP and ETP of 3680 and 50 KLD capacities. Treated water (2796 KLD) will be recycled and reused for flushing (1186 KLD), HVAC cooling (742 KLD), horticulture (298 KLD).

158 (150 existing and 8 new proposed) RWH pits have been proposed under amendment/addition for rainwater harvesting.

5. Solid Waste Details:

During the Operation Phase, Total solid waste generation from the project will be 14682 kg/day. E-waste generation is being disposed through an approved e-waste management agency. Sludge generated from the STP will be 417.41 kg/day will be dried and later will be used as manure for green belt development.

6. Power Details

During Operation Phase, Total power requirement will be 19786 kW which will be met by BSES Delhi. For power back up, 23 no. of DG sets of total capacity 13,552.5 kVA (6 x 750 kVA + 2 x 625 kVA + 13 x 500 kVA + 3 x 380 kVA + 1x 100 KVA + 1x 62.5 kVA) will be installed.

Solar power generation of capacity 40 kWp will be installed.

7. **Parking Facility Details:** Total proposed parking is 8866 ECS. 28 Numbers of EV parking will be provided.

8. **Eco-Sensitive Areas Details:** Distance of Okhla Bird Sanctuary from project site is 9.8 Km and from Asola Bhati Wildlife Sanctuary is 6 Km.

9. **Plantation Details:** The green area of the whole IIT campus will increase from 5,71,587.1 sqm to 5,79,684.1 sqm. Total no. of proposed trees is 16,800 within project site. There are approx. 1670 nos. of trees are present at site. Out of which 1136 nos. of trees will be cut and 482 nos. of trees will be transplanted and remaining 52 trees will be retained at site.

10. **Cost Details:** Total cost of the project will increase from Rs. 722.6 Crores to Rs 963.96 Crores.

3.4.4. Deliberations by the SEAC in current meetings

After due deliberations, the SEAC in its 146th meeting held on 12.07.2024 has recommended the following:

Based on the information furnished, documents shown & submitted, presentation made by the project proponent the SEAC sought the following information:

1. PP to revise the content of the comparative table as per the existing and subsequent construction to be done and upload the revised table as discussed during the meeting.
2. Tree survey plan of the entire campus from the approved agency of the forest department, GNCTD. An existing tree inventory with species and girth of each tree may be prepared, along with a baseline green area map, showing all trees – (a) trees to be retained, (b) trees to be removed due to building ground coverage, (c) trees to be removed due to additional paved area (d) trees to be transplanted, minimum 80% of the affected trees are required to be transplanted. Attempt may be made to increase the trees to be retained.
3. PP to submit an undertaking stating that there is no violation in terms of the last EC granted.

3.4.5. Recommendation of SEAC

Deferred for ADS

3.5. Agenda Item No 5:

3.5.1. Details of the proposal

Expansion of “Group Housing” located at Khasra No. 8/26/2, at Village Kapashera, Tehsil Vasant Vihar, New Delhi by M/s Echo Buildtech Limited. by ECHO BUILDTECH PRIVATE LIMITED located at SOUTH WEST, DE LHI

Proposal For		Fresh EC	
Proposal No	File No	Submission Date	Activity (Schedule Item)
SIA/DL/INFRA2/471591/2024	DPCC/SEIAA-IV/P2/C-488/D L/2024	29/06/2024	Building / Construction (8(a))

3.5.2. Project Salient Features

1. The Proposal is for grant of EC for **Expansion of “Group Housing” located at Khasra No. 8/26/2, at Village Kapashera, Tehsil Vasant Vihar, New Delhi by M/s Echo Buildtech Limited.**

Earlier Environment Clearance was granted by SEIAA, Delhi vide file no. 21-42/2020-IA-III dated 24.08.2020 having plot area 11930 sqm and built-up area 50220.705 sqm. Now, the built-up area is increasing from 50220.705 sqm to 59,871.62 sqm.

Therefore, project proponent has applied for EC for expansion of the project.

2. The Project is located at **Latitude:** 28°31'42.62"N; **Longitude:** 77° 4'41.86"E.

3. **Area Details:**

The total plot area of the project is 11,930 sqm which will remain same. The proposed total built-up

area will increase from 50,220.705 sqm to 59,871.62 sqm. The FAR area will decrease from 27772.604 sqm to 27737.15 sqm. The Non-FAR area will increase from 9080.04 sqm to 19309.76 sqm. No. of basement floor will be 2 which will remain same. No. of blocks will be 3 nos. with an EWS & CSP unit which will remain same and there will be no additional block which will be constructed. The maximum nos. of floors will change from 2B+G/S+12 to 2B+G/S+10. Total no. of dwelling units will increase from 178 nos. to 187 nos. (EWS DU's: 40 & CSPU's: 40). The total no of expected population will be decrease from 1159 persons to 1226 persons. The max. height of the building will decrease from 38.35 m to 35.18 m.

During Construction Phase: Total water requirement for labours will be 26 KLD out of which fresh water requirement from tanker supply will be 21 KLD and treated waste water requirement will be 5 KLD.

During Operational Phase: Total water requirement of the project will be 160 KLD which will be met by 86 KLD of fresh water from DJB and 74 KLD treated water from in house STP. Total waste water generated from the project will be 110 KLD which will be treated in house STP of 160 KLD capacity. Treated water from STP will be 99 KLD out of which 74 KLD will be recycled and reused within the premises. Rest of the treated water i.e. 24 KLD will be discharged into sewer lines.

3 RWH pits have been proposed for rainwater harvesting.

5. Solid Waste Details:

During Construction Phase, about 45 Kg/day of municipal solid waste will be generated which will be disposed of at the solid waste site.

During the Operation Phase, Total solid waste generated from project will be 519 Kg/day. Out of which 311 kg/day will be Biodegradable waste and 208 kg/day will be Non-Biodegradable waste. The biodegradable wastes will be composted in organic waste converter. The non-biodegradable will be given to authorized recyclers.

19 lit/month of used oil will be generated from the DG set which will be given to authorized recyclers.

6. Power Details

During Operation Phase, Total power requirement will be 1940.46 kVA which will be met by BSES Rajdhani Power Limited. For power back up, 2 no. of GG sets of total capacity 2000 KVA (1x500 KVA + 1x1500 kVA) will be installed.

1.8% of total energy consumption (i.e 35 KW Solar Panel) will be met through renewable energy.

7. Parking Facility Details: Total proposed parking is 460 ECS.

8. Eco-Sensitive Areas Details: Distance of Okhla Wildlife Sanctuary from project site is 21.40 Km and from Asola Wildlife Sanctuary is 13.15 Km.

9. Plantation Details: The proposed green area is 3034.63 sqm (33.4% of plot area), out of which soft green area will be 1979.129 sqm and remaining area 1055.501 sqm will be hard green area. Total no. of proposed trees is 120 nos. within project site. Currently, there is no vegetation within the site.

10. Cost Details: Total cost of the project is approx. Rs 470 Crores.

3.5.3. Deliberations by the committee in previous meetings

N/A

3.5.4. Deliberations by the SEAC in current meetings

After due deliberations, the SEAC in its 146th meeting held on 12.07.2024 has recommended the following:

Based on the information furnished, documents shown & submitted, presentation made by the project

proponent the SEAC sought the following information:

1. PP to revisit and reconcile all comparative tables submitted along with reason for change in facts and figure and remove all discrepancies.
2. PP to submit compliance of dust mitigation measures as per guidelines for current ongoing construction with current photographs.
3. Revised landscape plan with revision in pervious area planning with necessary calculation.
4. PP to submit proper waste management plan as per realistic quantification with suitable references.
5. Parking proposal to achieve 30 % of the ECS for electric vehicle. In addition, provision should be made to allow extension of electric charging facility to all parking slots in the future.
6. PP to enhance the total energy demand to be sourced from Solar (Renewable) energy upto 10% and give reason for not attainment/constraints.
7. PP to submit all bills related to waste water, water tanks etc.

3.5.5. Recommendation of SEAC

Deferred for ADS

3.6. Agenda Item No 6:

3.6.1. Details of the proposal

Proposed Municipal Solid Waste Management Sanitary Landfill Facility at Sultanpur-Dabas, Delhi by Executive Engineer SLF BHALSWA MCD located at NORTH,DELHI			
Proposal For		Fresh ToR	
Proposal No	File No	Submission Date	Activity (Schedule Item)
SIA/DL/INFRA2/48 4030/2024	DPCC/SEIAA-IV/C-491(T OR)/DL/2024	01/07/2024	Common Municipal Solid Waste Management Facility (CMSWMF) (7(i))

3.6.2. Project Salient Features

1. The Proposal is for grant of Fresh ToR for **Proposed Municipal Solid Waste Management Sanitary Landfill Facility at Sultanpur-Dabas, Delhi by M/s Executive Engineer SLF BHALSWA MCD.**

2. The Project is located at **Latitude:** 28°46'22.29"N; **Longitude:** 77°01'4.61"E.

3. Area and Solid Waste Details:

The total plot area of the landfill facility is 49 Acres 03 Bigha 19 Biswsa. The proposed sanitary landfill area is 1,05,000 sqm with a projected waste capacity of 600 TPD for the next 10 years from base 2023 till 2033. Total 150 persons will be employed on the site during operation phase. The maximum height of the waste dumping would be approx. 10 m above the bund. A soil layer of 300 mm thick will be placed over waste.

4. Water Details:

During Construction Phase: Water requirement will be approx. 100 KLD which will be met from treated/surface water.

During Operational Phase: Total water requirement of the project will be 150 KLD which will be met by 50 KLD of fresh water from DJB and 100 KLD treated water from in house STP. For drinking purpose, water will be procured from authorized vendors through tanker.

5. Power Details:

During Operation Phase, Total power requirement will be 300 kVA which will be met by State Electricity Board. For power back up, 1 no. of DG sets of total capacity 500 KVA (1x500 KVA) will be installed during construction phase and 1 no. of DG sets of total capacity 250 KVA (1x250 KVA) will be installed during operation phase.

6. Parking Facility Details: Total proposed parking area is 10000 sqm.

7. Eco-Sensitive Areas Details: Forest land involved in the project is 20.8286 hectare. No CRZ is coming within 10 km of radius of proposed project site. Manmade small fishing pond exists 500 mt from site. Nearby wells exist in agricultural land which is more than 200 m away from the facility.

8. Plantation Details: The proposed green area is 68291 sqm. Within project site, about 33 % of total area will be planted & maintained with green plantation in which local herbs and shrubs for plantation to enhance the landscaping of facility. Total 704 nos. of trees belonging to Prosopis Juliflora (Kikar) will be removed from site during execution of project.

9. Cost Details: Total cost of the project is approx. Rs 85 Crores.

3.6.3. Deliberations by the committee in previous meetings

N/A

3.6.4. Deliberations by the SEAC in current meetings

After due deliberations, the SEAC in its 146th meeting held on 12.07.2024 recommended as follows:

No one appeared from the PP or consultant side during the meeting. Case is deferred for the next meeting.

3.6.5. Recommendation of SEAC

Deferred for PP not attending the meeting

4. Any Other Item(s)

N/A

5. List of Attendees

Sr. No.	Name	Designation	Email ID	Remarks
1	Dr Anwar Ali Khan	Member Secretary, SEAC	env*****@delhi.gov.in	
2	Vijay Garg	Chairman, SEAC	gar*****@gmail.com	
3	Sumit Kumar Gautam	SEAC MEMBER	gau*****@gmail.com	
4	Gopal Mohan	SEAC MEMBER	meg*****@gmail.com	
5	Chetan Agarwal	SEAC MEMBER	che*****@hotmail.com	Absent

6	Jyoti Mendiratta	SEAC MEMBER	jma*****@gmail.com	Absent
7	Dr KC Tiwari	SEAC MEMBER	kcc*****@gmail.com	-----
8	Pranay Lal	SEAC MEMBER	pra*****@gmail.com	
9	Paromita Roy	SEAC MEMBER	rom****@gmail.com	
10	Dr Sirajuddin Ahmed	SEAC MEMBER	sir*****@gmail.com	Absent
11	Ankit Srivastava	SEAC MEMBER	sri*****@gmail.com	Absent
12	Ashish Gupta	SEAC MEMBER	ash***@firstprinciple.in	