

By speed post


	STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY (SEIAA)-DELHI OFFICE OF DELHI POLLUTION CONTROL COMMITTEE 5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI 110006 Visit us at http://dpcc.delhigovt.nic.in
---	--

F.No. DPCC/SEIAA/2016/39/5168-5175/5175

Dated: 28.10.2016

MINUTES OF MEETING

Please find enclosed the minutes of meeting of 39th meeting of the State Environmental Impact Assessment Authority (SEIAA) held on 27.10.2016 in the Conference Room of DPCC, at 5th Floor, ISBT Building, Kashmere Gate, Delhi – 110006, for information and necessary action, if any.


(Dr. S. D. Singh)
Member Secretary

For

1. Sh. Krishna Mohan Sahni, IAS Rtd. (Chairman, SEIAA), House No.38, Pkt 2, Jasola Vihar, Behind Apollo Hospital, New Delhi-11002.
2. Dr. Kamal K Pant (Professor) (Member, SEIAA), Department of Chemical Engineering IIT Delhi, Hauz Khas, New Delhi-110016
3. Director, Mahatma Gandhi Institute of Combating Climate Change (MGICCC)(Member Secretary, SEIAA), Department of Environment, Government of National Capital Territory of Delhi, Pall-Bakthawarpur Road, Alipur, New Delhi, Delhi-110036.
4. Additional Principal Chief Conservation of Forest (C), Regional Office (Central), Ministry of environment & Forest, Regional Office, Kendriya Bhawan, 5th Floor, Sector-H, Aliganj, Lucknow-226024.
5. Dr. Mukesh Khare (Professor) (Chairman, SEAC), Department of Civil Engineering, Indian Institute of Technology, Delhi Hauz Khas, New Delhi-110016.
6. Director (Environment), (Secretary, SEAC), Department of Environment, Government of NCT of Delhi.
7. PS to Secretary (Environment) cum Chairman, DPCC- for kind information.
8. IT Cell for placing the minutes on website.


(Dr. S. D. Singh)
Member Secretary

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY (SEIAA)-DELHI
OFFICE OF DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-110006
visit us at : <http://dpcc.delhigovt.nic.in>


Minutes of the 39th meeting of State Level Environmental Impact Assessment Authority (SEIAA) held on 27.10.2016 at 11.30 am in the Conference Room of Delhi Pollution Control Committee.

The 39th meeting of the State Level Environmental Impact Assessment Authority (SEIAA) was held on 27.10.2016 in the Conference Room of Delhi Pollution Control Committee, ISBT Building, Kashmiri Gate, Delhi-06.

The meeting was held under the Chairmanship of Sh. Krishna Mohan Sahni. The following were present in the meeting:

- 1) Sh. Krishna Mohan Sahni - Chairman
- 2) Dr. Kamal K Pant - Member
- 3) Dr. S. D Singh - Member Secretary

Sh. Pankaj Kapil, SEE, DPCC & S.K. Goyal, EE, DPCC assisted the Authority during the meeting.


(Krishna Mohan Sahni)
Chairman, SEIAA


(Dr. S D Singh)
Member Secretary, SEIAA


(Dr. K.K Pant)
Member, SEIAA

Agenda No-1

Case No. C-306:

Name of the Project	E.C for Proposed Burn & Plastic Unit at J.P.N Apex. Trauma Center AIIMS, New Delhi
Project Proponent	Mr.Vidya Bhushan , Executive Engineer (c) – I All India Institute of Medical Sciences, Engineering Service Department, Ansari Nagar, New Delhi
Proposal No.	SIA/DL/NCP/49759/2016
File No.	DPCC/SEIAA-III/C-306/DL/2016


The Proposal is for grant of Environmental Clearance for "Proposed Burn & Plastic Unit at J.P.N Apex. Trauma Center AIIMS, New Delhi". It is proposed to construct a new hospital building in existing premises of J.P.N Apex. Trauma Center AIIMS, New Delhi with separate emergency and OPD entry. The project is located at latitudes 28° 34' 04" and 28° 34' 03" N and longitudes of 77° 12' 00" and 77° 12' 03" E.


Based on information furnished, presentation made and discussions held, the SEAC in its 77th meeting held on 27.02.2016 sought the information from the Project Proponent for its further consideration. Project Proponent submitted reply of queries raised by SEAC on 04.03.2016 and SEAC in its 78th meeting held on 09.04.2016 deferred the case as per the request of the Project Proponent and based on the information furnished, presentation made and further discussions held, SEAC in its 79th meeting held on 16.04.2016 recommended to SEIAA for grant of Environmental Clearance specifying the conditions to be imposed.


Case was considered in 31st meeting of SEIAA held on 19.04.2016 & it was noted that Project Proponent has not given the complete details of parking, power & water mass balance etc w.r.t the existing buildings. The authority decided to refer the case back to SEAC for reconsideration the project details in totality. The SEAC in its 80th meeting held on 28.05.2016 observed that presentation and reply submitted in response to the observation of SEIAA minutes dated 19.04.2016 are not clear in respect of parking, power and water mass balance w.r.t. existing and propose building. The committee decided that the project proponent is required to submit its revised reply and give presentation before SEAC. Details of renewal energy measures to be adopted should also be given.

The project proponent uploaded its reply on OSMEC portal and submitted the hard copy of the same during the presentation and details are as under:

Area detail: The total plot area of the project is 58639 sq. m. The total built-up area for proposed Burn & Plastic Unit is 25079.62 sq. m. The proposed project comprises of 3Basements+G+ 9floors, one block. Existing no of beds are 200 and it is proposed to expand 102 new beds. The total permissible FAR is 219896.25 sq. m and achieved FAR will be 63450.64 sq. m (Existing-29826.34+Under Construction-15535.08+Proposed-18080.22 sqm).


(Krishna Mohan Sahni)
Chairman, SEIAA
27/10/16


(Dr. S.D. Singh)
Member Secretary, SEIAA


(Dr. K.K Pant)
Member, SEIAA
27/10/16

Parking facility: The total parking facility of 364 ECS is proposed to be provided in the proposed block area against the requirement of 362 ECS and total ECS after addition of the proposed block will be 900 ECS. 268 already available will be increased to 536 ECS by double stack parking.

Eco-Sensitive areas: The shortest aerial distance of the project from Asola wildlife sanctuary 12.5 Km & from Okhla Bird Sanctuary is 9.5 Km respectively.

Plantation: The total no. existing trees are nil in proposed building area. Total number of new trees to be planted are 150-200.


Cost of the project: The cost of the project is Rs254 cr.

The case was considered in 81st SEAC held on 16.07.2016 recommended that the letter dated 11.03.2016 issued by DJB regarding water supply in the proposed Burns and plastic surgery blocks at AIIMS is not categorical about the water supply to the proposed project in terms of source and quantity(in KLD). The committee decided that the Project Proponent be asked to submit the revise water assurance(in terms of source and quantity) for the proposed project for which Environmental Clearance is being sought.

The case was further considered in 82nd meeting of SEAC held on 20.08.2016 and committee decided that project Proponent is required to confirm the sources for the all kind of water requirement for the proposed modernization along with documentary evidences and the case was listed in 83rd meeting of SEAC for consideration. The project proponent during the meeting submitted the demand note dated 23.09.2016 issued by Delhi Jal Board mentioning the approval of water supply and sewerage schemes for the Trauma Centre of AIIMS, New Delhi


After due deliberations, the SEAC in its 83rd meeting held on 15.10.2016 recommended the case of proposed Burn & Plastic Unit at J.P.N Apex. Trauma Centre AIIMS, New Delhi to SEIAA for grant of Environmental Clearance specifying the conditions to be imposed as follows:

The Case was considered in 39th meeting of SEIAA held on 27.10.2016 and decided to refer the case back to SEAC for clarifying whether the hostel block be used for students/interns or by any other users and also to reconfirm the area details under proposed project.




27/10/16

(Krishna Mohan Sahni)
Chairman, SEIAA



(Dr. S.D. Singh)
Member Secretary, SEIAA



27-10/16

(Dr. K.K. Pant)
Member, SEIAA

Agenda No.2


Case No. C-320


Name of the Project	E.C for Proposed Hospital at Village-Ladoo Sarai, Saket, Delhi by M/S Shanti Memorial Society at 48/2 Malcha Marg, Commercial Centre, Chankya Puri, Delhi-110021
Project Proponent	Rajesh Mehta, Member of Society, 48/2 Malcha Marg, Commercial Centre, Chankya Puri, Delhi-110021
Proposal No.	SIA/DL/NCP/57945/2016
File No.	DPCC/SEIAA-III/C-320/DL/2016


The Proposal is for grant of Environmental Clearance for Proposed Hospital at Village-Ladoo Sarai, Saket, Delhi by M/S Shanti Memorial Society. The project is located at 28° 31' 39.09"N Latitude and 77° 11' 28.15"E. Project is not located in critically polluted area (as per CEPI).

The case was considered in 82nd meeting of SEAC held on 20.08.2016 and committee sought the certain information. Reply from Project Proponent received and presentation was held in 83rd meeting of SEAC held on 15.10.2016. On the basis of information furnished and presentation made following are the project details:

1. **Area detail:** The total plot area of the project is 4870 sq.m. The total built-up area after expansion is 24012.37sq.m (FAR-16886.05 sq.m+Non FAR-7126.31sq.m). The project comprises of 1 number of block which consists of (3Basement + Ground/Stilt + 14Floors). The total permissible FAR is 17000.00 sq.m and achieved FAR will be 16886.05sq.m (including basement area). The permissible ground coverage is 1813.71sq.m and achieved ground coverage is 1320.243sq.m. Total number of beds after phase-I is 174 and after phase-II is 290. Maximum height of the proposed building is 59.65 m and permissible height as per approval of AAI is 64.25 m.
2. **Water details:** During construction phase, total water requirement is 06 KLD and during operational phase water requirement is 290 KLD after Phase-I (fresh water - 84KLD) and after Phase-II it will be 365KLD (fresh water -139KLD). The source of water supply during construction phase will be treated water from DJB STP through tankers and during operational phase is by Delhi Jal Board. During operational phase waste water generation of 91 KLD in phase-I will be treated in STP 120 KLD capacity through MBBR technology. 86 KLD of treated wastewater generated will be recycled (29KLD for flushing, 50 KLD for HVAC & 7 KLD for gardening). Waste water generation of 150 KLD in phase-II will be treated in STP 200 KLD capacity through MBBR technology. in phase II, 143 KLD of treated wastewater will be recycled (49 KLD for flushing, 87 KLD for HVAC & 7 KLD for gardening). The Laboratory waste will be treated in ETP having capacity of 10KLD in phase-I & 20 KLD in phase II.


(Krishna Mohan Sahni)
Chairman, SEIAA


(Dr. S.D. Singh)
Member Secretary, SEIAA


(Dr. K.K Pant)
Member, SEIAA


Total Builtup area existing & proposed (FAR+Non-FAR) will be 70,441.04 sqm. The permissible ground coverage is 23455.60 sq. m. The total ground coverage is 12404.73 sq. m (Existing-8777.718+Under Construction-1840.43+Proposed-1786.58 sqm). Executive Engineer. (Civil-III). AIIMS submitted an undertaking that "J.P.N Apex Trauma Centre is a part of AIIMS deemed university constituted under the Act of Parliament 1956 for the high standard of teaching. The building (built up area-8503.99 Sq.m.) which is under construction to be used as transit hostel accommodation for the purposes of AIIMS, New Delhi, which for the purposes of sustainable environment management, will be integrated with the proposed Burn and Plastic unit for which EC is being sought". Regarding the remaining 7031.09 sqm built up area under renovation in the existing hospital block the project proponent has clarified vide letter dated 16.07.2016 during the SEAC meeting that they are not doing any expansion / modernization work and detail of renovation work stated as installation of modular OT, installation of modular ICU, internal renovation of conference and seminar rooms and other wood work and furnishing.


Water details: Total water requirement is 671 KLD which will be met through fresh water of 406 KLD & treated water of 265 KLD. Water requirement for existing block is 433KLD & for the proposed block is 238 KLD in operation phase. During construction phase in the proposed block total water requirement is 25-30 KLD which will be taken from treated water of existing STP of 325 KLD. During operational phase of proposed block source of fresh water (159KLD) is DJB.

During operational phase waste water generated from the proposed block will be 68 KLD which will be treated in the STP of capacity 85KLD through MBR Technology. STP of 325 KLD has been installed to treat 206 KLD of waste water generated from the existing blocks. Waste water from medical Lab & laundry waste in the proposed block will be treated in ETP of 25 KLD capacity. 186KLD of treated water from the existing STP of 325KLD will be reused in HVAC(96KLD) & Horticulture(90KLD). In the proposed block Total 79 KLD (61 from STP & 18 from ETP) of treated waste water will be recycled (25KLD for flushing & 54 HVAC Cooling). Number of RWH pits proposed is 1 in addition to 16 Nos. of existing RWH Pits.

Solid waste: Total solid waste generation from the existing area is 943Kg /day and from the proposed block area will be 338Kg/day. Total Bio-medical waste generation is 81Kg/day from the existing blocks and 51 KG/day from the proposed block. Biodegradable waste will be treated in organic waste composter forming manure which will be used for landscaping. On- biodegradable waste will be handed over to authorized local Municipal Corporation.

Power: Total Power requirement for existing & proposed block will be 7471 KVA. 5811KVA power is required for existing block & for the proposed burnt block 1660 KVA power is required, which will be met from DISCOM. 3x1000KVA +1x750KVA and 1x160KVA DG Set are for existing block and 2 number of DG sets of total capacity 1250 KVA (2x625 KVA) has been proposed for backup. Proposed energy saving measures would save about 22.8% of total power requirement.


(Krishna Mohan Sahni)
Chairman, SEIAA
24/10/16


(Dr. S.D. Singh)
Member Secretary, SEIAA


(Dr. K.K. Pant)
Member, SEIAA
27/10/16

3. **Solid waste:** About 196 kg/day of solid waste is generated after phase-I & 326kg/day is generated after phase-II and will be given to authorized recycler. Total biomedical waste generation is 34.8kg/day after phase-I & 58kg/day after phase-II, will be given to authorized recycler
4. **Power:** The total power requirement is 1741 KW and will be met from BSES Rajdhani Power Limited. 2 number of DG sets having capacity of 1010 kVA each has been proposed for backup.
5. **Parking facility:** The total parking facility of 341 ECS is proposed to be provided against the requirement of 338ECS. The parking will be provided in basements & stilt.
6. **Eco-Sensitive areas:** The shortest aerial distance of the project from Asola Wildlife sanctuary is 9.94Km & from Okhla Bird Sanctuary is 12.24 Km respectively. The project proponent has submitted the NBWL application acknowledgement.
7. **Plantation:** The total plantation area is 1198.258sq.m.
8. **Cost of the project:** The cost of the project is Rs 175(in crore)
9. **CSR:** Capital budget under CSR will be 0.4% of the project cost and recurring will be 0.08% of the project cost.


After due deliberations, the SEAC in its 83rd meeting held on 15.10.2016 based on the information furnished, presentation made and further discussions held, recommended the project to SEIAA for grant of Environmental Clearance specifying conditions to be imposed at the time of issuing EC including the condition that the Project proponent will not start the work of Phase-II (i.e. capacity addition for increase in- patient from 174 to 290 without any change in built-up area)without permission of additional fresh water supply from approved source, to meet the enhanced water demand due to increase in population.

The requirements of the project have been taken into account by SEAC during the appraisal of project. The Members took account of the discussions and environmental conditions imposed during the consideration of the project in the SEAC meetings held on 20.08.2016 & 15.10.2016 and the recommendation of grant of Environmental Clearance to the project.

The SEIAA approved and granted Environmental Clearance to the project with the condition that Project Proponent shall install adequate STP to treat the waste water so that BOD level must not exceed 10 mg/l in treated water under all circumstances.


(Krishna Mohan Sahni)
Chairman, SEIAA


(Dr. S.D. Singh)
Member Secretary, SEIAA


(Dr. K.K. Pant)
Member, SEIAA

Agenda No. 03

Case No. 325

Name of the Project	"Residential and Industrial (for Group Housing) Complex" at Swatantra Bharat Mills Complex, 15, Shivaji Marg, New Delhi.
Project Proponent	Mr. Kapil Gupta (Authorized Signatory), M/s DLF Home Developers Ltd., DLF Centre, Sansad Marg, New Delhi.

Details of the proposed project is as under:

The Proposal is for grant of Environmental Clearance for "Residential and Industrial (for Group Housing) Complex" at Swatantra Bharat Mills Complex, 15, Shivaji Marg, New Delhi for (a) Revision of built up area of 692165 sq m to 759529.27 sq m in residential part of the project on plot area of 126054 sq m and (Under Construction) and (b) Surrendering the industrial part of the project on a plot area of 27460 sq m having built up area of 112065 sq m to develop a Residential and Industrial (for Group Housing) Complex for a built up area of 243550sqm. The project is located at 28°39'57.79"N Latitude and 77°9'4.41"E Longitude.


As per decision taken in 80th meeting of SEAC held on 28.05.2016 the TOR was issued on 10.06.2016 subject to the condition that the latest certificate from MoEF&CC, GOI regarding compliance of earlier Environment Clearance Conditions, specific permissions from the land owning agencies i.e. DDA/Municipal Corporation regarding permissibility of enhancement of built-up area in residential part as well as conversion of industrial part in to the group housing will be submitted at the time of submission of application of Environment Clearance for appraisal.


The project proponent informed that the proposal for conversion of industrial part in to group housing part and enhancement of FAR is of as per the Gazette notification of Ministry of Urban Development vide S.O. 1215 (E) dated 13-05-2013.


Project Proponent also submitted copy of certified compliance status dated 23.08.2016 for Environmental Clearance issued on 05.08.2008 from Regional Office (Central Region) of MoEF & CC& GOI. The validity of the aforesaid EC was extended vide letter no. DPCC/SEIAA-SEAC/191/13/611 dated 21.11.2013.

Details of the project on the basis of application submitted and presentation made are as under:

1. **Area detail:** The total plot area of the project is 153514sq.m (Residential Part: 126054sq.m & Industrial Part: 27460sq.m) and net plot area as per project proposal will be reduced to 151472.4sq.m due to a deduction of 2041.62sqm from the industrial part for road widening in group housing part. The total built-up area as per earlier EC


(Krishna Mohan Sahri)
Chairman, SEIAA



(Dr. S.D. Singh)
Member Secretary, SEIAA


(Dr. K.K Pant)
Member, SEIAA

is 804230 sq.m (Residential part-692165sq.m + Industrial Part-112065sq.m). Revised/proposed built-up area is 1003079.27sq.m (Residential Part: 759529.27sq.m & Industrial for group housing part-243550sq.m). The total permissible FAR mentioned is 438059.05sq.m for residential part & 130709.6sq.m for industrial (for group housing) part making grand total permissible FAR 568768.65sq.m . Achieved FAR will be 422913.15sq.m for residential part & 130709.6sq.m for Industrial (for group housing) part making grand total achieved FAR as 553622.75sq.m . Non-FAR /free from FAR portion is 449456.52sq.m which includes basement area of 343025.28sq.m (3 level basement in residential part & 4 level basement in industrial for group housing part). The permissible ground coverage is 42692.58sq.m for residential part & 9144.18sq.m for industrial(for group housing) part making the total permissible ground coverage as 47856.76sq.m. The ground coverage achieved will be 21296.32sq.m for residential part & 9143sq.m for industrial(for group housing) part making the total permissible ground coverage is 30439.32sq.m . The green area will be 61788.33sq.m for residential part & 8669.88sq.m for industrial (for group housing) part making the total green as 70458.21sq.m (46.51% of net plot area). Number of dwelling units will be 2870 in residential part & 1098 in industrial (for group housing) part making the total dwelling units as 3968. Number of EWS will be 1545 for residential part & 485 for industrial (for group housing) part making the total EWS as 2030. Maximum permissible height above ground level as per approval of AAI is 180 m.

2. **Water details:** During construction phase, total water requirement for industrial portion is mentioned which is 13 KLD and during operational phase water requirement is 4270 KLD out of which fresh water requirement is 2610 KLD. The source of water supply during construction phase is through water tanker from DJB STP and during operational phase is municipal supply by Delhi Jal Board. The DJB vide its letter No F3(336A)/EE/(P) W-1/2011/249 dated 06.06.2011 has approved the water supply scheme restricting the water requirement for residential blocks to 4258 KLD. Total wastewater generated from the complex will be 3207 KLD which will be treated in 5 number of in house STP of capacity. 3047 KLD of treated water will be generated from the STP out of which 1661 KLD will be reused for flushing, gardening, cooling, backwash and misc. purpose. excess treated water of 1386 KLD will be given to adjacent DDA park . Number of RWH pits proposed are 13.
3. **Solid waste:** About 12800 Kg/day of total solid waste will be generated from the complex, out of which organic waste will be 8960 Kg/day & 3840 Kg/day will be recyclable waste.
4. **Power:** The total power requirement is 23.66 MVA and will be met from BSES.
5. **Parking facility:** The total parking facility of 10426 ECS is proposed to be provided against the requirement of 10044 ECS.
6. **Eco-Sensitive areas:** The shortest aerial distance of the project from Asola Wildlife Sanctuary is 21 Km & from Okhla Bird Sanctuary is 17.25 Km respectively.


(Krishna Mohan Sahni)
Chairman, SEIAA


(Dr. S.D. Singh)
Member Secretary, SEIAA


(Dr. K.K Pant)
Member, SEIAA


7. **Plantation:** The total no. of trees at site will be 2800 nos. out of which 970 trees are already planted and 1830 tree to be planted.
8. **Cost of the project:** The cost of the project is Rs 3087 Crores.
9. **CSR:** The DDA park has been developed and maintained under the CSR.

Based on the information furnished, presentation made and further discussions held, the SEAC in its 83rd meeting held on 15.10.2016 recommended the proposal to SEIAA for grant of Environmental Clearance specifying the conditions to be imposed at the time of issuing EC.

The requirements of the project have been taken into account by SEAC during the appraisal of project. The Members took account of the discussions and environmental conditions imposed during the consideration of the project in the SEAC meetings held on 28.05.2016, 15.10.2016 and the recommendation of grant of Environmental Clearance to the project.

The SEIAA approved and granted Environmental Clearance to the project with the condition that Project Proponent shall install adequate STP to treat the waste water so that BOD level is kept below 10 mg/l in treated water under all circumstances. The Project proponent should get its name changed from "Residential and Industrial (for Group Housing) Complex" to "Residential Complex".


(Krishna Mohan Sahni)
Chairman, SEIAA


(Dr. S.D. Singh)
Member Secretary, SEIAA


(Dr. K.K. Pant)
Member, SEIAA

Agenda No-04


Case No. C-325

Name of the Project	Amendment in Environmental Clearance of "Hotel Complex & Convention Centre" at Assest No.13, Hospitality District, DIAL IGI Airport, Delhi
Project Proponent	M/s Aerocity Hotel & Global Centre (Delhi) Private Limited.
Proposal No.	SIA/DL/NCP/17121/2010
File No.	C 92/DPCC/SEIAA-SEAC/10/1444


The project proponent has submitted a proposal for amendment in EC with proposal to increase basements from 4 to 6 and decrease in towers from 5 to 2 without change in built up area and land use. Earlier EC was granted vide C- 92/DPCC/SEIAA-SEAC/10/1444 dated 11.11.2010 for proposed construction of Hotel Complex & Convention Centre, which is valid for seven years as per extant position of EIA Notification.

As per application submitted the revised/amended project details are as under :

There is no change in total plot area of the project ie 31163.13 sq.m and in total built-up area (FAR+Basements) ie 212732.72sq.m. The permissible FAR is 111483.6 sq.m. & achieved FAR will be 70982.72 sq.m. Total basement area will be increased from 101250 sq.m. to 141750 sq.m. and number of basements will be increased from four to six. Number of floors will be reduced from Mezzanine +G+10 to Mezzanine +G+4. As per amended proposal, project will have 300 number of guest rooms and 02 number of blocks. Proposed height of the building is reduced from 28.7 m. to 15 m. The proposed project will house a Hotel complex, Country Club, Convention Centre, Retail etc for which earlier Environmental Clearance was issued. The green area will be 8102.49 sq.m. (26% of plot area). The area under landscaping is 9350 sq.m. The permissible ground coverage is 22275 sq.m. and ground coverage achieved will be 21410.35 sq.m. The parking provision for 2168 ECS has been kept for the proposed complex. The total water requirement stands reduced from 1330 KLD to 374 KLD. Fresh water requirement stands reduced from 765KLD to 166KLD. The water requirement will be supplied by DIAL. The total waste water to be generated from the proposed project is 258 KLD which will be treated in STP of 310 KLD capacity. 208 KLD of treated waste water will be recycled for using in flushing(113KLD). HVAC/scrubber/cooling(90KLD) . gardening(5KLD) . The solid waste generated from the project during operation phase is approximately 3105 Kg/day. Total power load stands reduced from 10,000KVA to 6000KVA. The case was considered in 83rd meeting of SEAC held on 15.10.2016 and presentation was made by project proponent. During discussion it was observed that the project proponent has applied for amendment during the validity period of earlier EC F.No. 92/DPCC/SEIAA-


(Krishna Mohan Sahni)
Chairman, SEIAA
27/10/16


(Dr. S.P. Singh)
Member Secretary, SEIAA


(Dr. K.K. Pant)
Member, SEIAA
27.10.16


Minutes of 39th SEIAA meeting dated 27.10.2016


SEAC/10/1444-1448 dated 11.11.2010 and the presentation has been made w.r.t. the project details as per earlier environmental clearance and the revised details as mentioned above seeking the amendment in the environmental clearance already granted.


After due deliberations, the SEAC in its 83rd meeting held on 15.10.2016 based on the information furnished, presentation made and further discussions held, recommended the project to SEIAA for grant of the amendment imposing the additional/amended conditions including the condition that adequate ventilation should be provided in the basements and during the operation phase the concentration levels of Carbon Dioxide, Carbon Monoxide should be monitored periodically and be reported in periodical compliance reports to be submitted. Rest of the conditions to remain same as per earlier Environmental Clearance issued vide letter No. 92/DPCC/SEIAA-SEAC/10/1444-1448 dated 11.11.2010 .

The requirements of the project have been taken into account by SEAC during the appraisal of project. The Members took account of the discussions and environmental conditions imposed during the consideration of the project in the SEAC meetings held on, 15.10.2016 and the recommendation of grant of amended Environmental Clearance to the project.

SEIAA approved and granted amended Environmental Clearance to the project with the additional/amended conditions and rest of the conditions to remain same as per earlier Environmental Clearance issued vide letter No. 92/DPCC/SEIAA-SEAC/10/1444-1448 dated 11.11.2010 . NO_x, SO_x & PM are also to be maintained in basements as per EPA norms.


(Krishna Mohan Sahni)
Chairman, SEIAA


(Dr. S D. Singh)
Member Secretary, SEIAA


(Dr. K.K Pant)
Member, SEIAA

Agenda: 05

Case No: 163

Name of the Project	M/s B.A.P.S. Swami Narayan Sanstha. SwaminarayanAkshardhamMandir, N.H-24, AkshardhamSetu. New Delhi..
Project Proponent	Mr.Jayesh Kishore Gadhia, M/s B.A.P.S. Swami Narayan Sanstha. SwaminarayanAkshardhamMandir, N.H-24, AkshardhamSetu. New Delhi

The case was taken up in 27th SEIAA meeting held on 24.11.2015, and it was decided to seek legal opinion from appropriate section of DPCC to consider further course of action in the present matter apropos of relevant court orders, as also OMs / notifications issued by MoEF&CC on the subject.

Case was taken up in the 30th SEIAA meeting held on 30.03.2016 and the Authority desired that the required opinion be arranged by 15.04.2016 for its consideration in next meeting.


Case was taken up in the 31st SEIAA meeting held on 19.04.2016, 32nd SEIAA meeting held on 05.05.2016 and the issue was considered further in 33rd SEIAA meeting held on 07.06.2016

In the above said 33rd meeting dated 07.06.2016 it was deliberated that the OMs of MoEF&CC dated 12.12.2012 & 27.06.2013, were quashed by Hon'ble National Green Tribunal vide judgment dated 07.07.2015 in OA No. 37 of 2015. Later on, Hon'ble Supreme Court stayed the said judgment dated 07.07.2015 of NGT in Civil Appeal No. 7191 of 2015 on 24.09.2015. Subsequent to the quashing of OMs of MoEF in the aforesaid OA, NGT in other OA No. 37/2015 on 10.07.2015 in Appeal No. 98/2015, directed M/s B.A.P.S. Swami Narayan Sanstha to pay 5% of the expansion project value. The SEIAA was apprised that in a review application No 19/2015 filed by the project proponent Hon'ble NGT vide its order dated 14.03.2016 decided that there is no ground of review judgment dated 10.07.2015 and there is liberty to raise the issue before the principle committee. The principle committee was asked to expedite hearing to enable the tribunal to pass the final direction in that behalf and Hon'ble NGT disposed of the review application no. 19/2015. As per advice received from legal cell of DPCC, the SEIAA in its aforesaid 33rd meeting dated 07.06.2016 decided that project proponent be asked to provide status of action taken by them within 15 days time in pursuance of Hon'ble NGT judgement order dated 10.07.2015 and the order dated 14.03.2016 passed in review application No.19/2016, for taking further course of action.

As decided the letter was issued to project proponent on 17.06.2016. The Project Proponent replied and informed that they have already approached the Principal Committee.


(Krishna Mohan Sahni)
Chairman, SEIAA


(Dr. S D. Singh)
Member Secretary, SEIAA


(Dr. K.K Pant)
Member, SEIAA


Case was taken up in the 34th SEIAA meeting held on 05.07.2016 and it was decided that the Principal Committee be requested to apprise the status on the report of the Project Proponent in view of Hon'ble NGT order dated 14.03.2016. Project proponent be also asked to provide the details of matter referred. Accordingly letter to Principal Committee & Project Proponent were issued on 21.07.2016.

The case was deliberated in 35th meeting held on 19.08.2016 and for want of reply from the principal committee it was decided to issue reminder regarding action taken on above to Project Proponent and Principal Committee. It was decided to ask Project Proponent to submit the status of construction within 30 days. It was also decided that the Regional Office, MoEF & CC be requested to provide the present status of compliance of Environmental Clearance granted upon physical verification. Subsequently before issuance of the reminder a reply from the Principal Committee was received informing that the report of the principal committee has been filed before Hon'ble NGT vide letter dated 28.06.2016.


As decided by authority on 19.08.2016, letters were issued to Project Proponent & Regional office of MOEF&CC,GOI on 07.09.2016 and in 36th meeting of SEIAA held on 07.09.2016, in view of reply received from the Principal Committee, it was decided that the copy of the report filed by the Principal Committee before the Hon'ble NGT be obtained for the information of the Authority and it was also decided that the matter will be brought in next meeting for monitoring.

The report of the committee could not be arranged by legal cell of DPCC and SEIAA in its 38th meeting held on 05.10.2016 decided that Principal Committee be requested to provide the copy of the report filed before Hon'ble NGT specifically in reference to M/S M/s B.A.P.S. Swami Narayan Sanstha, Swaminarayan Akshardham Mandir, N.H-24, Akshardham Setu, New Delhi and reminder to Regional Office of MoEF & CC, GOI be also issued for compliance of Environmental Clearance granted upon physical verification.


During the meeting the report of Principal Committee arranged by the legal cell of DPCC was acknowledged and it was decided to await the outcome of Hon'ble NGT.



(Krishna Mohan Sahni)
Chairman, SEIAA



(Dr. S.D. Singh)
Member Secretary, SEIAA



(Dr. K.K. Pant)
Member, SEIAA

AGENDA NO: 6

Complaint regarding allegedly Fraudulent/False Claim made in EIA Reports submitted to the EAC (MoEF)/ SEIAA & SEAC (Delhi) for Environmental Clearance

In reference to the representation of Sukh Dukh Ke Sathi Sanstha, B-45, Sadhbhawna Apartments, received vide email dated 25.04.2016, the DJB was requested to provide comments to SEIAA, vide letter dated 17.05.2016 in pursuance of decision taken in 32nd meeting of SEIAA.

A letter dated 22.06.2016 received from Chief Engineer, Planning, DJB giving reference to Meeting held in chamber of Hon'ble Minister of Water, Delhi deciding that Environmental Clearance of all such project cleared without Consent of Delhi Jal Board should be reviewed again after consultation with DJB and in future same practice may be followed. In the aforesaid letter the DJB has informed that 5 projects have been approved by DJB, 3 projects are under scrutiny, 10 projects have not submitted the proposal and 2 projects pertain to NDMC.

In this regard the Authority observed that the Environmental clearances are issued with certain conditions, one of them is seeking clearance from DJB also. SEIAA is already reviewing the status of compliance of these conditions by seeking the periodical compliance report to be submitted on 1st June & 1st December of calendar year as per provision of EIA Notification, 2006.


As decided in 33rd meeting of SEIAA held on 07.06.2016 and 34th meeting of SEIAA held 05.07.2016 letters to 55 projects have been issued on 17.06.2016/21.07.2016 to whom Environment Clearances were issued after 28.02.2014 by SEIAA, Delhi.

The SEAC in its 81st meeting held on 16.07.2016 recommended as follows:

The committee is of the view that appraisal of any project is related to the environmental impact of the activities being undertaken and mitigation measures to be adopted to minimise the impact by sustainable environment management. The conditions in Environment Clearance are imposed accordingly. The Environment Clearance is supposed to be issued at the conceptual stage of the project even before preparation of the land. The environment clearance is independent of other statutory permissions required to be obtained by the project proponent. In view of Delhi Jal Board letter dated 22.06.2016 the conditions decided to be imposed in Environmental Clearances being issued by SEAC/SEIAA be vetted legally keeping in view MoEF&CC Office Memorandum No. 21-270/2008-IA.III dated 19.06.2013 read with MoEF&CC Office Memorandum No. 22-154/2015-IA.III dated 10.11.2015, stating that the project will be regulated by the concerned local Civic Authorities under the relevant provisions of the MPD-2021, Building Control Regulations and Safety Regulations.

A letter dated 2.08.2016 has also been issued to Chief Engineer (Planning), DJB apprising that SEIAA is already reviewing the status of compliance of these conditions by seeking the


(Krishna Mohan Sahni)
Chairman, SEIAA


(Dr. S. V. Singh)
Member Secretary, SEIAA


27-10-16
(Dr. K.K. Pant)
Member, SEIAA

periodical compliance report to be submitted on 1st June & 1st December of calendar year as per provision of EIA Notification, 2006.

The issue was deliberated in the 35th meeting held on 19.08.2016 and it was observed that six monthly compliance are not categorical about the status of water supply permission from the concerned authority. Therefore the authority decided that the project proponent be specifically asked to furnish the status of permission/assurances obtained from DJB/NDMC or through authorized sources for meeting out the water supply requirement during the construction as well as operational phase of the project. It was also observed that there are 13 Environmental Clearances which were issued by MoEF & CC in absence of constitution of SEAC & SEIAA Delhi in year 2014-2015. Therefore the compliant may be forwarded to the MoEF & CC, GOI for taking a view in this matter and under intimation to SEIAA-Delhi on the proposal forwarded by DJB vide letter dated: 22.06.2016.


Letter to MoEF and CC has been issued on 06.09.2016 and letters to 55 Project Proponent to whom Environment Clearances were issued after 28.02.2014 by SEIAA, Delhi have been issued on 08.09.2016 to furnish the status of permission/assurances obtained from DJB/NDMC or through authorized sources for meeting out the water supply requirement during the construction as well as operational phase of the project.

No reply received from MoEF & CC, GOI. The issue was taken up in 36th SEIAA meeting held on 14.09.2016 and it was decided that the case be listed again in the next meeting of the authority with replies received if any from Project Proponent and MoEF & CC, GOI.

The issue was taken up in 38th SEIAA meeting held on 05.10.2016 and it was decided that the reply of project proponents will be reviewed in next meeting.

SEIAA decided that reminders be issued to the project proponent who have not responded to the letter sent by SEIAA.


(Krishna Mohan Sahni)
Chairman, SEIAA


(Dr. S.D. Singh)
Member Secretary, SEIAA


27.10.16
(Dr. K.K. Pant)
Member, SEIAA

AGENDA NO: 7

Issue related to mechanism for Compliance of EC conditions


The SEIAA decided that with immediate effect, all the clearances given till date by the SEIAA w.e.f 28.02.2014 (i.e the date of notification delegating power u/s 50f EPA to SEIAA) will be reviewed with regard to the status of implementation of terms & conditions imposed, by Authority on each project proponent who are to submit the same twice a year, namely, 1st of June and 1st of December, as prescribed under para 10 (ii) of EIA Notification, 2006.


As decided in 33rd meeting of SEIAA held on 07.06.2016 and 34th meeting of SEIAA held 05.07.2016 letters to 55 projects have been issued on 17.06.2016/21.07.2016 to whom Environment Clearances were issued after 28.02.2014 by SEIAA, Delhi.


The issue was deliberated in 35th meeting held on 19.08.2016 and it was decided that six monthly report/status of projects as per Environmental Clearance granted, be obtained from all the Project Proponents to whom it has been granted in NCT of Delhi irrespective of issuing authorities (SEIAA- Delhi/ Govt. Of India). The issue was again deliberated in 36th meeting of SEIAA held on 07.09.2016 and observing that further action for implementation of the decision is under process, it was decided the letter be issued to Project Proponents for reporting the present status of six monthly compliance as on 1st June 2016, those who have already submitted may reply along with the soft copy.

Status of 32 projects to whom letters were issued in pursuance of decision taken in 33rd meeting of SEIAA held on 07.06.2016 was reviewed individually in 37th Meeting of SEIAA held on 14.09.2016 and it was noticed that most of the Project proponents have responded to the letter issued on 17.06.2016, the Authority further decided that:

1. Reminder for submission of Six monthly report be issued to the projects who have not submitted the requisite report.
2. Letter be issued to the project proponents who have not started or which are under construction should start plantation of trees along boundary as per landscape plan submitted while obtaining Environmental Clearance in order to take care of rising air pollution and other benefits of trees growth.
3. Letter be issued to the Project Proponents which are operational or have completed the construction, to provide the status of green area, soft area & hard top area.
4. Decision in two cases i.e., EC Case No. 207 & 237 deferred as the matter are under scrutiny.
5. Status of construction be clarified from the project whose stage of construction is not clear as per Response submitted
6. All projects are required to submit the report of Ground water with respect to report on groundwater quality and level of groundwater table prior to start of construction, prior to start of operation & during operation phase.


(Krishna Mohan Sahni)
Chairman, SEIAA


(Dr. S.D. Singh)
Member Secretary, SEIAA


(Dr. K.K. Pant)
Member, SEIAA


Minutes of 39th SEIAA meeting dated 27.10.2016


In view of 35th meeting held on 19.08.2016 & 36th meeting held on 07.09.2016, 259 project proponents have been asked to submit the requisite compliance report vide letters dated 21.10.2016 and 36 projects are remaining for want of better particulars.

In view of 37th meeting held on 14.09.2016, letters to 30 project proponent have been issued vide letter dated 30.09.2016

Deferred for next meeting.


(Krishna Mohan Sanni)
Chairman, SEIAA


(Dr. S D. Singh)
Member Secretary, SEIAA


(Dr. K.K Pant)
Member, SEIAA

AGENDA NO: 8

Draft complaint received by Legal cell of DPCC

SEIAA in its 36th meeting held on 07.09.2016 deliberated on the draft complaint to be finalised by the legal cell of DPCC in accordance with the decision during erstwhile SEIAA. It was discussed that there were 7 cases in which complaints to be prepared as per decision taken previously. It was decided that the concerned legal cell of DPCC be directed to report the status of all these 7 cases to the Authority's information. The Authority was of the view that these matters be henceforth assigned to a single lawyer well versed with NGT matter.

Accordingly legal cell has forwarded the status of 7 cases stating that in 4 cases draft complaint had not been put up earlier because of NGT orders dated 07.07.2015 and its stay by the Apex court and in 1 case the complaint has been redrafted in the name of MS, SEIAA.


Out of these 7 cases 2 cases namely Hotel Ashok Yatri Niwas built by India Tourism Development Corporation Ltd. & Akshardham" at NH-24, Off Nizamuddin Bridge, Akshardham Setu, New Delhi are being considered by the SEIAA in their respective agendas.

The names of the remaining 5 cases in which the draft complaints have been received are as following:

1. Hotel Project "Dusit D2" A Bird Hotel at Asset No.10, Hospitality District, IGI Airport, New Delhi.
2. "MID Market Hotel" Project at Asset -5A, Delhi Aerocity, Indira Gandhi International Airport, New Delhi.
3. New Ward Block & Diabetic Centre at G.T.B Hospital, Shahdra, Delhi.
4. Commercial Complex at Plot No. 9, Jasola Distt. Centre, New Delhi.
5. Shanti Niketan Buildwell Limited, Plot No-D-3, P-3B, Saket, New Delhi.

All the above five cases be referred to the DPCC law officer looking after NGT cases for specific examination of the case for which EC has been issued after issuance of O.M dated 12.12.2012


(Krishna Mohan Sahni)
Chairman, SEIAA


(Dr. S D. Singh)
Member Secretary, SEIAA



(Dr. K.K Pant)
Member, SEIAA

Table Agenda:01

Case No: 239

Name of the Project	Human Health Care Charitable Hospital at Sec-6, Dwarka, New Delhi.
Project Proponent	Mr.SanjeevBharti, Executive Director, Sector-6, Dwarka, New Delhi-110075, New Delhi.

The proposal was for the grant of Environmental Clearance of Human Health Care Charitable Hospital at Sec-6, Dwarka, New Delhi. The total plot area is 9545 Sq.m. The total built-up area is 46963.96Sq.m. Constructed built up area is 39110.766 sqm.


Since the construction work was commenced and is in advance stage, without taking prior EC and it was a clear case of violation, the SEAC in its 74th meeting held on 12.12.2015 recommended the case to SEIAA to take a view on the matter.

After due deliberation on the matter SEIAA in its 28th meeting held on 14.01.2016 decided as follows:

1. The matter relating to violation by the Project Proponent be put up to the Board of Directors/ Managing Committee of its Company/ Trust for consideration of its environment related policy/ plan of action and to submit a written commitment in the form of a formal resolution to ensure that violations will not be repeated. A time limit of 60 days be given to the Project Proponent for submission of said resolution, failing which it will be presumed that he is no longer interested in pursuing the project further and the file will be closed.
2. Member Secretary, SEIAA will file the prosecution u/s 19 of the EP Act, 1986 for the violations of EIA notification dated 14.06.2006.
3. Directions u/s 5 of EP Act, 1986 be issued by the Member Secretary, SEIAA for suspending and effective stoppage of the construction activities at the existing level which will inter alia include the directions to DJB, DISCOM & SDM.

Legal opinion from legal section of DPCC was sought and during the meeting of SEIAA held on 19.04.2016 it was observed that opinion of the Law Officer, inter-alia mentioned the time lines of EIA notification and suggested that in view of the notification of MOEF delegating power of Section 5 of the E(P) Act, 1986 to SEIAA, hence letters/ notice, if any, be issued by SEIAA only. MS, DPCC has no authority to do so. The opinion further states that OMs dated 12.12.2012 and 27.06.2013 issued in respect of violation cases which were earlier declared as ultra vires the provisions of the Act of 1986 and the Notification of 2006. by Hon'ble NGT in O A NO. 37 OF 2015 [S.P. Muthuraman VS Union of India and Others] and OA no. 213 of 2015 [Manoj Mishra Versus Union of India] vide order dated 07.07.2015 which was


(Krishna Mohan Sahni)
Chairman, SEIAA


(Dr. S.D. Singh)
Member Secretary, SEIAA

 27.10.16
(Dr. K.K. Pant)
Member, SEIAA

27 Oct 16

challenged in the Hon'ble Supreme Court and Hon'ble Apex Court has stayed the orders passed by the NGT.

The legal position & opinion was taken into account by SEIAA and the authority in its 31st meeting held on 19.04.2016 decided that the case may be delisted in pursuance of OM dated 12.12.2012 and letter to Project Proponent for obtaining the requisite commitment, directions for suspending and effective stoppage of the construction activities at the existing level be issued by MS, SEIAA and Complaint for filing the prosecution by SEIAA be prepared by the legal cell of DPCC.


In pursuance of above decision direction u/s 5 of Environment Protection Act 1986 was issued to Project Proponent vide letter dated 06.05.2016 and letter for seeking the resolution from the Board of Directors was also issued on 06.05.2016 mentioning the delisting of the case the case was delisted as per letter dated 06.05.2016 issued to Project Proponent. Subsequently the Project Proponent filed an appeal before Hon'ble NGT u/s 16 of NGT Act 2010 impugning the letter dated 06.05.2016 on 27.05.2016.

Hon'ble National Green Tribunal (NGT) pronounced its judgement on 26.07.2016 in the matter of the appeal no. 30 of 2016 filed on 27.05.2016 by the proponent i.e., M/S Human Care Charitable Medical Trust, Sector -6, Dwarka, New Delhi, praying to quash and stay the operation of letters issued by the State Environment Impact Assessment Authority (SEIAA), Delhi vide dated 06.05.2016.

In pursuance to the Hon'ble NGT judgement dated 26.07.2016, the site inspection of the M/S Human Care Charitable Medical Trust Hospital was scheduled on 17.08.2016 at 9 am. Accordingly, the members of the committee conducted physical inspection of the afore-said project on 17.08.2016.

The report of the committee was filed before Hon'ble NGT on 06.09.2016 which was listed as OA No.485/2016 and stands disposed off vide Hon'ble NGT order date 07.10.2016.

SEIAA decided that the Project Proponent be informed to submit the requisite commitment in the form of formal resolution to ensure that violation will not be repeated and he will abide by the order of Hon'ble NGT, alongwith the request to reconsider its application for Environmental Clearance.


(Krishna Mohan Sahni)
Chairman, SEIAA


(Dr. S D Singh)
Member Secretary, SEIAA


27.10.16
(Dr. K.K Pant)
Member, SEIAA

Table Agenda: 02

Issues discussed in the joint sitting of SEAC & SEIAA meeting on 22.10.2016


The Chairman SEIAA along with the members of the Authority presided over in a meeting with SEAC held on 22.10.2016 for interacting with SEAC members for harmonising the processing of Environmental Clearance at the appraisal and subsequent approval stages.

During discussion the issues related to water supply assurances, monitoring of Environmental Clearances, ground water recharge by maintaining the soft area/green area, status of water body in proximity of the project sites, examination of topography and google map during the appraisal of the project and conforming the possibilities of future expansion of the project under appraisal were discussed. It was decided that the SEIAA will further deliberate on the aforesaid matters to issue an advisory in respect of the issues discussed to be looked into during appraisal of the projects by SEAC. Accordingly, following has been decided for incorporating in processing of Environmental clearance cases:


1. With immediate effect, copy of Environmental Clearance be endorsed to enforcement Authorities like Commissioner (Planning) DDA, CEO (DJB), concerned DCP, Director Fire Services, Commissioner (MCD) and other related department if any.
2. For the purpose of post Environmental Clearance monitoring few cases be selected for getting them verified through DPCC on random basis.
3. Green area should not be less than 25 % of the plot area out of which minimum 15 % should be of soft green area, so that there should be sufficient recharging of ground water. Further along boundary wall, minimum of soft green space of 2m^{with} be kept for better tree growth and ground water recharge, based on area of 6X8' tree being a norm.
4. Distance from Road and water bodies be clearly mentioned from the boundary of the project, if near to project site, their greenery/cleaning, area development be maintained by Project Proponent as Corporate Social Responsibility (CSR).
5. Project Proponent should specify future expansion plan at same site as these will have civic needs in the later stages.
6. During appraisal of the cases, examination of topographical and google map should be done with a view to ascertaining the nearby existing features.

Date of next meeting: 15.11.2016 at 11:30 AM.

Meeting ended with vote of thanks to Chair.


(Krishna Mohan Sahni)
Chairman, SEIAA


(Dr. S D Singh)
Member Secretary, SEIAA


(Dr. K.K Pant)
Member, SEIAA