



STATE LEVEL EXPERT APPRAISAL COMMITTEE (SEAC)-DELHI
OFFICE OF DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI 110006
Visit us at <http://dpcc.delhigovt.nic.in>

F.No. DPCC/SEAC/2017/91/ 6228-6242

Dated: 27/09/2017

MINUTES OF MEETING

Please find enclosed herewith the minutes of meeting of **91st meeting** of the State Level Expert Appraisal Committee (SEAC) held on 23.09.2017 in the conference room of DPCC, at 5th Floor, ISBT Building, Kashmere Gate, Delhi – 110006 for information and necessary action if any.

(Dr Anil Kumar)
Secretary,
SEAC- Delhi

To:

1. **Sh. Krishna Mohan Sahni, IAS Rtd. (Chairman, SEIAA)**, House No.38, Pkt 2, Jasola Vihar, Behind Apollo Hospital, New Delhi-11002.
2. **Dr. Kamal K Pant (Professor) (Member, SEIAA)**, Department of Chemical Engineering IIT Delhi, HauzKhas, New Delhi-110016
3. **Director, Mahatma Gandhi Institute of Combating Climate Change (MGICCC)(Member Secretary, SEIAA)**, Department of Environment, Government of National Capital Territory of Delhi, Pall-Bakthawarpur Road, Alipur, New Delhi, Delhi-110036.
4. **Dr. Mukesh Khare (Professor) (Chairman, SEAC)**, Department of Civil Engineering, Indian Institute of Technology, Delhi HauzKhas, New Delhi-110016.
5. **Director (Environment), (Secretary, SEAC)**, Department of Environment, Government of NCT of Delhi.
6. **Dr. Naveen Kumar (Professor and Head) (Member, SEAC)**, Mechanical Engineering Department, Delhi Technology University, Delhi-110042.
7. **Dr. S. K. Singh (Professor) (Member, SEAC)**, Civil and Environmental Engineering Department, Delhi Technology University, Delhi-110042.
8. **Dr. Mrs. Rita Kumar (Emeritus Scientist), (Member, SEAC)**, Environmental Biotechnology Division, Institute of Genomics and integrative Biology DU North Campus, Mall Road, Delhi-110007.
9. **Dr. Sanjay Gupta (Professor) (Member, SEAC)**, Department of Transport Planning, School of Planning and Architecture, 4-Block-B, Indraprastha Estate, New Delhi-110002.

10. **Dr.SumanLakhanpaul** (Professor) (Member, SEAC), Department of Botany, University of Delhi, North Campus, University Road Faculty of Science, University Enclave Delhi-110007.
11. **Dr.AmarjeetKaur** (Professor) (Member, SEAC), Centre of Disaster Management Studies, Guru Gobind Singh, Indraprastha University, E-Block, 106 and 107, Sector-16 C, Dwarka, New Delhi.
12. **Dr.AnupamChattopadhyay**, (Member. SEAC), Department of Geology, University of Delhi, 34, ChattraMarg Delhi-110007.
13. **Mrs.MeenakshiDhote** (Member, SEAC), Department of Environment Planning, School of Planning and Architecture, 4 Block B, IP Estate, New Delhi
14. **PS to Secretary (Environment) cum Chairman, DPCC-** for kind information.
15. **IT Cell** for placing the minutes on website.



(Dr Anil Kumar)
Secretary,
SEAC- Delhi

Minutes of the 91st SEAC Meeting Dated 23.09.2017

STATE LEVEL EXPERT APPRAISAL COMMITTEE (SEAC)-DELHI
OFFICE OF DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-110006

Minutes of the 91st meeting of State Level Expert Appraisal Committee (SEAC) held on 23.09.2017 at 12.00 A.M. in the Conference Room of DPCC at 5th Floor, ISBT, Kashmere Gate, Delhi-06.

The 91st meeting of State Level Expert Appraisal Committee (SEAC) was held on 23.09.2017 in the Conference Room of DPCC under the Chairmanship of Dr Mukesh Khare. The following members of SEAC were present in the meeting:

- | | | |
|-----------------------------|---|-----------|
| 1. Dr. Mukesh Khare | - | In Chair |
| 2. Dr. S.K. Singh | - | Member |
| 3. Dr. Sanjay Gupta | - | Member |
| 4. Dr. Meenakshi Dhote | - | Member |
| 5. Dr. Suman Lakhanpaul | - | Member |
| 6. Dr. Naveen Kumar | - | Member |
| 7. Dr. Anupam Chattopadhyay | - | Member |
| 8. Dr. Anil Kumar | - | Secretary |

Dr. Amarjeet Kaur and Dr. Rita Kumar, Members SEAC, could not attend the meeting. Shri Pankaj Kapil (SEE), DPCC & Sh. S.K. Goyal (EE), DPCC assisted the Committee.

The minutes of 90th meeting of SEAC held on 29.07.2017 were confirmed by the members.



Agenda No.01:**Joint meeting of SEAC & SEIAA.**

The SEIAA in its 42nd meeting held on 05.01.2017 decided that the project falling in category 'B' of item No. 8(b) as per notification S.O.No. 3999 (E) dated 09.12.2016 may be identified and segregated for further review.

Accordingly the cases were segregated. However, in around 110 nos. of cases the status couldn't found as no record available as most of the ECs issued from MOEF&CC. SEIAA in its 43rd meeting deferred the matter.

SEIAA in its 44th meeting dated 02.03.2017 decided that the inspection be conducted w.r.t to ESIC Hospital, BasaiDarapur and Mega Housing Project at VasantKunj, New Delhi to ascertain the completion status of the project in which EC were issued in Year 2009, it was further decided in the cases which are under jurisdiction of SEIAA, Delhi as per notification dated 09.12.2016 the letter received undelivered be served through special messenger and reminder be issued to the project which have not responded. Accordingly reminders have been issued on 22.03.2017.

The SEIAA in its 45th meeting held on 24.03.2017 decided to defer the case for next meeting. SEIAA in its 46th meeting of SEIAA held on 10.04.2017 decided that SEIAA/SEAC through its technical trainees under the overall supervision of M.S., SEIAA and SEE/EE of EIA cell, DPCC shall inspect all 10 cases which falls under category 8(b) & the report will be put up in next meetings of SEIAA & SEAC respectively.

The SEIAA in its 47th meeting held on 4.05.2017 decided that a checklist for submission of report from project proponent in respect of G.O dated 28.02.2014 to be submitted on 1st June & 1st December be prepared for better monitoring and other future observation to keep in view for granting Environmental Clearance. Suggestions from SEAC be also invited and put up in next meeting. The SEIAA in its 48th meeting held on 29.05.2017 again decided that *issue may be discussed jointly with SEAC members in next SEAC meeting.*

Subsequently in respect to a letter dated 24.05.2017 received from Regional Office (Central Region), MOEC&CC, GOI. The Addl PCCF desiring the detailed information regarding Environment Clearances which have been approved from SEIAA Delhi, for Ministry official record and further necessary action in view of mandate of Regional Office, MOEF to monitor the projects which have been accorded Environmental Clearances, a list of the ECs issued by SEIAA-Delhi since 2008 has been forwarded to Regional Office by MS, SEIAA vide letter dated 29.06.2017.

Issue discussed in joint meeting of SEAC & SEIAA held on 29.07.2017 and after due deliberation it was unanimously decided that for examination of the Six-Monthly Monitoring reports the monitoring parameters be identified and finalized by SEAC.

SEAC further deliberated on the issue in its 91st meeting dated 23.09.2017 and recommended that before proceeding further, SEIAA may seek clarifications from MoEF & CC, GOI on the jurisdiction of monitoring the compliances of EC conditions for the projects in view of letter dated 24.05.2017, issued by Regional Office MOEF&CC,GOI, mentioning the mandate of Regional Office to monitor the project which have been accorded Environmental Clearances. Compliance Certificate for EC conditions is also issued by Reginal Office, MOEF&CC,GOI, whenever required for amendment in EC due to expansion.

Agenda No.02

Case No. C-345


Name of the Project	EC for Prefab CAT II &EWS Housing for Delhi Development Authority at Pocket 5, Sector – 14, Dwarka, Delhi
Project Proponent	Executive Engineer, EE/WD13- Delhi Development Authority, LakkarMandi, Kirti Nagar, New Delhi
Proposal No.	SIA/DL/NCP/19214/2017
File No.	DPCC/SEIAA-III/C-345/DL/2017

ToR has been issued to the project by SEAC, Delhi on 11.03.2017. The Project proponent has applied for EC on 24.04.2017. .

As per application of TOR waste water generation of 750.2 KLD was proposed to be treated in STP of 800 KLD and as per application of EC waste water generation of 1113.2 KLD will be treated in STP of 1200 KLD capacity. The total domestic water reported in ToR is 727.2 KLD and whereas in application of EC the same has been reported is 1022.4 KLD.

Details of the proposed project is as under:

1. The Proposal is for grant of EC for Prefab CAT II &EWS Housing for Delhi Development Authority at Pocket 5, Sector – 14, Dwarka, Delhi.
2. The project is located at 28° 36' 24.34" N N latitude and 77° 01' 45.51" E longitude.
3. **Area detail:** The total plot area of the project is 43100 Sqm. The total built-up area will be 153313.81 sq.m. The maximum permissible FAR is 83052.24sq.mt and proposed FAR is 83023.23sq.mt. The Non FAR area is 70290.78 sq.m. The maximum permissible ground coverage is 13828.20 sq.m. and proposed ground coverage will be 8400.99 sq.mt. The total proposed basements are 2 & its area will be 19830.23 sq. m. Total Nos. of Dwelling Units are 1640. The total number of Block for CAT II are 6 & for EWS are 4 The total number of Floors CAT II are (S+15) (S+14) & for EWS are (S+14). Maximum height of the proposed building is 50 m.
4. **Water details:** During construction phase, total water requirement is 10-15 KLD and during operational phase water requirement is 1402.8 KLD out of which 1022.4 KLD is fresh water requirement .The source of water supply during construction phase is through tankers arranged by the contractor and partly through bore wells only if DJB permits for the same I and during operational phase is by Delhi Jal Board and partly Ground water only if DJB permits for the same. During operational phase waste water generation is 1113.2 KLD will be treated in STP is 1200 KLD capacity through FAB & MBBR/SAFF technology. Total treated effluent is 890.4 KLD out of which 380.4 KLD
5. will be recycled. (Flushing-369 KLD& Horticulture-11.4) and rest of 510 KLD will be used in other construction projects. Number of RWH pits proposed are 8.
6. **Solid waste:** About 4920 kg/day of municipal solid waste will be generated.



- Minutes of the 89th Meeting of the SEAC
7. **Power:** The total power requirement is 16840 kw and will be met from BRPL. The DG Sets of Total capacity of 1500 Kva within which, water supply pumps backup is proposed by using DG Sets (1x125 KVA).
 8. **Parking facility:** The total Proposed parking facility is 1268 ECS and total parking required is 1257 ECS.
 9. **Eco-Sensitive areas:** Distance from Asola Bird Sanctuary and Okhla Wildlife Sanctuary is more than 10 kms from the project site.
 10. **Plantation:** Total green Area Proposed is 9060 sq.m & Number of trees proposed are 550 against the requirement of 520.
 11. **Cost of the project:** The cost of the project is Rs 24900 (in lacs).

The Environmental Consultants i.e., M/s Shri Environmental Technology Institute presently engaged by the Project Proponent is not listed in the list of accredited consultants at the site of MOEF&CC, GOI. However, the consultant submitted a copy of order dated 03.05.2016 in a pending matter before Hon'ble High Court Delhi in W.P. (C) 3665/2016 titled Mrs Rani Gupta & ANR Vs. Ministry of Environment Forest & Climate Change & ANR stating that the petitioners are allowed to prepare and present Environment Impact Assessment Report to the Central & State Government Expert Appraisal Committee.

Based on information furnished, presentation made and discussions held, the SEAC in its 89th meeting held on 29.04.2017 sought the following information from the Project Proponent for its further consideration:

1. The approval of Airport Authority of India for height clearance of building.
2. Assurance of STP treated water supply/authorized source for meeting the water demand during construction phase.
3. The status of development in all the pockets of Sector-14.
4. Water supply assurance from DJB / authorized sources during operation phase of the project.
5. Revised traffic circulation plan with due consideration of the abutting side road network capacities. Broad traffic assessment of surrounding development sites should also be incorporated on a butting side roads.
6. Revised landscape plan with proper demarcation of green area, green soft area after increasing the proposed soft green area up to 15 % of total plot area.
7. Revised water balance mass chart indicating the details of reuse of excess treated water.
8. Revised rain water harvesting plan consisting the recharge bores of minimum 1 recharge bore per 5000 Sq.m of built up area and storage capacity of minimum 1 day of total fresh water requirement.
9. Undertaking that waste water treatment system will be installed and commissioned to achieve the BOD levels of less than 10mg/l in treated effluent.
10. Analysis report for ground water quality of the project site / nearby area.
11. Air quality monitoring data is to be resubmitted with proper details for a better dissemination of the data.
12. Detail of the quantum of energy proposed to be saved by the proposed Energy Conservation Measures.
13. Undertaking from DDA for taking liability/ responsibility w.r.t. operation & maintenance of STP, RWH and reuse of excess treated water even after transfer of services to RWA.
14. Detail of the depth of ground water table is to be reconciled and resubmitted.
15. Submit the revised EIA report incorporating the all the above information asked for with proper elaboration of mitigation measures in Environment Management Plan.

Accordingly deficiency letter was issued to the Project Proponent on 05.05.2017 and Project Proponent uploaded the reply on OSMEC portal.



Based on information furnished, presentation made and discussions held, the SEAC in its 90th meeting held on 29.07.2017 sought the following information from the Project Proponent for its further consideration:

1. the proposed soft green that should be 15 % of total plot area.
2. Details of reuse of excess treated water accompanied with the requisite undertaking from DDA.
3. Undertaking from DDA for taking liability/ responsibility w.r.t. operation & maintenance of STP, RWH and Water supply assurance/permission from DJB / authorized sources to meet water demand during operation phase of the project.
4. Reconfirm reuse of excess treated water even after transfer of services to RWA.

Accordingly deficiency letter was issued to the Project Proponent on 17.08.2017

Based on the discussions held, the SEAC in its 91st meeting held on 23.09.2017 recommended as follows:

Case Deferred for want of reply from project proponent.

Agenda No. 03

Review of Case No 37

M/s Unison Hotels Ltd, Nelson Mandela Road, VasantKunj, New Delhi

Environment Clearance was granted to the Project proponent namely M/s Unison Hotels Ltd, Nelson Mandela Road, VasantKunj, New Delhi on 01.08.2014 for expansion of Hotel "The Grand" which was applied before erstwhile SEIAA/SEAC on 12.03.2012.

In the matter of Dr. C.V Singh Vs UOI & Ors. before the Hon'ble National Green Tribunal, OA No 380/2015 inter alia states that *the main grievance of the applicant vide the present application relates to development works within 10 km radius of the Asola Wild life Sanctuary, New Delhi. The Central Govt. has not notified Eco-Sensitive Zone so far and in the absence of specific notification, the projects lying within 10 KM s radius of the Sanctuary has to take Wild Life Clearance.*

Member Secretary, SEIAA has filed an affidavit in the matter before NGT in January 2016 indicating the grant of EC to the project proponent.

The matter was taken up in the 28th meeting of SEIAA held on 14.01.2016. SEIAA decided to refer the matter to SEAC to re-examine the case of M/s Unison Hotel, Nelson Mandela Road, New Delhi in reference to its location from Asola Wildlife Sanctuary. Till the time a decision is taken in the matter and issue is resolved by Competent Authority, the Project Proponent (M/s Unison Hotel) will not start any construction work for the proposed expansion as per EC obtained on 01.08.2014. Directions u/s 5 of EP Act be issued by the Member Secretary, SEIAA accordingly.

As decided by the Authority, Directions u/s 5 of EP Act issued on 25.02.2016 to M/s Unison Hotel to not to start any construction work for the proposed expansion as per EC obtained on 01.08.2014 till the time a decision is taken in the matter and issue is resolved by Competent Authority.




Minutes of the 91st SEAC Meeting Dated 23.09.2017

SEAC in its 78th meeting held on 09.04.2016 decided to defer the case as per the request letter dated 07.04.2016 submitted by the Project Proponent & in 79th SEAC meeting held on 16.04.2016 nobody appeared before committee, therefore case deferred.

Nobody appeared before committee in its 80th meeting held on 28.05.2016 and case was deferred for next meeting with the instructions that a letter may be issued to the project proponent to appear before SEAC in its next meeting to be scheduled on 01.07.2016 without fail. The Project Proponent submitted the reply on 04.07.2016 enclosing the draft notification dated 15.06.2016 issued for Asola Wild Life Sanctuary and claiming that the project do not fall with 100 m from the notified boundaries.

In SEAC's 81st meeting held on 16.07.2016 the representative of the Project Proponent appeared before the committee however the exact distance from the Asola Wild Life Sanctuary was not confirmed to the committee. The SEAC observed that no benefit be given to Project Proponent on the basis of draft notification issued for Wild Life Sanctuary, therefore Project Proponent be asked to confirm distance of project from Asola Wild Life Sanctuary and to explain the status of NBWL clearance which is applicable for the projects falling within 10km distance of the boundaries of wild life sanctuaries.

Accordingly Project Proponent was asked to take necessary action vide letter dated 04.08.2016.

In the meantime a letter was also received from PP on 29.07.2016 stating that they will not commence any work for expansion on their hotel till the final notification by central government in respect of the AsolaBhatti Wildlife Sanctuary.

The case was considered in 82nd meeting of SEAC held on 20.08.2016 and committee recommended that the project proponent may again be directed to present its case in the next meeting of the SEAC failing with the withdrawal of the Environmental Clearance granted to the project proponent will be recommended. As decided letter dated 21.09.2016 was issued to Project Proponent. The representative of the project proponent handed over a letter dated 14.02.2016 again undertaking that they will not commence any work for expansion on their hotel till the final notification by central government in respect of the AsolaBhatti Wildlife Sanctuary.

The SEAC in its 83rd meeting held on 15.10.2016 recommended to refer to the legal section of DPCC for ascertaining the status of NGT matter i.e. OA No 380/2015.

Subsequent to filing of the affidavit by Member Secretary, SEIAA, the Matter O.A No. 380 /2015. The matter was listed before Hon'ble NGT on 18.01.2016, 19.02.2016, 30.03.2016 & 03.05.2016 for filing the replies by respondents. Thereafter matter was adjourned for 25.05.2016 & 28.07.2016, 06.09.2016, 20.10.2016, 28.11.2016 & 11.01.2017. The matter has been listed for directions on 18.01.2017, 01.03.2017 & now for 17.04.2017. Directions are yet to be issued by Hon'ble NGT.

SEAC in its 88th meeting held on 01.04.2017 recommended to defer the case for next meeting.

The SEAC in its 89th meeting held on 29.04.2017 recommended that the case be brought in next meeting with status of NGT case.

The Hon'ble NGT vide its order dated 29.06.2017 directed the Ministry of Environment, Forest & Climate Change shall finalize the Notification and take all other necessary steps within two weeks from today as prayed. In the event of default, the Ministry would be liable to pay cost. List this matter on 18.07.2017 and matter was subsequently deferred for 04.08.2017

The SEAC in its 90th meeting held on 29.07.2017 recommended to defer the case for next meeting.

The case was listed before Hon'ble NGT on 04.08.2017, 31.08.2017 and now listed for 06.10.2017.

Matter deferred for next SEAC meeting

Agenda No. 04

Case No. C- 321

Name of the Project	E.C for Barapullah Elevated Road (Phase-III) From Sarai Kale Khan to MayurVihar(Phase-I), New Delhi.
Project Proponent	Public Works Department (Govt. of NCT of Delhi)
Proposal No.	SIA/DL/NCP/18496/2016
File No.	DPCC/SEIAA-III/C-343/DL/2017

In OA no. 479/2015 filed by Sh. Manoj Kumar Mishra, Hon'ble NGT, as per order dated 26.10.2015 had stayed the construction activity of Construction of Elevated Road over BarapullahNallah starting from Sarai Kale Khan to MayurVihar, New Delhi (Phase-III) for want of Environmental Clearance.

The representation dated 10.11.2015 was considered in the meeting of SEIAA held on 24.11.2015 and Authority decided to refer the matter to SEAC for suitable examination and comments. SEAC in its 75th meeting held on 16.12.2015 & 76th meeting held on 30.01.2016 decided that the legal opinion from Legal Cell of DPCC be obtained.

The legal cell of DPCC has noted that "Bridge" is not covered under the EIA Notification of 2006 and the entry related to High Way is similar to the Roads/ Bridge. It has further been commented that the Hon'ble Green Tribunal vide its judgement dated 12.02.2015 in the matter of "Vikrant Kumar TongadVs Delhi Tourism & Transport Corporation and ors" held as follows:

1. We hold that construction of a bridge or similar activity covering a buildup area $\geq$ 150000 sq. mtrs and/or covering an area of $\geq$ 50 hectares, would be covered under Entry 8(b) of the schedule of the Regulations 2006.
2. The legal cell of DPCC has opined that PWD has to apply for Environmental Clearance for this project in view of the above judgments of the NGT dated 12.02.2015 and matter has been received back from DPCC with the comment that a copy of the judgment of Hon'ble NGT may be send to MOEF with a request to take necessary action for amendment to provide clarity and to bring ease of doing business with respect of construction of bridges.

As decided by SEAC in its 77th meeting held on 27.02.2016 referred the matter to SEIAA with the recommendation that Project authorities be directed to apply for Environment Clearance under entry 8(b) of the schedule of EIA Notification, 2006 and copy of the judgement of Hon'ble NGT dated 12.02.2015 be sent to MOEF with a request to take necessary action for amendment to provide clarity and to bring ease of doing business with respect of construction of bridges and. As decided by SEIAA in its 30th meeting held on 30.03.2016 the project proponent was directed to apply for EC under entry 8(b) of the schedule of EIA Notification, 2006 and copy of the judgement of Hon'ble NGT, vide office letter dated 12.04.2016.

The Project Proponent submitted a proposal for grant of Terms of Reference for Proposed project "Barapullah Elevated Road (Phase-III) From Sarai Kale Khan to MayurVihar(phase-I), New Delhi.

After due deliberations, the SEAC in its 83rd meeting held on 15.10.2016 decided to issue ToR as for conducting Environment Impact Assessment study and information to be included in EIA/EMP report. Accordingly TOR has been issued vide letter dated 10.11.2016.

Subsequently the project proponent submitted its application on OSMEC portal on 16.03.2017 for grant of Environment Clearance

The hard copy/EIA report submitted during meeting of 88th SEAC held on 01.04.2017. During the discussions Project Proponent informed that construction was started in April'2015.

The SEAC in its 88th meeting held on 01.04.2017 recommended as the development has been started in April 2015 without seeking EC, the Project Proponent is required to apply for EC to MOEF & CC, GOI in view of Notification S.No. 804(E) dated 14.03.2017. Further clarification from MOEF & CC& GOI be sought whether the action u/s 19 of EPA, 1986 is also to be initiated against the project authority in view of the fact that applicability of EIA notification 2006 on Bridges was made clear by Hon'ble NGT vide its order dated 12.02.2015 in OA no 137/2014 in the matter of "Vikrant Kumar TongadVs Delhi Tourism & Transport Corporation and ors"

SEIAA in its 46th meeting held on 10.04.2017 deliberated the issue and resolved to obtain a legal opinion from Legal Officer, DPCC dealing with NGT cases on SEAC's recommendation. Subsequently the project proponent submitted its representation regarding the decision taken by SEAC in its meeting dated 01.04.2017.

The SEIAA in its 47th meeting held on 04.05.2017 decided that the representation received from the project proponent be also forwarded to the legal cell for giving the consolidated opinion before next SEIAA meeting.

Accordingly the representation of the project proponent was forwarded to the legal cell of DPCC.


As the Legal opinion remained awaited, SEIAA in its 48th meeting held on 29.05.2017 desired that the matter be brought with legal opinion in next meeting.

SEIAA in its 49th meeting held on 04.07.2017 decided to defer the case for want of receipt of legal advice and subsequently the Legal opinion with the approval of Chairman DPCC was received with an advice that the SEIAA & SEAC may consider the project in hand for processing the EC in view of Facts and circumstances of the case. As desired by the MS, SEIAA the matter was in 90th SEAC meeting dated 29.07.2017.

The TOR was issued vide letter dated 10.11.2016 .

The project proponent has submitted its application on OSMEC portal on 16.03.2017 for grant of Environment Clearance.

In WPC No. 1396/2016 debarment order dated 09.02.2016 issued by MoEF&CC regarding the M/s Mantec Consultants Pvt. Ltd was stayed and MoEF again issued debarment order on 23.08.2016 which has again been stayed by Hon'ble High Court vide its order dated 5.9.2016 in WPC no.7756/2016 till next date of hearing. Interim order to continue and case was listed on 25.10.2016, 28.02.201, 31.03.2017 and during the meeting dated 23.09.2017 a judgement dated



21.08.2017 was handed over directing to set aside the impugned order dated 23.08.2016 of MoEF.

Information submitted as per application of Environment clearance is as under:

Area Details: Length of the stretch: 3.5 Kms. Built-up Area: 1,50,238 m² including modernization of existing UP Link Road at MayurVihar junction

Water Details: Total water requirement of Proposed project will be 75 KLD, which includes 20 KLD for domestic water requirement and 55 KLD for batching plant. The above mentioned quantity of water shall be met by ground water for which permission from the Delhi Jal board is already taken. The total number of workers i.e. 800 people shall generate around 16 KLD of sewage which shall be treated in septic tanks connected to water recycling chambers. The recycled water hence generated shall be used for greenbelt development and dust suppression. There will be no discharge of untreated sewage on land or into water bodies. Adequate treatment of sewage will be carried out in septic tanks, proposed within the project premises. Treated sewage will be re-used for flushing, landscaping and DG cooling. External facility will be provided to discharge the excess treated water as per The Water (Prevention and Control of Pollution) Act, 1974.

Solid waste: Approximately 120 kg/day domestic solid waste is estimated to be generated from the construction activity; this will be collected from designated locations and segregated into inorganic and organic wastes. The inorganic non biodegradable wastes will be sold to authorized vendors for recycling and the biodegradable wastes will be disposed according to MSW (Management & Handling) Rules, 2000 and Amendment, 2008. **Plantation;** The project shall involve cutting of 530 trees and as per guidelines of the Forest Department 10 times of the same compensatory plantation out of which M/s PWD is required to plant 2650 trees and the rest shall be done by the forest department. Compensatory plantation to be carried out by PWD is 2650 plants/trees which shall cover an area of 17,650 sq.m. Plantation would be of large leaf trees that provide adequate shade and will range from evergreen to semi-evergreen

Power Details: The total demand load is estimated at 1500 KVA. Power requirement for the Elevated road Project will be supplied by BSES (permission already taken). The power backup shall also be provided by 3 number of DG sets (500 KVA capacity each)

Eco-Sensitive areas The project is 11Km from Asola Wildlife Sanctuary & 4.1 Km from the Okhla Bird Sanctuary.

Cost of project: 1260.63 Crore.



Item wise compliances of the TOR submitted

Based on information furnished, and discussions held, the SEAC in its 90th meeting held on 29.07.2017 recommended that case be defer for want of better presentation in next SEAC meeting.

Based on information furnished, presentation made and discussions held, the SEAC in its 91st meeting held on 23.09.2017 sought the following information from the Project Proponent for its further consideration:

The presentation given by the project proponent was not found satisfactory and the SEAC suggested that the presentation w.r.t compliances of ToR should be more specific and elaborative. Further the project proponent is required to incorporate the following information in its presentation/reports:

1. Data w.r.t incremental load of PM 2.5 is required to be submitted.
2. Windrose diagrams with details and number of station and prominent upwind and downwind direction(s) is required to be submitted.



3. Detail of the drainage pattern of the site and surrounding area is required to be resubmitted.
4. Environmental attributes and their impact on the environment is required to be analyzed and incorporated in EIA report including the socio-economic and health impact analysis.
5. Selection of noise monitoring station should be revised in a more strategic manner keeping in view the location of upcoming development and fresh noise monitoring data should be incorporated in the report.

These details are to be incorporated and proper presentation is to be made before the committee members w.r.t. EIA report and compliance of ToR conditions.

TABLE AGENDA: 01

Representation received regarding issuance of clarification w.r.t Environmental Clearance at Plot No. 2B2, Twin Distt. Centre, Sector-10, Rohini, New Delhi.

M/s Ambience Pvt. Ltd has submitted a representation dated 23.08.2017 addressed to M.S, SEIAA, requesting for issuance of clarification w.r.t Environmental Clearance for the Commercial Complex at Plot No. 2B2, Twin Distt. Centre, Sector-10, Rohini, New Delhi. It has been requested to clarify that no revision in Environmental clearance is required for increasing the number of floors with requisite permission from Delhi Development Authority and Airport Authority of India in view of no change in parameters /requirements with regards to water consumption, Sewage Water Generation, power Requirements etc., and has constructed 8320 sq.m in three level basements and 13203sq.m upper floor in Ground floor + 9 Floors.

SEIAA deliberated in the matter in its 51st meeting held on 14.09.2017 and decided that representation be examined by SEAC for further necessary action on the part of SEIAA.

The project proponent submitted one more representation vide letter dated 21.09.2017 enclosing the Environmental clearance dated 30.04.2010 which was issued by SEIAA-Delhi for the Office Complex at Plot No. 2B2, Twin Distt. Centre, Sector-10, Rohini, New Delhi.

Based on the discussions held, the SEAC in its 91st meeting held on 23.09.2017 recommended as follows:

Since the Environmental clearance to the project proponent was issued by SEIAA-Delhi the committee decided that the project proponent be called in next SEAC meeting for clarifying the use of Built-up area vis-a-vis impact on Environmental parameters supported by the report from Environmental consultant accredited by MoEF & CC, GOI.






TABLE AGENDA: 02

Order dated 05.09.2017 passes by Hon'ble NGT in OA No.386/2016 in the matter Society for Protection of Culture, Heritage, Environment, Traditions and Promotions of national awareness (CHETNA) Vs. National Highway Authority of India &ors.

The committee members took note of directions contained in the order and observed that SEAC/SEIA-Delhi already imposing the conditions in the Environmental Clearances for providing the green belt of the adequate width and density with local species, to be raised along the periphery of the plot so as to provide protection against particulates and noise. The committee further recommended that copy of EC be continued to be forwarded to local authorities.

-----X-----

