


By Speed Post

	DELHI POLLUTION CONTROL COMMITTEE 4th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06 (visit us at : http://dpcc.delhigovt.nic.in)
---	--


F.No.DPCC/BMW/2016/ *ASIS 5/15*

Dated: 17.01.2017

Subject - Minutes of the Meeting of the BMW Committee held on 19.12.2016

Sir,

Please find enclosed herewith minutes of the Meeting of BMW Committee, headed by the Chairman, DPCC, for deciding application for Authorization under BMW Rules and CTE/CTO under Air & Water Acts, received up to 15.12.2016, held on 19.12.2016 in the Conference Room of the Department of Environment, DPCC 6th Level, Delhi Secretariat, New Delhi.





(Dr. B.M.S Reddy)
SEE, WMC-I & III

1. Member Secretary, DPCC
2. Dr. Anil Kumar, Director, Department of Environment, GNCTD.
3. Dr. TK Joshi.
4. EEs, WMC-I
5. SEE (IT), for uploading minutes on DPCC website.
6. P.S to Chairman, DPCC for kind information of Chairman please

Minutes of the meeting, of the Committee headed by the Chairman, DPCC, held on 19.12.2016 to decide the cases of consent and authorization under BMW Rules of HCFs who have applied up to 15.12.2016

List of the members of the Committee who attended the meeting of the Committee, headed by the Chairman, DPCC on 19.12.2016 is annexed with the minutes. No person from the GB Pant Hospital has attended the said meeting. Decisions taken w.r.t each of the agenda items are as below:

1. **Authorisation and consent of the HCFs of bed capacity above 50:-** 101 HCFs and 1 Plastic waste recycling unit whose applications were pending as on 15.12.2016 were taken up by the Committee and the decisions taken thereof are enclosed as **Annexure-I.**
2. **Consent to establish by plastic recycling unit:** One unit namely M/s New Chaudhary Plastic, Plot No 98, PKT J, Sector 5, DSIDC Indl Area, Bawana has proposed to establish plastic waste recycling activity. Decision taken in this case is figuring at Sl. No. 14 of the **Annexure -I.**
3. **Applications filed by 2 CBMWTFs for Authorisation under BMW Rules and Consent to Operate under Water & Air Acts:** CBMWTFs namely Biotic Waste Solutions Pvt. Ltd., 46, SSI Industrial Area, Delhi-33 and M/s SMS Water Grace BMW Pvt. Ltd., Nilothi Sewage Treatment Plant, DJB Complex, Nilothi, New Delhi have applied for authorisation under BMW Rules and Consent to Operate under Water & Air Acts. The Committee decided to grant authorisation and consent to operate to both the operators with the conditions as applicable as per new Bio-Medical Waste Management Rules, 2016 including the compliance of the observations made during the recent inspection on 14.9.2016. Biotic Waste Solutions Pvt. Ltd is required to file application for the new facility in the same premises after getting the testing of Rotary furnace done on priority. The Committee was apprised about the issue of non-installation of Rotary Furnace by M/s SMS Water Grace Pvt Ltd, as per the guidelines of CPCB, due to additional requirement of land which is in the control of Directorate of Health Services.
4. **Pending consent applications of the HCFs with bed capacity less than 51:** As per the earlier policy, HCFs with bed capacity of 10-49 are required to seek one time Consent to Establish under Water and Air Acts. Vide office orders dated 12.4.2016 and 30.9.2016, only the HCFs with bed capacity above 50 are required to seek


     

(Dr. Anil Kumar) (Dr. BMS Reddy) (Dr. Siddhartha Pantam)

consent apart from other HCFs with bed capacity less than 51 if they possess laundry facility or not connected with sewerage network of the local body. As per the earlier policy, 54 HCFs have applied for Consent to Establish and are pending with DPCC for disposal. The Committee decided to empower the Incharge of WMC-I to decide the said pending applications for CTE on merit. Applications for Consent whose period for which requisite fee has been paid has lapsed may be made infructuous and the concerned HCFs may be asked to apply for renewal of consent and authorisation in a time bound manner.

5. **Policy on the establishments engaged in the laundry activity outside the premises of the HCF:** The Committee was apprised about the HCFs utilising the external laundry facility some of which are operational in non-industrial areas. It was decided to direct the HCFs to have their own laundry facility with requisite pollution control measures and consent from the concerned Pollution Control Board/Committee. It was also decided to issue directions to the HCFs to discontinue the practice. A public notice to this effect may also be given for wider publicity.
6. **Expression of Interest from the agencies for inventorisation of HCFs:** Bio-Medical Waste Management Rules, 2016 mandates that the Prescribed Authority i.e PCC to carry out inventorisation of HCFs in its area of jurisdiction. The Committee decided to issue letters to various authorities namely DHS, Ministry of Health, Ministry of Ayush, health wings of municipal authorities. Letters may also be issued to the education wings of Delhi government and municipal authorities seeking the list of schools which are having first aid facility/health care facilities so as to bring them into the ambit of the new Rules. Letters are also required to be issued to various universities for compliance with the BMW Rules, 2016.
7. Apart from the above, the Committee decided direct the CBMWTFs to submit monthly details about plastic, glass and metal scrap generation and their final disposal as per the BMW Rules, 2016 and are required to maintain proper record in compliance with the new Rules. Also it was observed by the Committee that deficiencies in terms of compliance with the BMW Rules are being observed, during inspection of CBMWTFs and so as to make them comply with the BMW Rules, the Committee decided to seek Bank Guarantee of Rs. 10.00 lacs (Rupees ten lacs only) valid for a period of three years. Failure to comply with any of the rules/guidelines will attract forfeiture of the said Bank Guarantee after giving opportunity of being heard.



TK Joshi
Anil Kumar

CD B. REDDY

8. Number of queries are being raised by various HCFs ~~before various for~~ regarding the pre-treatment to be adopted w.r.t wastewater generated from the laboratory containing various chemicals. The Committee discussed the issue at length and decided to seek proposals from the academic institutes such as Delhi Institute of Pharmaceutical Sciences and Research, Jamia Millia Islamia, IIT Delhi etc for a study to come out with concrete solution.
9. The issue of treatment and disposal of plastic waste and glass, as a component of BMW, by the operators was discussed by the Committee. The Committee was explained about the treatment of the plastic waste and glass at the facilities at Ghaziabad and Ferozabad respectively. It was decided to visit the recycling facilities at Ghaziabad and Ferozabad, UP along with the officers of CPCB to know the process after getting the details from the two operators.

Dr. J. S. Chandra

Anil Kumar

CD BRS REDDY


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM


Annexure-i


S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
1	A & U Tibbia College & Hospital, Karol Bagh	300	Granted	Applied on 28.09.06 (three years lapsed)	Applied on 25.08.14	Not Installed	Expedite Inspection	Inspection of the HCE was conducted on 21.06.2016. BMW was found proper but no STP was found installed.		Issue Authorization under BMW Rules. Issue a reminder letter asking the HCF to apply for Consent to Operate along with requisite documents and test reports. in a time bound manner. CTO application dated 28.9.2006 be made infructuous.
2	Acharya Bhikshu Govt. Hospital Mori Nagar, New Delhi - 110015	152	Granted	Applied on 02.06.09 (Validity already expired)	Applied for renewal on 04.07.2016	Installed	letter for seeking necessary applications	Letter for CTO issued as decided by the Committee. Inspection conducted on 04.12.2015. BMW was found proper. ETP found installed but was closed due to routine services. HCF has applied for authorisation on 04.07.2016 and has not applied for CTO.		Issue Authorization under BMW Rules. Issue a reminder letter asking the HCF to apply for Consent to Operate in a time bound manner. Inspection of the HCF be also conducted and put-up administratively.
3	Babu Jagjeevan Ram Memorial Hospital Jahangirpuri, Delhi-33	100	Granted	Applied on 25-11-2011	Applied on 03-01-2014	ETP installed	Send Reminder (for letter issued on 27.01.2016)	Reminder issued on 15.12.2016.		Issue authorisation under BMW Rules. Issue a letter to HCF for application for renewal of CTO and Authorisation for synchronization. Inspection of the HCF be also conducted and put-up administratively.
4	Deen Dayal Upadhy Hospital Hari Nagar, New Delhi-64	640	Granted	Applied on 25.7.12	Applied on 28.12.11 (three year lapsed)	ETP installed	Expedite Inspection	HCF has applied for CTO on 25.07.2012 without installation of ETP, adequacy reports and analysis reports. Now, HCF has confirmed with regard to installation of ETP and submitted copy of effluent analysis report vide letter No. 4820 dated 17.06.2015. DPCC has already inspected the HCF to verify the compliances of BMW Rules and Air and Water Acts on 29.06.2016. BMW was found as per Rules and ETP found installed and was functional.		Issue Consent to Operate. Issue a letter to HCF to apply for authorisation under BMW Rules and renewal of Consent to Operate for synchronization.


Chairman
DPCC



Member Secy.
DPCC


Director (Env)


Dr. P.K. Joshi
1/26 (Member)
CEE, M.M.C.-1


Dr. B. S. Reddy
CEE, M.M.C.-1


Dr. Siddhartha Gautam
1/1 M.M.C.-1


R.K. Sharma
EE (M.M.C.-2)


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I

S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
5	Fortis flt. Lt. Rajan dhall hospital, B-1, Aruna Asaf Ali Marg, Vasant kunj	150	Granted	Granted valid upto 07-07-2018	31-03-2016	Installed	Fresh Case	HCF has been granted CTO which was valid upto 07-07-2018 and has applied for Authorisation on 31-03-2016. Inspection of the HCF conducted on 23.09.2016, BMW found proper and STP found functional.		Grant Authorisation under BMW Rules.
6	G.L. Maternity Hospital (MCD), Ajmeri gate. Kamla Market, Delhi-6	97	Granted	Applied on 06-03-2012	Applied for Authorisation on 04-05-2016	under construction	Expedite Inspection	HCF has been inspected on 01.06.2016. Compliance of BMW was found in order however ETP was found under construction. Letter has been issued to the HCF for submission of time bound action plan for installation and operation of ETP on 11.08.2016. HCF has submitted a reply on 19.08.2016 wherein it has been reported that work of installation of ETP has been awarded on 09.03.2016 with construction period of 6 months. No confirmation w.r.t. installation of ETP has been received so far.		Issue Authorization under BMW Rules. Issue a letter asking the HCF to install STP and apply for Consent to Operate in a time bound manner. Call for personal hearing before the Chairman, DPCC.
7	IRENE SWASTHIK HOSPITAL (A unit of Irene Health Services Private Limited), 9-A, RAGUVIR ENCLAVE, DHICHAON CHOWK, NAJAFGARH	55	Not applied	Not applied	applied on 05-09-2014	No information	Fresh Case	HCF has applied for Authorisation on applied on 05-09-2014.		Issue Authorization under BMW Rules. Issue a letter asking the HCF to install STP and apply for Consent to establish, Consent to Operate along with requisite documents and test reports in a time bound manner. Inspection be conducted to check the compliance status.


Chairman
DPCC


Member Secy
DPCC


Director (Em)


Dr. T.K. Joshi
member
2/26


CDR BUS REDDY
SEC, WMC - I


Dr. Siddhartha Gaurain
EC (WMC-I)


R.K. Sharma
EE (WMC-I)

Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I

S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
8	Jag Pravesh Chand Hospital (Shastri Park Hospital). Govt. of NCT of Delhi, Shastri Park, Delhi-53	200	Granted	Applied on 24.02.2011	Applied on 11.03.2014	STP installed (50 KLD)	Expedite Inspection	Inspection of the HCF was conducted on 28.06.2016. Deficiencies w.r.t BMWM and STP were observed. On the basis of deficiency, letter issued on 15.12.2016. File was processed administratively and it was decided to carry out another inspection. HCF inspected again on 15.12.2016 and HCF found complying with the BMW Rules having an agreement with CBWTF namely SMS Water Grace Pvt Ltd. STP found installed and operational with some minor deficiencies. Guided accordingly.		Issue Authorization under BMW Rules. Issue a letter asking the HCF to apply for Consent to Operate and renewal of authorization under BMW Rules in a time bound manner along with requisite documents and test reports.
9	Action Cancer Hospital (A Unit Of Manav Sevarth Trust). Fc-34, A-4, Paschim Vihar	100	Granted	Granted valid upto 18.12.2018	Applied for Authorisation on 17.06.2016	Installed	N/A	HCF was granted authorization valid upto 21.2.2016 and CTO which is valid upto 18.12.2018. Inspection conducted on 01.10.2015. BMWM was found proper and STP was found functional. Now applied for renewal of authorization 17.6.16		Issue Authorization under BMW Rules followed by inspection. Put up administratively thereafter.
10	Holy Family Hospital, Okhla Road	332	Granted	Granted. Valid upto 06.11.2018	Applied on 28-04-2016	Installed	Fresh Case	HCF has been granted CTO which is valid upto 06.11.2018 & Authorisation which was valid upto 29.05.2016. HCF has applied for Authorisation on 28-04-2016.		Issue Authorization under BMW Rules followed by inspection. Put up administratively thereafter.
11	Jain Hospital, 177-178, Jagriti Enclave, Vikas Marg Extn.	51	Granted	Granted valid upto 10-06-2019	Applied on 23-06-2016	Installed	Fresh Case	HCF has been granted CTO which is valid upto 10.06.2019 & Authorization which was valid upto 27.06.2019. Now, the HCF has applied for renewal of Authorisation on 23.06.2016. has applied for renewal of Authorisation on 23-06-2016		Issue Authorization under BMW Rules followed by inspection. Put up administratively thereafter.
12	Jeewan Mala Hospital (P) Ltd. 67/1, New Rohtak Road, New Delhi -05	75	Granted	Granted, valid upto 09.07.2018	Applied for renewal on 30.05.2016	ETP & STP installed	Grant CTO & authorisation	CTO & Authorisation granted and has been issued on 12.04.2016. HCF has applied for renewal of Authorisation on 30.05.2016.		Issue Authorization under BMW Rules followed by inspection. Put up administratively thereafter.

Chairman
DPCC

Member Secy
DPCC

Director (EM)

Dr T.K. Joshi
Member

Dr BMS REDDY

Dr. Siddhartha Gautam

(R.K. Chandra)


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I


S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
13	National Heart Institute, 49-50, Community Centre, East Of Kailash	75	Granted	granted. Valid upto 09.12.2018	Applied on 12-04-2016	Installed	N/A	HCF was granted authorization on 2.4.2014 which was valid upto 16.4.16 & CTO valid upto 9.12.2018. Now applied for renewal of authorization on 12-04-2016.		Issue Authorization under BMW Rules followed by inspection. Put up administratively thereafter.
14	New Chaudhary Plastic. Plot No 98, PKT J, Sector 5, DSIDC Indl Area, Bawana	Nil	applied on 10.08.2016	-	-	-	Fresh case	Unit has applied for CTE on 10.08.2016 for manufacturing of reprocessed PVC granules and other injection moulded items (using scrap as raw material without wasting activity)	Not applicable	Issue Consent to establish and ask the unit to apply for consent to Operate under Water & Air Acts and authorisation under Plastic Waste Management Rules, 2016.
15	R.G.Stone Urological Research Institute Pitampura, 195. Deepali Chowk (Outer Ring Road), Pitampura.	51	Granted	Granted valid up-to 11.09.2019	Applied on 24-05-2016	Installed	Fresh case	HCF was issued CTO & Authorisation has applied for renewal of Authorization on 24.05.2016		Issue Authorization under BMW Rules followed by inspection. Put up administratively thereafter.
16	Rockland Hospital Ltd., B-33, 34, Institutional Area Delhi-16	110	Granted	granted valid upto 23.11.2019	Applied on 31.03.2016	Under Installation	provisional consent granted. Letter for seeking an application of authorization and compliance of STP upgradation.	provisional consent issued on 09.05.2016. HCF has applied for renewal of Authorisation on 31.03.2016.		Issue Authorization under BMW Rules followed by inspection. Put up administratively thereafter.
17	Shri Balaji Action Medical Institute Unit of Lal Munni Lal Mange Ram Charitable Trust Hospital, FC-34, A-4, Paschim Vihar.	200	Granted	Granted valid upto 25.07.2018	Applied on 18-07-2016	Installed	granted	Unit was granted authorization and CTO. HCF has applied for renewal of Authorization on 18.07.2016. Inspection conducted on 01.10.2015. BMW was found proper and STP was found functional.		Issue Authorization under BMW Rules followed by inspection. Put up administratively thereafter.
18	Vallabh Bhai Patel Chest Institute, Delhi University, Delhi-110009	128	Granted	Granted valid upto 29.09.2018	Applied on 19.04.2016	Installed	Fresh Case	HCF has applied for renewal of Authorisation on 19.04.2016.		Issue Authorization under BMW Rules followed by inspection. Put up administratively thereafter.



Chairman
DPCC



Member Secy
DPCC


Director (Env)


Dr. T.K. Joshi
Member
4/26


Dr. B.S. Reddy
SEE, WMC-I


Dr. Siddhartha Gautam
WMC-I


R.R. Shrivastava
(EE WMC-I)


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I


S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
19	Institute of Human Behaviour & Allied Sciences, Near GTB Hospital, Dilshad Garden, Delhi-95	190	Granted	Granted (valid upto 11.06.2020)	Applied for renewal on 18.07.2016	Installed	Provisional Consent and Authorization granted.	HCF has been granted CTO (valid upto 11.06.2020) & Authorisation (valid upto 11.06.2016) and applied for renewal on 18.07.2016.		Issue Authorization under BMW Rules followed by inspection. Put up administratively thereafter.
20	All India Institute Of Ayurveda (A.I.I.A), Gautampuri, Mathura Road, Sarita Vihar	AYURVEDA HOSPITAL.	Granted	applied on 21.03.2016	Applied on 19.04.2016	Installed	Fresh Case	Ministry of Health & Family Welfare has obtained Environmental Clearance for construction of ALL INDIA INSTITUTE OF AYURVEDA at sarita vihar, New Delhi on 11.11.2010 from SEIAA. Applied for CTE on 11.04.2012 subsequently reapplied for CTE 11.05.2015 the same was granted on 30.07.2015 which was valid upto 10.5.2016. Applied for CTO under Water & Air Acts on 21.03.2016 & for authorization under BMW Rules, 19.04.2016.		Issue a letter to the HCF to submit treated effluent analysis report and Noise monitoring report(s) within 30 days. Also carry out inspection of the HCF. Put up administratively thereafter.


Chairman
DPCC


Member Secy
DPCC


Director
(Env)


Dr. T.K. Joshi
Member


Dr. Siddhartha Chandra
EE(WMC-1)


Dr. B.K. Reddy
CEE, WMC-1


(R.K. Sharma)
EE(WMC-1)


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I


S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
21	All india society for health aid education and research (a.s.h.a.) (Venkateshwar Hospital), Sector-18, Dwarka	250	Applied on 22.07.2016	Applied on 22.07.2016	Applied on 22.07.2016	ETP & STP Installed	Fresh Case	Unit applied for CTE on 30.11.2012 which has not been issued. Unit was granted EC on 01.08.2014 for the construction of Hospital. Unit has applied for CTE on 09.09.2014. Inspection conducted on 24.03.2015 and hospital was found under construction. Case was put up in the BMW Committee-I Meeting held on 01.07.2015 and it was decided to call for Personal hearing. Accordingly, Project proponent appeared in person before the Member Secretary on 09.12.2015. CTE was granted on 03.03.2016 and subsequently extension of CTE issued on 11.04.2016. Now unit has applied for Authorisation under BMW Rules and CTE & CTO under Air and Water Acts on 22.07.2016 for operational phase of the Hospital. Inspection of the unit conducted on 18.10.2016. BMW was found proper and ETP & STP found installed and was functional.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue Consent to operate under Water & Air Act and Authorisation under BMW Rules. Application for CTE dated 22.7.2016 be made infructuous, as the HCF was issued CTE earlier.
22	Aruna Asaf Ali Hospital. 5 Rajpur Road, Delhi-54	100	Granted	Applied on 14.03.2016	Applied on 17.08.2016	Installed	Issue Authorization under BMW Rules and letter for seeking application for CTO.	Authorization issued on 28-04-2016. HCF has applied for renewal of Authorisation on 17.08.2016 and CTO on 14.03.2016.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue Consent to operate under Water & Air Act and Authorisation under BMW Rules. Followed by inspection. Put up administratively thereafter.


Chairman
DPCC


Member Secy
DPCC


Director (Env)


Dr. T.K. Joshi
Member
6/26


Dr. BMS Reddy
SEE, WMC - I


Dr. Siddhartha Gantam
EE WMC-I


Dr. S. S. Srinivas
EE (WMC-I)


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I


S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
23	Chacha Nehru Bal Chikitsalaya, Geeta Colony	260	Granted	Applied on 02.05.2014	Applied on 16-03-2016	Installed	Expedite Inspection	HCF has applied for CTO & Authorisation on 02.05.2014 & 16.03.2016. HCF was inspected on 23.06.2016. BMW & STP were found proper.	Test Reports:- Air (Emissions) - Test Reports within norms. Noise - Test Reports within norms.	Issue Consent to operate under Water & Air Act and Authorisation under BMW Rules.
24	Charak Palika Hospital, Moti Bagh, New Delhi-21	150	Granted	Applied on 02.05.2014	Applied on 16.03.2016	STP installed		HCF has applied for CTO on 18.06.2013 and Authorisation on 13.06.2016.	Test Reports:- Air (Emissions) - Test Reports within norms. Water (Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue Consent to operate under Water & Air Act and Authorisation under BMW Rules.
25	Cygnus Mls Hospitals Pvt. Ltd., Plot No-4, Main Kanjhawala Road, Near Balaji Mandir, Rama Vihar	HOSPITAL	Granted	Applied on 19-05-2016	Granted valid upto 07-07-2018	Installed	Consent an authorization be granted and letter for seeking information about wastewater treatment plant.	CTE & Authorisation issued. HCF has applied for CTO on 19-05-2016. Inspection conducted on 18.11.2016. BMW and ETP found satisfactory except some minor deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water (Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Grant Consent to Operate followed by inspection.
26	Febris Hospital (Durha Vitrak Pvt Ltd), Plot No. 20, Sector A-7, Narela, Delhi-110040	125	Granted (valid upto 28.02.2013)	applied on 06-09-2016	applied on 06-09-2016	Installed	Fresh case	Inspection of the HCF conducted and is found in under construction. HCF has applied for CTO & Authorisation on 06.09.2016	Test Reports:- Air (Emissions) - Test Reports within norms. Water (Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue Consent to operate under Water & Air Act and Authorisation under BMW Rules.


Chairman
DPCC



Member Secy.
DPCC


Director (Env)


Dr. T. K. Joshi 7/26
Member


Dr. B. S. Reddy
SEB, WMC-1


Dr. Siddhartha Gautam
SE WMC-1


R. K. Sharma
EE (WMC-1)

Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I


S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
27	E.S.I. Hospital, Basai Darapur, Ring Road, New Delhi-15	600	Granted valid upto 11.10.2010	Applied on 05.05.2011	Applied on 11.08.2016	Under installation	Expedite Inspection	EC for proposed medical college and extension of ESIC hospital was granted on 10.06.2009. For the same HCF has applied for CTE on 28.11.2013, which is to be decided. The existing ESI hospital has applied for CTO on 05.05.2011. Considered the case in BMW Meeting held on 27.09.2011. as NMR was not meeting the prescribed standards, a letter for taking corrective measures and submission of fresh NMR and status w.r.t. Solar water heating system, rain water harvesting system was issued 14.11.2011. Again considering the next BMW Meeting held on 19.01.2012. a reminder was issued on 27.03.2012. Unit replied along with fresh NMR on 15.07.2013. Inspection of the HCF conducted on 22-06-2016. BMW was not found proper and ETP was also not functional during the visit. File was put up administratively and SCN u/s 33 A and u/s 5 of EPA issued on 22.08.2016. HCF has submitted a reply on 21.09.2016 that they have rectified all the deficiencies w.r.t BMW and regarding the observation concerning ETP, it has been submitted that about 70% of the civil work for installation of ETP has been completed and the ETP would start functioning as soon as the work on it/for it get completed.		Issue authorisation under BMW Rules. Issue CTE for the expansion as the HCF has already obtained EC. HCF be asked to submit application for extension of CTE with the requisite fee. Followed by inspection. Put up administratively thereafter.



Chairman
DPCC



Member Secy
DPCC


Director (Env)


Dr. T.K. Joshi
Member 8/26


(Dr. B.S. Reddy)
CEE, WMC-I


(Dr. Siddhartha Gaurav)
B.S. WMC-I


(R.K. Sharma)
EE(WMC-I)


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I


S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
28	Guru Gobind Sing Govt. Hospital, Raghubir Nagar	100	Granted	applied on 30-05-2016	applied on 30-05-2016	Installed	Expedite Inspection	Inspection conducted on 21.06.2016. BMW management found proper. STP working but treatment was not found satisfactory. On the basis of deficiencies, letter for operating STP properly and submitting Effluent analysis report of the STP issued on 12.08.2016. HCF has submitted report on 30.08.2016.	Test Reports:- Air (Emissions) - Test Reports Not Applicable. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue Consent to operate under Water & Air Act and Authorisation under BMW Rules.
29	Guru Teg Bahadur Hospital, Shahdara, Delhi-95		Granted	Applied on 12.12.2012 (for 1185 beds)	Applied on 25.05.2015 (for 1512 beds)	Installed	Follow up action	HCF has applied for CTO on 12.12.2012 (for 1185 beds) and Authorisation on 25.05.2015 (for 1512 beds). Inspection conducted on 07.01.2016. Deficiencies observed w.r.t. BMW and STP. On the basis of deficiencies, SCN u/s issued on 07.04.2016. Reply received stating that they have rectified the deficiencies.		Inspection to verify rectification of deficiencies Put-up administratively thereafter.
30	H. A. H. Centenary Hospital, Jamia Hamdard, Hamdard Nagar	343	Granted	Applied on 18-02-2015	Granted (valid upto 03.03.2017)	Installed	Send Reminder (for SCN u/s 33(A) of Water Act for the deficiencies observed in the operation of STP issued)	HCF has applied for CTO on 18.02.2015. HCF has replied for SCN u/s 33(A) of Water Act on 22.09.2015 stating that they have rectified all the deficiencies..	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue Consent to operate under Water & Air Act. Followed by inspection. Put up administratively thereafter.
31	Lal Bahadur Shastri Hospital, Khichripur,	100	Granted	Applied on 05.07.2013	Applied on 25-04-2016	Installed	Expedite Inspection	HCF has applied for CTO & Authorisation on 07.05.2013 & 25-04-2016 respectively. BMW & STP was found proper. Inspection carried out on 23.6.2016 and found in order except minor deficiencies w.r.t sharp management.		Issue authorisation under BMW Rules and consent to operate. Issue a letter directing the HCF to improve sharp management in compliance of the BMW Rules.



Chairman
DPCC


Member Secy
DPCC


Director (Env.)


Dr. T. K. Joshi
Member 9/26


Cdr. B. S. Reddy
SEE, WMC-1


Dr. Siddhartha Gaurain
EE WMC-1


R. K. Sharma
EE (WMC-1)

Annexure-I

Chairman DPCC Member Secy DPCC Director (Em) Dr. T. K. Joshi 10/26 Member (Dr. Bire Reddy) (Dr. Siddhartha Gaulain) GE-WMS-1 (R.K. Sharma) EE(WMS-I)


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I



S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
36	Dharamshila Cancer Hospital & Research Centre, Vasundhra Enclave,	200	Granted	Granted valid upto 11.08.2018	Applied on 02-06-2016	Installed	Fresh Case	HCF has applied for renewal of Authorisation on 02-06-2016. On the basis of sting operation regarding sale of untreated Plastic BMW, a show cause notice was issued. After examining the reply and due approval; an opportunity of personal hearing was given to HCF before the Chairman, DPCC. After detailed discussion, a fresh inspection has been decided.	Test Reports:- Air (Emissions) - Test Reports within norms. Water (Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue a letter to both the HCF and concerned CBMWTF seeking daily data of bio medical waste generated by HCF from June 2016 to October 2016. HCF be inspected and put up administratively thereafter.
37	ESI Hospital, Okhla	109	Granted	Not applied	applied on 02-12-2013	under construction	Expedite Inspection	HCF has applied for expansion of ESIC Hospital to SEAC. Unit has been granted EC. Inspection conducted on 16.06.2016. Isolated site and sharp management not found proper. STP found under construction. HCF has not applied for CTO.		Issue a letter to HCF to apply for authorisation under BMW Rules .CTO under Water & Air Act and for CTE for new entity. An inspection of both old and new entities be carried out and put up administratively thereafter.
38	Guru Nanak Eye Centre, Maharaja Ranjit Singh Marg . New Delh	184	Granted	Applied On 09.03.09 (3 years lapsed)	Granted valid up-to 12.01.2017	ETP installed	authorization granted and letter for seeking application for CTO.	Authorization issued on 12-04-2016. Letter for seeking application for CTO issued.		Issue a letter to HCF to apply for CTO under Water & Air Act . An inspection be carried out and put up administratively thereafter.
39	Konarc Hospital, 9A/1 Naresh Park Nangloi	80	Applied on 15-06-2016	Applied on 16-09-2016	applied on 15-06-2016	Installed	Fresh Case	HCF has applied for CTE, CTO & Authorisation on 15.06.2016, 16.09.206 and 15.06.2016 respectively	Test Reports:- Air (Emissions) - NOT Applicable. Water (Effluent) - Not enclosed Noise - Test Reports within norms.	Inspection of HCF be carried out and put up administratively thereafter.


Chairman
DPCC


Member Secy
DPCC


Director (EW)


Dr. T. K. Joshi
Member 11/26


Dr. Siddhartha Gautam
CEE, WMC-I

R. K. Sharma
EE (WMC-I)

Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I

S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
40	Lok Nayak Hospital, J. L. Nehru Marg, New Delhi-2	1649	Granted	Applied on 14.10.2013	Applied on 14.11.2013	Installed	Call for personal hearing	As decided, letter for personal hearing was issued but due to other engagement of Chairman, it could not be conducted on 15.03.2016. However, MS, LNJP, discussed the issues telephonically with the Chairman on the same day. The HCF has also reported that the Autoclave facility of the LNJP hospital has been stopped and all the BMW is being lifted by M/s SMS Water Grace Pvt Ltd. But no detail of the discussion is available in record.		Issue a letter asking the HCF to apply for renewal of authorisation as the validity of earlier application has lapsed. Earlier application be made infructuous. Inspection be conducted and put up administratively thereafter.
41	MGS HOSPITAL, Rohtak Road, West Punjabi Bagh	109	Granted	Applied on 07-12-2016	Applied on 07-12-2016	Installed	Follow up action	HCF has applied for CTO & Authorisation on 07.12.2016.	Test Reports:- Air (Emissions) - Test Reports within norms. Water (Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Inspection of HCF be carried out to verify the compliance and file put up administratively thereafter.
42	Moolchand Kharaiti Ram Hospital And Ayurvedic Research Institute, Lajpat Nagar-Iii	256	Granted for existing building.	Granted valid upto 17.02.2019	Applied on 08-07-2016	Installed	Provisional consent granted.	Previous authorization expired on 15.07.2016. Unit has applied for renewal of authorization on 08.07.2016 & fresh CTE for construction of building (Proposed area - 109385 sqm) on 26.05.2015. Copy of the EC dated 02.11.2013 for expansion of existing Moolchand Hospital enclosed. SCN issued on 24.11.2015 on the basis of deficiencies observed during inspection on 07.10.2015.		Inspection of HCF be carried out to verify the compliance and put up administratively thereafter.
43	R.B. Seth Jessa Ram & Bros Charitable Hospital WEA Karol Bagh, New Delhi-110005	88	Granted	Granted valid up-to 09.08.2014	Applied on 15.07.2013	Installed	No action at this stage and follow up accordingly.	Inspection conducted on 02.12.2015 and HCE was found closed and it was informed by the watchman present on the site that HCE is taken over by Fortis Group.		Inspection of HCF be carried out to know the present operational status.

[Signature]
Chairman
DPCC

[Signature]
Member Secy
DPCC

[Signature]
Director (Env)

[Signature]
Dr T.K. Joshi
Member
12/26

[Signature]
(Dr B. S. REDDY)

[Signature]
(Dr. Chelhantha Gaurav)

[Signature]
(R.K. Sharma)
(12/12/2016)

Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I

S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
44	Ram Manohar Lohia Hospital, Baba Kharak Singh Marg New Delhi-1	1000	Granted	Applied on 15.07.13	Granted (valid upto 13.08.2016)		Send Reminder (for submission of time frame schedule for installation of STP on 19.01.2016)	Reminder yet to be issued		Inspection be carried out in view of the public complaint received and verification of Compliance w.r.t BMW Rules. Ask the HCF to apply for renewal of authorisation and install STP in a time bound manner & to inform the present status and progress in this regard. File put up administratively thereafter.
45	Saket City Hospital (A Unit Of Gujarmal Modi Hospital & Research Centre For Medical Sciences), Mandir Marg, Saket	214	Granted	Aranted. Valid upto 10.08.2019	Applied on 23-08-2016	Installed	Fresh Case	Inspection conducted on 16.11.2016. BMW management not proper. STP needs to be updated. On the basis of deficiency. SCN issued on 28.11.2016. HCF has submitted a reply that they have rectified all the deficiencies observed during the above said inspection.		Inspection of HCF be carried out to verify the compliance and file put up administratively thereafter.
46	SANTOM HOSPITAL PVT. LTD., D-5 & 6, PRASHANT VIHAR, ROHINI	105	Granted	Granded Valid till 04.08.18	Applied on 31-03-2016	Installed	Fresh Case	CTE & CTO issued. Inspection conducted on 18.11.2016. BMW was not found proper and ETP was also not functional. On the basis of deficiencies, issued on 28.11.2016. Reply received stating that the deficiencies have been rectified.		Inspection of HCF be carried out to verify the compliance and file put up administratively thereafter.
47	Sehgal Neo Hospital B-362, 363, 364, Meera Bagh, Outer Ring Road Paschim Vihar New Delhi 110063	80	Granted	Applied on 27.04.2016	Granted valid upto 06.08.2017	Installed	-	HCF has been granted Authorization which was valid upto 06.08.2017. HCF has applied for CTO on 27.04.2016.	Test Reports:- Air (Emissions) - Not applicable. Water (Effluent) - Test Reports within norms Noise - Test Reports within norms.	Inspection of HCF be carried out to verify the compliance and file put up administratively thereafter.
48	Shri Agrasen North Ex Welfare Society, Plot No PSP Sec- 22, Rohini	455	Applied on 23.06.2014	Not Applied	Not applied	-	Fresh Case	HCF has applied for CTE on 23.06.2014	Not applicable	Inspection of HCF be carried out to verify the compliance and file put up administratively thereafter.

Chairman
DPCC

Member Secy
DPCC

Director (Env)
Dr. T. K. Joshi 13/26
Member

Dr. B. S. Reddy

Dr. Siddhartha Gaurain

(R. K. Sharma)
EE (W/C-1)

Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I

S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
49	Shri Dada Dev Matri Avum Shisu Chikitsalya. Dabri. New Delhi-45	64	Granted	Applied on 17.11.2016	Applied for renewal on 30.10.2015	ETP installed (50 KLD)	Send Reminder (for letter issued on 06.09.2016 for defecencies)	Reminder letter issued on 06.01.2016. HCF has applied for CTO on 17.11.2016 and for renewal of authorisation on 30.10.2015.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue authorisation under BMW Rules and Consent to Operate followed by an inspection. File be put up administratively thereafter.
50	Sir Ganga Ram Hospital. Rajender Nagar, New Delhi - 60	675	Granted	Granted (Valid up-to 13.01.18)	Granted (valid upto 03-01-2019)	Installed	authorization granted	EC was granted on 13.08.2012. CTE was extended on 03.04.2014 for extension and modernization which was valid upto 03.11.2014. Subsequently renewed upto 16.12.2016 now HCF has again submitted a request letter for extension of consent to Establish upto 16.12.2017. wherein it has been reported that they have deposited 4,000 on 03.11.2014 and another Rs 8,000 on 16.12.2014.		Inspection of HCF be carried out to verify the compliance and file put up administratively thereafter.
51	Sitaram Bhartia Institute of Science & Research.B-16. Qutab Institutional Area.	70	Granted	Granted valid upto 12.02.2019	Applied on 10-03-2016	Installed	provisional consent granted, letter be issued for STP compliance.	CTO granted on 26.05.2016 valid upto 12.02.2019. HCF applied for renewal of Authorisation on 10.03.2016. Letter could not be issued, however HCF has submitted a reply that work of STP renovation and enhanced capacity is completed and plant is working satistory along with effluent analysis reports..		Inspection of HCF be carried out to verify the compliance and file put up administratively thereafter.
52	Goyal Hospital and Urology Centre. E-418. Krishna nagar. Delhi-110051	80	Granted	Granted valid upto 08.12.2019	Applied on 19.10.2016	Installed	Fresh case	HCF has been granted CTE & CTO which are valid upto 15.01.2015 & 08.12.2019. HCF has applied for Authorisation on 19.10.2016.		Inspection of HCF be carried out to verify the compliance and file put up administratively thereafter.


Chairman
DPCC


Member Secy.
DPCC


Director (Em)


Dr. T. E. Joshi 14/26
Member


Dr. B. S. Reddy
SEC, WMC-I


Dr. Siddhartha Gauram
(R.K. Sharma)
EE(WMC-I)


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I


S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
53	Jeewan Nursing Home and Hospital, 2-B, Pusa Road, New Delhi	101	Granted	Granted valid upto 03.10.2017	Applied on 04.11.2016	Installed	Granted Authorization & CTO	HCF was granted Authorization which was valid upto 07.10.2016 and CTO valid upto 03.10.2017 and has applied for renewal of authorization on 04.11.2016.		Inspection of HCF be carried out to verify the compliance and file put up administratively thereafter.
54	Tirath Ram Shah Hospital, 2 A. RBL, Ishwar Das Sawhney Marg, Rajpur Road, New Delhi-54	165	Granted	Granted valid upto 29.06.2018	Granted valid upto 13.09.2020	Installed	Granted and Expedite Inspection	CTO & Authorisation issued on 07.04.2016. Inspection yet to be conducted.		Inspection of HCF be carried out to verify the compliance and file put up administratively thereafter.
55	Human Care Medical Charitable Trust	380	Applied on 07.11.2016	Not applied	Not applied	proposed	Fresh Case	HCF has applied for CTE on 07.11.2016.		Inspection of HCF be carried out to verify the compliance and file put up administratively thereafter. Status of case pending before Hon'ble NGT may also be sought from the legal cell.
56	Ayushman Hospital & AMP Health Services, Opposite Plot-41, elephanta Lane, Sector-10, Dwarka	80	Applied on 26.10.2016	Not applied	Not applied	Not Installed	Fresh case	HCF has applied for construction of Health Care Establishment (Plot Area-2400 sqm, built up area 720 sqm) on 26.10.2016.	Not Applicable	Inspection of HCF be carried out to verify the compliance and file put up administratively thereafter.
57	ARDENT GANPATI HOSPITAL (A unit of Ardent Medicare Private Limited).D-4, Swarn Park, Mundka	51	Granted valid upto 25.05.2016	Applied on 16-10-2015	applied on 26-05-2015	installed	CTE issued and inspection yet to be conducted	HCF has been granted CTE which was valid upto 25.05.2016, now the HCF has applied for CTO & Authorisation on 16.10.2015 & 26.05.2015. Inspection conducted on 25.05.2016. BMW was not found proper & STP was also not found functional.		Issue a SCN under section 5 of EPA and u/s 33(A) of Water act, 1974 in view of the deficiencies observed during inspection. Put up administratively thereafter.
58	PGH hospitals private limited, plot no.89-a, vikas nagar extn., uttam nagar	60	Granted	Applied on 04-08-2015	G (Valid till 11.12.17)	NI	Expedite Inspection	HCF has applied for CTO on 04.08.2015. Inspection conducted on 05.05.2016. ETP found installed but was not in operation. BMW found improper.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue a SCN under section 5 of EPA and u/s 33(A) of Water Act, 1974 in view of the deficiencies observed during inspection. Put up administratively thereafter.



Chairman
DPCC



Member Secy.
DPCC


Director (Env)


Dr. T.K. Joshi 15/26
Member


Dr. B.S. Reddy


Dr. Goldharsho Gaurav


R.K. Sharma
Member

Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I

S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
59	Rao Tula Ram Memorial Hospital, Jaffarpur.	100	Applied on 24-02-2016	Applied on 24-02-2016	Applied on 10-03-2015	STP installed	Expedite Inspection	Inspection conducted on 27.06.2016. BMW found proper, however STP was not found functional. On the basis of deficiencies, a letter has been issued for the above mentioned deficiencies on 12.08.2016. Reply not received.	Test Reports:- Air (Emissions) - Test Reports within norms. Water (Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue reminder letter to the HCF asking for Action taken report on the deficiencies observed during inspection dated 27.6.2016. File be put up administratively.
60	National Institute of Communicable Diseases, 22, Sham Nath Marg, Delhi-54	NIL	Granted	Granted (valid upto 01.03.2013) Validity already expired	Granted (Valid upto 15.05.16)	Under Process	Send Reminder (SCN issued on 08.02.2016)	EC has been granted to the Unit on 13.08.2012. Unit has not applied for CTE till date. Authorisation expired on 15.05.2016 and has not applied for renewal of the same.		Issue a SCN under section 5 of EPA and u/s 33(A) of Water Act, 1974 & u/s 31(A) of Air Act, 1981 as the unit has not obtained CTE after the receipt of EC for expansion. Also direct the HCF to apply for renewal of authorisation and consent to operate.
61	Ashok Nursing Home, F-3/15, F-3/16 Krishna Nagar	HOSPITAL (100 BEDS)	Applied on 30.03.2012.	Applied on 18-01-2016	Applied on 30.03.2012.	Installed	Letter for seeking necessary applications	Inspection conducted on 17.11.2016. ETP was not found functional. BMW was not found proper. On the basis of deficiencies, SCN issued on 28.11.2016. Reply awaited.		File be put up administratively.
62	Bhagwan Mahavir Hospital H-4/5, Pitampura, Delhi - 110034	250	Granted	Applied on 12.03.2012	Applied on 29.07.2016	ETP Installed (300 KLD)	Issue reminder (for letter issued on 10.06.15)	Inspection of HCF was conducted on 15.11.2016, deficiencies w.r.t. BMW and ETP were observed. 05 borewells were found exist for which permission could not be shown during the inspection. On the basis of deficiencies observed during the inspection, SCN u/s 33 A & 5 of EPA were issued on 28.11.2016. Reply Awaited.		File be put up administratively.
63	Directorate of Health Service, Community Centre Ambedkar Nagar, New Delhi-64	200	Granted valid upto 09.02.2015	Not Applied	Applied on 10.02.2014	No Information	Letter for seeking necessary applications	HCF has been granted CTE and has applied for authorisation on 10.02.2014. HCF has not applied for CTO. Letter for seeking application has been issued on 15.12.2016.		File be put up administratively.

[Signature]
Chairman
DPCC

[Signature]
Member Secy
DPCC

[Signature]
Director (Env)

[Signature]
Dr T.K. Pishi 16/26
Member

[Signature]
(Dr BUL REDDY)

[Signature]
(Dr Siddhartha Gaurav) *[Signature]*
(R.K. Shama)

Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM


Annexure-I


S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
64	Divya Prastha Hospital, RZ-37, Main Road, Palam Colony	55	Granted	Granted (valid upto 31-07-2017)	Applied for Authorisation on 10-03-2016		Fresh case	HCF has been granted CTO & Authorisation which are valid upto 31.07.2017 & 12.02.2015. Now, HCF has applied for renewal of Authorisation on 10-03-2016.		File be put up administratively.
65	Gandhi Hospital (A unit of Pawan Gandhi Healthcare Pvt. Ltd.), C-50 & 51, Om Vihar, Uttam Nagar	60	Granted	Not applied	5/2/2015 for 40 beds to 60 beds.	Installed	Inspection be conducted	HCF has obtained authorization for 40 beded hospital which is valid upto 10.6.2017. Now applied for Authorisation for upgraded bed strength from 50 to 60 beds on 5/2/2015. Inspection of the unit conducted. BMW found improper and STP was also not found funtional. On the basis of deficiencies observed a SCN under Section 5 was issued on 21.06.2016, No reply received. Also not applied for CTO.		Reminder letter for reply of SCN, followed by inspection. File be put up administratively thereafter.
66	Genesis hospital pvt. Ltd., C-1/130, IIIrd floor, Janak puri	55	Not applied	Not applied	applied on 28-03-2016	Installed	Fresh Case	Earlier authorization granteed for 35 beds. Now HCF has 55 beds. No application filed for CTE & CTO		Letter asking the HCF to install STP and apply for Consent to Establish and Operate with all requisit documents in a time bound manner. Inspection be carried out and file be put up administratively thereafter.
67	Hindu Rao Hospital, Delhi-06	980	Granted	Applied on 12.05.09 (3 years lapsed)	applied on 10.06.2016	Under Process	Send Reminder (for SCN u/s 5 of EPA issued on 11.01.2016)	Reminder issued.		File be put up administratively.
68	M.V.I.D Hospital (MCD), Kingsway Camp, Delhi-9	227	Granted	applied on 05.09.2013	applied on 06-06-2014	Not installed	Send Reminder (for Modified Direction issued on 21.09.2015)	Reminder issued on 30.11.2016. Reply awaited. No borewell exist.		File be put up administratively.



Chairman
DPCC



Member Secy.
DPCC


Director (EW)


Dr. T.K. Joshi 17/26
Member


(Dr. Bhis Reddy)
C.E.F. W & C-1


(Dr. Siddhartha Gaurain)


(R.K. Sharma)
EE(W & C-I)

Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I

S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
69	Maharaja Agrasen Hospital, West Punjabi Bagh, New Delhi- 26	380	Granted	Granted (valid upto 12.12.2018)	applied on 18.03.2016	STP installed	Send Reminder (for SCN u/s 33(A) of Water Act issued.)	HCF has submitted a reply of SCN u/s 33 A on 15.03.2016 and has applied for Authorisation on 18.03.2016. The file was processed administratively in view of the urgency in the request of HCF and the CTO was approved by the Chairman. The same needs to be ratified by the committee. Inspection conducted on 07.12.2016. Deficiencies w.r.t BMW and STP were observed. On the basis of deficiencies observed, SCN u/s 5 of EPA & 33 A of Water Act issued on 14.12.2016. Reply awaited.		Call for personal hearing before the Chairman, DPCC.
70	Mansaram Hospital Pvt. Ltd. B-5, Aman Puri Extention, Main Najafgarh Road, Nangloi, Delhi-41	52	Applied on 10.10.14	Applied on 10.10.14	Applied on 03.04.2013	STP installed	Expedite Inspection	HCF has applied for CTE, CTO and Authorisation on 10.10.2014, 10.10.2014 and 03.04.2013 respectively. Inspection conducted on 25.05.2016. BMW was not found proper. STP found intalled but was not functional. On the basis of deficiency, SCN u/s 33 A and u/s 5 of EPA were issued on 21.06.2016. HCF have submitted a reply w.r.t. SCN u/s 33 (A) along with the test report with incomplete parameters of the installed STP. HCF has not submitted a reply w.r.t. u/s 5 of EPA.		Letter to HCF to apply for authorisation under BMW Rules and to submit fresh analysis reports with complete parameters. File be put up administartively thereafter.
71	N.C. Joshi Memorial Hospital, Karol Bagh.	100	Not applied	Not applied	Applied on 16-03-2016	Not Installed	Fresh case	HCF has applied for authorization on 16.03.2016. Inspection conducted on 20.10.2016. ETP found under installation BMW was not found proper. On the basis of defecencies, a SCN issued on 28.11.2016. Reply awaited.		File be put up administartively.

[Signature]
Chairman DPCC

[Signature]
Member Secy. DPCC

[Signature]
Director (Env)

[Signature]
Dr T.K. Joshi 18/26
Member

[Signature]
(Dr BNS REDDY)
SEC, WMC-1

[Signature]
(Dr Siddhartha Gaurav)

[Signature]
(R.K. Sharma)
EE(WMC-1)


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I


S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
72	Palika Maternity Hospital, Lodhi Colony	65	Granted	Applied on 07.03.2011	Applied for renewal on 08-06-2016	Installed	letter for seeking an application of consent.	Letter issued to the HCF to apply for CTO. HCF has not yet applied for CTO.		Issue authorisation under BMW Rules. Issue letter asking the HCF to apply for Consent to Operate with all requisit documents in a time bound manner. Inspection of HCF be carried out to verify the compliance and file put up administratively thereafter.
73	Park Hospital, 12-13, Meera Enclave (Chowkandi) Near Keshopur Depot, Outer Ring Road	270	Granted	Granted valid upto 12.09.2018	Applied on 19-07-2016	Installed	provisional consent and authorization granted.	CTO & Authorization issued. HCF has applied for renewal of Authorization on 19-07-2016. Inspection conducted on 23.11.2016. BMW was not found proper. ETP was not found functional. On the basis of defeciencies, a SCN issued on 28.11.2016. Reply awaited.		File be put up administartively.
74	PUSHPAWATI SINGHANIA RESEARCH INSTITUTE FOR LIVER RENAL AND DIGESTIVE DISEASES.Press Enclave Marg, Sheikh Sarai-II	106	Granted	Granted valid upto 13.09.2017	applied on 14-07-2016	Installed	Granted	HCF was inspected on 31.08.2015, BMW found in order, STP found functional. Treated waste is reused for gardening, and construction activity. CTO and Authorization granted. HCF has applied for renewal of Authorization on 14.07.2016.		Inspection of HCF be carried out to verify the compliance and put up administratively thereafter.
75	RESCUE HOSPITALS INDIA PVT. LTD,S-5, VISWAS PARK, BEHIND SECTOR-3 PETROL PUMP, DWARKA, DELHI	80	applied on 16.07.2014	Not Applied	applied on 16.07.2014	Installed	Grant authorization and Letter for seeking an application of CTO.	Authorization issued. Letter issued on 15.12.2016 to HCF seeking application for CTO.Reply awaited		File be put up administratively


Chairman
DPCC



Member Secy.
DPCC


Director (Env)


Dr. T.K. Joshi
Member


CDR BMS REDDY
SEF, WMC-I


Dr. Siddhesh Chavhan


(R.K. Sharma)
EE (WMC-I)

Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I

S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
76	Sanjay Gandhi Memorial Hospital Mangolpuri, Delhi-83	300	Granted	Granted Valid till 18.3.12	Applied on 01.05.12	Installed	Issue reminder (for Letter issued on 11.01.2016 for defeciciencies observed during the inspection)	Reminder issued. Reply awaited.		File be put up administratively.
77	SAROJ MEDICAL INSTITUTE.PLOT NO 8 & 9, POCKET 8-B, SECTOR-19, ROHINI	105	Granted	applied on 10-05-2016	applied on 25-04-2016	Installed	Fresh Case	HCF has applied for CTO & Authorisation on 10.05.2016 & 25.04.2016. Inspection conducted on 19.10.2016. STP found installed and was functional. Isolated storage site needs improvement and trolley washing area needs to be built properly. On the basis of defeciciencies observed,SCN u/s 5 of EPA issued on 30.11.2016. Reply awaited.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	File be put up administartively.
78	SATYABHAMA HOSPITALS PVT. LTD.,RZ-10, NARESH PARK, NAJAFGARH ROAD, NANGLOI	80	Granted	applied on 02-06-2015	applied on 08-04-2015	Installed	Expedite Inspection	HCF has applied for CTO & Authorization on 02.06.2015 & 08.04.2015 respectively. Inspection conducted on 06.05.2016. Isolated site needs imporvement. ETP needs improvement. On the basis of defeciciencies. letter issued on 15.12.2016. Reply awaited.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	File be put up administartively.
79	Sunder Lal Jain Charitable Hospital.Ashok Vihar. Phase III	#####	Granted	Granted upto 03.02.2020	Applied on 09-9-2016	Installed	Fresh Case	HCF has been granted CTO which was valid upto 03.02.2020. HCF has applied for renewal of Authorization on 09.09.2016. Inspection conducted on 19.10.2016. On the basis of defeciciencies observed. SCN u/s 5 of EPA issued on 30.11.2016.Reply awaited.		File be put up administratively.

Chairman
DPCC

Member Secy.
DPCC

Director (Env)

Dr. T. K Joshi 20/26
(Member)

(Dr. R. S. REDDY)

(Dr. Goldhartha Gautam)

(R. K. Sharma)
(FETWM-1)


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I

S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
80	Surya Kiran Hospital Pvt Ltd.31-34, Roshan Mandi,Najafgarh,	101	applied on 11.04.2016	Applied on 30-05-2016	Applied on 11.04.2016	Installed	Grant authorisation & CTE and letter for seeking information about wastewater treatment plant.	HCF has been granted CTE & Authorisation on for 50 beds. Now HCF has applied for CTE and Authorisation and CTO for 101 beds on 11.04.2016 & 30.05.2016 respectively. Inspection conducted on 21.11.2016. Defeciciencies w.r.t. BMW were observed. SCN issued on 15.12.2016. Reply awaited		File be put up administartively.
81	VIKAS HOSPITAL PVT. LTD..1629-H, THANA ROAD, NAJAFGARH	60	Granted	applied on 04-06-2015	granted. Valid upto 03.06.2018	Installed	Expedite Inspection	HCF has been granted CTE for 35 beds on 18.09.2014. Again HCF has applied for CTE, CTO & Authorization for 60 beds. CTE & Authorisation for bed strength 60 granted. Inspection conducted on 09.03.2016. On the basis of defeciciencies, letter issued on 30.03.2016. No reply received so far. As the file was not available in the record therefore to create a duplicate file and to know the present status, an inspection conducted on 02.11.2016. On the basis of defeciciencies observed during the inspection, a SCN u/s 33 A of Water Act, 1974 & u/s 5 of EPA issued on 15.12.2016. Reply awaited.		File be put up administratively.
82	G.B.Pant Hospital, J.L. Nehru Marg, New Delhi-2	601	Granted	Applied on 22.08.2013	Granted (Valid up-to 13.06.16)	Installed	Expedite Inspection	HCF has applied for CTO on 22.08.2013. Authorization has been issued which was valid upto 13.06.2016. Inspection conducted on 06.12.2016. Defeciciencies w.r.t. BMW and STP were observed. On the basis of defeciciencies, SCN issued on 13.12.2016. Reply awaited.		File be put up administartively.



Chairman
DPCC



Member Secy
DPCC



Director (Env)

Dr. T. K Joshi
Member

21/26


Cor BRS REDDY
SBE, WMC-1


Dr. Siddhartha Gautam


(R. K. Sharma)
EE(WMC-1)


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I


S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
83	Mata Roop Rani Maggo & Mahindru Hospital, C-9, Om vihar, Phase-I, Metro Pillar No. 709, New Delhi-59	100	Applied on 28.09.2016	Not applied	Applied on 28.09.2016	Installed	Fresh case	Applied for CTE and Authorisation for extended bed strenthe. Inspection of the HCF conducted on 20.10.2016.BMWM was not found proper and STP was also not found functional.On the basis of defecencies, a SCN issued on 28.11.2016. Reply awaited.		File be put up administartively.
84	B.M. GUPTA NURSING HOME PVT. LTD..H - 11 - 15, UTTAM NAGAR,	100	applied 04-06-2014	applied on 02-06-2015	applied 04-06-2014	installed	Expedite Inspection	HCF has applied for CTE, CTO & Authorization on 04-06-2014. 02-06-2015 & 04-06-2014 respectively. Inspection conducted on 12.05.2016. BMWM was not found as per Rules and ETP was also not found functional.needs improvement. HCF has submitted its reply w.r.t rectification of deficiencies on 25.10.2016.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue Consent to Establish. Issue a letter to the HCF seeking all the test reports ,which have not been submitted along with the application of CTO. Inspection of HCF be carried out to verify the compliance and put up administratively thereafter.
85	SAFDARJANG HOSPITAL AND VMMC,AURBINDO MARG	1531	applied on 30.04.2014	Applied on 24.09.2015	Applied on 04.04.2016	Not Installed	Expedite Inspection	HCF was granted Authorisation which was valid upto 17.04.2016 and has applied for renewal on 04.04.2016. Additionally, Executive engineer (CPWD) of Safdarjung Hospital has submitted a letter along with reports oof D.G Set and boiler installed at Safdarjung Hospital on 08.03.2016. <i>The NMR shows that insertion loss of the acoustics is > 25.</i> CPWD HCF has also applied for CTE & CTO (without effluent analysis report) on 30.04.2014 & 24.09.2015 respectively. Inspection conducted on 16.06.2016. BMW management found proper. ETP not installed..		Issue Consent to establish and Authorisation under BMW Rules and SCN u/s 33(A) of Water Act w. r. t. not instalation of STP. Call for personal hearing in respect of STP installation.


Chairman
DPCC



Member Secy
DPCC


Director(EW)

Dr. T. K. Jishi 22/26
Member


(Dr B. S. Reddy)
CEE, WMC-I


(Dr. Siddhartha Gautam)


(R. K. Sharm)
EE(WMC-I)


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM


Annexure-I


S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
86	Bensups Hospital (B.R. Dhawan Memorial Charitable Trust) Bensups Avenue, Near K.M. Chowk, Sector-12, Dwarka, New Delhi - 110075	138	Granted	Applied on (31.08.2009) time lapsed	Granted (valid upto 18.07.2016)	Installed	Issue Authorization under BMW rules and reminder for non-operation of STP.	Authorization issued and letter for CTO on 15.12.2016. HCF has not applied for CTO so far.		Letter asking for applications for Authorisation under BMW Rules and Consent to operate with all requisit documents.
87	Central Jail Hospital Tihar, New Delhi-64	240	Granted	Not Applied	Granted valid up-to 28.05.2018	Installed	Grant Authorization followed by inspection.	Authorization issued on 21-04-2016. Inspection conducted on 22-06-2016. BMWM found proper. However, installed STP could not be inspected due to issue of separate permission in the central jail. Hospital has been advised to submit the test report of ETP installed. No test report and application for CTO submitted so far.		Issue a reminder asking the HCF to apply for Consent to Operate with all requisit documents in a time bound manner.
88	ESI Hospital, Sector-15, Rohini, Delhi-85	300	Granted	Applied on 18.07.08	Granted valid upto 08.06.2017	not commissioned yet	authorization granted and letter for seeking an application of consent.	HCF has been granted Authorization which was valid upto 08.06.2017. Letter for seeking CTO application issued on 25.05.2016. Reply has been received from HCF on 24.06.2016 stating that ETP has not been commissioned yet. HCF has not applied for CTO.		Letter asking the HCF to apply for Consent to Operate with all requisit documents in a time bound manner. Inspection of the HCF to know the compliance status.
89	International Centre for Genetic Engg. & Biotech P. B. 10504, Aruna Asaf Ali Marg, New Delhi-67	Nil	Granted	Applied on 17.1.12	Applied on 09.03.2012	Installed	provisional consent granted and letter for seeking an application of authorization	Unit has not applied for Authorisation after expiry.		Issue letter to the HCF asking for applications for Authorisation under BMW Rules and Consent to operate. Inspection of the HCF to know the compliance status.
90	Irene Hospital (A unit of Delphi Healthcare Research Institute Private Ltd. DD-23, Kalkaji, New Delhi-19	55	Granted	Not Applied	Granted (Valid up-to 11.06.17	Not Installed	Letter for seeking an application of consent.	HCF has not applied for CTO till date.		Issue reminder letter to the HCF asking for applications for Authorisation under BMW Rules and Consent to operate. Inspection of the HCF to know the compliance status.



Chairman
DPCC



Member Secy.
DPCC


Director (Enw)


Dr. T.K. Joshi 23/26
Member


Dr. S. S. Reddy


Dr. Siddhartha Gautam


R. K. Arora
EE(WM-1)


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I


S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
91	Kasturba Hospital, Near Jama Masjid, New Delhi-2	450	Granted	Applied on 27.08.13	Not applied (earlier valid up-to 25.08.12)	Not installed	provisional consent granted and letter for seeking authorization.	As decided in the meeting, CTO could not be granted as HCF has not confirmed the installation of ETP. Letter for seeking authorization issued, also discussed telephonically with the Medical Superintendent.		Issue a letter to the HCF asking for application for Authorisation under BMW Rules and to submit treated effluent test report from empanelled laboratory of DPCC. Also, call the HCF for a personal hearing.
92	Khetarpal Hospital, F-95 Bali Nagar, Najafgarh Road.	60	Granted	Granted, valid upto 12.10.2019	Granted valid upto 12.10.2017	STP Installed	Fresh Case	HCF was granted Authorisation for 35 beds valid upto 15.12.2016, thereafter again applied on 14.07.2014 for Authorisation for extending beds from 35 to 60 beds which is lying pending. HCF has been granted CTO (valid upto 12.10.2019) & authorisation (valid upto 12.10.2017). Earlier unit has applied for Authorisation.		Make the application for CTE dated 14.7.2014 infructuous. Inspection of HCF be conducted and put up administratively.
93	All India Institute of Medical Sciences, Ansari Nagar, New Delhi-29	2126	Granted	Applied on 17.06.2011	Applied on 19.03.2014	Installed	Issue Authorization under BMW Rules followed by Inspection	Authorization issued. W.r.t. inspection a meeting was convened with MS of the HCF for necessary steps required for the compliance. In response to the meeting, Hospital has submitted a letter along with action taken report wherein it has been stated that deficiencies have been rectified.		Call for personal hearing before the Chairman, DPCC.
94	MAX SUPER SPECIALITY HOSPITAL (A UNIT OF BALAJI MEDICAL & DIAGNOSTIC RESEARCH CENTRE), 108-A, (Old building) Indraprastha Extension Patparganj	147	Granted	Granted for existing building	17/08/2016			Unit has obtained EC for expansion of Max Super Hospital at 108 A. HCF has applied for Authorisation on 17/08/2016		Call for personal hearing before the Chairman, DPCC.


Chairman
DPCC


Member Secy
DPCC


Director (Em)


Dr. T.K. Joshi
24/26
Member


(Dr. B.S. Reddy)
SEE, WMC-1


(Dr. Siddhartha Gautam)


(R.K. Sharma)


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM


Annexure-I

S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
95	MAX SUPER SPECIALITY HOSPITAL (A UNIT OF BALAJI MEDICAL & DIAGNOSTIC RESEARCH CENTRE).108-A. (New building) Indraprastha Extension nagpurani	255	Granted	Granted valid upto 09.12.2017	17/08/2016			HCF has been granted Authorization which was valid upto 22.08.2016 and has applied for renewal on 17.08.2016 and CTO which was valid upto 09.12.2017.		Call for personal hearing before the Chairman, DPCC.
96	MAX SUPER SPECIALITY HOSPITAL (A UNIT OF DEVKI DEVI FOUNDATION).2 PRESS ENCLAVE ROAD SAKET	302	Granted	Granted valid upto 20.12.2017	applied on 17-08-2016	Installed	letter for seeking necessary applications	Authorization issued on 28.04.2016. HCF has applied for renewal of Authorization on 17.08.2016.		Call for personal hearing before the Chairman, DPCC.
97	Max Super Speciality Hospital.1.Press Enclave Road,Saket.	192	Granted	Granted valid upto 07.08.2016	applied on 17-08-2016	Installed	Granted Authorization	Authorization issued on 13.04.2016 which was valid upto 17.07.2016. HCF has applied for renewal of Authorization on 17.08.2016.	Test Reports:- Air (Emissions) - Test Reports within norms Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Call for personal hearing before the Chairman, DPCC.
98	MCD Chest Clinic and Hospital.Nehru Nagar	55	Granted(valid upto 17.01.2011)	Applied on 18.09.09. Not applied after expiry of stipulated time.	Applied on 22-09-2014	Not Installed	Expedite Inspection	HCF has applied for Authorisation on 22-09-2014. However, not applied for CTO after expiry of stipulated time.Inspection conducted on 16.06.2016. No STP found installed. BMW was not found proper.On the basis of defeciencies, SCN u/s 33 A & u/s 5 of EPA issued on 24.08.2016. Reply not submitted.		Reminder to be issued w.r.t SCN issued earlier.Call for personal hearing before the Chairman, DPCC.


Chairman
DPCC



Member Secy.
DPCC



Director (Env)


Dr. T. K. Joshi
Member

25/26


Dr. B. S. Reddy
CEE, WMC-1


Dr. Siddhartha Gantam


R. K. Sharma
EE(WMC-1)


Decisions taken by the BMW Committee, headed by the Chairman, DPCC, in its meeting held on 19.12.2016 at 11.00 AM

Annexure-I


S.No.	Name and Address of HCE	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 26.02.2016	Brief of the Case	Status of Test Report	Decision of the Committee
99	Rajan Babu Institute for Pulmonary Medicine & Tuberculosis (RBTB Hospital), GTB Nagar, Kingsway Camp, Delhi-9	1155	Applied on 12.10.10	Applied on 12.10.10	Granted (Valid up-to 23.05.16)	Under Construction	Expedite Inspection	Inspection conducted on 01.06.2016. BMW was found proper, STP was found under construction. On the basis of observations, a letter has been issued on 17.08.2016 to apply for CTO and Authorisation & rectification of deficiencies. No reply & applications received till date		Call for personal hearing before the Chairman, DPCC.
100	Shanti Mukand Hospital, 2, Institutional Area Vikas Marg Extn Karkardooma	144	Granted	Applied on 23-01-2015	Granted valid upto 22.01.2018	Installed	Inspection to be conducted	Inspection conducted on 27.05.2016 Deficiencies w.r.t BMW & STP were observed. On the basis of deficiencies, SCN u/s 33 A were issued on 21.06.2016. HCF has submitted a reply on 04.07.2016 stating that they have rectified all the deficiencies.		Call for personal hearing before the Chairman, DPCC.
101	Lady Harding Medical College and Associated Hospitals, Shaheed Bhagat Singh Marg, New Delhi-01	1247	Granted for existing building.	Applied on 18.04.2016	Valid upto 21.05.2016.	ETP Installed for Laundry only.	Expedite Inspection	HCF was inspected on 15.07.2016. BMW was found proper. ETP found installed but only for laundry purpose. File was put up administratively and SCN u/s 33 A issued on 11.08.2016. Reply not received so far. Not applied for renewal of authorization after expiry on 21.05.2016.	Test Reports:- Air (Emissions) - Test Reports within norms. Water (Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Reminder for reply of SCN issued on 11.8.2016 and asking the HCF to apply for renewal of authorisation under BMW Rules.
102	Pandit Madan Mohan Malviya Hospital. Govt. of Delhi, Delhi-17 Malviya Nagar, Delhi-17	92	Granted	Applied on 16.11.10	Valid up to 06.07.2017. Applied for renewal again on 10.12.2016		authorization granted and letter for seeking an application of consent.	Authorisation granted. Letter issued to HCF seeking application for CTO. HCE has submitted a reply along with adequacy report. Which certify about adequacy of plant in terms of treatment and discharge with compliance of parameters as mentioned in test report		Reminder to the HCF seeking application for Consent to Operate with all requisit documents.



Chairman
DPCC



Member Secy
DPCC


Director (Env)


Dr. T.K. Jishi
Member 26/26


Dr. B. S. Reddy
SEE, WMC-1


Dr. S. S. Reddy
(Dr. S. S. Reddy's Signature)


(R. K. Sharma)
WMC