

Subject: Minutes of BMW Committee No 2 constituted for deciding applications for grant of authorization under BMW Rules and consent under Air and Water Acts in respect of Health Care Establishments having bed strength of 10 to 99.

The meeting of the BMW Committee No 2 was held on 23.01.2014 in the conference room of DPCC at 2.30 PM. Following members were attended the meeting:-

- | | |
|---|--------------|
| 1. Sh. Sandeep Mishra, Member Secretary, DPCC | --- In Chair |
| 2. Dr. T. K. Joshi, COEH, MAMC | --- Member |
| 3. Dr. Ashok Jaiswal, MS, Aruna Asaf Ali Hospital | --- Member |
| 4. Sh. Pankaj Kapil, SEE, DPCC | --- Member |
| 5. Sh. Sanjay Vatts, EE, DPCC | --- Member |
| 6. Sh. Shyam Sunder, EE, DPCC | --- Member |

Following are the decision taken in the meeting:-

Agenda No. 1. Cases of Health Care Establishments (HCEs) having Bed Strength 50 to 99

38 Cases pertaining to HCEs having Bed Strength 50 to 99 were considered in the meeting. Decisions taken are annexed as:-

Annexure-I.

Agenda No. 2. Cases of HCE's with bed strength 10 to 49 which were considered by the Committee in its meeting Held on 02.4.2013

112 Cases pertaining to HCEs having Bed Strength 10 to 49 were considered in the meeting. Decisions taken are annexed as:-

Annexure-II.

Agenda No. 3. Fresh cases of HCE's with bed strength 10 to 49

192 Fresh Cases pertaining to HCEs having Bed Strength 10 to 49 were considered in the meeting. Decisions taken are annexed as:-

Annexure-III.

During the meeting it was discussed that authorization pertaining to Health Care Establishments (HCEs) having Bed Strength less than 10 were being decided earlier with approval of the Addl. Director. Consequent upon the superannuation of Addl. Director Sh. B. Kumar it was decided in the meeting that the aforesaid authorization may be issued with the approval of Senior Environmental Engineer of the Cell.

The decisions recommended by the BMW Committee No-2, agenda wise are at annexure I, II & III are summarized as follows:

1. Decisions recommended w.r.t. Agenda No.1, A total of 38 Cases of the Health Care Establishments having Bed strength between 50 to 99 were placed before the said committee and are summarized as follows :-

- 1 Case, Issue letter seeking fresh adequacy report from empanelled consultant and proper justification for the quantum of waste water (Sr. No. 1)
- 1 Case, Issue CTO with Condition to install flow meters.. (Sr. No. 2)
- 1 Case, Issue Authorization under BMW Rules and issue CTO with Condition to install flow meters.. (Sr. No. 34)
- 1 Case, Issue CTO..(Sr. no. 23)
- 1 Case, Issue CTO and CTE..(Sr. No. 10)
- 3 Cases, Issue Authorization under BMW Rules and CTO..(Sr. No. 3,21,28)
- 1 Case, Issue Authorization under BMW Rules..(Sr. No. 9)
- 1 Case, Issue Authorization under BMW Rules and letter to ask HCE to apply for renewal of consent to operate..(Sr. No. 30)
- 1 Case, Issue Authorization under BMW Rules and letter ask HCE to submit Effluent Test Report and Noise Monitoring Report..(Sr. No.26)
- 4 Cases, Issue Authorization under BMW Rules and letter ask to submit an action plan for installation of ETP/STP..(Sr. No. 5,6,11,16)
- 1 Case, Issue letter to apply for renewal of authorization and to submit an action plan for installation of ETP/STP..(Sr. No. 12)
- 1 Case, Issue letter to apply for CTO and to submit an action plan for installation of ETP/STP..(Sr. No.27)
- 1 Case, Issue letter to apply for CTO and to submit the status of installation of ETP/STP..(Sr. No.29)
- 1 Case, Issue letter to ask HCE to submit action plan for installation of ETP/STP..(Sr. No. 22)
- 3 Cases, Issue CTE and letter to ask the HCE to clarify on the strength of beds viz a viz capacity of ETP and the action plan for the installation of the ETP/STP..(Sr. No. 36,37,38)
- 1 Case, Issue CTE and letter to ask the HCE to submit the status of installation of ETP/STP and to apply for CTO and authorization under BMW Rules..(Sr. No. 35)
- 1 Case, Issue reminder letter to submit adequacy report..(Sr. No. 20)
- 1 Case, Issue CTE for 45 beds and ask HCE to apply CTO & submit DHS certificate for amended bed strength.. Sr. No. 18)
- 2 Cases, Issue Show Cause Notice u/s 5 of EPA for Closure (Sr. No.4,33)
- 1 Case, Issue Closure direction u/s 5 of EPA (Sr. No. 13,)
- 1 Case, No Action at present..(Sr. No. 15)
- 4 Cases, Expedite inspection..(Sr. No. 7,14, 19,24)
- 3 Cases, Inspection be Conducted..(Sr. No. 17,25,32)
- 1 Case, File be put up administratively..(Sr. No. 8)
- 1 Case, Duplicate entry..(Sr. No. 31)

Decisions recommended w.r.t. Agenda No.2, A total of 112 Pending Cases of the Health Care Establishments having Bed strength between 10 to 49 were placed before the said committee and are summarized as follows :-

- 9 Cases, Issue Authorization under BMW Rules..(Sr. No. 1,6,54,56,68,88,93,103,111)
- 1 Case, Issue Authorization under BMW Rules on correct address..(Sr. No. 10.)
- 1 Case, Issue Authorization under BMW Rules and Consent to Establish for the address D-305 with the condition to submit noise monitoring report within 06 months..(Sr. No. 57)
- 1 Case, Issue Authorization under BMW Rules and CTE..(Sr. No. 27.)
- 4 Cases, Issue Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked..(S.No.12,24,63,102). In Sr. No.63, HCE is to seek certification from CPCB also for disposal of pre-capsulated amalgam.
- 9 Cases, Issue letter seeking compliance..(Sr. No.2,16,18,19,25,62,70,71,108)
- 14 Cases, No Action at present..(Sr. No. 22,23,34,35,36,38,40,43,49,58, 74,75,82,112)
- 1 Case, Issue letter to HCE to seek record of BMW management..(Sr. No. 30)
- 1 Case, Issue letter to ask the HCE to apply for authorization under BMW Rules along with noise monitoring report of D.G. Set..(Sr. No.37)
- 1 Case, Issue letter to ask the HCE to apply for authorization under BMW Rules..(Sr. No.79)
- 17 Cases, Expedite inspection..(Sr. No.3,9,11,14,32,48,50,52,77,83,84,90,95,96,97,98,104)
- 3 Cases, Inspection be conducted..(Sr. No.47,51,81)
- 24 Cases, Issue letter for non-submission of noise monitoring report..(Sr. No. 13,15,20,21,26,28,29,33,44,45,46,59,64,65,78,80,91,92,94,100,101, 105,106,110)
- 1 Case, Issue show cause notice for Closure..(Sr. No.87)
- 1 Case, Issue SCN for closure u/s 5 of EPA..(Sr. no.89)
- 10 Cases, Issue Closure direction..(S.No.5,7,31,42,55,60,66,69,85,99)
- 1 Case, Case being dealt with R.G. Stone. No decision required at this Sl. No..(Sr. No. 39)
- 3 Cases, Issue reminder letter seeking Valid Agreement with CBWTF operator.. (Sr.No.4,41,67)
- 1 Case, Issue letter to HCE to submit copy of renewed agreement with CBWTF operator..(Sr. No.107)
- 1 Case, Issue letter to seek agreement with CBWTF operator exclusively for the address under reference..(Sr. No.109)
- 1 Case, Issue reminder letter to Commissioner (MCD)..(Sr.No.8)
- 1 Case, Issue reminder for the balance fee..(Sr. No.86)
- 1 Cases, Issue reminder for the balance fee and to apply for authorization under BMW Rules.. (Sr.No.53)
- 1 Case, Issue letter for apply afresh authorization under BMW Rules with balance fee..(Sr.No.61)
- 1 Case, Issue CTE. letter to HCE for installation of ETP/STP and to apply for CTO..(Sr. No.17)
- 1 Case, Case be deleted..(Sr. No. 72)
- 1 Case, Issue reminder to HCE for the DHS certificate and to apply afresh authorization under BMW Rules.. (Sr. No. 73)

- 1 Case, Issue Revocation of direction u/s 5 of EPA and Issue Consent to Establish..(S.No.76)
- 3. Decisions recommended w.r.t. Agenda No.3, A total of 192 Fresh and Renewal Cases of the Health Care Establishments having Bed strength between 10 to 49 were placed before the said committee and are summarized as follows :-
 - 82 Cases, Issue Authorization under BMW Rules..
(Sr.No.7,8,9,10,11,12,13,14,15,16,17,19,20,21,22,23,63,64,65,67,69,70,71,72,73,74,75,76,77,78,79,80,81,82,83,84,85,86,87,88,89,90,81,92,93, 94,95,96,97,98,132,149,150,152,153,155,156,157,158,159,160,161,162,163,165,166,167,168,169,170,171,172,173,174,175,177,178,179,180,181,182)
 - 104 Cases, Issue Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked.. (S.No.1,2,3,4,5,6,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60,61,62,66,68,100, 101,102,103,104,105,106,107,108,109,110,111,112,113,114,115,116,117,118,119,120,121,122,123,124,125,126,127,128,129,130,131,133,134,135,136,137,138,139, 140,141,142,143,144,145,146,147,151,164,185,186, 187,188,189,190,191,192)
 - 2 Cases, Issue Authorization under BMW Rules with a condition that HCE will submit the valid agreement with CBWTF facility within 15 days from the issue of authorization..(Sr. No.154,176)
 - 1 Case, Issue Authorization under BMW Rules with a condition that HCE will submit the valid agreement with CBWTF facility within 15 days from the issue of authorization and also required to submit the NMR within six months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked..(Sr.No.148)
 - 1 Case, Issue Authorization under BMW Rules and CTE..(Sr.No.99)
 - 1 Case, bed strength reduced to less than 10 beds, case be dealt at the level of SEE..(Sr. No.184)
 - 1 Case, Issue letter seeking compliance..(Sr. No. 18)
 - 1 Case, Get the name change in the record IT Cell and issue acknowledgement to the HCE..(Sr. No.183)


The meeting ended with a vote of thanks to the Chair.


(Sh. Sandeep Mishra)


(Member Secretary, DPCC)


(Sh. Pankaj Kapil)
(Senior Env.Engineer, DPCC)


(Dr. Ashok Jaiswal)
(MS, Aruna Asaf Ali Hospital)


(Sh. Sanjay Vatts)
(Env. Engineer, DPCC)


(Dr. T. K. Joshi)
(COEH, MAMC)


(Sh. Shyam Sunder)
(Env. Engineer, DPCC)

S. No	Name of HCU	Address of HCU	Distt.	No. of Beds	CTE Status	CTO Status	Authri zation Status	ETP/ STP Statu s	Status of Waste water test report	D.G.Set Status	NMR	Valid Agree ment With Opera tor	Decision/ Recommended of Committee on 02.04.13	A.T.R./Present Status	Decision recommended.
1	Kosmos Super Specialit y Hospital	C-59-60, Anand Vihar, Delhi-92	SHAHDAR A-487	65	G	Applied for renewal on 25.10.2013	G (Valid upto 25.06. 2015)	Instal led	Y	125 KVA	Y	Y	Issue Authorization under BMW rules and issue reminder letter regarding adequacy report of STP & details w.r.t Rain water Harvesting, Solar Water Heating System.	letter regarding adequacy report of STP & details w.r.t Rain water Harvesting, Solar Water Heating System issued on 01.07.2013 & Authorization under BMW rules issued on 23.07.2013. Reply received on 17.07.2013 along with Adequacy report of STP. No details w.r.t Rain water Harvesting, Solar Water Heating System. Applied for renewal of Authorization on 25.10.2013.	The adequacy report submitted along with CTO application is only for 50 beds. Ask the HCE to submit the fresh adequacy report from empanelled laboratory of DPCC for 65 Beds along with the proper justification for the quantum of waste water discharge as in the existing adequacy report, it appears to be quite lower side.
2	Jeewan Hospital & Nursing Home	Gate No.2,Jeewan Nagar, Opp.Maharani Bagh, New Delhi-14.	S-022	50	Grante d	Applied on 24.02.12	G (Valid upto 07.02. 2015)	Instal led	Y	82.5 KVA.	Y	Y	Authorization to be granted. CTO to be granted after satisfactory performance of STP/ETP.	Authorization under BMW rules and letter seeking satisfactory performance of ETP issued on 03.07.2013. Reply received on 23.09.2013 stating that i) STP is operational. We are maintaining the daily record of STP and log sheets of the same enclosed for your reference. ii) STP is based on aeration process and sludge so geenrated has been used in plants as manure and we assure you that our STP is functioning satisfactory and also requested to kindly issue CTO.	CTO granted with condition to intall flow meters for measurement of the water consumption and waste water discharge.

3	Vallabh Bhai Patel Chest Institute,	University of Delhi, PO-Box.No-2101, Delhi-7	N-007	60	Granted	G (Expired on 06.10.2013) Applied for renewal on 17.09.2013	Applied for renewal on 22.04.2013	Installed	Y	4 D.G. Set of 500 KVA & 1 D.G. Set of 75 KVA	Y	Y	Issue CTO.	CTO issued on 17.07.2013.	Issue Authorization under BMW Rules and CTO.
4	Guru Harikishan,	Bala Sahib Gurudwara Complex, New Delhi-14	S-035	45	Not applied	Not applied	Not Applied	Not Installed	No	125 KVA & 62.5 KVA	Y	Agreement expired on 31.03.2011.	Issue letter seeking application of Authorization under BMW rules and CTO.	letter issued on 17.06.2013.No reply received.	Issue SCN u/s 5 of EPA.
5	Palika Maternity Hospital,	Lodhi Colony , New Delhi-3	S-018	50	Granted	Applied on 07.03.11	Applied on 12.06.2013	Matter with NDMC	No	No	NA	Y	Put in next meeting	A meeting regarding installation of ETP/STP was held on 06.05.2013 before Chairman, DPCC. A letter regarding installation of STP was issued on 14.06.2013.Representation received on 07.05.2013 stating that matter has been sent to Civil Engineering Deptt. Of NDMC, Concerned deptt. Has opined that there is no need for Rain water harvesting in both the buildings as the water level is only 4-5 meter below ground level.	Issue Authorization under BMW Rules and letter to ask the HCE to submit an action plan for installation of ETP/STP.

6	Northern Railway Divisional Hospital,	S.P. Mukherjee Marg, Delhi-6	C-010	50	Granted.	Applied on 13.12.10	Applied on 26.04.2013	Not Installed.	N	70 KVA	N	Y	Put in next meeting	A meeting regarding installation of ETP/STP was held on 06.05.2013. A letter regarding installation of STP was issued on 14.06.2013. Reply received on 31.10.2013 stating that i) Present level of bed occupancy in the hospital is not more than 50%. The Bed occupancy ratio in respect of this hospital, for the last 12 months is complied and enclosed herewith as Appendix 1. ii) The hospital is geared to increasing emphasis on out patient treatment. iii) Division has been consistently and faithfully implementing all other instructions and advice of the DPCC, it is requested that the Northern Railway Divisional Hospital, Delhi may kindly be exempted from having to install and operate ETP.	Issue Authorization under BMW Rules and letter to ask the HCE to submit an action plan for installation of ETP/STP.
7	MCD Chest Clinic and Hospital,	Nehru Nagar, New Delhi- 65	SE-236	55	Granted	Applied on 18.09.09	NA	Not Installed	matter with engineering division of MCD. Ward is closed at present and will be installed when reconstructed.	No information	No information	Expired on 5.03.2008.	Call for Personal Hearing	A meeting regarding installation of ETP/STP was held on 06.05.2013 before Chairman, DPCC. The hospital attended personal hearing on 09.07.2013. During the personal hearing one of the representative stated that there is no indoor patient due to renovation of hospital. As decided on file to inspect the premises. Inspection is yet to be conducted.	Expedite inspection.
8	Red Cross Maternity & Child care Hospital,	New Seemapuri, Delhi-95	SHAHDAR A-006	57	Granted	G (Valid upto 17.07.2017)	Applied for renewal on 25.07.13	Not Installed	No	62.5 KVA	No	Y	Issue CTO with a condition that the HCE will submit NMR of DG set within 6 months(if it is having a DG Set) failing the CTO issued will deemed to have been revoked.	CTO issued on 25.07.2013.NMR not received.	File be put up administratively.

9	Jeevan Anmol Hospital,	Mayur Vihar Phase-I , Delhi-91	E-015	50	Granted	Granted (valid upto 26.09.14)	Applied on 14.02.12	Installed	Y	100 KVA	N	Y	Issue Show Cause Notice for revocation of Consent & refusal of Authorization.	Show Cause Notice for revocation of Consent & refusal of Authorization issued on 20.06.2013. Reply received on 02.07.2013 stating that we have rectified all the deficiencies pointed out during the last inspection which includes following: i) Installation of flow meter at the outlet of STP plant. ii) Biohazard symbol has been put on the door of the BMW storage room (picture attached) iii) Sending you the photostat of the logbook of the STP plant for 3 months.	Issue Authorization under BMW Rules
10	RG Stone Urology and Laproscopy Hospital,	F-12, East of Kailash, Delhi-65	SE-026	65	Applied on 09.10.2012	Applied on 09.10.2012	Granted (Valid upto 07.02.2015)	Installed	Y	250 KVA & 82.5 KVA	Y	Y	Issue letter for designing of STP alongwith Fresh Adequacy and submission of photos of Solar Water Heating System	Letter for designing of STP alongwith Fresh Adequacy and submission of photos of Solar Water Heating System on 19.06.2013. Hospital has submitted a reply on 28.06.2013 alongwith the fresh adequacy report for STP of capacity 24 KLD and also submitted photographs of Solar Water Heating System.	Issue CTO and CTE.
11	Dr. Shyama Prasad Mukherjee Chest Hospital,	Patparganj, Delhi-91	E-004	52	Granted	Applied on 02.11.11	Applied for renewal on 10.12.2013	Not Installed	No	75 KVA (Non functional , whenever it becomes functional NMR will be submitted)	N	N	Put in next meeting	A meeting regarding installation of ETP/STP was held on 06.05.2013. As decided in last meeting case is placed opposite. HCE has applied for renewal of Authorization on 10.12.2013.	Issue Authorization under BMW Rules and letter to ask the HCE to submit an action plan for installation of ETP/STP.

12	Moti Nagar Hospital (Acharya Bhikshu Hospital), Govt. of Delhi,	Moti Nagar, Delhi-15	W-015	80	Granted	Applied on 02.06.09	Granted (valid upto 28.12.13)	under process.	N	2 D.G Set of 500 KVA	N	Y	Put in next meeting	A copy of letter received on 10.06.2013 which they have written to EE (PWD) stating that: i) Effluent Treatment Plant (ETP) is to be installed. As per the estimate, sanction order has been issued. Kindly include the following clauses in the tender :- Maintainance of ETP plant for atleast five years, responsibility of quality chaeck on quarterly basis from authorized centre, license/permisssion to operate. ii) To submit time frame of ETP plant to be operational. iii) SWHS to be installed. iv) All lighting to be replaced to CFL/LED. v) To correct the deficiciencies in noise pollution norms in the two genset as pointed out by DPCC.	Issue letter to ask the HCE to apply for renewal of authorization and to submit an action plan for installation of ETP/STP.
13	Rescue Hospital India Pvt. Ltd.,	S-5, Vishvas Park, Behind Sector-3, Petrol Pump, Dwarka, Delhi	SW-202	50	Not Applied	Not Applied	Applied on 12.07.10.	No Information	No	125 KVA	N	Y	Issue Show Cause Notice for closure	Show Cause Notice for closure issued on 18.06.2013. No reply received.	Issue Closure directions to the HCE with the direction to discom agency to disconnect electricity connection except for the inpatient area.
14	Venu Eye Institute & Research Centre,	1/31, Institutional Area, Phase – 2, Sheikh Sarai, New Delhi-17	S-017	67	Granted	Applied on 14.09.10	Applied for renewal on 01.07.2013 with 20 no. of beds.	No Installed	No	125 KVA	Y	Y	Inspection	Inspection is yet to be conducted. Hospital has Applied for renewal of Authorization on 01.07.2013 with 20 no. of beds alongwith DHS certificate.	Expedite inspection.
15	Shishu Sadan Multispeciality Children's Hospital	1/169 A, Janakpuri, New Delhi-18	W-449	50	Granted	G (Valid upto 29.11.2017)	G (Valid upto 23.08.2014)	Installed	Y	125 KVA	Y	Y	Issue Authorization under BMW rules and CTO	Authorization & CTO issued on 03.07.2013	No action at present.

16	Shri Dada Dev Matri Avum Shisu Chikitsal ya,	Dabri, New Delhi-45	SW-171	64	Granted	Applied on 04.11.10	Applied on 17.07. 2012	Under process- proposal submitted to PWD .	No	320 KVA	No	No	Put in next meeting	Case is placed opposite.	Issue Authorization under BMW Rules and letter to ask the HCE to submit an action plan for installation of ETP/STP.
17	Mission aries of Charity ,	Prem Nagar Leprosy Home, Tahirpur, Seemapuri. Delhi-95	SHAHDAR A-141	55	Not Applied	Not Applied	Applied on 02.05. 11	Not Installed	No	No information	No	Expired on 26.04.2012	Put in next meeting	Case is placed opposite.	Inspection be conducted.
18	Gupta Multi Speciality Hospital,	B-20, (Opposite Ram Mandir), Vivek Vihar, Delhi-95	East-281	50	applied on 23.08. 2013	Not applied	Applied on 10.05. 2012 for 50 beds as earlier authorization was valid upto 14.04. 2012 for 25 beds.	Not Installed	No	50 KVA.	Y	Y	Issue Show Cause Notice for Closure	Show Cause Notice for Closure issued on 25.06.2013. Reply received on 26.09.2013 stating that we have current bed strength of 45 beds. We had approached DHS vide our letters dated 28.03.2013 & 11.07.2013 (copy enclosed) for amending our registration accordingly. We are following up the matter to get it ammended. Amended certificate will be submitted to DPCC in few days. iii) It is understood that as per DPCC policy, there is no need for installation of ETP/STP/Rain Water Harvesting system. iv) We have applied for consent to Establish. v) We are enclosing noise monitoring report issued by DPCC.	Issue CTE for 45 beds and letter to ask the HCE to apply for CTO and to submit amended DHS Certificate for the current bed strength.
19	Maharishi Ayurveda Hospital (Managed by Khosla Medical Institute Research	BP Block , Shalimar Bagh, Delhi-88	NW-482	70	Applied on 27.11. 2012	Applied on 11.01.2013	Granted (Valid upto 14.02. 2014).	Exempted	No	100 & 180 KVA	Y	Y	Inspection	Inspection is yet to be conducted.	Expedite inspection.

	Society),														
20	Pandit Madan Mohan Malviya Hospital, Govt. of Delhi, Delhi-17	Malviya Nagar, Delhi-17	S-066	92	Granted	Applied on 16.11.10	Granted (valid upto 31.07.14)	Installed	N	2 D.G Set of 250 KVA	N	N	Issue Reminder letter	Reminder letter regarding Adequacy report of ETP issued on 17.06.2013. No reply received.	Issue reminder letter for submission of adequacy report.
21	Shroff Charity Eye Hospital	5027, Kedra Nath Road, Daryganj, New Delhi-2	C-011	56	Granted	Applied on 18.07.2013	Applied for renewal on 27.09.2012	Exempted by BMW Committee-1.	NA	2 D.G Set of 125 & 380 KVA	Y	Y	Put in next meeting	Case is placed opposite.	Issue Authorization under BMW Rules and CTO.
22	Sardar Vallabh Bhai Patel Hospital	East Patel Nagar, New Delhi-8	W-206	50	G	Applied on 23.09.2011	G (Valid upto 18.12.2015)	Not installed	No	2 D.G set of 320 kva	Yes	No	Issue Authorization under BMW rules and issue letter regarding installation of ETP	Authorization under BMW rules and letter regarding installation of ETP issued on 25.06.2013. Hospital has not submitted any reply in this regard.	Issue letter to ask the HCE to submit an action plan for installation of ETP/STP.
23	Dr. B.R. Sur Hemopathic College Hospital	Nanakpura, Moti Bagh, New Delhi-22	C-038	50	G	Applied for renewal on 25.11.2013	G (Valid upto 10.01.2016)	Exempted	NA	40 KVA	Y	Y	Issue Authorization under BMW Rules.	Authorization under BMW rules issued. Applied for renewal of CTO on 25.11.2013	Issue CTO.

24	Max Hospital (A unit of Max Health Care Institute Ltd.)	HB Twin Towers, A-2, 3, & 4, Netaji Subash Place, Wazirpur, Distt. Centre, Delhi-34	NW-017	98	Granted	G (valid upto 06.01.2014)	Applied for renewal of Authorization on 21.01.2013	Installed	No	No information	No	No	Issue Show Cause Notice for closure	Inspection of the hospital was conducted by DPCC & CPCB Officials on 05.02.2013 and as per approved by Competent Authority SCN u/s 5 of EPA was issued on 15.04.2013. Hospital has submitted a reply on 03.05.2013 alongwith photographs as per decision on file inspection of hospital is approved. Inspection is yet to be conducted.	Expedite inspection.
25	Bhagat Chandra Hospital	RZF-1/1 Mahavir Enclave, Palam Dabri Road, New Delhi-45	W-121	85	Granted	G (valid upto 10.06.2017)	G (Valid upto 30.05.2015) Applied for renewal on 09.04.2013	installed	No	NI	N	Y		The Hospital has applied again for Authorization under BMW Rules on 09.04.2013 even the previous authorization is valid till 30.05.2015.	Inspection be conducted to ascertain the status of the Hospital.
26	R.B. Seth Jessa Ram & Bros Charitable Hospital	WEA Karol Bagh, New Delhi-110005	C-008	88	Granted	Granted valid upto 09.08.2014	Applied on 15.07.2013	installed	No	200, 500 KVA	N	Y		Applied for renewal of Authorization under BMW rules on 15.07.2013. HCE has 2 DG set of 200, 500 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules and letter to ask the HCE to submit Effluent Test Report and Noise Monitoring Report from empanelled laboratory of DPCC.
27	Jain Hospital	177-178, Jagriti Enclave, Vikas Marg Extention, Delhi-92	E-084	55	Not Applicable	Expired on 12.10.2007	Applied on 28.06.2013	NI	N	30 KVA	Y	Y		Applied for renewal of Authorization under BMW rules on 28.06.2013.	Issue letter to ask the HCE to apply for CTO and to submit an action plan for installation of ETP/STP.
28	National Heart Institute	49-50, Community Centre, East of Kailash, New Delhi-65	SE-069	80	G	Applied for renewal on 10.12.2013	Applied on 17.04.2013	Installed	Adequacy report submitted of Sep 2010.	285 & 110 KVA	Y	Y		Applied for renewal of Authorization under BMW rules on 17.04.2013. Applied for renewal of consent on 10.12.2013	Issue Authorization under BMW Rules and CTO.

29	Mansaram Hospital Pvt. Ltd.	B-5, Aman Puri Extention, Main Najafgarh Road, Nangloi, Delhi-41	W-388	52	Not Applied	Not Applied	Applied on 03.04.2013	NI	N	82.5 KVA	Y	Y		Applied for renewal of Authorization under BMW rules on 03.04.2013.	Issue letter to ask the HCE to to apply for CTO and to submit the status of installation of ETP/STP
30	Sitaram Bhartia Institute of Science & Research	B-16, Mehruli Institutional Area, New Delhi-16	S-015	70	Granted	Valid upto 15.11.2013	Applied on 25.04.2013	Installed	Y	380 & 400 KVA	N	Y		Hospital has applied for renewal of Authorization under BMW rules on 25.04.2013. HCE has 2 DG set of 380 & 400 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules and letter to ask the HCE to apply for renewal of consent to operate.
31	Northern Railway Division al Hospital	S.P. Mukherjee Marg, Delhi-6	C-010	50	Granted	NA	Applied on 26.04.2013	NI	N	NI	N	Y		Hospital has applied for renewal of Authorization under BMW rules on 26.04.2013. Hospital has not informed whether DG set has installed in their premises or not.	Duplicate entry already listed at Sl. No 6.

32	R.G. Stone Urology and Laproscopy Hospital	194, 195, Deepali Chowk (Outer Ring Road), Pitampura, Delhi-34	NW-324	Applied for fresh Authorization with 51 beds. Earlier having 30 no. of beds.	Applied for CTE on 02.07.2013	Not Applied	Applied on 02.07.2013	Not installed	N	125 KVA, 63 KVA	Y	Y		Inspection of the hospital is to be conducted to verify the facts. Inspection was conducted on 25.06.2013 and various were observed: i) Segregation of BMW was not found proper. ii) No needle cutter existed on Ist and Iind floor & the entire needle of hospital were taken to 3rd floor for cutting in needle cutter. iii) No puncture proof container found for disposal of BMW. iv) No isolated site existed for storage of BMW & general waste was found stored alongwith BMW in open at 4th floor. v) The microbiological was not decontaminated before disposal to CBWTF. vi) Acoustic of DG set was not proper & found open. vii) No labels found on bins containing BMW. viii) No trolleys found for transporting BMW. ix) Lease documents copy submitted.Hospital has applied for fresh Authorization and CTE on 02.07.2013. Earlier hospital was having 31 no.of beds.Hospital has submitted a request letter to change its name from RG Stone Urology and Laproscopy Hospital to RG Stone Urology and Laproscopy Hospital (A unit of R.G. Scientific Enterprises Pvt. Ltd.).	Inspection be conducted.
33	Navjeevan Hospital	A-12, Pushpanjali Enclave, Pitampura, Delhi-88	NW-347	67	Not Applicable	Not Applied	Applied on 19.06.2013	NI	N	Ni	N	Y		Applied for renewal of Authorization under BMW rules & consent to operate on 19.06.2013. Hospital has not informed whether DG set has installed in their premises or not.	Issue SCN u/s 5 of EPA.
34	Bhatia Global Hospital & Endosurgery Institute	307-308, Ambica Vihar, Paschim Vihar Delhi-87	W-007	51	Granted	Applied on 27.06.2013	Applied on 03.01.2014	Installed	Y	160 KVA	Y	Y		Applied for renewal of Authorization under BMW rules & consent to operate on 27.06.2013.	Issue Authorization under BMW Rules and issue CTO with the condition to install flow meters for the measurement of water consumption and waste water discharge.

35	Satyabhama Hospital s Pvt. Ltd.	RZ-10, Naresh Park, Najafgarh Road, Nangloi, Delhi-41	W-522	80	Applied on 19.09. 2013	NA	NA	Proposed	NA	250 KVA (Proposed)	N	N		Fresh Case	Issue CTE and letter to ask the HCE to submit the status of installation of ETP/STP and to apply for CTO and authorization under BMW Rules.
36	Khandelwal Hospital & Urology centre,	B-16, East Krishna Nagar, New Delhi-51	E-195	50	applied on 08.01. 2014.	Not applied	applied on 08.01. 2014. Applied for fresh Authorization for 50 beds. Earlier hospital was having 33 no. of beds.	Proposed	N	63 KW	N	Y		Applied for fresh Authorization on 08.01.2014. for 50 beds earlier hospital was having 33 beds. HCE has 63 KVA D.G. Set installed in their premises. NMR will be submitted within 2 months. STP is proposed.	Issue CTE and letter to ask the HCE to clarify on the strength of beds viz a viz capacity of ETP and the action plan for the installation of the ETP/STP.
37	Panchshel Hospital	C-3/64 A,Yamuna Vihar Delhi-53	NE-061	50	Applied on 15.01. 2014	Not applied	Applied on 15.01. 2014 for 50 no. of beds.	Proposed	N	20 KVA	Y	Y		HCE has applied for Authorization & Consent on 15.01.2014. Earlier HCE having 20 no. of beds.	Issue CTE and letter to ask the HCE to clarify on the strength of beds viz a viz capacity of ETP and the action plan for the installation of the ETP/STP.
38	Garg Hospital	8-9, A.G.C.R. Enclave, Karkardooma, Delhi-92	E-069	50	Applied on 17.01. 2014	Not applied	Applied on 15.01. 2014 for 50 no. of beds.	Proposed	N	125 KVA	Y	Y		HCE has applied for Authorization & Consent on 17.01.2014. Earlier HCE having 45 no. of beds.	Issue CTE and letter to ask the HCE to clarify on the strength of beds viz a viz capacity of ETP and the action plan for the installation of the ETP/STP.

S. No	Name of HCU	Address of HCU	Distt.	No. of Beds	CTE Status	CTO Status	Authorization Status	ETP/STP Status	D.G.Set Status	NMR	Valid Agreement With Operator	Decision/Recommended of Committee on 02.04.13	A.T.R./Present Status	Decisin recommended
1	Tughalkabad Specialists Poly Clinic	RZ-1909/23, Street No. 23,Main Jagdamba Road, Tughalkabad Extn, Delhi-62	C-130	10	NA	NA	Applied for Authorization on 06.06.2013 for 1 no. of bed.	NA	25 KVA	N	Y	Issue Show Cause Notice for closure and copy to DHS.	Show Cause Notice for closure issued on 22.05.2013. Reply received on 30.05.2013 stating that i) Segregation of disposal is being done with red and yeelow bags. ii) Colour coded bgs in separate bins are being maintained.iii) we are using an electric needle-syringe destroyer/cutter. iv) As per your letter, we will maintain seperate bins for sharps. v) Daily collection of bio-waste which is usually less than 500 g/daily has been arranged with the waste collector M/s SYnergy Waste Management Pvt. Ltd. That is why an isolated storage site was not required. Since you have highlighted the matter, i will arrange for such an isolated site in Clinic premises. vi) A seperate bin is being maintained for general waste and is marked as such. vii) we will maintain a proper record of BMW and submit it annulay to the DPCC. Hospital has applied for enewal of Authorizaton for 1 no. of bed 06.06.2013.	Issue Authorization under BMW Rules
2	Sana hospital	3/16, Sir Sayyed ahmed Road, Darya ganj, New Delhi-02	C-132	17	NA	NA	Authorization refused. No further application received	NA	20 KVA	N	Y	Issue Closure direction u/s 5 of EPA.	Closure direction u/s 5 of EPA issued on 10.06.2013. No reply received. No compliance received from BSES & DJB.	Seek compliance.
3	Lok Kalyan Samiti	Sucheta Bhavan,11-A,Vishnu Digambar Marg New Delhi-2	C-014	30	Not Applied	NA	6.2.2012	NA	60 KVA	Y	N	Inspection	Inspection is yet to be conducted.	Expedite inspection.

4	Bansal Hospital & Research Centre (pvt) Ltd.	3590-91,Sita Ram Bazaar,Delhi-6	C-015	15	NA	NA	Applied on 14.12.2012	NA	10KVA	Y	N	Issue Letter seeking Valid Agreement with CBWTF operator.	Letter issued on 21.05.2013. No reply received.	Reminder may be issued.
5	Temple Nursing Home	1 ,Darya Ganj , Ansari Road , New Delhi-2	C-020	10	NA	NA	Authorization refused. No further application received	NA	12 KVA	N	Y	Issue Show Cause Notice for Closure.	Show Cause Notice for Closure issued on 23.05.2013. Reply received on 30.07.2013 stating that the accoustic enclosure of our generator set help been done by your approved manufacture namely Ashok Suri of Mega Engineering Company, near Arvind Bharti Public School, Gokulpuri, delhi-110094 and since when you have inspected the noise pollution and pointed out we have been writing to him to look into this matter but it seems company is not willing to come to rectify the defect.	Issue closure.
6	Sunder Lal Jain Charitable Eye Hospital	Sadar Thana Road , Motia Khan ,Pahar Ganj Delhi-55	C-074	10	Granted	NA	Authorization refused. Applied for renewal of Authorization on 17.12.2012 for 5 beds.	NA	7 KVA	Y	Y	Inspection to be expedited and issue letter seeking Noise Monitoring Report.	Inspection was conducted on 29.07.2013 and following were observed: 1) Old DG set has removed from the premises. ii) Bio-medical waste management was not found satisfactory. iii) trolley for transfer of waste does not exist. iv) Isolated storage site does not exist. NMR received on 16.08.2013. A letter regarding rectification of deficiencies observed during inspection 29.07.2013 was received on 01.01.2014 stating that: i) Bins have proper label. ii) Proper isolation for biomedical storage. iii) Seperate puncture proof needle cutter. Photographs are enclosed.	Issue Authorization under BMW Rules

7	Delhi Hospital & Vardhman Diagnostics	1- Ansari Road, Darya Ganj, New Delhi-02	C-081	12	NA	NA	Authorization refused. No further application received	NA	15 KVA	N	Y	Issue Show Cause Notice for Closure.	Show Cause Notice for Closure issued on 22.05.2013. Reply received on 30.07.2013 claiming that the accoustic enclosure of our generator set help been done by your approved manufacture namely Ashok Suri of Mega Engineering Company, near Arvind Bharti Public School, Gokulpuri, delhi-110094 and since when you have inspected the noise pollution and pointed out we have been writing to him to look into this matter but it seems company is not willing to come to rectify the defect.	Issue closure.
8	MCD Maternity Home	Gulabi Bagh MCD, Near chest clinic, Kali Das Marg, Gulabi Bag, Delhi-7	C-081	15	NA	NA	Authorization refused. No further application received	NA	NI	N	Y	Issue Letter to Commissioner (MCD).	letter issued on 05.07.2013. No reply received.	Issue reminder.
9	Rajdhani Chattiable Eye & Medical Centre	650 Nabi Karim, Qutub Road, Delhi-55	C-085	10	NA	NA	19.09.2010 as per meeting Agenda dated 03.08.2011. However, only application for authorization & affidavit without fee submitted on 06.12.2010. 3 Years has lapsed. Not Applied for Authorization thereafter	NA	25 & 10 KVA	N	Expired on 31.05.2011.	Inspection	Inspection is yet to be conducted.	Expedite inspection.

10	Kamla Nehru Maternity Home	Vivekanand Puri, MCD, Delhi-07	C-089	12	NA	NA	Not Applied	NA	NI	N	N	Issue Letter to Commissioner (MCD).	Letter issued on 01.07.2013. A letter now has been received from HCE on 23.08.2013 stating that by mistake they had given in the application of renewal of Authorization the address of M/s MCD Maternity Home, Gulabi Bagh MCD, Near chest clinic, Kali Das Marg, Gulabi Bag, Delhi-110007 instead of Vivekanand Puri, MCD, Delhi-110007 and requested to correct the address in the records. While during checking the file of M/s MCD Maternity Home, Gulabi Bagh MCD, Near chest clinic, Kali Das Marg, Gulabi Bag, Delhi-110007 two application of renewal of Authorization were placed with same address i.e. M/s MCD Maternity Home, Gulabi Bagh MCD, Near chest clinic, Kali Das Marg, Gulabi Bag, Delhi-110007. One was submitted on 21.12.2010 and other was submitted on 24.11.2010. As decided in file to placed the case in the next meeting of BMW committee-2. Case is placed opposite.	Issue Authorization under BMW Rules on correct address
11	Sahara Michael's Care Home (Sahara F.H.I Crises Shelter)	1765, Pataudi House, Dariya Ganj, New Delhi-02	C-093	30	NA	NA	Not Applied	NA	NI	N	N	Inspection	Inspection is yet to be conducted.	Expedite inspection.
12	Lotus Hospital & Maternity Centre	D.R. Tyagi Complex, Sant Nagar, Bus Stop, Burari, Delhi-84	C-136	15	Applied on 10.01.2013	NA	29.12.2011	NA	3 KVA	Expired.	Y	Issue reminder letter	Reminder letter issued on 29.05.2013. NMR received on 10.06.2013 of july 2012.	Issue Authorization under BMW Rules with the condition to submit fresh noise monitoring report within 06 months.
13	North City Hospital	137/6, Main Road, Sant Nagar, Burari, Delhi-84	C-141	15	G	NA	G (Valid till 16.08.2015)	NA	15KVA	N	Y	Issue Reminder letter	Reminder letter issued on 23.05.2013. NMR not received.	Issue letter for non submission of noise monitoring report.

14	Passi Hospital & Nursing Home	31, Mahila Colony , Main Road.,Near Jheel, Gandhi Nagar, Delhi-31	E-114	15	NA	NA	Not Applied	NA	NI	No	N	Inspection.	Inspection is yet to be conducted.	Expedite inspection.
15	Taneja Hospital	F-15, Preet Vihar, Delhi-92	E-145	48	NA	NA	G (Valid upto 06.03.2015)	NA	NI	N	Y	Issue Authorization under BMW Rules under BMW rules with a condition that the HCE will submit NMR of DG set within 6 months(if it is having a DG Set) failing the Authorization issued will deemed to have been revoked.	Authorization issued on 12.06.2013. NMR not received.	Issue letter for non submission of noise monitoring report.
16	New Life Hospital	B-15, Gurudwara Road, Behind Mother Dairy, Delhi-92	E-163	5	NA	NA	04.06.2012 for 5 beds earlier have 15 no.beds.	NA	7 KVA	Y	Y	Issue a common DO letter for such type of cases seeking compliance from DISCOM.	Common DO letter Issued on 13.08.2013 to BSES Nehru Power Limited. BSES has replied that the area falls under the jurisdiction of Yamuna Power Limited. Direction u/s 5 of EPA for disconnection of electricity were issued to Yamuna Power Ltd. only.	Fresh letter for seeking compliance.
17	Goyal hospital and urology centre	E - 4/8 Krishan Nagar , Lajpat Rai Chowk,Krishna Nagar Delhi-51	E-175	30	Applied on 16.01. 2014.	Not Applied	Expired on 19.10.2013. Applied for renewal of Authorization on 21.10.2013 for 80 beds	Not installed	3 D.G. Sets, 125 KVA, 82.5 KVA & 25 KVA	Y	Y	Issue Authorization under BMW Rules	Previously Authorization under BMW Rules was issued for 30 beds. Applied for renewal of authorization on 21.10.2013 for 80 beds. Applied for CTE also on 16.01.2014 enclosing DHS approval for 30 to 50 beds dated 30.9.2011(Valid up to 31.03.2014 and DHS acceptance letter from 50 to 80 beds, dated 21.06.2013. The address given in common application form is E-4/7, E- 4/8 and E-4/9, wherein in the affidavite enclosed the address of premises given is E- 4/8 and E-4/9 and in authorization application address mentioned is E- 4/8. As per file record no intimation was submitted by the HCE on increase of beds before renewal application.	Issue CTE, letter to HCE for installation of ETP/STP and to apply for CTO. Case be shifted to Agenda No 1.

18	Shri Guru Hargobind Sahib Charitable Nursing Home	Jheel Kurana, Delhi-51	E-250	14	NA	NA	17.09.2010. 3 Years has lapsed. Not Applied for Authorization thereafter	NA	No Information	No	N	Issue a common DO letter for such type of cases seeking compliance from DISCOM.	Common DO letter Issued on 13.08.2013 to BSES Nehru Power Limited. BSES has replied that the area falls under the jurisdiction of Yamuna Power Limited. Direction u/s 5 of EPA for disconnection of electricity were issued to Yamuna Power Ltd. only. HCE has submitted a letter on 27.08.2013 statting that they will submit the application for Authorization under BMW Rules.	Fresh letter for seeking compliance.
19	Mehar Nursing Home	B-35, Gali No. 1, 33 Ft Road, Mustafabad, Delhi-94	E-251	5	NA	NA	Applied on 14.06.2013 for 5 no. of beds earlier having 15 beds.	NA	5 KVA	N	Y	Issue Closure direction u/s 5 of EPA.	Closure direction u/s 5 of EPA issued on 11.06.2013. hospital has submitted a reply & apply for Authorization on 14.06.2013 for 5 no.of beds. No compliance received from BSES & DJB.	Fresh letter for seeking compliance.
20	Pavan Nursing Home	DA-1, Vikas Marg Shakarpur, Delhi-92	E-269	10	Granted	NA	G (Valid upto 18.12.2014)	NA	15 KVA (acoustic)	N	Y	Issue Authorization under BMW Rules under BMW rules with a condition that the HCE will submit NMR of DG set within 6 months(if it is having a DG Set) failing the Authorization issued will deemed to have been revoked.	Authorization under BMW Rules under BMW rules with a condition that the HCE will submit NMR of DG set within 6 months(if it is having a DG Set) failing the Authorization issued will deemed to have been revoked was not issued as HCE already has valid Authorization till 18.12.2014. As decided on file letter regarding NMR issued on 23.07.2013. NMR not received.	Issue letter for non submission of noise monitoring report.
21	Raj Rani Hospital	D-3, Main Market, Near State Bank of Patiala, Kondli, Delhi-96	E-283	15	G	NA	G (Valid up to 26.04.2015)	NA	62.5KVA	N	Y	Issue Reminder letter	Reminder letter issued on 29.05.2013. NMR not received.	Issue letter for non submission of noise monitoring report.
22	Veer Nursing Home	A-3/1217, Main Pusa Road, 4-1/2, Pusta, Som Bazaar South Gamri, Delhi-110053	E-285	20	G	NA	G (Valid upto 11.07.2015)	NA	50KVA	Y	Y	Issue Reminder letter.	Reminder letter issued on 29.05.2013. NMR received on 10.06.2013.	No action at present

23	Vasan Eye care Hospital	F-14, Opposite Metro Piller No.-95, Preet Vihar Metro Station, Gate No.-2, Delhi-92	E-287	15	G	NA	G (Valid upto 12.08.2015)	NA	180KVA	Y	Y	Issue Reminder letter.	Reminder letter issued on 29.05.2013. NMR submitted on 18.06.2013.	No action at present
24	Sushruta Trauma Centre, Govt of NCT of Delhi	9, Metacalf Road, Delhi-54	N-076	49	Not Applicable.	NA	Expired on (06.05.2013) Applied for renewal on 04.09.2013	NA	380 KVA (acoustic)	N	Y	Issue Reminder letter	Reminder letter issued on 29.05.2013. NMR not received.	Issue Authorization under BMW Rules with the condition to submit noise monitoring report within 06 months.
25	Durga Hospital Pvt. Ltd.	711, Mukherjee Nagar Delhi	N-107	15	NA	NA	Applied on 20.06.2013	NA	62.5 KVA	N	N	Issue Closure direction u/s 5 of EPA.	Closure direction u/s 5 of EPA issued on 06.06.2013. Applied for renewal of Authorization on 20.06.2013. No compliance received from BSES and DJB.	Seek compliance.
26	Anand Maya Hospital Pvt. Ltd.	B-38, Ramgarh (Opp. KDR Wool CO.) Jahangir Puri, Delhi	N-501	30	Granted	NA	G (Valid upto 21.12.2014)	NA	20 KVA	N	Y	Put up in next meeting.	As decided in last meeting case is placed opposite. Noise Monitoring report not received.	Issue letter for non submission of noise monitoring report.
27	North Delhi Multi Speciality Medical Centre	Khasra No. 613, Near Mini Stadium, Alipur, Delhi-36	N-537	15	Applied on 29.01.2013	NA	Applied on 29.01.2013	NA	No	NA	Y	Issue letter seeking clarification of affidavit.	letter seeking clarification of affidavit issued on 12.06.2013. No reply received.	Issue Authorization under BMW Rules and Consent To Establish.
28	BEHL, Hospital	B-128, Naraina Vihar, New Delhi-28	ND-011	15	Not Applicable.	NA	G (Valid upto 06.12.2014)	NA	25 KVA (acoustic)	N	Y	Issue letter seeking latest Noise Monitoring Report	letter issued on 29.05.2013. NMR not received.	Issue letter for non submission of noise monitoring report.
29	Hygiea Hospital	210, A-1, Munirka Village, Delhi-67	ND-436	20	G	NA	G (Valid upto 20.08.2015)	NA	40KVA	N	Y	Issue Reminder letter.	Reminder letter issued on 06.06.2013. NMR not submitted.	Issue letter for non submission of noise monitoring report.

30	Neha Hospital	Khasra No. 45, Dayal Pur, Karawal Nagar Road, Delhi-94	NE-059	10	NA	NA	30.04.2012	NA	No	NA	Y	Issue Show Cause Notice for refusal of Authorization.	Show Cause Notice for refusal of Authorization issued on 29.05.2013. Reply received on 11.06.2013 stating that i) Isolated site of BMW is there. ii) Record of BMW has been submitted. iii) Needle destroyer has been purchased and old one removed. (Bill attached.) However No records of BMW has been attached.	Issue letter to HCE to seek record of BMW management.
31	Sharma Nursing Home	C-1/18 A Yumuna Vihar Delhi-53	NE-081	15	Not Applicable.	NA	G (Valid upto 25.12.2014)	NA	7.5 KVA (acoustic)	N	Y	Issue Show Cause Notice for Closure	Show Cause Notice for closure issued on 03.07.2013. Reply not received.	Issue closure direction.
32	MCD Maternity Home	B-2,Block,Yamuna Vihar, Delhi-53	NE-099	15	NA	NA	Authorization refused. Applied for renewal on 19.06.2012	NA	No	NA	Y	Inspection	Inspection is yet to be conducted.	Expedite inspection.
33	Springdales Medical Centre	D-4, Prashant vihar, Rohini Delhi-85	NW-016	35	NA	NA	G (valid upto 27.01.2016)	NA	10 KVA	No	Y	Issue Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked.	Authorization issued on 10.06.2013. NMR not received.	Issue letter for non submission of noise monitoring report.
34	Aggrawal Hospital	B-1, Rohit Kunj, (Near L-Block Shakurpur) Pitampura, Delhi-110034.	NW-034	15	Not Applicable.	NA	G (valid up to 19.03.2016)	NA	3 DG set of 25 KVA, 7.5 KVA, 5.0 KVA	Y	Y	Issue Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked.	Authorization issued on 11.06.2013. NMR received on 02.05.2013	No action at present

35	Citizen Maternity Hospital	B-2/7, Ashok Vihar Phase-II, Delhi-52	NW-061	15	Not Applicable.	NA	G (Valid upto 20.03.2016)	NA	2 DG Set of 25 KVA	Y	Y	Issue Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked.	Authorization issued on 11.06.2013. NMR received on 02.05.2013	No action at present
36	Jain Child & Maternity Hospital Pvt. Ltd.	AE-7, Shalimar Bagh, Delhi-88	NW-144	15	Not Applicable.	NA	G (Valid upto 19.03.2016)	NA	25 KVA	Y	Y	Issue Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked.	Authorization issued on 12.06.2013. NMR received on 20.05.2013.	No action at present
37	Krishna Hospital	9,Chander Lok Enclave, Pitampura , Delhi-34	NW-164	10	Not Applicable.	NA	Not Applied	NA	15 KVA	N	Y	Issue Reminder letter	Reminder letter issued on 29.05.2013. NMR not received.	Issue letter to ask the HCE to apply for authorization under BMW Rules along with noise monitoring report of D.G. Set.

38	Kuber Hospital (A Unit of Dheeraj Hospital Pvt. Ltd.)	12, Chander Lok Enclave, Pitampura, Delhi-34	NW-165	15	Not Applicable.	NA	G (Valid upto 19.03.2016)	NA	7.5 KVA	Y	Y	Issue Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked.	Authorization issued on 10.06.2013. NMR received on 22.05.2013.	No action at present
39	Shri Balaji Hospital P. LTD	195, Deepali(Outer ring Road), Opposite Rohini, DDA Office , Pitam Pura , Delhi-34	NW-239	30	NA	NA	Not Applied	NA	NI	NI	N	Inspection to be expedite.	Inspection was conducted on 25.06.2013 to verify that RG Urology & Laparoscopy Hospital (A unit of RG Scientific Enterprises Pvt. Ltd.) has been taken the above property on lease on 6th Day of August, 2005 where Shri Balaji Hospital was running there hospital previously. Hospital has closed down there hospital and sent the information to DHS, Givt. Of NCT of Delhi, Karkardooma, Delhi-110032 on 22.08.2005 and observations were: i) Segregation of BMW was not found proper. ii) No needle cutter existed on Ist and Iind floor & the entire needle of hospital were taken to 3rd floor for cutting in needle cutter. iii) No puncture proof container found for disposal of BMW. iv) No isolated site existed for storage of BMW & general waste was found stored alongwith BMW in open at 4th floor. v) The microbiological was not decontaminated before disposal to CBWTF. vi) Acoustic of DG set was not proper & found open. vii) No labels found on bins containing BMW. viii) No trolleys found for transporting BMW. ix) Lease documents copy submitted.	Case being dealt with R.G. Stone. No decision required at this Sl. No.

40	Narela Nursing Home	U-61A Lampur Road,Narela, Delhi-40	NW-289	15	NA	NA	Not Applied	NA	NI	N	N	Issue a common DO letter for such type of cases seeking compliance from DISCOM.	Common Do letter was not issued as compliance has already received from the DIScom. Hospital has submiitted an affidavit that the hospital has been closed since january 2010 because of road construction.	No action at present
41	ATTAR SAIN JAIN GENERAL HOSPITAL	LAWRENCE ROAD, DELHI-35	NW-302	30	NA	NA	21.03.2012	NA	125KVA	N	N	Issue Letter seeking valid agreement with CBWTF operator and copy to DHS.	Letter issued on 22.05.2013. No reply received. No reply received.	Issue reminder.
42	Dubey Nursing Home	23/12,1-A, Baljeet Vihar, Nithari, Delhi-41	NW-460	10	NA	NA	Authorization refused. No further application received	NA	7.5 KVA	N	Y	Issue Show Cause Notice for Closure.	Show Cause Notice for Closure issued on 06.06.2013. No reply received.	Issue closure.
43	Medha Hospital	KP-12,Pitampura	NW-466	10	Granted	NA	G (Valid upto 22.03.2014)	NA	45 KVA	Y	Y	Issue letter seeking Noise Monitoring Report	letter issued on 23.05.2013. NMR received on 25.07.2013	No action at present
44	Savitri Hospital	142/91, Extended Lal Dora, Kanjhawala, Delhi-81	NW-510	20	G	NA	G (Valid upto 20.03.2015)	NA	20 KVA	N	Y	Put up in next meeting.	As decided in last meeeting case is palced opposite. Noise Monitoring report not received.	Issue letter for non submission of noise monitoring report.
45	Bawra Hospital And Maternity Centre	98/75, Gali No.1, Prem Nagar, Near Pili Kothi, Nathupura, Delhi-84	NW-520	15	G	NA	G (Valid up to 07.06.2015)	NA	10KVA	N	Y	Issue Reminder letter	Reminder letter issued on 29.05.2013. NMR not received.	Issue letter for non submission of noise monitoring report.

46	Vasan Health Care Pvt. Ltd.	Plot No.-500, Kohat Enclave, PWD Road -1, Opp. Metro Pillar No.-345, Pitampura, Delhi-85	NW-529	15	G	NA	G (Valid upto 27.01.2016	NA	160 KVA	N	Y	Issue CTE & Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked.	CTE & Authorization issued on 03.07.2013. NMR not received.	Issue letter for non submission of noise monitoring report.
47	Anukriti Hospital Pvt.Limited	B-7/164, Bandh Road, Aya Nagar,New Delhi-47	S-385	10	NA	NA	Authorization refused. No further application received	NA	Nil	NA	Y	Issue Show Cause Notice for closure.	Show Cause Notice for closure issued on 17.05.2013. Letter return undelivered.	Inspection be conducted.
48	Metro Hospital & Heart Institute Malhotra Heart Institute & Medical Research Centre	14, Ring Road Lajpat nagar-IV, New Delhi-24	S-024	50	G	Not Applied	Applied on 08.06.2012	Y	180 KVA & 200 KVA	Y	Y	File to be put up administratively after Personal Hearing	As decision on file after Personal Hearing a letter regarding rectification of deficiencies observed during inspection issued on 11.04.2013. As per decision taken on file the inspection of hospital is approved. Inspection is yet to be conducted.	Expedite inspection and shift this case to Agenda No. 1.
49	Geetangali Hospital	3, MMTC, STC Colony, Opp, Geetanjali Enclave, Near Aurbindo College, New Delhi-17	S-028	20	NA	NA	Not Applied	NA	55 KVA	No	No	Issue Letter seeking Authorization before restarting the unit.	Letter issued on 06.06.2013. Letter return undelivered.	No action at present
50	Healing Touch Hospital	7/5, Sarvapriya Vihar New Delhi-16	S-110	11	NA	NA	Applied on 30.01.2012.	NA	45 KVA	Y	Y	Inspection	Inspection is yet to be conducted.	Expedite inspection.

51	M.P Heart Centre	W-33 Greater Kailash-I, New Delhi-48	S-128	10	NA	NA	Applied on 04.06.2013	NA	25KVA & 7.5KVA	N	N	Issue a common DO letter for such type of cases seeking compliance from DISCOM.	Common DO letter Issued on 13.08.2013. Compliance received from BSES on 07.11.2013. Hospital has submitted a reply regarding deficiencies observed during inspection on 26.08.2013. Hospital has applied for Authorization on 04.06.2013.	Inspection be conducted.
52	Rao Charitable Nursing Home	10/151, Dakshin Puri extn. New Delhi-62	S-175	15	NA	NA	Applied on 26.06.2012	NA	No	NA	N	Inspection	Inspection is yet to be conducted.	Expedite inspection.
53	Narula Medicare Centre	179, Madhuban, Delhi-92	S-185	10	G	NA	Applied on 24.05.2010. 3 Years has lapsed. Not Applied for Authorization thereafter	NA	63KVA	Y	Expired on 30.11.2010	Issue reminder letter	Reminder letter for submission of balance fee issued on 29.05.2013. Reply received on 11.06.2013 without the balance fee.	Issue reminder for the balance fee and to apply for authorization under BMW Rules.
54	Vidyasagar Hospital	Saidulajaib, Neb Sarai Road, Delhi -30	S-247	10	NA	NA	Applied on 08.02.2012.	NA	20 & 50 KVA	Y	Y	Issue Letter seeking Valid Agreement with CBWTF operator.	Letter seeking Valid Agreement with CBWTF operator on 29.05.2013. Valid agreement received on 21.07.2013.	Issue Authorization under BMW Rules
55	Welcome Health Care Centre & Hospital	A-1/26, Aya Nagar Extension, Phase-IV, Main Market, New Delhi-47	S-262	15	NA	NA	Authorization refused. No further application received	NA	5 KVA	N	Y	Issue Show Cause Notice for Closure.	Show Cause Notice for Closure issued on 22.05.2013. No reply received.	Issue closure direction
56	Bansal Hospital	A-1, New Friends Colony, New Delhi-25	S-273	40	Not Applicable.	NA	Expired on (13.05.2013) Applied for renewal on 13.06.2013	NA	125 & 40 KVA	Y	Y	Issue Reminder letter	Reminder letter issued regarding submission of NMR on 29.05.2013. HCE has applied for renewal of Authorization on 13.06.2013 with NMR.	Issue Authorization under BMW Rules.

57	AL-Shifa Multi Speciality Hospital Research Centre,	D- 305, Abul Fazal Enclave, Part-I, Jamia Nagar, Okhla. Delhi-25	S-387	33	applied on 06.01. 2012	NA	Applied on 03.07.2013 on D- 305, Abul Fazal Enclave, Part-I, Jamia Nagar, Okhla. Delhi-25 earlir address was D- 337, Abul Fazal Enclave Jamia Nagar, Okhla. Delhi- 25	NA	2 D.G Set of 125 KVA each	N	Y	Issue Show Cause Notice at D- 305, Abul Fazal Enclave, Part-I, Jamia Nagar, Okhla. Delhi-25	letter issued on 23.05.2013. Hospital has submitted a reply on 03.06.2013 stating that they have rectified all the deficiencies observed during inspection on stating that i) coloar coded containers as per norms are only used for disposal of BMW. ii) Log book for BMW are also maintained and checked on monthly basis. iii) Isolated storage site of BMW has also been earmarked and is in use. iv) DG set have been installed as per norms and were inspected by DPCC engineer on 14.10.2011. They have also stated that Alshifa Multispeciality hospital has only 33 beds approved by DHS. It is further stated that ALSHIFA Multispeciality Hospital is located at D-305, Dawat Nagar, Abul Fazal Enclave Jamia Nagar, Okhla. Delhi-25 but not on D-337 or D-307.	Issue Authorization under BMW Rules and Consent to Establish for the address D-305 with the condition to submit noise monitoring report within 06 months.
58	Neptune Hospital (Unit of AKM Associates)	1, Navjeevan Vihar, Opp. Geetanjali Enclave, Delhi-17	S-432	15	G	NA	G (Valid upto 28.05.2015)	NA	62.5 KVA	Y	Y	Issue Reminder letter	Reminder letter issued on 23.05.2013. NMR submitted on 02.07.2013.	No action at present
59	Vasan Eye care Hospital	E-16, Greater Kailash-I, Delhi-110048	S-450	15	G	NA	G (Valid upto 26.02.2016)	NA	200 KVA	No	Y	Issue CTE & Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked. NMR not submitted.	CTE & Authorization under BMW Rules issued on 26.08.2013. NMR not submitted.	Issue letter for non submission of noise monitoring report.

60	Sahi Hospital	Jangpura, New Delhi-83	SE-038	20	NA	NA	Authorization refused. No further application received	NA	NI	N	Y	Issue Show Cause Notice for closure.	Show Cause Notice for closure issued on 11.05.2013. No reply received.	Issue closure direction.
61	Banarsidas Chandiwala Eye Institute, Diagnostic Centre & Polyclinic	Chandiwala Estate, Maa Anandmayi Marg, Kalkaji, New Delhi-19	SE-055	30	NA	NA	07.12.2010	NA	500 KVA, 320 kVA, 320 KVA	Y	Y	Put up in next meeting.	As approved on file, a letter has been issued for submission of NMR and balance fee on 28.03.2013. NMR submitted on 27.05.2013. As decided in last meeting case is placed opposite. Case is placed opposite.	Issue letter for apply afresh authorization under BMW Rules with balance fee.
62	Eden Hospital (Pvt.) Ltd.	B-162, East of Kailash, New Delhi-110065	SE-093	16	NA	NA	Authorization Refused on 07.05.2012 & no further application received	NA	65KVA & other one found locked with plastic covers. Capacity could not be checked.	N	N	Issue Closure direction u/s 5 of EPA.	Direction u/s 5 of EPA issued on 10.06.2013. No compliance received from BSES and DJB.	Seek compliance.

63	Maulana Azad Dental College & Hospital	MAMC Compex, Bahadur Shah Zafar Marg, Delhi-02	SE-103	12	Granted	NA	Applied for renewal on 15.04.2013	NA	320 KVA	N	Y		An inspection was carried out by joint team of CPCB & DPCC officials as per orders of NGT on 08.05.13 and deficiencies were observed. As per approval of Competent Authority Direction u/s 5 of EPA were issued on 31.05.13. Reply received on 13.06.2013. Noise Monitoring Report of DG Sets (2x320 KVA) not enclosed. Applied for renewal of Authorization on 15.04.2013. Again an inspection was carried out on 04.07.2013 by a team CPCB, DPCC. Waste water generated from the institute is being discharged through the STP/ETP situated at G.B. Pant Hospital. Copy of certificate from EE (Civil) PWD was shown to the team. Status of Mercury Waste- (a) As informed mercury based equipment have been phased out and pre-capsulated amalgam only is currently used. Residual scrap amalgam is stored in separate room for disposal. (b) The records pertain to mercury amalgam needs to be maintained. Now hospital has submitted a letter on 15.07.2013 and requested to issue a NOC for disposal of segregated amalgam (total dental amalgam quantity is 525 gm currently) through M/s. Bharat Oil and Waste Management at their Waste treatment plant located in E-18, Site 4, Sahibabad Industrial Area, Sahibabad, Uttar Pradesh.	Issue Authorization under BMW Rules with the condition to submit noise monitoring report within 06 months and ask the HCE to seek clarification from CPCB regarding M/s Bharat Oil and Waste Management situated in Uttar Pradesh.
64	Health Point Hospital	H-13, Ratia Marg, Sangam Vihar, New Delhi.	SE-111	16	Not Applicable.	NA	G (Valid upto 29.12.2014)	NA	15 KVA	N	Y	Issue Reminder letter	Reminder letter issued on 29.05.2013. NMR not received.	Issue letter for non submission of noise monitoring report.

65	Mari Stops Clinic (/unit os Parivar Sewa Sanstha)	O-22, First Floor, Lajpat Nagar.-II, New Delhi	SE-131	12	NA	NA	G (Valid upto 22.01.2016)	NA	No information	No	Y	Issue Authorization under BMW Rules under BMW rules with a condition that the HCE will submit NMR of DG set within 6 months(if it is having a DG Set) failing the Authorization issued will deemed to have been revoked.	Authorization issued on 12.06.2013. NMR not submitted.	Issue letter for non submission of noise monitoring report.
66	Mir Hospital	Near Community Hall, Aali Vihar, Badarpur New Delhi-44	SE-143	10	NA	NA	Authorization refused. No further application received	NA	No information	N	Y	Issue Show Cause Notice for closure.	Show Cause Notice for closure issued on 22.05.2013. No reply received.	Issue closure direction.
67	MCD Maternity Home	Srinivasपुरi, Delhi-65.	SE-223	20	NA	NA	16.12.2010. 3 Years has lapsed. Not Applied for Authorization thereafter	NA	Not functioning	No	No	Issue letter seeking Valid Agreement with CBWTF operator.	letter issued on 29.05.2013. No reply received.	Issue reminder.
68	Sanjivani Hospital	Pocket-V, Jasola, Opp. Sarita Vihar,Noida Road, New Delhi-25	SE-228	15	NA	NA	Authorization refused. Applied for renewal of Authorization on 23.04.2013.	NA	10 KVA	N	Y	Issue Show Cause Notice for closure.	Show Cause Notice for closure issued on 06.06.2013. No reply received. HCE has applied for renewal of Authorization on 23.04.2013	Issue Authorization under BMW Rules
69	Sabir Nursing Home & Maternity Centre	D-3,AIN Road, Okhla Vihar, Jamia Nagar, New Delhi-25	SE-354	10	NA	NA	Authorization refused. No further application received	NA	No Information	N	Y	Issue Show Cause Notice for closure.	Show Cause Notice for closure issued on 23.05.2013. No reply received.	Issue closure direction.
70	Faraz Hospital	F-167/2, Shaheen Bagh, Near Shaheen Public School, Jamia Nagar, Okhla, New Delhi-25	SE-368	10	NA	NA	Authorization refused. No further application received	NA	Y	N	Y	Issue Closure direction u/s 5 of EPA.	Closure direction u/s 5 of EPA issued on 10.06.2013. NO reply received. NO compliance received from BSES and DJB.	Seek compliance.

71	Maxfort Hospital	F-3A,Kalindi Kunj Road , Abulfazal Enclave,Jamia Nagar, Okhla,Delhi-25	SE-382	20	NA	NA	Authorization Refused on 07.05.2012 & no further application received	NA	NA	NA	Y	Issue Closure direction u/s 5 of EPA.	Closure direction u/s 5 of EPA issued on 10.06.2013. No compliance received from BSES and DJB. No reply received from hospital.	Seek compliance.
72	Nulife Line Hospital	177, Park View Apartment, Nehar Road, Okhla, Delhi-25	SE-388	10	NA	NA	Authorization refused	NA	Nil	N	Y	Issue Letter to DHS.	Letter issued on 12.06.2013. Reply received from DHS on 24.07.2013 stating that the registration of said hospital has been cancelled.	Case be deleted.
73	Model Eye & General Hospital	F Block, Near Rampurl, Lajpat Nagar-II, New Delhi-24	SE-395	30	NA	NA	06.12.2010. 3 Years has lapsed. Not Applied for Authorization thereafter	NA	63KVA	Y	Y	Issue Letter seeking DHS certificate.	letter issued on 29.05.2013. No reply received.	Issue reminder to HCE for the DHS certificate and to apply afresh authorization under BMW Rules.
74	Vision Eye Centre Pvt. Ltd.,	19, Siri Fort Road, Delhi-110049	SE-435	10	G	NA	G (Valid up to 19.07.2015)	NA	140KVA, 40KVA	Y	Y	Issue Reminder letter	Reminder letter issued on 29.05.2013. NMR received on 07.06.2013.	No action at present.
75	Nova medical centre	R-2, Nehru Enclave, New Delhi-19	SE-448	40	G	NA	G (Valid upto 10.01.2016)	NA	2 DG Set of 200 KVA	Y	Y	Issue CTE & Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked.	CTE & Authorization issued On 10.06.2013. NMR received on 17.04.2013.	No action at present.

76	Gopal Nursing Home & Eye Hospital	B-1, Jyoti Nagar(West),Loni Road Delhi-94	SHAHDARA-043	30	Applied on 28.09.2012	NA	Applied for renewal of Authorization on 28.09.2012 for 30 beds.	NA	63KVA	Y	Y	Issue Temporary revocation of directions u/s 5 of EPA for 60 days to submit fresh NMR of DG set .	Temporary revocation of directions u/s 5 of EPA issued on 23.04.2013. NMR received on 12.06.2013.	Revoke closure directions and issue Consent to Establish.
77	R.B Gupta Nursing Home	1/9085,West Rohtas Nagar street No-3. Shahdara Delhi-32	Shahdara-063	10	NA	NA	24.12.2010. 3 Years has lapsed. Not Applied for Authorization thereafter	NA	10KVA	N	Y	Inspection	Inspection is yet to be conducted.	Expedite inspection.
78	Chandiwala Maternity Home, MCD, Hospital	Railway Road, Shahdara,Delhi-32	SHAHDARA-094	20	NA	NA	G (valid till 23.02.2014)	NA	NI	No	Y	Issue Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked.	Authorization issued on 20.06.2013. NMR not received.	Issue letter for non submission of noise monitoring report.
79	MCD Maternity Home	Patpar Ganj, Opp. Pandav Nagar Police Station, Delhi-91	SHAHDARA-161	12	NA	NA	27.10.2010. 3 Years has lapsed. Not Applied for Authorization thereafter	NA	Not functioning	No	Y	Issue letter seeking Valid Agreement with CBWTF operator.	letter issued on 29.05.2013. Valid agreement received on 10.06.2013.	Issue letter to HCE for apply afresh for authorization under BMW Rules.

80	Dewan Nursing Home	A-1, Gali no.1, New Modren, Shahdara, Mandoli Road Shahdara, Delhi-32	SHAHDARA-163	15	G	NA	G (Valid upto 22.01.2016)	NA	5 KVA	No	Y	Issue CTE & Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked.	CTE & Authorization issued on 17.07.2013. NMR not received.	Issue letter for non submission of noise monitoring report.
81	Vidyawati Nursing Home	25/5, Gali No-16, 60 Feet Road, Vishwas Nagar, Delhi-32	Shahdara-170	10	NA	NA	26.06.2012	NA	No	N	Y	Issue Letter to inform DPCC before restarting the unit.	letter issued on 06.06.2013. No information received.	Inspection be conducted.
82	Jain Hospital Annex (A unit of Jain Neuro & IVF Hospitals Pvt. Ltd.)	4, Pushpanjali, Delhi-92	SHAHDARA-294	16	G	NA	G (Valid upto 14.02.2016)	NA	20 KVA	Y	Y	Issue CTE & Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked.	Authorization & CTE issued on 17.07.2013. NMR received on 17.07.2013	No action at present
83	Dev Hospital	RZH 703/1, Raj nagar Palam Colony	SW-034	12	NA	NA	Not Applied	NA	NI	N	N	Inspection to be expedite.	Inspection is yet to be conducted.	Expedite inspection.

84	Pt. Girdhari Lal Memorial Sharma Nursing Home	RZ I/3 Main Road Palam Colony , New Delhi-45	SW-075	10	NA	NA	Not Applied	NA	25 KVA	N	N	Inspection	Inspection is yet to be conducted.	Expedite inspection.
85	Gobhania Nirog Dham	662-A & 708, 709, Dr. Yograj Verma Marg, Najafgarh, New Delhi-43	SW-128	15	NA	NA	17.02.2012	NA	Nil	NA	Y	Issue Show Cause Notice for Closure.	Show Cause Notice for Closure issued on 29.05.2013. No reply received.	Issue closure direction.
86	Dr.Pundeer Metro Hospital (Metro Plus Hospital)	RZ-16, Old Roshan Pura, Najafgarh, New Delhi-43(85, old Roshanpura, Najafgarh, New Delhi-43)	SW-130	15	NA	NA	Not Applied	NA	Nil	NA	Y	Issue Closure direction u/s 5 of EPA.	Decision taken on file ratified and letter regarding balance fee issued on 23.07.2013. No reply received.	Issue reminder.
87	Arpan Hospital	RZ-S-43, New RoshanPura Extension, Najafgarg, New Delhi- 43	SW-145	10	NA	NA	Not Applied	NA	NI	N	N	File of M/s Sanjivini Hospital to be closed and delete from the list. Issue Notice for seeking application for Authorization to M/s Arpan Hospital.	File of M/s Sanjivini Hospital was closed and deleted from the list letter issued to Arpan hospital on 06.06.2013. No reply received.	Issue SCN for closure.
88	Lifeline Hospital (Life Line Nursing Home)	Pt. No-42, Sector-12B, Dwarka, New Delhi-75	SW-194	20	NA	NA	Applied for renewal on 26.11.2013	NA	63 KVA	Y	Y	Issue Show Cause Notice for refusal of Authorization.	Show Cause Notice issued on 29.05.2013. No reply received. Now HCE has applied for renewal of Authorization on 26.11.2013	Issue Authorization under BMW Rules.

89	City Hospital	RZ-7B, Main Dhansa Road, Gopal Nagar, Najafgarh, New Delhi-43	SW-201	15	NA	NA	Not Applied	NA	No Information	N	N	File of M/s Noble Hospital Closed and delete from the list. Issue Show Cause Notice for Closure to M/s City hospital.	File of M/s Noble Hospital Closed and delete from the list. letter issued to M/s city hospital on 29.05.2013. No reply received.	Issue SCN for closure u/s 5 of EPA.
90	Global Hospital	A-9, Raghuveer Enclave, Dichow Chowk, Najafgarh, New Delhi-43	SW-210	20	NA	NA	Authorization Refused on 08.05.2012 & no further application received	NA	7.5 KVA	N	N	Inspection to be expedited.	Inspection is yet to be carried out	Expedite inspection.
91	Global Hospital	RZF-905/22, Rajnagar Part-II, Palam Colony, New Delhi-45	SW-247	25	G	NA	G (Valid up to 26.04.2015)	NA	15 KVA	N	Y	Issue Reminder letter	Reminder letter issued on 29.05.2013.Noise Monitoring report not received.	Issue letter for non submission of noise monitoring report.
92	Shree Sai Hospital	Plot No. 254, Amberhai, Sector-19, Dwarka, New Delhi-75	SW-264	15	G	NA	G (Valid upto 24.10.2015)	NA	7 KVA	No	Y	Issue CTE & Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked.	CTE & Authorization issued on 05.07.2013. NMR not received.	Issue letter for non submission of noise monitoring report.

93	Ch. Chhaju Ram Hospital	WZ-1, Om Vihar, Main Najafgarh Road, Uttam Nagar, Delhi-59	SW-382	33	NA	NA	applied for Authorization on 16.05.2013.	NA	100 KVA	N	Y	Decision taken on file for revocationn of Direction u/s 5 of EPA is ratified. Letter seeking Fresh application of Authorization under BMW Rules.	HCU has applied for Authorization on 16.05.2013.	Issue Authorization under BMW Rules.
94	Janki Hospital	RZ-89, Old Roshan Pura, Near Gurudwara, Gurgaon Road, Najafgarh, Delhi-43	SW-486	20	G	NA	G (valid upto 21.05.2015)	NA	25KVA	N	Y	Issue Reminder letter.	Reminder letter issued on 24.05.2013. NMR not received.	Issue letter for non submission of noise monitoring report.
95	Panchsheel Nursing home	F-1/3-A, Pipal chowk, Mohan Garden, Uttam Nagar, New Delhi-85.	W-433	33 beds	NA	NA	Applied for renewal of Authorization on 13.01.2014 for 9 beds. Earlier hospital was having 33 beds.	NA	5 KVA	N	Y	Inspection	Inspection is yet to be conducted. HCE has applied for renewal of Authorization on 13.01.2014 for 9 beds. Earlier hospital was having 33 beds. HCE has stated that do not have DG set.	Expedite inspection.
96	Siddhtam Medical Centre	B-3/179,Janakpuri, Delhi-58	W-434	15	Applied on 05.07.2012	NA	05.07.2012	NA	50	N	Y	Inspection to be expedited.	Inspection is yet to be carried out	Expedite inspection.
97	Hardik Hospital	29-C,Budh Bazar, Vikas Nagar, N.Delhi-59	W-439	17	Applied on 21.12.2012	NA	Authorization Refused on 09.05.2012 & Further applied on 21.12.2012	NA	No Information	No	Y	Inspection to be expedited.	Inspection is yet to be carried out.	Expedite inspection.

98	Kailash Nursing Home	49 , South Patel Nagar, New Delhi-8	W-017	10	NA	NA	28.02.2012	NA	20 KVA	Y	Y	Inspection	inspection is yet to be conducted.	Expedite inspection.
99	Anand Hospital	B-52,Near Krishna Park Dholi Piao,Delhi-18	W-038	18	NA	NA	Authorization refused. No further application received	NA	25 KVA	N	Y	Issue Show Cause Notice for Closure	Show Cause Notice for Closure issued on 06.06.2013. No reply received.	Issue closure direction.
100	Daya Hospital	A-4/16, Paschim Vihar, New Delhi-63	W-071	10	NA	NA	G (Valid up to 01.11.2015)	NA	7 KVA	No	Y	Issue Revocation of direction u/s 5 of EPA and Issue Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked.	Revocation of direction u/s 5 of EPA and Authorization issued on 5.07.2013. NMR not submitted.	Issue letter for non submission of noise monitoring report.

101	Dashmesh Charitable Hosptial	C-141, Shiv Nagar Extention Jail Road, New Delhi-58	W-101	15	NA	NA	G (valid till 08.02.2015)	NA	60KVA	N	Y	Issue Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked.	Authorization issued on 01.07.2013.NMR not received.	Issue letter for non submission of noise monitoring report.
102	Shubh Nursing Home	57-A, Hastal Village, New Delhi-59	W-254	16	CTE granted	NA	G (expired on 08.06.2013) Applied for renewal on 16.01.2014	NA	NI	No	Y	Issue Authorization under BMW Rules with a condition that the HCE will submit an affidvet w.r.t non existance of DG set, within 6 months, failing the Authorization issued will deemed to have been revoked.	Authorization issued on 25.06.2013. NMR not received. HCE has valid Authorization till 08.06.2013. Hospital has applied for renewal of Authorization on 16.01.2014. HCE has not informed whether DG set installed in the premises or not.	Issue Authorization under BMW Rules with the condition to submit noise monitoring report within 06 months.

103	Chandraleela Hospital	P-13, Vijay Vihar, Uttam Nagar, New Delhi-59	W-318	10	NA	NA	Applied on 23.08.2012	NA	10 KVA	Y	Y	Issue Show Cause Notice for closure.	Show Cause Notice for closure issued on 06.06.2013. Reply received on 26.06.2013 on an affidavit alongwith photographs stating that: i) Bins for BMW are now properly label with biohazard and are coded with different type of waste as per your regulations. ii) Storage site for BMW is now isolated. A room of 4 foot x 6 foot is now constructed for isolation of BMW. iii) We have seperated bins for sharp object are kept in sodium hypo chloride solution and before disposed off are given in hard box., to avoid injury by sharp object. We destroy syringe es and needles by the syringe destroyer before putting them in seperate bins. iv) General waste is disposed off seperately at the site of production of wate and putr on black bags. v) Segregation of waste is done at the site of production of waste. The waste is kept in production of waste. the waste is kept in different bins as per schedule II under BMW rules. vi) DGset is attached with silencer at proper height which is above the maximum height of the building.	Issue Authorization under BMW Rules.
104	Indira Gandhi Charitable dispensary	WZ-275, Madi Pur Village, Delhi-63	W-324	10	NA	NA	Not Applied	NA	No Information	NO	NO	Inspection	Inspection is yet to be conducted.	Expedite isnpection.
105	Ashray Medical Centre	WHS2/24, Timber Market, Kirti Nagar N.Delhi	W-338	25	Not Applicable.	NA	G (Valid upto 18.03.2015)	NA	1 KW & 2.5 KW	N	Y	Issue letter seeking Noise Monitoring Report	letter issued on 23.05.2013. NMR not received.	Issue letter for non submission of noise monitoring report.

106	Genesis Hospital Pvt. Ltd.	C-1/130, Janakpuri, New Delhi-58	W-395	35	NA	NA	G (Valid upto 03.07.2015)	NA	62KVA	N	Y	Issue Authorization under BMW Rules with a condition that the HCE will submit NMR of DG set within 6 months failing the Authorization issued will deemed to have been revoked.	Authorization issued on 25.06.2013. NMR not received.	Issue letter for non submission of noise monitoring report.
107	Metro Care Hospital	C-4, Maha Rani Enclave, Hastal Village, Uttam Nagar, New Delhi-59	W-435	12	NA	NA	Applied for renewal on 17.07.2013	NA	NI	N	N	Issue Closure direction u/s 5 of EPA.	Closure direction u/s 5 of EPA issued on 06.06.2013. hospital has submitted a reply on 15.07.2013 and submitted a application for renewal of Authorization on 17.07.2013. No compliance received from BSES and DJB.	Issue letter to HCE to submit copy of renewed agreement with CBWTF operator.
108	Barkat Ram Memorial Hospital	A-1/54, Main Hastal Road, Uttam Nagar, Delhi-59	W-440	21	NA	NA	Authorization Refused on 09.05.2012 & no further application received	NA	68KVA	N	Y	Issue Closure direction u/s 5 of EPA.	Closure direction u/s 5 of EPA issued on 06.06.2013. Compliance received from DJB on 09.10.2013. No compliance received from BSES. Reply received from HCE found inappropriate.	Seek compliance.
109	Park Hospital	97, DDA Colony, Choukhadi, New Delhi-18	W-443	34	Applied on 18.07.2012	NA	18.07.2012	NA	45KVA 30KVA	Y	Y	Issue Authorization under BMW Rules and CTE	As decided on file to inspect the premises. Hospital is a part of 11, 12 & 13, Meera Enclave, Chowkandi Near Keshavpur Depot, Outer Ring Road, New Delhi-18. As asked hospital has applied for Authorization under BMW rules with 270 beds on 19.08.2013. Case is listed in NGT inspection list.	Issue letter to seek agreement with CBWTF operator exclusively for the address under reference.

110	Vasan Eye care Hospital	A-1/20, Janakpuri, Opp. Metro Pillar No. 634, New Delhi-68.	W-446	15	G	NA	G (Valid up to 10.08.2014)	NA	160 KVA	NO	Y	Issue Reminder letter	Reminder letter issued on 23.05.2013. NMR not received.	Issue letter for non submission of noise monitoring report.
111	Sant Kiran Das Family Hospital	RZB-149, Nihal Vihar, New Delhi-41.	W-463	16	Applied on 13.06.2012	NA	Applied on 13.06.2012	NA	7.5 KVA	N	Y	Issue Show Cause Notice for refusal of Authorization.	Show Cause Notice for refusal of Authorization issued on 29.05.2013. Hospital has submitted a reply on 25.06.2013 stating that: i) The BMW is properly segregated at the source of generation in separate bins as described which are properly labeled/colored. ii) There is separate collection of sharp BMW which is properly maintained. We have needle & syringe cutter & destroyer in the hospital. iii) The records of BMW is properly maintained. Daily collection and disposal records are maintained. iv) We have regular contract with SMS water grace Pvt. Ltd. the authorized company under DHS that collects, transports, treat, and disposes BMW as per rules and regulations. v) We have got separate storage room for BMW as described by DPCC. vi) We have got separate trolley to transport BMW. Photographs also enclosed.	Issue Authorization under BMW Rules.
112	World Brain Centre Hospital	RZ-2, Raghu Nagar, Pankha Road, Opposite Janak Cinema, New Delhi	W-472	31	Granted	NA	G (Valid upto 01.02.2015)	NA	50 KVA	Y	Y	Put up in next meeting.	As decided in last meeting case is placed opposite.	No action at present

S. No	Name of HCU	Address of HCU	Distt.	No. of Beds	CTE Status	CTO Status	Authorization Status	ETP/STP Status	D.G.Set Status	NMR	Valid Agreement With Operator	Decision/ Recommended of Committee on 02.04.13	A.T.R./Present Status	Decisin recommended
1	Sight & Smile Centre	3/29, West Patel Nagar, Delhi-110008	C-146	10	Not Applicable, however applied for CTE on 09.01.2014	NA	Applied on 09.01.2014	NA	62.5 KVA	N	Y		Fresh Case. HCE has 62.5 KVA DG set. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
2	Dpmi Hospital	B-20 &28, New Ashok Nagar, Delhi-96	E-296	30	Applied for CTE on 09.04.2013	NA	Applied on 09.04.2013	NA	25 KVA	N	Y		Fresh Case. HCE has 25 KVA DG set. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
3	Vasan Eye Care Hospital	B-190, Derawal Nagar, Model Town, Delhi-09	N-149	10	Applied for CTE on 20.06.2013	NA	Applied on 20.06.2013	NA	125	N	Y		Fresh Case. HCE has 125 KVA DG set. Noise monitoring report will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
4	Parth Hospital	84, Sewak park, Near Metro pillar No. 781, Dwarka mor, New Delhi-59	SW-266	25	Applied for CTE on 24.05.2013	NA	Applied on 24.05.2013	NA	10 KVA	N	Y		Fresh Case. HCE has 10 KVA DG set. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.

5	Vikas Hospital Pvt.Ltd. (A Multi-Speciality Hospital)	1629-H, Thana Road, Najafgarh, New Delhi-110043	SW-268	45	Applied on 06.09.2013	NA	Applied on 06.09.2013	NA	125 KVA	N	Y		Fresh Case. HCE has 125 KVA DG set. Noise monitoring report will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
6	Swasthik Hospital	9-A, Raguvir Enclave, Dhichaon Chowk, Najafgarh, New Delhi-110043	SW-269	30	Applied for CTE on 23-sep-13	NA	Applied on 23.09.2013	NA	82.5 KVA	NO	Y		Fresh Case. HCE has 82.5 KVA DG set. Noise monitoring report will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
7	Shree Hospital	Plot No. 12-A, MS Block, Roshan Garden, Najafgarh, New Delhi-43	SW-509	15	Applied for CTE on 14.05.2013	NA	Applied on 14.05.2013	NA	No	NA	Y		Fresh Case. HCE do not have DG set.	Issue Authorization under BMW Rules
8	Chayan Hospital (A unit of Conservation centre of herbs, yoga and Naturopathy)	A-6, Dindarpur, Bijwasan Road, Najafgarh, Delhi-110033	SW-527	31	Applied on 27.12.2013	NA	Applied on 27.12.2013	NA	NO	NA	Y		Fresh Case. HCE do not have DG set.	Issue Authorization under BMW Rules
9	Tomar Multispeciality Hospital	Plot No.-35, Pratap Vihar, Part-II, Kirari, Nangloi, Delhi-86	W-523	30	applied on 19.09.2013	NA	applied on 19.09.2013	NA	No	NA	Y		Fresh Case. HCE do not have DG set.	Issue Authorization under BMW Rules

10	Saishaan Hospital	Plot No.-6, Near Water Tank, Nangloi Extension, Delhi-41	W-524	30	applied on 23.09.2013	NA	applied on 23.09.2013	NA	No	NA	Y		Fresh Case. HCE do not have DG set.	Issue Authorization under BMW Rules
11	Mangalam Hospital, A unit of lake view nursing home	B,42 West Vinod Nagar, Delhi-110091	E-301	20	Applied on 29.08.2013	NA	Applied on 29.08.2013	NA	No	NA	Y		Fresh Case. HCE do not have DG set.	Issue Authorization under BMW Rules
12	Maternity Home Shahbad Daultpur, NDMC	Arya Samaj Mandir, Shahbad Daultpur Delhi-110042	N-150	15	NA	NA	Applied on 11.11.2013	NA	No	NA	Y		Fresh Case. HCE do not have DG set.	Issue Authorization under BMW Rules
13	Maxcare Medical Centre (Runs under Maa Putuldevi Charitable Trust)	A-185, Rajiv Gandhi Road, Saroop Nagar, Delhi-42	N-540	15	Applied for CTE on 22.04.2013	NA	Applied on 22.04.2013	NA	No	NA	Y		Fresh Case. HCE do not have Dg set.	Issue Authorization under BMW Rules
14	Materniy Home IPP VIII Haiderpur MCD	Ayurvedic Hospital Complex, Haiderpur	NW-566	15	NA	NA	Applied on 12.11.2013	NA	No	NA	Y		Fresh Case. HCE do not have DG set.	Issue Authorization under BMW Rules
15	M.R.D Hospital	M-42, 43,44,Delhi-110042	NW-567	15	Applied on 07.11.2013	NA	Applied on 07.11.2013	NA	No	NA	Y		Fresh Case. HCE do not have DG set.	Issue Authorization under BMW Rules
16	Ariston Multispeciality Hospital	I-1690, Chittranjan Park, New Delhi-19	S-460	15	NA	NA	Applied on 05.07.2013	NA	No	NA	Y		Fresh Case. HCEdo not have DG set.	Issue Authorization under BMW Rules

17	Viola Hospital	D-57, Abul Fazal Enclave, Okhla, Delhi-20	S-467	15	applied on 15.10.2013	NA	applied on 15.10.2013	NA	No	NA	Y		Fresh Case. HCE do not have DG set.	Issue Authorization under BMW Rules
18	Singh Nursing Home Pvt. Ltd.	D-236, Vivek Vihar, Delhi-95	Shahdra-297	15	Applied on 16-04-2013	NA	Applied on 16-04-2013	NA	No	NA	Y		A Complaint was received through PGC regarding sound and air polluting generator installed at Block-D, belonging to Singh Nursing home. Hospital was inspected on 20.03.2013, deficiencies w.r.t. management of BMW and source of air pollution were found DG sets, SCN u/s 5 of EPA issued on 15.04.2013. Reply received on 26.04.2013, informing DG set (63 KVA) is not owned by them, DG set (15 KVA) has been disposed off. Applied for fresh Authorization & CTE on 16-04-2013. another inspection was conducted on 22.08.2013.and again deficiencies were observed in BMW management. Closure direction u/s 5 of EPA has been issued on 14.10.2013. Reply received from HCE on 23.10.2013. As	File be put up for revocation of direction and issue of Authorization under BMW Rules and CTE.

[illegible]

19	Sanjeevan Surgical Centre	157, B-00, Sector-1, Avantika, Rohini, Delhi-85	NW-527	15	Applied on 25.08.2012	NA	applied on 25.08.2012	NA	No	NA	No		Applied for fresh Authorization on 25.08.2012. No DG set. HCE was inspected on 03.01.2014 in reference to NGT order and deficiencies w'r.t. management of BMW were observed file was put up administratively. As approved, SCN is to be issued.	Issue Authorization under BMW Rules
20	Maternity Home	R Block, Camp No.5, Jawalapuri, New Delhi	W-530	15	NA	NA	Applied on 22.10.2013	NA	NI	N	Y		Fresh Case. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules
21	Damien Margaret Leprosy & TB Hospital	25-27, Qutub Vihar, Ph-I, Goyela Dairy, New Police Check Post, New Delhi-71	W-267	15	Applied for CTE on 12.06.2013	NA	Applied on 12.06.2013	NA	NI	N	Y		Fresh Case. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules
22	Gouri Hospital Ltd.	30, Malka Ganj Road, Jawahar Nagar Delhi-07	C-010	20	Not Applicable	NA	Applied on 20.06.2013	NA	63 KVA	N	Y		Applied for renewal of Authorization on 20.06.2013. HCE having DG set of 63 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules
23	Kolmet Hospital & Medical Research Centre	7-B, Pusa Road, New Delhi-5	C-013	39	G	NA	Applied on 14.08.2013	NA	320 & 62.5 KVA	N	Y		Applied for renewal of Authorization on 14.08.2013. HCE having 2 DG set of 320& 62.5 KVA. NMR will be submitted in two	Issue Authorization under BMW Rules

													months.	
24	Walia Nursing & Maternity Home	G-60, Laxmi Nagar, Delhi-92	E-009	30	G	NA	Applied on 25.04.2013	NA	85 & 30 KVA	N	Y		Applied for renewal of Authorization on 25.04.2013. HCE having 2 DG set of 85 & 30 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
25	Life Line Hospital	A-13, Priyadarshini Vihar, Delhi-92	E-014	24	Not Applicable	NA	Applied on 06.09.2013	NA	2 DG set of 40 KVA	N	Y		Applied for renewal of Authorization on 06.09.2013. HCE having 2 DG set of 40 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
26	Gupta Nursing Home & Hospital	25 A, Raj B-block, Naveen Shahdara, Delhi-32	E-010	28	Not Applicable	NA	Applied on 17.01.2014	NA	30 KVA	N	Y		Applied for renewal of Authorization on 17.01.2014. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
27	Pentamed Hospital	7, Local Shopping Centre, Derawal Nagar, Gujranwala Town Phase-IV, Delhi-9	N-021	30	Not Applicable	NA	Applied on 23.05.2013	NA	2 DG set of 160 & 100 KVA	N	Y		Applied for renewal of Authorization on 23.05.2013. HCE having 2 DG set of 160 & 100 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
28	Vinayak Hospital	Plot No.2, Main Road, Derawal Nagar, Model Town, Delhi-9	N-092	40	G	NA	applied on 30.12.2013	NA	160 KVA	N	Y		Applied for renewal of Authorization on 30.12.2013. HCE has 160 KVA DG set. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.

29	G.T.K Hospital	A-11, Sarai Pipal Thalla, Adarsh Nagar, Delhi-33	N-119	16	Not Applicable	NA	Applied on 26.07.2013	NA	32 KVA	N	Y		Applied for renewal of Authorization on 26.07.2013. HCE having DG set of 32 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
30	Narang Eye Institute	B-8, Derawala Nagar, Delhi-9	N-188	10	Not Applicable.	NA	Applied on 12.07.2013	NA	25 KVA	N	Y		Applied for renewal of Authorization on 12.07.2013. Earlier hospital was having 5 no. of beds. HCE having DG set of 25 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
31	Sehgal Nursing Home	A-6, Panchwati Opposite, Azadpur Subzi Mandi, Delhi-33	N-234	20	Not Applicable	NA	Applied on 31. 07.2013	NA	62.5 KVA	N	Y		Applied for renewal of Authorization on 31. 07.2013. HCE having DG set of 62.5 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
32	Muni Mayaram Jain Hospital	KD-Block, Pitampura, Delhi-88	NW-018	30	Not Applicable	NA	Applied on 28.03.2013	NA	125 KVA	N	Y		Applied for renewal of Authorization on 28.03.2013. HCE has 125 KVA DG set. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
33	Satyam Hospital Pvt. Ltd.	64-65/A-4, Sec-16, Rohini, Delhi-85	NW-022	20	Not Applicable	NA	Applied on 21.08.2013	NA	40 KVA	N	Y		Applied for renewal of Authorization on 21.08.2013. HCE having DG set of 40 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
34	Jeewan Charitable Hospital & Ayurvedic Research Centre	R-226-227-228, Mangolpuri Delhi-83	NW-023	20	G	NA	applied on 10.10.2013	NA	30 KVA	N	Y		Applied for renewal of Authorization on 10.10.2013. HCE having DG set of 30 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.

35	Garg Nursing Home	3675/11, Jai Mata Market, Tri Nagar Delhi-35	NW-124	15	Not Applicable	NA	applied on 03.01.2014	NA	15 KVA	N	Y		Applied for renewal of Authorization on 03.01.2014. HCE has 15 KVA Dg set. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
36	Gupta Hospital	A-56, Main Road BudhVihar, Phase-I, Delhi-86	NW-135	15	Not Applicable	NA	Applied on 25.06.2013	NA	40 KVA	N	Y		Applied for renewal of Authorization on 25.06.2013. HCE having DG set of 40 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
37	Prashanti Nursing Homes	H-32/9, Sector-3, Rohini, Delhi-110085	NW-210	10	Not Applicable	NA	Applied on 11.06.2013	NA	15 KVA	N	Y		Applied for renewal of Authorization on 11.06.2013. Earlier hospital was having 7 no. of beds. HCE having DG set of 15 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
38	Shanti Avedna Ashram	1- Factory Road,(Ring Road, near Safdarjung hospital) New Delhi-29	S-021	36	G	NA	Applied on 27.09.2013	NA	40 KVA	N	Y		Applied for renewal of Authorization under BMW rules on 27.09.2013. HCE having DG set of 40 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
39	Orthonova Hospital	C-5/29, SDA Opposite Main IIT Gate, New Delhi-16	S-025	30	Not Applicable	NA	Applied on 22.07.2013	NA	2 DG set of 62.5 KVA & 180 KVA	N	Y		Applied for renewal of Authorization on 22.07.2013. HCE having 2 DG set of 62.5 & 180 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
40	Nova Medical Centre	A-19, Kailash Colony, New Delh-48	S-088	15	G	NA	applied on 28.11.2013	NA	250 , 125 KVA	N	Y		Applied for renewal of Authorization on 28.11.2013. HCE having 2 DG set of 250 & 125 KVA. NMR will be submitted in two	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.

													months.	
41	Satyam Medical Centre	115/1, Village, Katwaria Sarai, New Delhi-16	S-184	10	Not Applicable	NA	Applied on 03.09.2012	NA	12 KVA	N	N		Applied for renewal of Authorization on 03.09.2012. HCE having DG set of 12 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
42	Sawan Neelu Angels Nursing home	J-293, Saket, New Delhi-17	S-185	14	Not Applicable	NA	Applied on 12.09.2013	NA	62.5 KVA	N	Y		Applied for renewal of Authorization on 12.09.2013. HCE having DG set of 62.5 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
43	Shroff Eye Centre	A-9, Kailash Colony, New Delhi-48	S-191	15	Not Applicable	NA	applied on 25.09.2013	NA	3 DG sets of 200, 75 & 40 KVA	N	Y		Applied for renewal of Authorization on 25.09.2013. HCE having 3 DG set of 200 & 75, 40 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
44	Talwar Medical Centre	M-139, Greater Kailash-II, New Delhi-48	S-202	15	Not Applicable	NA	Applied on 11.06.2013	NA	40 KVA	N	Y		Applied for renewal of Authorization on 11.06.2013. HCE having DG set of 40 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
45	Bharti Eye Hospital	E-52, Greater Kailash-1, New Delhi-48	S-349	10	Not Applicable	NA	Applied on 21.03.2013	NA	54.6 Ks	N	Y		Applied for renewal of Authorization on 21.03.2013. Earlier Hospital was having 5 no.of beds. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.

46	Shubham Hospital	DD-15, Kalkaji, New Delhi-19	SE-192	14	Not Applicable	NA	applied on 20.12.2013	NA	62.5 KVA	N	Y		Applied for renewal of Authorization on 13.12.2013. HCE having DG set of 62.5 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
47	Shanti Nursing Home Ltd.	E-1, Panchsheel Garden, Naveen Shahdara , Delhi-32	SHAHDARA-079	15	Not Applicable	NA	Applied on 10.10.2013	NA	60 KVA	N	Y		Applied for renewal of Authorization on 10.10.2013. HCE having DG set of 60 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
48	Swasthik Medical Centre	C-164, Anand Vihar, Delhi-92	SHAHDARA-141	13	Not Applicable	NA	applied on 23.09.2013	NA	20 KVA	N	Y		Applied for renewal of Authorization on 23.09.2013. HCE having DG set of 20 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
49	Sarthak Medical Centre	R-Z-2C, Main Road, Opposite Primery School, Palam Village, New Delhi-45	SW-079	15	Not Applicable	NA	Applied on 25.03.2013	NA	40 KVA	N	Y		Applied for renewal of Authorization on 25.03.2013. Earlier Hospital was having 8 no.of beds. HCE has 40 KVA DG set. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
50	Amar Leela	B-1/6, Janak Puri, Main Najafgarh Road, New Delhi-58	W-010	45	Not Applicable	NA	applied on 13.11.2013	NA	125 KVA	N	Y		Applied for renewal of Authorization on 13.11.2013. HCE having DG set of 125 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
51	Dr. Attam Nursing home	19, Bhera Enclave, New Delhi-87	W-044	10	Not Applicable	NA	Applied on 12.06.2013	NA	30 KVA	N	Y		Applied for renewal of Authorization on 12.06.2013. HCE having DG set of 30 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.

52	Batra Nursing Home	A-6/13, Pachim Vihar, New Delhi-63	W-049	10	Not Applicable.	NA	Applied on 11.07.2013	NA	20 KVA	N	Y		Applied for renewal of Authorization on 11.07.2013. HCE having DG set of 20 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will be deemed to have been revoked.
53	Central Hospital	A-142, Ganesh Nagar, P.O.Tilak Nagar New Delhi-18	W-059	30	Not Applicable	NA	Applied on 21.08.2013	NA	120 KVA	N	Y		Applied for renewal of Authorization on 05.09.2013. HCE having DG set of 120 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will be deemed to have been revoked.
54	Flex Medical Centre	B-1/4 Paschim Vihar, New Delhi-63	W-108	15	Not Applicable	NA	Applied on 30.09.2013	NA	62.5 KVA	No	No		Applied for renewal of Authorization on 30.09.2013. HCE having DG set of 62.5 KVA. NMR will be submitted in two months. HCE has not submitted valid agreement with CBWTF operator.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will be deemed to have been revoked.
55	Arya Hospital	C-1/101, Pankha Road, Janak Puri, New Delhi-58	W-116	17	Not Applicable	NA	applied on 09.12.2013	NA	62 KVA	N	Y		Applied for renewal of Authorization on 09.12.2013. HCE having DG set of 62 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will be deemed to have been revoked.
56	Jainar Hospital	A-328, Meera Bagh, Paschim Vihar, Delhi-87	W-135	10	Not Applicable	NA	applied on 16.01.2014	NA	NI	N	Y		Applied for renewal of Authorization on 16.01.2014. HCE has stated that NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will be deemed to have been revoked.
57	Jawa Nursing Home	A-3/313, Pachim Vihar, New Delhi-63	W-142	15	Not Applicable.	NA	Applied on 04.07.2013	NA	25 KVA	N	Y		Applied for renewal of Authorization on 04.07.2013. HCE having DG set of 25 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will be deemed to have been revoked.

58	Jeevan Jyoti Nursing Home	M-131, Vikaspuri, New Delhi 110018	W-143	15	Not Applicable	NA	Applied on 25.07.2013	NA	25 KVA	N	Y		Applied for renewal of Authorization on 25.07.2013. HCE having DG set of 25 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
59	Mehra Medical & Maternity Centre	1/19, Tilak Nagar, New Delhi-18	W-181	15	Not Applicable	NA	Applied on 09.07.2013	NA	10 KVA	N	Y		Applied for renewal of Authorization on 09.07.2013. Earlier HCE was having 5 no. of beds. HCE having DG set of 10 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
60	Batra Hospital & Medical Research Centre	A-1/6, Rajouri Garden, New Delhi-27	W-286	30	Not Applicable	NA	Applied on 01.10.2013	NA	250 KVA	N	Y		Applied for renewal of Authorization on 01.10.2013. HCE having DG set of 250 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
61	Sehgal Nursing Home	B-364, Meera Bagh, Outer Ring Road, New Delhi-lhi-63	W-325	30	Not Applicable	NA	Applied on 22.05.2013	NA	125 KVA	N	Y		Applied for renewal of Authorization on 22.05.2013. HCE having 125 KVA DG set. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
62	Aastha Hospital	L-2/50, New Mahavir Nagar, New Delhi-18	W-379	15	Not Applicable	NA	Applied on 18.06.2013	NA	20 KVA	No	Y		Applied for renewal of Authorization on 18.06.2013. HCE having DG set of 20 KVA. NMR will be submitted in two months.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
63	Aggarwal Dharmarth Hospital Society (Regd)	24/9, Shakti Nagar, Delhi-7	C-009	15	Not Applicable	NA	Applied on 10. 06.2013	NA	75 KVA	Y	Y		Applied for renewal of Authorization on 10. 06.2013	Issue Authorization under BMW Rules

64	Mohan eye Institute	Hospital, -11-B ,Ganga Ram Hospital Marg, New Delhi-60	C-019	25	Not Applicable	NA	Applied on 18.04.2013	NA	82.5 KVA	Y	Y		Applied for renewal of Authorization on 18.04.2013.	Issue Authorization under BMW Rules
65	Saraswati Memorial Hospital	347, Lane 1 & 332 Lane 2, Than Singh Nagar, Anand Parbat, New Delhi-05	C-240	16	Not Applicable	NA	Applied on 26.03.2013	NA	30KVA	Y	Y		Applied for renewal of Authorization on 26.03.2013.	Issue Authorization under BMW Rules
66	Ram lal Kundan laL Ortho Padic Hospital	Plot -8, Patparganj Road, Pandav Nagar, Delhi-92	E-008	36	Not Applicable	NA	applied on 24.12.2013	NA	160 KVA	Y	Y		Applied for renewal of Authorization on 24.12.2013. HCE has 160 KVA DG set. NMR submitted of expired date.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
67	Malik Radix Healthcare Pvt. Ltd.	C-218, Nirman Vihar, Delhi-92	E-160	42	Not Applicable	NA	Applied on 29.07.2013	NA	125 KVA	Y	Y		Applied for renewal of Authorization on 29.07.2013	Issue Authorization under BMW Rules
68	Mangla Aggarwal Medical centre	C-127 Ganesh Nagar, Tilak Nagar, New Delhi-18	E-179	20	Not Applicable	NA	applied on 11.12.2013	NA	10 KVA	Expired	Y		Applied for renewal of Authorization on 11.12.2013. HCE has 10 KVA DG set. NMR submitted of expired date.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR within six months failing which the Authorization issued will deemed to have been revoked.
69	Bimla Devi Hospital (A unit of Dr.Walia Charitable Trust)	Plot No.-5, Pockt-B, Mayur Vihar Phase-II, Delhi-91	E-183	20	Not Applicable	NA	Applied on 25.04.2013	NA	2 DG set of 125 KVA	Y	Y		Applied for renewal of Authorization on 25.04.2013	Issue Authorization under BMW Rules

70	RG Stone Urology and Laproscopy Hospital (A unit of R.G. Scientific Enterprises Ltd.)	18, Gagan Vihar, New Delhi-92	E-249	28	Granted	NA	Applied on 10.07.2013	NA	125 KVA	Y	Y		Applied for renewal of Authorization on 10.07.2013	Issue Authorization under BMW Rules
71	Navjeevan Nursing Home	B-4 &15, Shivpuri Extention, Delhi-51	N-109	16	Not Applicable	NA	Applied on 01.08.2013	NA	62.5 KVA	Y	Y		Applied for renewal of Authorization on 01.08.2013	Issue Authorization under BMW Rules
72	Mangalam Medical Surigcal Centre	154/81, Bawana Road, Pooth Khurd, New Delhi-39	N-449	10	G	NA	Applied on 09. 04.2013	NA	20 KVA	Y	Y		Applied for renewal of Authorization on 09. 04.2013.	Issue Authorization under BMW Rules
73	Tyagi Hospital & Maternity centre	210, G.T.Road, Sarai Pipal Thala, Azadpur, Delhi 110033	N-249	10	Not Applicable	NA	Applied on 01.08.2013	NA	15 KVA	Y	Y		Applied for renewal of Authorization on 01.08.2013. HCE has 15 KVA DG set. NMR submitted is of expired date.	Issue Authorization under BMW Rules
74	Centre for Sight	B-5/24, Safdarjung Enclave, New Delhi -29	ND-249	15	Not Applicable.	NA	Applied on 25.06.2013	NA	125 KVA	Y	Y		Applied for renewal of Authorization on 25.06.2013	Issue Authorization under BMW Rules
75	Raj Medical centre	C-3/51-A, Yamuna Vihar, Delhi-53	NE-065	10	Not Applicable	NA	applied on 13.09.2013	NA	20 KVA	Y	Y		Applied for renewal of Authorization on13.09.2013.	Issue Authorization under BMW Rules

76	Mavi Hospital Pvt. Ltd.	B-2/11, Nehru Vihar, Karawal Nagar Road, Delhi-94	NE-165	30	Not Applied	NA	Applied on 16.04.2013	NA	2 DG set of 15 KVA	Y	Y		Applied for renewal of Authorization on 16.04.2013.	Issue Authorization under BMW Rules
77	Bhagwan Mahavir Hospital	Sector-14 (Extn.), Near Madhuban Chowk, Rohini, Delhi-85	NW-015	34	Not Applicable	NA	Applied on 30.07.2013	NA	125 KVA	Y	Y		Applied for renewal of Authorization on 30.07.2013.	Issue Authorization under BMW Rules
78	Aggarwal Nursing Home	2528, Tri Nagar, Delhi-35	NW-032	10	Not Applicable	NA	Applied on 01.08.2013	NA	15 KVA	Y	Y		Applied for renewal of Authorization on 01.08.2013. HCE has 15 KVA DG set. NMR submitted is of expired date.	Issue Authorization under BMW Rules
79	B.D Attam Hospital & Medical Research Centre	10, Pragati Market, Ashok Vihar-II, Delhi-52	NW-046	10	Not Applicable	NA	Applied on 17.05.2013	NA	62.5 KVA & 125 KVA	Y	Y		Applied for renewal of Authorization on 17.05.2013	Issue Authorization under BMW Rules
80	D.R. Maternity & Nursing Home	C-2/3, D.R . House, Pragati Market, Ashok Vihar -II, Delhi-52	NW-065	10	NA	NA	Applied on 11.07.2013	NA	6 KVA	Y	Y		Applied for renewal of Authorization on 11.07.2013	Issue Authorization under BMW Rules
81	North Delhi Nursing Home Pvt. Ltd.	3, Community Centre-II, Phase-II, Ashok Vihar, Delhi-52	NW-197	15	G	NA	Applied on 25.06.2013	NA	125 KVA	Y	Y		Applied for renewal of Authorization on 25.06.2013	Issue Authorization under BMW Rules
82	Jain Muni Roshanlal charitable Hospital	2559, Tri Nagar, New Delhi-35	NW-356	30	Not Applicable	NA	Applied on 16.07.2013	NA	62.5 KVA	Y	Y		Applied for renewal of Authorization on 16.07.2013	Issue Authorization under BMW Rules

83	Nutech Mediworld	487, Hardev Puri Near Father Angel School, Gautam Nagar New Delhi-49	S-152	19	Not Applicable	NA	Applied on 17.06.2013	NA	125 KVA	Y	Y		Applied for renewal of Authorization on 17.06.2013	Issue Authorization under BMW Rules
84	Nu-Tech Mediworld	H-8, Green Park Extention, New Delhi-16	S-160	20	Not Applicable	NA	Applied on 29.08.2013	NA	40, 125 KVA	Y	Y		Applied for renewal of Authorization on 29.08.2013	Issue Authorization under BMW Rules
85	The Heart Centre	2, Ring Road, Lajpat Nagar-IV, New Delhi-24	SE-205	30	Granted	NA	Applied on 16.04.2013	NA	160 KVA	Y	Y		Applied for renewal of Authorization on 16.04.2013.	Issue Authorization under BMW Rules
86	Suraksha Nursing Home	E-22, Dilshad Colony, Delhi-95	SHAHDARA- 005	20	Not Applicable	NA	Applied on 20.06.2013	NA	20 KVA	Y	Y		Applied for renewal of Authorization on 20.06.2013	Issue Authorization under BMW Rules
87	Kapoor Medical Centre	F-20-21, Dilshad Colony, Near Old Seemapuri Chowk, Delhi 110095	Shahdara-051	15	Not Applicable	NA	Applied on 10.07.2013	NA	18 & 15 KVA	Y	Y		Applied for renewal of Authorization on1 0.07.2013	Issue Authorization under BMW Rules
88	Jeevan Jyoti Clinic and Hospital	118-A/1, GTB Chowk, Dilshad Garden, Delhi-95	SHAHDARA- 098	18	Not Applicable	NA	applied on 12.12.2013	NA	82.5 KVA	Y	Y		Applied for renewal of Authorization on 12.12.2013	Issue Authorization under BMW Rules

89	Orthoplus Hospital	RZ-B-28, Gopal Nagar, Najafgarh, New Delhi-43	SW-070	18	Not Applicable	NA	applied on 25.11.2013	NA	82.5 KVA	Y	Y		Applied for renewal of Authorization on 25.11.2013. HCE having DG set of 82.5 KVA. NMR submitted of expired date.	Issue Authorization under BMW Rules
90	Surya Kiran Hospital	31-34, Roshan Mandi, Najafgarh, New Delhi-43	SW-092	18	Not Applicable.	NA	Applied on 25.06.2013	NA	2 DG set of 30 KVA	Y	Y		Applied for renewal of Authorization on 25.06.2013	Issue Authorization under BMW Rules
91	Ayushman Hospital	Plot No.-2, IInd & IIInd Floor, Sec-12, HL Galleria, Dwarka, New Delhi-75	SW-127	46	Not Applicable	NA	Applied on 24.05.2013	NA	2 DG 62.5 KVA, 125 KVA	Y	Y		Applied for renewal of Authorization on 24.05.2013.	Issue Authorization under BMW Rules
92	Kesar Nursing Home	W2-61A/3B, Vashist Park, Park Pankha Road, New Delhi-46	W-062	18	Not Applicable	NA	applied on 26.09.2013	NA	62.5 KVA	Y	Y		Applied for renewal of Authorization on 26.09.2013.	Issue Authorization under BMW Rules
93	J.K Hospital	B-1/4A, Janak Puri, New Delhi-58	W-131	16	Not Applicable	NA	Applied on 05.09.2013	NA	2 DG set of 50 KVA	Y	Y		Applied for renewal of Authorization on 05.09.2013	Issue Authorization under BMW Rules
94	Khetarpal Nursing Home	GN-5, F&G Sector, Shivaji Enclave, New Delhi 110027	W-167	15	Not Applicable	NA	Applied on 25.07.2013	NA	62 KVA	Y	Y		Applied for renewal of Authorization on 25.07.2013	Issue Authorization under BMW Rules
95	Lok Clinic	A-2-7, Janak Puri, New Delhi-58	W-172	15	Not Applicable	NA	Applied on 01.08.2013	NA	20 KVA	Y	Y		Applied for renewal of Authorization on 01.08.2013	Issue Authorization under BMW Rules

96	Mahindru Hospital	E-1, Kiran Garden, Uttam Nagar, New Delhi-59	W-178	28	Not Applicable	NA	Applied on 29.04.2013	NA	125 & 250 KVA	Y	Y		Applied for renewal of Authorization on 29.04.2013	Issue Authorization under BMW Rules
97	Jeevan Jyoti Hospital	B-28, Kiran Garden, Uttam Nagar, New Delhi-59	W-345	30	Not Applicable	NA	Applied on 25. 07.2013	NA	63 KVA	Y	Y		Applied for renewal of Authorization on 25. 07.2013.	Issue Authorization under BMW Rules
98	Uro Care	A-3/12, FF, RT Side, Janak Puri, New Delhi-58	W-467	10	Not Applicable	NA	applied on 10.09.2013	NA	6.5 KVA	Y	Y		Applied for renewal of Authorization on 06.09.2013.	Issue Authorization under BMW Rules
99	Sanjeevan Medical Research Centre Ltd.	4869/24, Ansari road, Daryaganj, New Delhi-02	C-015	30	Not Applicable, however applied for CTE on 20.01.2014	NA	Applied on 03. 05.2013, Applied for authorization afresh for 45 beds on 20.1.2014.	NA	82.5 KVA	Y	Y		Applied for renewal of Authorization on 03.05.2013 without NMR now have applied for Authorization for 45 beds HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules and CTE
100	Bali Nursing Home	20B/3, D.B. Gupta Road, Karol Bagh, New Delhi-11005	C-018	26	Not Applicable	NA	Applied on 04.07.2013	NA	NI	N	Y		Applied for renewal of Authorization on 04.07.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
101	Sabharwal Hospital	2911-B, Sir Syed Ahmad Road, Darya Ganj, New Delhi-2	C-088	40	Not Applicable	NA	applied on 25.10.2013	NA	NI	N	Y		Applied for renewal of Authorization on 25.10.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.

102	Lotus Hospital	WZ-409-A, Janak Park, Hari Nagar, New Delhi-64	C-297	25	Not Applicable	NA	applied on 08.01.2014	NA	NI	N	Y		Applied for renewal of Authorization on 08.01.2014. HCE has not informed whether Dg set is installed in their premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
103	Guru Gobind Singh Hopsital	A-2, Block, Sant Nagar, Near Main Bus Stop, Burari-84	C-431	16	Not Applicable	NA	Applied on 26.03.2013	NA	NI	N	Y		Applied for renewal of Authorization on 26.03.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
104	Jankidas Kapoor Memorial Hospital	Pandav Nagar, Naraina Road, New Delhi-08	E-013	30	Not Applicable	NA	Applied on 17.04.2013	NA	NI	N	Y		Applied for renewal of Authorization on 17.04.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
105	Holy Child Nursing Home	C-43-44, East Krishna Nagar, Delhi-51	E-016	35	Not Applicable	NA	Applied on 18.04.2013	NA	NI	N	Y		Applied for renewal of Authorization on 18.04.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
106	Deepak Nursing Home	H-7, Jagat Puri, Parwana Road, Delhi-51	E-028	10	Not Applicable	NA	Applied on 11.09.2013	NA	NI	N	Y		Applied for renewal of Authorization on 11.09.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
107	Jain Charitable Hospital	Lane No.- 5, Raghubar Pura No-2, Gandhi Nagar Delhi-31	E-082	28	Not Applicable	NA	Applied on 23.08.2013	NA	NI	N	Y		Applied for renewal of Authorization on 23.08.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.

108	Kukreja Nursing Home	D-36, Acharya Niketan Mayur Vihar, Phase-I, Delhi-91	E-089	40	Not Applicable	NA	applied on 30.12.2013	NA	NI	N	Y		Applied for renewal of Authorization on 30.12.2013.HCE has not informed whether Dg set is installed in their premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
109	Malik Nursing Home	B-1297-98, Gharoli Diary Colony, Mayur Vihar, Phase-III, Delhi-96	E-100	10	Not Applicable	NA	applied on 25.10.2013	NA	NI	N	Y		Applied for renewal of Authorization on 25.10.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
110	Monga Medical Centre	J-10, Krishan Nagar, Delhi-51	E-106	19	Not Applicable	NA	applied on 13.12.2013	NA	Ni	N	Y		Applied for renewal of Authorization on 13.12.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
111	Tirupati Stone Centre & Hospital	6, Gagan Vihar, Delhi-51	E-168	30	Not Applicable	NA	Applied on 18.07.2013	NA	NI	N	Y		Applied for renewal of Authorization on 18.07.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
112	Makkar Medical Centre	A-1, Priyadarshini Vihar, New Delhi-92.	E-190	15	Not Applicable	NA	Applied on 26.04.2013	NA	NI	N	Y		Applied for renewal of Authorization on 26.04.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.

113	Samarpan Mother & Child Hospital	Plot No 7, Near Ashoka Dharam Kanta, Bawana Road, Narela, New Delhi-40	N-450	10	Not Applicable	NA	Applied on 07.05.2013	NA	NI	N	Y		Applied for renewal of Authorization on 07.05.2013. Earlier hospital was having 6 no.of beds. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
114	Shradha Multi Speciality Hospital (Unit of Hexamed Hospital Pvt. Ltd.)	Plot No. 42/9, 10/2, Safiabad Road, Gautam Colony, Narela, New Delhi-40	N-455	20	G	NA	Applied on 12.07.2013	NA	Ni	N	Y		Applied for renewal of Authorization on 12.07.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
115	Holy Angels Hospital	Vasant Vihar, Plot-B, Community Centre, New Delhi-57	ND-051	30	Not Applicable	NA	Applied on 30.08.2013	NA	NI	N	Y		Applied for renewal of Authorization on 30.08.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
116	Narula Hospital	C-3/65-A, Yamuna Vihar, Delhi-53	NE-057	10	Not Applicable	NA	Applied on 23.05.2013	NA	NI	N	Y		Applied for renewal of Authorization on 23.05.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.

117	Triveni Hospital	Sadatpur Main Road, Karawal Nagar, Near Yamuna Vihar, Delhi 110094	NE-091	14	Not Applicable	NA	applied on 10.12.2013	NA	NI	N	Y		Applied for renewal of Authorization on 10.12.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
118	Jaslok Medical Centre	C-1/15-A, Yamuna Vihar, Delhi-53	NE-097	10	Not Applicable	NA	Applied on 19.08.2013	NA	NI	N	Y		Applied for renewal of Authorization on 19.08.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
119	Family Hospital Pvt. Ltd.	B-859-70, Avantika, Sector-1, Rohini, Delhi-85	NW-020	25	Not Applicable	NA	applied on 10.01.2014	NA	NI	N	Y		Applied for renewal of Authorization on 10.01.2014. HCE has not informed whether Dg set is installed in their premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
120	Kesar Hospital	AH-11, Shalimar Bagh, Delhi-52	NW-024	20	G	NA	Applied on 28.06.2013	NA	NI	N	Y		Applied for renewal of Authorization on 28.06.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
121	Hitaishi Hospital	E-15/154, Sec-8, Rohini Delhi-85	NW-139	15	Not Applicable	NA	applied on 26.09.2013	NA	NI	N	Y		Applied for renewal of Authorization on 26.09.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
122	Mukesh Orthopaedic & Trauma Centre	2374-T-21A, Mandi Extention, Narela Delhi-40	NW-186	15	Not Applicable	NA	Applied on 04.04.2013	NA	NI	N	Y		Applied for renewal of Authorization on 04.04.2013. Earlier Hospital was having 9 no.of beds. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.

123	Navjeevan Medical Centre	T-655, Onkar nagar, Tri Nagar Delhi-35	NW-193	15	Not Applicable	NA	Applied on 21.08.2013	NA	NI	N	Y		Applied for renewal of Authorization on 21.08.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
124	Prashant Nursing Home	C-1/17, 18 Prashant Vihar, New Delhi-85	NW-209	19	G	NA	Applied on 26.04.2013	NA	NI	N	Y		Applied for renewal of Authorization on 26.04.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
125	Rashmi Hospital	JP-6, Maurya Enclave, Pitampura, Delhi-88	NW-220	15	Not Applicable	NA	applied on 16.01.2014	NA	NI	N	Y		Applied for renewal of Authorization on 16.01.2014. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
126	Bajaj Eye Care Centre	101, Vikas Surya Plaza, Plot no.7, DDA Centre, Road No.44 (near M2K), Pitampura-Delhi-34	NW-320	10	Not Applicable	NA	Applied on 01.10.2013	NA	NI	N	N		Applied for renewal of Authorization on 01.10.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the valid agreement with CBWTF facility within 15 days from the issue ofauthorization and also required to submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
127	Maternity Home (MCD)	G-26, Sec-3, Rohini, Delhi-85	NW-423	10	Not Applicable	NA	Applied on 25. 03.2013	NA	NI	N	N		Applied for renewal of Authorization on 25. 03.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the valid agreement with CBWTF facility within 15 days from the issue ofauthorization and also required to submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.

128	Lions Hospital & Research Centre	Village-Khizrabad (Near B-Block), New Friends Colony, New Delhi-65	S-019	45	Not Applicable	NA	Applied on 16.08.2013	NA	NI	N	Y		Applied for renewal of Authorization on 16.08.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
129	Sukhda Hospital	Shopping Centre, Pamposh Enclave, New Delhi-48	S-034	21	Not Applicable	NA	applied on 07.11.2013	NA	NI	N	Y		Applied for renewal of Authorization on 07.11.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
130	Vashisht Clinic Pvt. Ltd.	B-35, Shivalic, Panchshila, Delhi-17	S-211	16	Not Applicable	NA	applied on 06.01.2014	NA	NI	N	Y		Applied for renewal of Authorization on 06.01.2014. Earlier HCE was having 6 no. of beds. HCE has not informed whether Dg set is installed in their premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
131	St. Mary's Medical Centre/ Delhi Orthodox Syrian Church Society	Ph.-VI, Bandh Road, Aya Nagar, New Delhi-47	S-239	15	Not Applicable	NA	applied on 21.10.2013	NA	NI	N	Y		Applied for renewal of Authorization on 21.10.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
132	Visitech Eye Centre	A-10, South Extension Part-II, New Delhi-49	S-344	10	Not Applicable	NA	Applied on 18. 02.2013	NA	62.5 KVA	Y	Y		Applied for renewal of Authorization on 18.02.2013. Earlier Hospital was having 4 no.of beds.	Issue Authorization under BMW Rules

133	Sushma Jindal Hospital	488/15, Near Radha Krishan Mandir, Dilshad Garden, Delhi-95	SHAHDARA-101	10	Not Applicable	NA	Applied on 29.08.2013	NA	NI	N	Y		Applied for renewal of Authorization on 29.08.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
134	J.P. Memorial Hospital	F-189, Dilshad Colony, Delhi-95	SHAHDARA-110	20	Not Applicable	NA	Applied on 23.05.2013	NA	NI	N	Y		Applied for renewal of Authorization on 23.05.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
135	Tyagi Nursing Home	66/3 & 66/4, Ashok Nagar, New Delhi-18	SHAHDARA-279	25	Not Applicable	NA	Applied on 30.04.2013	NA	NI	N	Y		Applied for renewal of Authorization on 30.04.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
136	Indraprastha Medical Centre	Building No.-1, Sec-B, Pock-7, Vasant Kunj, Delhi-70	SW-112	15	NA	NA	applied on 17.10.2013	NA	NI	N	Y		Applied for renewal of Authorization on 17.10.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
137	Singhal Hospital	C-40, Gl. No. 9, Sadh Nagar, Palam colony, New Delhi-45	SW-118	35	Not Applicable	NA	applied on 16.09.2013	NA	NI	N	N		Applied for renewal of Authorization on16.09.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the valid agreement with CBWTF facility within 15 days from the issue ofauthorization and also required to submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.

138	Ravi Nursing Home (Ravi Clinic & Medical Centre)	A-18, Patel Garden, Dwarka More, New Delhi-78 (D-15, Patel Garden Kakrola More New Delhi-78)	SW-229	10	Not Applicable	NA	Applied on 05.04.2013	NA	NI	N	Y		Applied for renewal of Authorization on 05.04.2013. Earlier Hospital was having 03 no.of beds. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
139	Family Hospital Pvt. Ltd.	WZ-26A, New Sahib Pura, Opposite CRPF Camp, Tilak Nagar, New Delhi 110018	W-019	20	Not Applicable	NA	applied on 10.01.2014	NA	NI	N	Y		Applied for renewal of Authorization on 10.01.2014. HCE has not informed whether Dg set is installed in their premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
140	Handa Nursing Home	57, Raja Garden , New Delhi-15	W-127	31	Not Applicable	NA	applied on 13.12.2013	NA	NI	N	Y		Applied for renewal of Authorization on 13.12.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
141	Navjeevan Hospital	J-1, RBI Enclave, Paschim Vihar, New Delhi-110063	W-190	14	G	NA	applied on 19.12.2013	NA	Ni	N	Y		Applied for renewal of Authorization on 19.12.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
142	Sai Nursing Home	A-3/18, Janak Puri, New Delhi -58	W-235	20	G	NA	Applied on 05.04.2013	NA	No Information	N	Y		Applied for renewal of Authorization on 05.04.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.

143	Shankar Hospital	B-6, Shankar Garden,Vikas Puri, Opposite Metro Pillar No. 614, New Delhi-18	W-248	15	Not Applicable	NA	Applied on 24.07.2013	NA	NI	N	Y		Applied for renewal of Authorization on 24.07.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
144	Sodhi Nursing Home	455, Bhera Enclave, Paschim Vihar, New Delhi-110087	W-266	16	NA	NA	Applied on 29.10.2013	NA	NI	N	Y		Applied for renewal of Authorization on 29.10.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
145	U.K Nursing Home	M-1 & M-25, Vikas Puri, New Delhi-18	W-281	18	Not Applicable	NA	Applied on 13.08.2013	NA	NI	N	Y		Applied for renewal of Authorization on 13.08.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
146	Westend Hospital	11/72, Tilak Nagar, New Delhi-18	W-288	15	Not Applicable	NA	Applied on 02.07.2013	NA	NI	N	Y		Applied for renewal of Authorization on 02.07.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
147	Goyal Eye Institute	1/10, East Patel Nagar, New Delhi-08	W-293	10	Not Applicable	NA	applied on 07.11.2013	NA	NI	N	Y		Applied for renewal of Authorization on 07.11.2013 . HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.

148	K.K.Hospital	2, Inder Enclave, Rohtak Road, Delhi-87	W-294	18	Not Applicable	NA	Applied on 25.03.2013	NA	NI	N	N		Applied for renewal of Authorization on 25.03.2013. Earlier Hospital was having 9 no.of beds. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the valid agreement with CBWTF facility within 15 days from the issue of authorization and also required to submit the NMR within six months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
149	Krishna Surgical & Maternity Home	140 D, Main Najafgarh Road, Nangloi, Delhi-41	W-309	7	Not Applicable	NA	Applied on 05.09.2013	NA	No	NA	Y		Applied for renewal of Authorization on 05.09.2013. Earlier HCE was having 10 no. of beds. HCE do not have DG set.	Issue Authorization under BMW Rules
150	Bansal Hospital	51, Tyagi Colony, Rajendra Park, Nangloi, Main Rohtak Road, New Delhi-41	W-389	15	Not Applicable	NA	Applied on 26.06.2013	NA	No	NA	Y		Applied for renewal of Authorization on 26.06.2013. HCE do not have DG set.	Issue Authorization under BMW Rules
151	Binit Medical Centre	16, Roshan pura (Tuda Mandi) Najafgarh, Delhi-43	W-527	10	applied on 13.12.2013	NA	applied on 13.12.2013	NA	No	N	Y		Applied for renewal of Authorization on 13.12.2013. HCE do not have DG set.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
152	Balak Ram Hospital	Timarpur , Delhi-54	C-014	15	Not Applicable	NA	Applied on 29.08.2013	NA	No	NA	Y		Applied for renewal of Authorization on 29.08.2013. HCE do not have DG set.	Issue Authorization under BMW Rules
153	Sanjivani Nursing Home	D-13, Kamla Nagar, Delhi-7	C-062	11	Not Applicable	NA	applied on 10.01.2014	NA	NO	NA	Y		Applied for renewal of Authorization on 10.01.2014. HCE do not have DG set.	Issue Authorization under BMW Rules

154	Mahesh Hospital	D-437, Main Road, West Vinod Nagar, I.P Extention, Delhi-92	E-097	10	Not Applicable	NA	applied on 26.09.2013	NA	No	NA	N		Applied for renewal of Authorization on 26.09.2013. HCE do not have DG set.	Issue Authorization under BMW Rules with a condition that HCE will submit the valid agreement with CBWTF facility within 15 days from the issue of authorization failing which the Authorization issued will deemed to have been revoked.
155	Rishabh Medical Centre	1X/2392, Street No-12, Kailash Nagar Delhi-31	E-119	10	Not Applicable	NA	Applied on 29.08.2013	NA	NO	NA	Y		Applied for renewal of Authorization on 29.08.2013. HCE do not have DG set.	Issue Authorization under BMW Rules
156	City Hospital	Bharat Market Main Bazar, Samaipur, Delhi-42	N-063	15	Not Applicable	NA	Applied on 06.01.2014	NA	No	NA	Y		Applied for renewal of Authorization on 06.01.2014.HCE do not have Dg set.	Issue Authorization under BMW Rules
157	Gayatri Nursing Home	A-2/6A, Model Town-I, New Delhi-9	N-128	10	Not Applicable	NA	Applied on 30.09.2013	NA	No	NA	Y		Applied for renewal of Authorization on 30.09.2013. HCE do not have Dg set.	Issue Authorization under BMW Rules
158	Mahajan Hospital & Maternity Center	A-5, Swarn Singh Road, Adarsh Nagar, Delhi-33	N-171	10	Not Applicable	NA	applied on 30.12.2013	NA	No	NA	Y		Applied for renewal of Authorization on 30.12.2013. HCE do not have Dg set.	Issue Authorization under BMW Rules
159	MCD Maternity Home	PHL Campus Lampur Road, Narela, Delhi-40	N-270	15	Not Applicable	NA	applied on 16.01.2014	NA	NO	NA	Y		Applied for renewal of Authorization on 116.01.2014. HCE do not have DG set.	Issue Authorization under BMW Rules

160	MCD Maternity Home	Naraina Village WZ-119, Naraina, New Delhi-28	ND-159	8	Not Applicable	NA	applied on 13.09.2013	NA	No	NA	Y		Applied for renewal of Authorization on 27.09.2013. Earlier Hospital was having more than 10 no.of beds. HCE do not have DG set.	Issue Authorization under BMW Rules
161	Child Care Centre/Mittal Nursing Home	4302/5, Jai Mata Market, Tri Nagar, Delhi-35	NW-059	10	Not Applicable	NA	Applied on 11.11.2013	NA	No	NA	Y		Applied for renewal of Authorization on 24.12.2013.HCE do not have Dg set.	Issue Authorization under BMW Rules
162	MCD Maternity Home	793/60, Lekhu Nagar, Tri Nagar, Delhi-35	NW-086	10	Not Applicable	NA	Applied on 30.09.2013	NA	No	NA	Y		Applied for renewal of Authorization on 30.09.2013. HCE do not have Dg set.	Issue Authorization under BMW Rules
163	Maternity Home M&CW, MCD	Sant Nagar Road, Rani Bagh Delhi-34.	NW-271	12	Not Applicable	NA	applied on 25.10.2013	NA	No	NA	Y		Applied for renewal of Authorization on 25.10.2013. HCE do not have DG set.	Issue Authorization under BMW Rules
164	Savitri Health & MTP Centre	E-505, Shakurpur, Anandwas, Delhi-34	NW-304	16	Not Applicable	NA	applied on 05.12.2013	NA	NO	N	Y		Applied for renewal of Authorization on 05.12.2013. HCE do not have DG set. Earlier HCE was having 2 no. of beds.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
165	Shri Vardhman Jain Hospital	C-Block, Sector-15, Rohini, Delhi-85	NW-333	20	Not Applicable	NA	Applied on 19.08.2013	NA	No	NA	Y		Applied for renewal of Authorization on 19.08.2013. HCE do not have DG set.	Issue Authorization under BMW Rules
166	Hari Hospital	74-A, Hari Enclave, Near H-3 Block, Sultan Puri, Delhi-41	NW-334	10	Not Applicable	NA	applied on 13.01.2014	NA	NO	NA	Y		Applied for renewal of Authorization on 13.01.2014. earlier HCE was having 6 no. of beds. HCE do not have DG set.	Issue Authorization under BMW Rules

167	Pal Hospital	E-135, Rajiv Nagar, Begum Pur, Delhi-86	NW-341	10	Not Applicable	NA	applied on 03.01.2014	NA	No	NA	Y		Applied for renewal of Authorization on 03.01.2014. Earlier hospital has 9 no. of beds. HCE do not have Dg set.	Issue Authorization under BMW Rules
168	MCD Maternity Home	G-Block, Shakurpur, Delhi-34	NW-353	15	Not Applicable	NA	Applied on 13.09.2013	NA	No	NA	Y		Applied for renewal of Authorization on 13.09.2013. HCE do not have Dg set.	Issue Authorization under BMW Rules
169	MCD Maternity Home	Bhai Parmanand Colony, Near ID Hospital, Delhi-9	S-083	12	Not Applicable	NA	applied on 27.09.2013	NA	No	NA	Y		Applied for renewal of Authorization on 27.09.2013. HCE do not have DG set.	Issue Authorization under BMW Rules
170	Godrej Memorial Trust	Goderaj Bhawan, Sher Shah Suri Marg, Okhla, New Delhi-20	S-108	0	Not Applicable	NA	Applied on 03.07.2013	NA	No	NA	Y		Applied for renewal of Authorization on 03.07.2013. HCE do not have DG set.	Issue Authorization under BMW Rules
171	Vardaan Hospital	B-100, Malviya Nagar, New Delhi-17	S-210	10	Not Applicable	NA	applied on 22.10.2013	NA	40 KVA	N	Y		Applied for renewal of Authorization on 22.10.2013. HCE do not have DG set.	Issue Authorization under BMW Rules
172	NTPC / Badarpur Thermal Power	NTPC, Badarpur, Delhi-44.	SE-151	18	Not Applicable	NA	Applied on 25.07.2013	NA	No	NA	Y		Applied for renewal of Authorization on 25.07.2013. HCE do not have DG set.	Issue Authorization under BMW Rules
173	Mahaluxmi Diagnostic Centre And Nursing Home	100 Feet Road, Durgapuri, Delhi-93	Shahdara-007	20	Not Applicable	NA	Applied on 03.05.2013	NA	No	NA	Y		Applied for renewal of Authorization on 03.05.2013. HCE do not have DG set.	Issue Authorization under BMW Rules
174	Tandon Nursing Home	D-229, Vivek Vihar, Delhi 110095	Shahdara-144	10	Not Applicable	NA	Applied on 16.07.2013	NA	No	NA	Y		Applied for renewal of Authorization on 16.07.2013. HCE do not have DG set.	Issue Authorization under BMW Rules

175	MCD Maternity Home	Khichri Pur, Near Block No-1, Delhi-91	Shahdara-162	15	Not Applicable	NA	Applied on 07. 04.2013	NA	No	NA	Y		Applied for renewal of Authorization on 07. 04.2013. HCE do not have DG set.	Issue Authorization under BMW Rules
176	Parivar Sewa Sansthan	X-41, Karkardooma Institutional Area, New Delhi-92	SHAHDARA-207	11	Not Applicable	NA	Applied on 23. 01.2013	NA	No	NA	N		Applied for renewal of Authorization on 23. 01.2013. Earlier hospital was having 4 no. of beds. HCE do not have DG set.	Issue Authorization under BMW Rules with a condition that HCE will submit the valid agreement with CBWTF facility within 15 days from the issue of authorization failing which the Authorization issued will deemed to have been revoked.
177	Family Planning Associate Of India	Plot No. 10, Sec-4, R.K.Puram, New Delhi-22	SW-044	17	Not Applicable	NA	Applied on 04.09.2013	NA	No	NA	Y		Applied for renewal of Authorization on 04.09.2013. HCE do not Dg set.	Issue Authorization under BMW Rules
178	R. Nayyar Hospital	3, 3-A, Amar Enclave, Nawada, Main Najafgarh Road, Post Office Uttam Nagar, New Delhi-59	SW-221	10	Not Applicable	NA	Applied on 18.07.2013	NA	No	NA	Y		Applied for renewal of Authorization on 18.07.2013. HCE do not have DG set.	Issue Authorization under BMW Rules
179	Rao Raghubir Hospital & Matrenity Centre	Najafgarh Road, Kamruddin Nagar Nangloi, New Delhi-41	SW-228	30	Applied on 09.04.2013)	NA	Applied on 22.03.2013	NA	No	NA	Y		Applied for renewal of Authorization on 22.03.2013 & CTE on 09.04.2013. HCE do not have DG set.	Issue Authorization under BMW Rules
180	Apaar nursing home	A-26, Adarsh Nagar, Uttam Nagar, New Delhi-59	W-041	15	Not Applicable	NA	Applied on 06.09.2013	NA	No	NA	Y		Applied for renewal of Authorization on 06.09.2013. HCE do not have DG set.	Issue Authorization under BMW Rules

181	Bhagat Hospital	D-2/48 -49, Janakpuri, New Delhi-58	W-051	35	Not Applicable	NA	Applied on 23.08.2013	NA	No	NA	Y		Applied for renewal of Authorization on 23.08.2013. HCE do not have Dg set.	Issue Authorization under BMW Rules
182	Khetarpal Hospital	F-95, Bali Nagar, Najafgarh Road	SW-014	35	Not Applicable	NA	Applied on 16.12. 2013	NA	82.5 KVA	Y	Y		Applied for renewal of Authorization on 16.12.2013.	Issue Authorization under BMW Rules
183	Gandhi Nursing Home	C-50 & 51, OM Vihar, Uttam Nagar, Delhi-59	W-111	40	Not Applicable	NA	G (Valid upto 29.06.2014)	NA	NI	N	Y		HCE has valid Authorization till 29.06.2014. HCE has requested to change its name from Gandhi Nursing Home (A unit of Pawan Gandhi Health Care Pvt. Ltd) to Gandhi Hospital (A unit of Pawan Gandhi Health Care Pvt. Ltd)	Get the name change in the record IT Cell and issue acknowledgement to the HCE.
184	Nikhil's Nursing Home (N.V.S Badarpur Nursing Home)	414, Near S.B.I Opposite, Tughlakabad Metro Station Mathura Road, Badarpur, Delhi-44	SE-146	8	Applied on 20.01.2014.	NA	Applied for renewal of Authorization 20.01.2014. for 8 no. of beds. Earlier having 15 no. of beds.	NA	NI	N	Y		Applied for renewal of Authorization on 20.01.2014. HCE has not informed whether DG set is installed in the premises or not.	As Hce has reduced the bed strength less than 10, case to be dealt at the level of SEE
185	Sumitra Hospital	142, Arihant Nagar, Delhi.26	W-115	10	NA	NA	Applied for renewal of Authorization on 01.01.2014	NA	NI	N	Y		Applied for renewal of Authorization on 01.01.2014. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.

186	Gautam Nursing Home & Maternity Centre	D-2/148, Jeevan Park, Panka Road, Janakpuri, New Delhi-59	NE-072	30	NA	NA	Applied for renewal of Authorization on 23.12.2013	NA	NI	N	Y		Applied for renewal of Authorization on 23.12.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
187	Sharp Sight Centre (east)	81, Defence Enclave, Vikash Marg, Delhi-92	E-212	10	NA	NA	Applied for renewal of Authorization on 04.10.2013	NA	NI	N	Y		Applied for renewal of Authorization on 04.10.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
188	Sai Charitable Dispensary & Nursing Home	A-86, Jagat Puri, 100 Feet Road, Shahdara, Delhi-32	SHAHDARA-072	25	NA	NA	Applied for renewal of Authorization on 23.08.2013	NA	NI	N	Y		Applied for renewal of Authorization on 20.01.2014. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
189	Delhi Children Hospital	648, Chanderlok, 100 Feet Road, Shahdhra , Delhi-93	SHAHDARA-248	12	NA	NA	Applied for renewal of Authorization on 09.07.2013	NA	NI	N	Y		Applied for renewal of Authorization on 20.01.2014. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
190	Ortho Care Hospital	Plot No. 5, Chara Mandi, Tehsil Road, Najafgarh, Delhi-43	SW-162	15	NA	NA	Applied for renewal of Authorization on 18.04.2013	NA	NI	N	Y		Applied for renewal of Authorization on 18.04.2013. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
191	Apex Hospital (A Unit of Friends Health Pvt. Ltd.)	E-22, Naraina Vihar, Delhi-28	ND-253	30	NA	NA	Applied for renewal of Authorization on 12.09.2012	NA	NI	N	Y		Applied for renewal of Authorization on 12.09.2012. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.

192	Health Centre Cum Maternity Hospital	Kanti Nagar, Delhi-51	E-238	10	NA	NA	Applied for renewal of Authorization on 21.09.2012	NA	NI	N	Y		Applied for renewal of Authorization on 21.09.2012. HCE has not informed whether DG set is installed in the premises or not.	Issue Authorization under BMW Rules with a condition that HCE will submit the NMR withinsix months (if HCE having a DG set) failing which the Authorization issued will deemed to have been revoked.
-----	---	--------------------------	-------	----	----	----	---	----	----	---	---	--	--	---