

By Speed Post



DELHI POLLUTION CONTROL COMMITTEE
4th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F.No.DPCC/BMW/2016/3257

Dated: 04/04/16

Subject- Minutes of the Meeting of the BMW Committee No. 1 held on 26.02.2016

Sir,

Please find enclosed herewith Minutes of the Meeting of BMW Committee No. 1 for deciding application for grant of Authorisation under BMW Rules and CTE/CTO held on 26.02.2016 in the chamber of Chairman, DPCC 6th Level, Delhi Secretariat, New Delhi.


S. PANKAJ
EE, WMC-I

To:

1. Member Secretary, DPCC
2. Dr. T.K Joshi, Director COEH
3. Dr. Anil Kumar, Director, Department of Environment, GNCTD
4. Dr. Chetna, Scientist, Department of Environment
5. EEs, WMC-I
- ✓ 6. SEE (IT), for uploading Minutes on DPCC website.
7. P.S to Chairman, DPCC for kind information of Chairman please


EE/CTO


05/04/16


08/04


Minutes of meeting BMW Committee – I held on 26.02.2016 at 4.00 PM


Following were present:-

- | | |
|---|--------------------|
| 1. Sh. Ashwani Kumar, Chairman, DPCC | ---In Chair |
| 2. Sh. Kulanand Joshi, Member Secretary, DPCC | ---Member |
| 3. Dr. T.K. Joshi, Director, COEH, MAMC, Delhi-110002 | ---Member |
| 4. Sh. P.S. Pankaj, Environmental Engineer(WMC-I), DPCC, | ---Member |
| 5. Sh. Siddhartha Gautam, Environmental Engineer(WMC-I), DPCC | ---Member |
| 6. Dr. Chetna Anand, Scientist, Deptt. Of Environment, GNCTD | ---Member |
| 7. Dr. Anil Kumar, Director, Deptt. Of Environment, GNCTD | ---Special invitee |


The following decisions were taken:-

- (1) The existing arrangement for collection and disposal of BMW by the two authorized agencies was reviewed as per the data compiled by BMW Cell. The waste dealt by the two agencies is more than the waste generated. This was found to be odd. The BMW Cell needs to re-verify and properly compile the data.
- (2) The representative of DMA Nursing Home & Medical Establishment Forum had also represented about the deficiencies in bio-medical waste collection. There have been other complaints too, highlighting gaps in the terms of transportation and where shredded or autoclaved material is disposed off. It was decided that the two authorized agencies shall furnish the details of how and to whom they give their waste for further treatment and place this information in public domain/their website.
- (3) At present, there is no agency in Delhi for treatment and disposal of bio-medical waste after autoclaving / shredding. It was also therefore decided that the BMW Cell, DPCC should invite offer through a public notice for authorizing agencies in this regard. The eligibility criteria may be work out after consultation with pollution boards where such facilities exist.
- (4) It was decided that all the Health Care Establishments (HCEs) should upload their registration electronically on the DPCC Server. The arrangement for this purpose needs to be made by the BMW Cell / IT Cell. This would help in collection of data regarding waste generated easier and more systematic.
- (5) It was noted that there is need for effective monitoring of collection and disposal of BMW by the two agencies. It was decided that the two agencies shall upload on their website the data of transportation-registration number and nature of vehicle, GPS detail and GPS data. This would facilitate the DPCC (and even public) in knowing the adequacy of transportation arrangements made by the two authorized agencies to manage BMW. Further, the Health Care Establishments shall deploy CCTV / video camera at the place (s) in their premises from where bio-medical waste is lifted by the two designated agency. The HCEs and two agencies shall ensure that the entire operation of collection of BMW, including registration number of the vehicles used for transportation of bio-medical waste, is captured by video cameras. Likewise, the authorized agencies for BMW shall also install CCTV /Video camera at their processing facilities. The CCTV / Video Camera should capture the arrival of vehicles carrying BMW and their registration number and also the process of treatment, namely autoclaving / shredding etc. The


22/3/16








video feeds should be preserved for at least 3 months and be accessible to DPCC or Health Authorities.


- (6) It was noted that the present capacity of the two agencies is not as per the norms prescribed by CPCB on the basis of number beds. Further the present system of captive market for the two authorized agencies is not conducive for proper delivery of services. It was therefore decided that to begin with, there should be competition between the two agencies. It was therefore, decided that both the agencies should be allowed to provide their service to HCEs located anywhere in Delhi. At present, a part of Delhi is under one agency and the remaining part the other agency. Since the capacity of the two agencies is less than the expected as per norms of CPCB based on the number of beds and the 3rd authorized agencies working earlier has left, it was decided to invite offers through an open and transparent method for authorizing additional agencies. This would enhance the capacity and help to improve service by curtailing monopoly. A competition between bio-medical wastes agencies may also help in satisfactory treatment of bio-medical waste.
- (7) DMA Nursing Home & Medical Establishment Forum representative submitted that smaller hospitals should not be mandated to install STP/ETP which increases their cost. He stated that DJB is the right agency which should treat waste water. It was also noted that smaller establishment also have space constraints as far as setting up of STP etc. is concerned. After detailed discussion, it was decided that the installation of ETP / STP will not be needed for HCE having bed capacity upto 50 beds provided they do not have laundry and are connected with DJB sewer system. In case, the HCEs upto 50 beds have laundry and are connected with DJB sewer system, they will be required to have only ETP so as to treat laundry waste.
- (8) It was also decided that the consent / authorization be given to HCEs as Annexure A. These HCEs are listed at Serial No. 2, 4, 5, 7, 8, 10, 11, 12, 14, 16, 17, 18, 21, 22, 24, 25, 26, 27, 28, 29, 31, 32, 33, 34, 35, 37, 38, 40, 41, 43, 45, 50, 51, 52, 53, 54, 57, 60, 62, 65, 66, 71, 72, 73, 74, 75, 76, 77, 78, 81, 85, 89, 91, 96, 102, 104, 105, 106, 108, 109, 110, 112, 113, 114, 117, 118, 120, 121, 123, 125, 127, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144 marked as in format enclosed, and duly authenticated by EE WMC-I, showing fulfillments of the criteria for granting the consent / authorization.


The meeting ended with a vote of thanks to the Chair.


(Ashwani Kumar)
Chairman,
DPCC


(Kulanand Joshi)
Member Secretary,
DPCC


(Dr. Anil Kumar)
Director(Env)
GNCTD


(Dr. T.K. Joshi)
Director, COEH,
MAMC


(P.S. Pankaj)
EE(WMC-I)


(Siddhartha Gautam)
EE(WMC-I)


(Dr. Chetna Anand)
Scientist, Deptt. Of Env

ANNEXURE 'A'

S.No	S.no. of Ref. List	Name and Address of HCE	CTE Status	CTO Status	Authorisation Status	Decision of the Committee.
1	2	Phoenix Hospital E-60, Greater Kailash, Part-I, New Delhi-48	Granted	Not Applied	Applied for renewal of Authorization on 06.03.2014 for 50 beds	Authorization Granted
2	4	Acamas Hospital (A unit of Acamas Super Speciality Pvt. Ltd., RZ-20 F/B, Kailash Puri Road, Main Sagarapur, New Delhi-46	Granted	NA	Applied on 03.03.2015	Authorization Granted
3	5	Maharaja Agrasen Hospital, Bawana Road, Narela, Delhi-110040	Granted	applied on 20.10.2015	G (Valid till 17.12.17)	CTO Granted
4	7	Jeewan Nursing Home & Hospital, 2-B, Pusa Road, New Delhi-05	Granted	Applied on 04.10.12	Applied on 08.10.2013	CTO & Authorisation Granted
5	8	Deepak Memorial Hospital, 5, Institutional Area, Vikas Marg Extn, 2, Delhi-92	Granted for existing hospital	Applied on (29.08.14)	Applied on 13.01.2016	Consent Granted.
6	10	Central Jail Hospital Tihar, New Delhi-64	Granted	Not Applied	Applied on 20.05.15	Authorisation Granted
7	11	Janakpuri Super Speciality Hospital (Govt. of Delhi) C-2/B, Janakpuri, New Delhi-58	Granted	Applied on 15.3.10.	Applied on 17.5.2013	CTO and Authorisation Granted
8	12	Mata Chanan Devi Janakpuri, New Delhi-58	Granted	Applied on 21.08.13	Granted (Valid up-to 16.07.15), renewal applied on 05.06.2015	CTO and Authorisation Granted
9	14	Sanjeevan Medical Research Centre, 4689/24, Ansari Road, Daryaganj, New Delhi-02	Applied for CTE on 23.12.2014	NA	Applied for renewal of Authorization on 23.12.2014 for 50 beds earlier authorization Granted for 45 beds (Valid up-to 19.01.2017)	Authorization Granted
10	16	Moolchand Hospital, Lajpat Nagar-III, New Delhi-24	Granted. Applied for CTE on 26.5.15 for expansion of hospital after obtaining clearance from SEIAA	Granted	Granted (Valid up-to 15.07.16)	Consent Granted.
11	17	M/s Fortis Escorts Heart Institute and Research Centre, Okhla Road, New Delhi-25	Granted	Granted	Granted (valid up-to 05.06.15). Applied for renewal of Authorization on 30.4.15	Authorization Granted
12	18	All India Institute of Medical Sciences, Ansari Nagar, New Delhi-29	Granted	Applied on 17.06.2011	Applied on 19.03.2014	Authorization and CTO granted
13	21	Brahm Shakti Hospital & Research Centre U-1/78, Budh Vihar, Rohini, Delhi-110086	Granted	Valid till 01.4.2017	Applied on 23.01.15	Authorization Granted.
14	22	Satyawadi Raja Harish Chander hospital Plot No.-30, Sector-7A, Narela, Delhi-40	Granted	Applied on 30.3.11	Applied for renewal on 20.6.13	Consent and Authorization Granted.

Abey

Santana

Sharma

Chakraborty

24/3/16

ANNEXURE 'A'

15	24	Nehru Homeopathic Medical College And Hospital B-Block Defence Colony, New Delhi-24	Granted	Applied for renewal on 16.8.2010	Applied on 18.02.14	Authorization granted.
16	25	Institute of Liver & Biliary Sciences D-1, Vasant Kunj, New Delhi	Granted	Granted (Valid till 25.4.18). Applied for Phase -2 of hospital on 08.05.15.	applied on 22.12.2015	Renewal of Authorisation and CTO Granted
17	26	Jaipur Golden Hospital, 2, Institutional Area, Sec-3, Rohini	Granted	Applied on 14.01.2016	Applied on 03.06.2014	Renewal of Authorisation and CTO Granted
18	27	Rajiv Gandhi Cancer Institute & Research Centre, Sec-5, Rohini	Granted	Granted (valid up-to 21.01.2019)	Applied on 29.05.15	Renewal of Authorisation Granted
19	28	Indraprastha Medical Corporation Ltd., (Indraprastha Apollo Hospital) Sarita Vihar, Mathura Road, Delhi-76	Granted	Granted (valid up-to 06.01.2018)	Applied on 19.05.15	Renewal of Authorisation Granted
20	29	Jeewan Hospital & Nursing Home Gate No.2, Jeewan Nagar, Opp. Maharani Bagh, New Delhi-14.	G	Applied on 03.08.2015	Applied for Authorisation under BMW Rules on 18.05.2015 for 80 beds.	Consent and Authorization granted.
21	31	Bhagat Chandra Hospital RZF-1/1 Mahavir Enclave, Palam Dabri Road, New Delhi-45	Granted	G (valid up-to 10.06.2017)	Applied on 12.08.2015	Renewal of Authorization Granted.
22	32	Metro Hospital & Heart Institute /Malhotra Heart Institute & Medical Research Centre 14, Ring Road Lajpat Nagar-IV, New Delhi-24	G	Applied on 30.10.2012	Applied on 08.06.2012	Renewal of Authorization and CTO Granted.
23	33	Savitri Hospital Charitable Trust, 142/91, Kanjhawala Road, Delhi-81	Granted	CTO applied on 27.3.15	G (Valid till 17.02.18)	CTO Granted .
24	34	As Kidney Hospital and stone centre Pvt. Ltd., 1/46, Vijay Enclave, main Dabri Palam Road	Applied on 23.04.2015	Not Applied		CTE granted
25	35	Primus Ortho & Spine Hospital (Delhi Hospital Society) 2, Chandragupt Marg, Chankyapuri, New Delhi-21	Granted	Applied on 16.12.13	Applied on 28.05.14	Renewal of Authorisation and CTO Granted
26	37	Maharaja Agrasen Hospital, Sec-1, Dwarka, Delhi-110026	Granted	Applied on 20.10.2015	Applied on 20.10.2015	Authorisation and CTO Granted
27	38	Manglam Medical Surgical Centre, 154/81, Main Bawana Road, Pooth Khurd, Delhi-110039	Applied on 23.04.2015	applied on 11.08.2015	Applied on 23.04.2015	CTE, CTO and authorization Granted.
28	40	Sir Ganga Ram Hospital, Rajender Nagar, New Delhi - 60	Granted	Granted (Valid up-to 13.01.18)	Applied on 04.01.2016	Renewal of Authorisation Granted
29	41	Rajiv Gandhi Super Speciality Hospital, Near GTB Hospital, Tahirpur, Delhi-93	Granted	Applied on 28.09.10	Granted (valid up-to 24.06.16)	CTO Granted
30	43	Hedgewar Arogya Sansthan, Karkardooma, east Arjun Nagar, Delhi -32	Granted	Applied on 19.08.13	Granted (valid up-to 07.05.16)	CTO Granted.

[Signature]

[Signature]

[Signature]

22/3/16

ANNEXURE 'A'

31	45	Northern Railway Central Hospital, Basant Lane, New Delhi-55	Granted	Applied on 19.11.07 (as validity already expired)	Applied on 02.04.14	Authorization Granted
32	50	Shriram Institute for Industrial Research, -19, University Road, Delhi-07.	Granted	Granted (Valid up-to 26.03.17)	Applied on 04.07.2013	Renewal of Authorisation Granted
33	51	Delhi Heart and Lung Institute, 3-M.M II, Panchkuian Road, Delhi-55	Granted	Applied on 07.09.2015	Applied on 21.07.14	Renewal of Authorisation and CTO Granted
34	52	Shri Ram Singh Memorial Hospital, B-26, East Krishna Nagar, New Delhi-51.	Granted	Applied on (23.07.09) Validity already expired of application	Applied on 28.10.14	Renewal of Authorisation Granted
35	53	Nazar Kanwar Surana Hospital(A Unit of Bram Health Care (P) LTD), 219/220, N.K. Surana Marg, Gulabi Bagh, Delhi - 07	Granted	Applied on 18.02.15	Applied on 18.02.15	Renewal of Authorisation and CTO Granted
36	54	Jeewan Mala Hospital (P) Ltd. 67/1, New Rohtak Road New Delhi -05	Applied in 01.12.2015	Applied on 10.07.2013	Applied on 27.06.2013	Renewal of Authorisation, CTE and CTO Granted
37	57	Kasturba Hospital, Near Jama Masjid, New Delhi-2	Granted	Applied on 27.08.13	Not applied (earlier valid up-to 25.08.12)	CTO Granted
38	60	Guru Nanak Eye Centre, Maharaja Ranjit Singh Marg, New Delhi	Granted	Applied On 09.03.09 (5 years lapsed)	Applied on 13.01.14	Renewal of Authorisation Granted
39	62	Aruna Asaf Ali Hospital, 5 Rajpur Road, Delhi-54	Granted	Applied on 25.02.11	Applied on 03.05.13	Renewal of Authorisation and CTO Granted
40	65	Institute of Human Behaviour & Allied Sciences, Near GTB Hospital, Dilshad Garden, Delhi-95	Granted	Applied on 12.06.2015	Applied on 12.06.2013	Renewal of Authorisation and CTO Granted
41	66	City Hospital, B-1/1, N.E.A. Pusa Road, New Delhi-60	Granted	Applied on 22.01.14	Applied on 29.03.12	Renewal of Authorisation and CTO Granted
42	71	Kalra Hospital A-5 & 6, Kirti Nagar, New Delhi-15	Granted	Valid till 08.08.13. Applied for renewal on 12.12.13	Applied on 07.02.2014	Renewal of Authorisation and CTO Granted
43	72	Kukreja Hospital & Heart Centre C-1, Vishal Enclave, New Delhi-27	Applied on 15.04.2015	Applied on 15.04.2015	Applied on 03.7.2013	Renewal of Authorisation, CTE and CTO Granted
44	73	RLKC Hospital Metro Heart Institute (A Unit of Dr. R.L.Khera Charitable Trust) Naraina Road, Pandav Nagar, Opposite Shadipur Depot, Naraina Road, Delhi-08	Granted	Applied on 14.12.12	Applied on 18.03.15	Renewal of Authorisation and CTO Granted
45	74	Altius Sonia Hospital 1, Gulshan Park, Main Rohtak Road, Nangloi, Delhi-41	Not Applied	Not Applied	Applied on 04.09.14	Authorization Granted

Shri Kantam
Anda Duni

Chelva
24/3/16

24/3/16

ANNEXURE 'A'

46	75	Metro Hospital & Cancer Institute (Earlier Anand Hospital) 21, Community Centre, Preet Vihar, Delhi-92	Granted	Applied on 07.04.2015	Granted (Valid upto 28.04.2016)	CTO Granted
47	76	Tirath Ram Shah Hospital, 2 A, RBL, Ishwar Das Sawhney Marg, Rajpur Road, New Delhi-54	Granted	Applied on 14.09.15	Applied on 14.02.13	Renewal of Authorisation and CTO Granted
48	77	Park Hospital Super Speciality Hospital, 11, 12, 13 & 97 Meera Enclave, Near Keshavpur bus depot, outer ring road New Delhi-18	Applied on 19.08.13	Applied on 13.09.2013	Applied on 09.08.2013	Renewal of Authorisation, CTE and CTO Granted
49	78	Shri Balaji Action Medical Institute Unit of Lal Munni Lal Mange Ram Charitable Trust Hospital, FC-34, A-4, Paschim Vihar, New Delhi-63	Granted	Applied on 26.07.13	Applied on 23.08.13	Renewal of Authorisation and CTO Granted
50	81	Kosmos Super Speciality Hospital C-59-60, Anand Vihar, Delhi-92	Granted	Applied for renewal on 25.10.2013	Granted (Valid up-to 25.06.2015)	Renewal of Authorisation and CTO Granted
51	85	Sardar Vallabh Bhai Patel Hospital East Patel Nagar, New Delhi-8	Granted	Applied on 03.11.2014	G (Valid upto 18.12.2015)	CTO granted
52	89	Apex City Hospital 440, West vinod nagar, Hanuman Road, Near PNB, Delhi-92	Granted	Applied on 03.08.2015	Granted (Valid up-to 22.04.2017)	CTO Granted
53	91	East Delhi Medical Centre 1/550, G.T. Road, Shahdara, Delhi-32	Granted	Applied on 19.05.2015.	Applied on 12.02.2014.	Renewal of Authorisation and CTO Granted
54	96	Batra Hospital & Medical Research Centre, 1, Tughlakabad Institutional Area, Mehrauli Badarpur Road, Delhi	Granted	Granted	Applied on 22.04.2015	Renewal of Authorisation Granted
55	102	Bensups Hospital (B.R. Dhawan Memorial Charitable Trust) Bensups Avenue, Near K.M. Chowk, Sector-12, Dwarka, New Delhi - 110075	Applied on 29.09.08	Applied on (31.08.2009) time lapsed	Earlier having 30 beds. Applied for renewal on 19.07.2013 with 138 beds.	Authorization and CTE granted
56	104	Maharishi Valmiki Hospital Pooth Khurd, New Delhi-39	Granted	Expired on 3.10.10	Applied on 15.1.13	Authorization Granted
57	105	Vidyasagar Institute of Mental Health & Neuro Sciences 1, Institutional Area, Nehru Nagar, New Delhi-65	Granted	Applied on 08.3.13.	Granted (Valid upto 26.01.17)	Consent granted.
58	106	Pushpawati Singhania Research Institute for Liver Renal and Digestive Diseases Sheikh Sarai Phase-II, Press Enclave Marg, New Delhi-17	Granted	Applied on 14.09.12	Applied on (16.7.13)	Renewal of Authorisation and CTO Granted
59	108	International Centre for Genetic Engg. & Biotech P. B. 10504, Aruna Asaf Ali Marg, New Delhi-67	Granted	Applied on 17.1.12	Applied on 09.03.2012	Renewal of Authorisation and CTO Granted

Shy Stanton
Amber Thorne

Wales

22/3/15

ANNEXURE 'A'

60	109	NDMC Veterinary Hospital, Moti Bagh, New Delhi-21	Granted	Applied on 20.12.2013	Applied on 20.5.15	Renewal of Authorisation and CTO Granted
61	110	Max Super Speciality Hospital, 1, Press Enclave Road, Saket, New Delhi-17	Granted	Applied on 08.08.13	Applied on 18.07.13	Renewal of Authorisation and CTO Granted
62	112	Max Super Speciality Hospital (A unit of Max Health Care Institute Ltd.), FC-50, C & D Block, Shalimar Bagh Delhi-88	Granted	Applied on 09.06.14	Applied on 06.06.14	Renewal of Authorisation and CTO Granted
63	113	Rockland Hospital Ltd., B-33,34, Institutional Area Delhi-16	Granted	Applied on 24.11.14	Under submission	Renewal of Authorisation and CTO Granted
64	114	Rockland Hospital, HAF Pocket-B, Sector-12, Dwarka, Delhi-75	Applied on 17.02.14	Applied on 12.01.15	Applied on 17.02.14	Renewal of Authorisation, CTE and CTO Granted
65	117	Pandit Madan Mohan Malviya Hospital, Govt. of Delhi, Delhi-17 Malviya Nagar, Delhi-17	Granted	Applied on 16.11.10	Applied on 07.07.2014)	Renewal of Authorisation and CTO Granted
66	118	Max Hospital (A unit of Max Health Care Institute Ltd.) HB Twin Towers, A-2, 3, & 4, Netaji Subash Place, Wazirpur, Distt. Centre, Delhi-74	Granted	Applied for renewal on 20.05.2014	Applied for renewal of Authorization on 28.12.2015	Renewal of Authorisation and CTO Granted
67	120	Tarak Hospital India Pvt. Ltd. C-7, Jai Bharat Enclave, Dwarka More, New Delhi-59	Granted	Not Applied	Applied for renewal of Authorization on 14.02.2014	Renewal of Authorisation Granted
68	121	Shakuntala Nursing Home RZ-1-8/A, Sagarpur West, Opposite Janak Cinema, New Delhi-46	Applied for CTE on 21-apr-14	Not Applied	Applied for renewal of Authorization on 21.04.2014. Earlier having 20 no. of beds	Renewal of Authorisation and CTE Granted
69	123	ESI Hospital, Sector-15, Rohini, Delhi-85	Granted	Applied on 18.07.08	applied on 09.06.2014	Renewal of Authorisation and CTO Granted
70	125	Saroj Hospital 2, Institutional Area, Sec-14, Madhuban Chowk, Rohini, Delhi-85	Granted	Applied on 06.02.2014	applied on 09.11.2015	Renewal of Authorisation and CTO Granted
71	127	Sitaram Bhartia Institute of Science & Research B-16, Mehruuli Institutional Area, New Delhi-16	Granted	Applied on 13.02.02014	G (Valid till 24.03.2016	CTO Granted
72	130	Jeewan Hospital & Nursing Home Gate No.1, Jeewan Nagar, Opp.Maharani Bagh, New Delhi-14.	Applied CTE on 01.12.2015	Applied CTO on 01.12.2015	Applied for Authorization on 01.12.2015	Renewal of Authorisation, CTE and CTO Granted
73	131	Rescue Hospital India Pvt. Ltd. S-5, Vishvas Park, Behind Sector-3, Petrol Pump, Dwarka, Delhi	Applied on 16.07.14	Not Applied	Applied on 16.07.14	Renewal of Authorisation and CTE Granted
74	132	Veer savarkar aarogya sansthan, karawal nagar ND-94	Applied on 11-06-15			CTE Granted

[Signature]

Sanjay Kumar
Amresh Kumar


Chetna
21/3/16

21/3/16

ANNEXURE 'A'

75	133	Surya Hospital, 383/11-C, East azad nagar, Krishna nagar, Delhi-110051	Applied on 20-10-15	Applied on 20-10-15	Applied on 20-10-15	Renewal of Authorisation, CTE and CTO Granted
76	134	Dr. B. R. Sur Homoeopathic Medical college, nanak pura , moti bagh, ND-21	Granted	valid	Applied on 05-01-16	Renewal of Authorisation
77	135	Surya kiran Hospital, 31-34 Roshan mandi , najafgarh, Delhi-43	Applied on 23-12-15		Applied on 23-12-15	Renewal of Authorisation and CTE Granted
78	136	Aashirwad nursing home & Diabetic centre. A-29/3 lions enclave, marble block, vikas nagar, uttam nagar	Applied on 06-01-16		Applied on 06-01-16	Renewal of Authorisation and CTE Granted
79	137	Narender prakash health care centre, Da-3/A main Vikas marg, Shakar pur, Delhi-92	Applied on 06-7-15			Renewal of CTE Granted
80	138	Maha Durga Charitable Trust, Dr mukherjee nagar ,model town-110009	Applied on 04-2-2015			CTE Granted
81	139	kalyani hospital, Rz-30A ram rati marg, naya bazaar, najafgarh, ND-43	Applied on 02-03-15			CTE Granted
82	140	Dr narayan Dutt shrimali foundation international charitable trust society, jasola dirtrict centre, new delhi-25	Applied on 20-11-15			CTE Granted
83	141	Altius healthcare Pvt. Ltd 1 GULSHAN PARK MAIN ROHTAK ROAD DELHI-41	Applied on 18-8-15	Applied on 15.01.2016	Applied on 04.09.2014	Authorisation, CTE and CTO Granted.
84	142	Delhi state cancer Institute, Dilshad garden, 110095	Applied on 14-9-15		Applied on 14-9-15	Authorisation, and CTE Granted.
85	143	Cygnus MLS Hospitals Pvt ltd, Plot no-4, Mian kanjhawala road,near balajimandir, rama vihar, ND-81	Applied on 8-7-15		Applied on 8-7-15	Authorisation and CTE Granted
86	144	Jeewan hospital, Nursing Home Pvt. Ltd., Gate no-1, 150, Jeewan nagar	Applied on 01-12-2015	Applied on 01-12-2015	applied on 1-12-15	Authorisation, CTE and CTO Granted.





 22/3/16

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt.	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
1	Directorate of Health Service, Community Centre Ambedkar Nagar, New Delhi-64	Govt	S-473	200	Granted	Not Applied	Not Applied	No Information	Inspection be conducted	Inspection conducted. Hospital was found under construction	Not Applicable	Letter for seeking necessary applications
2	Phoenix Hospital, 60, Greater Kailash, Part-I, New Delhi-48	Pvt	S-225	50	Granted	NA	Applied for renewal of Authorization on 06.03.2014 for 50 beds	ETP	Inspection be conducted	Inspection conducted. Compliance w.r.t. BMW (Management & Handling) and STP found satisfactory.	Test Reports:- Air (Emissions) - Test Reports within norms. Water (Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted
3	PGH Hospital, Plot-89-A, Vikash Nagar, East, Uttam Nagar, New Delhi-59	Pvt	SW	60	Granted	applied	G (Valid till 11.12.17)	NI	Inspection be conducted	Inspection to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water (Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection
4	Acamas Hospital (A unit of Acamas Super Speciality Pvt. Ltd., RZ-20 F B, Kailash Puri Road, Main Nagarpur, New Delhi-46	Pvt	SW	50	Granted	NA	G (Valid till 22.01.18)	NI	Inspection be conducted	Inspection conducted and deficiencies were observed w.r.t BMW Rules and STP. SCN issued on 10.02.2016 for the above said deficiency. reply received on 26.02.2016 stating that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water (Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
5	Maharaja Agrasen Hospital, Bawana Road, Narela, Delhi-110040	Pvt	North	50	Granted	applied on 20.10.2015	G (Valid till 17.12.17)	ETP	Inspection be conducted	Inspection conducted on 21.10.2015, no defecienes were observed.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Yes
6	ISIS Hospital, M-4, Greater Kailash, Delhi-48	Pvt	S	80	Granted	Not Applied	Not-Applied	No information	Inspection be conducted	Inspection conducted and defecienes were observed w.r.t. BMW and STP	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Follow up action
7	Jeewan Nursing Home & Hospital, 2-B, Pusa Road, New Delhi-05	Pvt	C-016	101	Granted	Applied on 04.10.12	Applied on 08.10.2013	Installed	Issue CTO under Air and Water Act and Authorization under BMW Rules	Inspection conducted and no defecienes were observed.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted
8	Deepak Memorial Hospital, 5, Institutional Area, Vikas Marg Extn. 2, Delhi-92	Pvt	E-006	100	Granted for existing hospital	Applied on (29.08.14)	Applied on 13.01.2016	Installed	Issue Authorization under BMW Rules and letter be issued directing to upgrade the existing ETP to STP within 6 month	Authorization under BMW Rules and letter issued on 05.11.2015 and 22.07.2015 respectively. Reply received on 14.12.15 stating that work order & installation of STP work will be started very soon.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Provisional concent granted

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
9	Shanti Mukund Hospital, 2, Institutional Area, Vikas Marg Extension, Delhi-92	Pvt	E-003	144	Granted	Applied on 23.01.15	Applied on 23.01.15	Installed	Issue Authorization under BMW Rules and letter be issued directing to upgrade the existing ETP to STP within 6 month	Authorization under BMW Rules has been issued on 03.08.2015 and letter issued on 25.05.2015, Reply received on 04.08.2015, Hospital representing again and again and raising question about an installation of STP.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Inspection to be conducted
10	Central Jail Hospital Tihar, New Delhi-64	Govt	W-005	240	Granted	Not Applied	Applied on 20.05.15	Not Installed for Hospital	Issue CTE and letter to D.G. (Home) regarding installation of STP in the central jail hospital.	CTE and letter issued on 10.08.2015, Reply received on 28.08.2015 stating that 2 STPs have already been installed.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted followed by inspection.
11	Janakpuri Super Speciality Hospital (Govt. of Delhi) C-2/B, Janakpuri, New Delhi-58	Pvt	W-391	300	Granted	Applied on 15.3.10.	Applied on 17.5.2013	Installed	Inspection be Conducted	Inspection conducted on 07.09.2015 and no deficiencies were observed.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted



Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
12	Mata Chanan Devi Janakpuri, New Delhi-58	Pvt	W-004	210	Granted	Applied on 21.08.13	Granted (Valid up-to 16.07.15), renewal applied on 05.06.2015	Installed	Issue CTO & Authorization under BMW Rule followed by inspection	CTO & Authorization under BMW Rules issued. Inspection conducted on 21.10.2015. BMW Management was found proper but no significant MLSS was observed in the sample of aeration tank.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted
13	Gandhi Hospital, C-50 & 51, O.M Vihar, Uttam Nagar, Delhi-59	Pvt	W-111	60	Applied for CTE on 30.01.2015	NA	Applied Authorization fresh on 05.02.2015 for 60 beds earlier authorization is (valid up to 10.06.2017) for 40 no. of beds.	Under Installation	Issue Authorization under BMW Rules and modified direction u/s 33(A) of Water Act to install STP and submit compliance report within 6 months. Earlier issued authorization under BMW Rules for 40 beds be revoked.	Authorization under BMW Rules and modified direction u/s 33(A) of Water Act to install STP yet to be issued	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Inspection be conducted

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
14	Sanjeevan Medical Research Centre, 4689/24, Ansari Road, Daryaganj, New Delhi-02	Pvt	C-015	50	Applied for CTE on 23.12.2014	NA	Applied for renewal of Authorization on 23.12.2014 for 50 beds earlier authorization Granted for 45 beds (Valid up-to 19.01.2017)	Under Installation	Issue Authorization under BMW Rules & letter be issue directing them to upgrade the existing ETP to STP within 6 month. Earlier issued authorization under BMW Rules for 45 beds be revoked	Authorization under BMW Rules & letter have been issued. Reply awaited.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted
15	Ardent Ganpati Hospital (A unit of ardent Medicare Pvt. Ltd., D-4, Swarn Park, Mundaka, Delhi-41)	Pvt	Fresh	51	Applied for CTE on 26.05.2015	Applied	Applied on 26.05.2015	NI	Issue CTE & Inspection be conducted	CTE issued and inspection yet to be conducted	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection

Shy

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
16	Moolehand Hospital, Lajpat Nagar-III, New Delhi-24	Pvt.	S-008	256	Granted. Applied for CTE on 26.5.15 for expansion of hospital after obtaining clearance from SEIAA	Granted	Granted (Valid up-to 15.07.16)	Installed	Inspection be conducted	CTO issued. HCE has applied for CTE for expansion of hospital after obtaining clearance from SEIAA. Hospital has been inspected many times but all times found deficient w.r.t. compliance in terms of BMW management and Waste Water treatment plant. Last inspection conducted on 07.10.2015 wherein an improvement over Waste water treatment plant was observed whereas a compliance of BMW Management found unsatisfactory. As decided letter has been issued which has been responded vide this response hospital has informed that deficiencies have been rectified.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Provisional consent granted.
17	Mis Fortis Escorts Heart Institute and Research Centre, Okhla Road, New Delhi-25	Pvt.	S-007	310	Granted	Granted	Granted (valid up-to 05.06.15). Applied for renewal of Authorization on 30.4.15	Installed	Inspection be conducted	Inspection conducted and Compliance of BMW and Water/Air Act found satisfactory.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
18	All India Institute of Medical Sciences, Ansari Nagar, New Delhi-29	Govt.	S-001	2126	Granted	Applied on 17.06.2011	Applied on 19.03.2014	Installed	Issue Authorization under BMW Rules followed by inspection.	Authorization issued, w.r.t. inspection a meeting was convened with MS for necessary steps required for the compliance. In response to the meeting, Hospital has submitted a letter along with action taken report. Wherein it has been stated that deficiencies have been rectified.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue Authorization under BMW Rules followed by Inspection
19	Anand Hospital, 13, Nirmal Vihar, Najafgarh, Delhi-43	B-Pvt	SW-180	100	Not applied	Not applied	Applied on 26.03.2012 for 100 beds	Under Installation	Call for personal hearing	No person has attended the personal hearing.	Not Applicable	No action
20	Sanjay Gandhi Memorial Hospital Mangolpuri, Delhi-83	Govt	NW-012	300	Granted	Valid till 18.3.12	Applied on 01.05.12	Installed	Issue letter asking HCE to submit application for authorization and CTO, followed by inspection.	Letter has been issued on 09.09.2015 and inspection of HCE was conducted on 04.12.2015. Deficiencies w.r.t. BMW and STP were observed. Letter for deficiencies observed during the inspection has been issued on 11.01.2016. No reply is received.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue reminder
21	Brahm Shakti Hospital & Research Centre U-1/78, Budh Vihar, Rohini, Delhi-110086	Pvt	NW-013	105	Granted	Valid till 01.4.2017	Applied on 23.01.15	Installed	Inspection be conducted	Inspection conducted on 04.11.2015. BMW Management was found proper. STP was found in operation but without significant MLSS. Letter for above deficiencies were issued on 02.12.2015, reply received on 28.01.2016 stating that they have rectified all the deficiencies along with analysis report.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted.

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
22	Satyawadi Raja Harish Chander hospital Plot No.-30, Sector-7A, Narela, Delhi-40	Govt	N-278	200	Granted	Applied on 30.3.11	Applied for renewal on 20.6.13	Installed	Issue reminder	Reminder issued reply received that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Provisional Consent and Authorization granted.
23	Blagwan Mahavir Hospital H-4/5, Pitampura, Delhi - 110034	Govt	NW-301	250	Granted	Applied on 12.03.12	Applied on 01.5.2013	Under Installation	Issue reminder	Letter issued on 10.06.15; Reply awaited	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue reminder
24	Nehru Homeopathic Medical College And Hospital B-Block Defence Colony, New Delhi-24	Govt	S-013	100	Granted	Applied for renewal on 16.8.2010	Applied on 18.02.14	Not Installed	Letter for deficiencies be issued. File be put up administratively on STP feasibility being homeopathic hospital.	Yet to be discussed in the Meeting	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Authorization granted. HCE to be called for personal hearing to decide the installation of of waste water treatment plant. In view of representation being submitted by hospital.

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
25	Institute of Liver & Biliary Sciences D-1, Vasant Kunj, New Delhi	Govt	ND-177	188	Granted	Granted (Valid till 25.4.18). Applied for Phase -2 of hospital on 08.05.15.	Applied on 22.12.2015	Installed	Inspection be conducted	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted and Expedite Inspection.
26	Jaipur Golden Hospital, 2, Institutional Area, Sec-3, Rohini	Pvt	NW-003	242	Granted	Applied on 14.01.2016	Applied on 03.06.2014	Under Installation	Inspection be conducted	Inspection conducted and no deficiencies were observed.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted
27	Rajiv Gandhi Cancer Institute & Research Centre, Sec-5, Rohini	Pvt	NW-005	302	Granted	Granted (valid up-to 21.01.2019)	Applied on 29.05.15	Installed	Inspection be conducted	Inspection conducted and no deficiencies were observed.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted
28	Indraprastha Medical Corporation Ltd., (Indraprastha Apollo Hospital) Sarita Vihar, Mathura Road, Delhi-76	pvt.	S	750	Granted	Granted (valid up-to 06.01.2018)	Applied on 19.05.15	Installed	Inspection be conducted	Inspection conducted and as per findings hospital is doing well in terms of related compliance having its own autoclave.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt.	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
29	Jeewan Hospital & Nursing Home, Gate No.2, Jeewan Nagar, Opp. Maharani Bagh, New Delhi-14.	Pvt.	S-022	50	G	Applied on 03.08.2015	Applied for Authorisation under BMW Rules on 18.05.2015 for 80 beds.	Installed	Inspection be conducted	Inspection conducted SCN issued. Reply received on 24.02.2016 stating that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Provisional Consent and Authorization granted.
30	MCD Chest Clinic and Hospital, Nehru Nagar, New Delhi-65	Govt.	SE-236	55	Granted	Applied on 18.09.09: (Time lapsed)	Applied on 22.09.2014	Not Installed	Inspection be conducted	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection
31	Bhagat Chandra Hospital RZF-11 Mahavir Enclave, Palam Dabri Road, New Delhi-45	Pvt.	SW-121	85	Granted	G (valid up-to 10.06.2017)	Applied on 12.08.2015	Installed	Letter be issued for minor deficiencies observed. STP stabilization and non-submission of renewal application for authorization under BMW Rules.	Letter issued on 14.09.2015. reply awaited.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Provisional Authorization granted.

[Signature]

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt.	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
32	Metro Hospital & Heart Institute /Malhotra Heart Institute & Medical Research Centre 14, Ring Road Lajpat Nagar-IV, New Delhi-24	Pvt	S-024	50	G	Applied on 30.10.2012	Applied on 08.06.2012	Installed	Put up administratively.	Inspection conducted on 01.06.2015 and no deficiency was observed. File was put up administratively and it was approved by the MS that the case may be placed in the next committee meeting.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Consent granted and letter for seeking an application
33	Savitri Hospital Charitable Trust, 142-91, Kamhawa Road, Delhi-81	Pvt	NW-510	80	Granted	CTO applied on 27.3.15	G (Valid till 17.02.18)	Installed	Inspection be conducted	Inspection conducted on 14.01.2016. BMW Management and STP found proper. However, height of D.G set found inadequate. Letter regarding the same issued on 27.01.2016. Reply received on 29.01.2016 stating that they have rectified the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Consent granted
34	As Kidney Hospital and stone centre Pvt. Ltd., 1-46, Vijay Enclave, main Dabri Palam Road	Pvt		50	Applied on 23.04.2015	Not Applied			Inspection be conducted	Inspection conducted and deficiencies were observed w.r.t. BMW Management and STP. SCN u/s 5 and 33 (A) has been issued for rectification of deficiencies. Reply received ON 26.02.2016 stating that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	CTE granted. Letter be issued for seeking necessary applications.
35	Primus Ortho & Spine Hospital (Delhi Hospital Society) 2, Chandragupt Marg, Chankyapuri, New Delhi-21	Pvt	ND-024	100	Granted	Applied on 16.12.13	Applied on 28.05.14	Installed	Re-Inspection be conducted.	Inspection conducted and No deficiencies were observed w.r.t. BMW and STP.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Yes

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
36	HAH Centenary Hospital (Majeedia Hospital) Jamia Hamdard, IHMMR Campus, Hamdard Nagar, New Delhi-62	Govt	S-009	136	Granted	Applied on 18.02.15	Applied on 04.03.14	Installed	Issue Authorization and SCN u/s 33(A) of Water Act for the deficiencies observed in the operation of STP.	Authorization and SCN u/s 33(A) of Water Act for the deficiencies observed in the operation of STP issued. Reply awaited.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Send Reminder
37	Maharaja Agrasen Hospital, Sec-1, Dwarka, Delhi-110026	Pvt.	SW	70	Granted	Applied on 20.10.2015	Applied on 20.10.2015		Issue CTE followed by inspection by conducted.	CTE has been issued as per inspection finding dated 21.10.2015 hospital is being operated partially i.e. only Opd is in progress	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Yes
38	Manglam Medical Surgical Centre, 154/81, Main Bawana Road, Pooth Khurd, Delhi-110039	Pvt.		50	Applied on 23.04.2015	Applied on 11.08.2015	Applied on 23.04.2015		Issue CTE followed by inspection by conducted.	CTE issued. Inspection conducted on 16.12.2015 and deficiencies were observed w.r.t BMW and STP. Reply received stating that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Consent and authorization granted.
39	G.B.Pant Hospital, J.L. Nehru Marg, New Delhi-2	Govt.	C-002	601	Granted	Applied on 22.08.2013	Granted (Valid up-to 13.06.16)	Installed	Re-Inspection be conducted.	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
40	Sir Ganga Ram Hospital, Rajender Nagar, New Delhi - 60	Pvt.	C-005	675	Granted	Granted (Valid up-to 13.01.18)	Applied on 04.01.2016	Installed	Re-Inspection be conducted.	Inspection conducted and no deficiencies were observed.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	authorization granted
41	Rajiv Gandhi Super Speciality Hospital, Near GIB Hospital, Lohimpur, Delhi-93	Govt.	E-243	650 (only OPD functional)	Granted	Applied on 28.09.10	Granted (valid up-to 24.06.16)	Installed	Letter for deficiency in management of BMW and operation of STP be issued.	Letter issued on 31.08.2015, reply received on 09.10.2015 stating that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	consent granted
42	Max Super Speciality Hospital (A unit of Balaji Medical & Diagnostic Research Centre) [Earlier Max Balaji Hospital] 108-A, 1P Extension, Patparganj, Delhi-92	Pvt.	E-186	154	Granted	Granted (valid up to 09.12.17)	Granted (valid up to 22.08.16)	Installed	Re-Inspection be conducted.	During inspection compliance required under BMW (MH) and functioning of STP found satisfactory.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	No action
43	Hedgewar Arogya Sansthan, Karkardooma, east Arjun Nagar, Delhi - 32	Govt.	E-158	200	Granted	Applied on 19.08.13	Granted (valid up-to 07.05.16)	installed	Re-Inspection be conducted.	Inspection conducted on 30.11.2016, deficiencies were observed w.r.t. BMW & ETP was also not found in operation. Letter for deficiencies has been issued on 29.01.2016, no reply received.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Provisional consent granted.

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt.	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
44	Maharaja Agrasen Hospital, West Punjabi Bagh, New Delhi- 26	Pvt.	W-003	380	Granted	Applied on 13.12.2013	Granted (Valid up-to 10.04.16)	Installed	Issue SCN u/s 33(A) of Water Act.	hospital found all time violator as observed during inspections. Recently HCE has been issued SCN for deficiencies observed during the inspection on 06-10-2015. H.C.E is all time violators in terms of BMW Waste management and water control measures.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Send Reminder
45	Northern Railway Central Hospital, Basant Lane, New Delhi- 55	Govt.	C-006	421	Granted	Applied on 19.11.07 (as validity already expired)	Applied on 02.04.14	Not installed	Issue SCN u/s 33(A) of Water Act & u/s 5 of EPA for the deficiencies	SCNs issued on 09.09.2015 and reply received on 02.11.2015 stating that they have rectified all the deficiencies	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Authorization granted
46	E.S.I. Hospital, Basai Darapur, Ring Road, New Delhi-15	Govt.	W-001	600	Granted (for existing building)	Applied on 28.11.13	Granted (valid up-to 13.08.2016)	Dismantle due to expansion of building	Inspection be conducted	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection
47	Hindu Rao Hospital, Delhi-06	Govt.	N-001	980	Granted	Applied on 12.05.09 (3 years lapsed)	Granted (Valid up-to 23.05.16)	Under Process	Inspection be conducted	Inspection conducted on 08.12.2015 and deficiencies were observed w.r.t. BMW and STP was not found installed. SCN u/s 5 of EPA has been issued on 11.01.2016, no reply received.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Send Reminder

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
48	E.S.I Hospital, Jhilmil, Delhi-95	Govt.	E-001	300	Granted	Applied on 10.9.10	Granted (valid up-to 17.04.2016)	Matter under process.	Inspection be conducted.	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection
49	Lok Nayak Hospital, J. I. Nehru Marg, New Delhi-2	Govt	C-001	1649	Applied on 13.10.11	Applied on 04.10.2013	Applied on 14.11.2013	Installed	Re-inspection be conducted.	Inspection conducted, deficiencies w.r.t. BMW and STP was observed non-functional. MS has been given personal hearing.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Call for personal hearing
50	Shriram Institute for Industrial Research, 19, University Road, Delhi-07.	RIP	N-069	Research Institute	Granted	Granted (Valid up-to 26.03.17)	Applied on 04.07.2013	Installed	Re-Inspection be conducted.	Inspection has been conducted on 03.11.2015 and no deficiency was observed	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Authorization granted
51	Delhi Heart and Lung Institute, 3-M.M.H Panchsaran Road, Delhi-55	Pvt	C-089	101	Granted	Applied on 07.09.2015	Applied on 21.07.14	Installed	Issue letter for deficiencies found in management of BMW and non-submission of application for renewal of CTO.	Letter issued reply received stating that they have rectified all the deficiencies	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Provisional consent and authorization granted.

Handwritten signature

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
52	Shri Ram Singh Memorial Hospital, B-26, East Krishna Nagar, New Delhi-51.	Pvt	E-011	100	Granted	Applied on (23.07.09) Validity already expired of application	Applied on 28.10.14	Installed	Issue SCN u/s 33(A) of Water Act & u/s 5 of EPA for the deficiencies observed.	SCN issued on 01.09.2015 and reply received on 19.09.2015 stating that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Provisional consent and authorization granted.
53	Nazar Kanwar Surana Hospital(A Unit of Bram Health Care (P) LTD), 219/220, N.K. Surana Marg, Gulabi Bagh, Delhi - 07	Pvt	N-095	102	Granted	Applied on 18.02.15	Applied on 18.02.15	Installed	Re-Inspection be conducted.	Inspection has been conducted on 05.01.2016 and deficiencies were observed w.r.t.STP as no significant MLSS was observed. Letter regarding deficiencies were issued on 19.01.2016. Reply received on 20.01.2016 informing about stabilization of STP.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted
54	Jeewan Mala Hospital (P) Ltd. 67/1, New Rohtak Road, New Delhi - 05	Pvt.	C-012	101	Applied in 01.12.2015	Applied on 10.07.2013	Applied on 27.06.2013	Installed	Re-Inspection be conducted.	Inspection has been conducted on 11.12.2015 and deficiencies were observed w.r.t. BMW. ETP found in operation and STP is yet to be stabilised	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted.
55	Ashok Nursing Home, F-3/15, F-3/16 Krishna Nagar Delhi-51.	Pvt.	E-024	100	Applied on 30.03.2012	Not Applied	Applied on 30.03.2012	Installed	Issue SCN u/s 33(A) of Water Act & u/s 5 of EPA for the deficiencies observed.	SCN u/s 33(A) of Water Act & u/s 5 of EPA was issued on 07.09.2015. Reply received on 19.09.2015 stating that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Letter for seeking necessary applications

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
56	Guru Teg Bahadur Hospital, Shahdara, Delhi-95	Govt	NE-001	1027	Granted	Applied on 12.12.12	Applied on 25.05.15	Not Installed	Modified Direction u/s 5 of EPA & 33 (A) of Water Act be issued	After an inspection file was put up with proposal of Modified Direction u/s 5 of EPA & 33 (A) of Water Act simultaneously, it was a proposal for an hearing, initially hearing was schedule for feb 3 2016 which could not be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Follow up action
57	Kasturba Hospital, Near Jama Masjid, New Delhi-2	Govt	C-004	450	Granted	Applied on 27.08.13	Not applied (earlier valid up-to 25.08.12)	Under Process	Issue SCN u/s 5 of EPA & 33 (A) of Water Act	SCN issued on 09.09.2013 and reply received on 28.09.2015 Stating that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms, Water(Effluent) - Test Reports within norms, Noise - Test Reports within norms.	provisional consent granted and letter for seeking authorization.
58	Swami Dayanand Hospital, Shahdara, Delhi-32	Govt	NE-002	230	Granted	Applied for renewal on 06.08.10	Applied on 09.04.13	Under Process	Modified Direction u/s 5 of EPA & 33 (A) of Water Act be issued	Modified Direction u/s 5 of EPA & 33 (A) of Water Act issued on 23.09.2015. Reply awaited	Test Reports:- Air (Emissions) - Test Reports within norms, Water(Effluent) - Test Reports within norms, Noise - Test Reports within norms.	Issue Reminder
59	Jug Prवेश Chand Hospital (Shastri Park Hospital), Govt. of NCT of Delhi, Shastri Park, Delhi-53	Govt	NE-104	200	Granted	Applied on 24.02.11	Applied on 11.03.14	Installed	Re-Inspection be conducted.	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection

Sharma

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
60	Guru Nanak Eye Centre, Maharaja Ranjit Singh Marg, New Delhi	Govt	C-003	184	Granted	Applied On: 09.03.09 (3 years lapsed)	Applied on: 13.01.14	Under Installation	Re-inspection be conducted.	Inspection conducted. Defeciencies were observed w.r.t. BMW and STP. Reply received that they have rectified all the defeciencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	authorization granted and letter for seeking application for CTO.
61	A & U Tibbia College Hospital, Karol Bagh, New Delhi-5	Govt	C-007	150	Granted	Applied on: 28.09.06 (three years lapsed)	Applied on: 25.08.14	Work has not started yet	Re inspection be conducted	Re inspection yet to be conducted	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite inspection
62	Aruna Asaf Ali Hospital, 5 Rajpur Road, Delhi-54	Govt	N-005	100	Granted	Applied on: 25.02.11	Applied on: 03.05.13	Installed	Re-inspection be conducted.	Inspection conducted on: 01.12.2015, defeciencies were observed w.r.t. BMW and STP was also not found in operation. Letter regarding defeciencies was issued on: 04.01.2016. Reply received on: 21.01.2016 stating that they have rectified all the defeciencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue Authorization under BMW Rules and letter for seeking application for CTO.
63	Lal Bahadur Shastri Hospital, Khichripur, Delhi.	Govt	E-002	100	Granted	Applied on: 05.07.2013	Applied on: 23.04.2013	Installed	Re-inspection be conducted.	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite inspection

Handwritten signature

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
64	G.L. Maternity Hospital (MCD) , Ajmeri gate, Kamla Market, Delhi-6	Govt	N-006	107	Granted	Applied on 16.03.2012.	Applied on 30.05.13	Installed	Re-inspection be conducted.	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection
65	Institute of Human Behaviour & Allied Sciences, Near GTB Hospital, Dilshad Garden, Delhi-95	Govt	NE-003	190	Granted	Applied on 12.06.2015	Applied on 12.06.2013	Installed	Inspection be conducted	Inspection conducted on 18.08.2015. BMW management was not found proper and STP found functional but its unit namely aeration tank, flash mixture and settling tank were not found in order. Letter regarding deficiencies issued on 31.08.2015. Reply received on 15.09.2015 stating that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Provisional Consent and Authorization granted.
66	City Hospital, B-1/1, N.E.A. Pusa Road, New Delhi-60	Pvt	C-101	120	Granted	Applied on 22.01.14	Applied on 29.03.12	Installed	Inspection be conducted.	Inspection conducted on 29.10.2015 and no deficiency was observed.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
67	National Institute of Communicable Diseases, 22, Sham Nath Marg, Delhi-54	CRIG	N-093	NIL	Granted	Granted (valid upto 01.03.2013) Validity already expired	Granted (Valid upto 15.05.16)	Under Process	Re-inspection be conducted.	Inspection conducted on 03.12.2015 deficiencies were observed w.r.t. BMW Management and STP was not found installed. SCN issued on 08.02.2016, reply awaited	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Send Reminder
68	Chachin Nehru Bal Chikatsalya, Geeta Colony, Delhi-31	Govt	E-179	260	Granted	Applied on 02.05.2014	Granted (Valid up-to 07.02.2016)	Installed	Inspection be conducted.	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection
69	Deen Dayal Upadhy Hospital Hari Nagar, New Delhi-64	Govt	W-002	640	Granted	Applied on 25.7.12	Applied on 28.12.11 (three year lapsed)	Installed	Re-inspection be conducted.	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection
70	Guru Gobind Singh Govt. Hospital Raghbir Nagar, New Delhi-27	Govt	W-006	100	Granted	Applied on 29.7.11	Applied on 31.5.2013	Installed	Re-inspection be conducted.	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
71	Kakra Hospital A-5 & 6, Kirti Nagar, New Delhi-15	Pvt	W-012	116	Granted	Valid till 08.08.13. Applied for renewal on 12.12.13	Applied on 07.02.2014	Installed	Re-inspection be conducted.	Inspection conducted on 08.11.2015, deficiencies were observed w.r.t. BMW and STP. As approved, SCN u/s 5 of EPA issued on 18.11.2015. Reply received stating that they have rectified all the def. An inspection to verify the reply conducted on 23.02.2016. BMW Management was found proper and ETP found functional	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted
72	Kukreja Hospital & Heart Centre C-1, Vishal Enclave, New Delhi-27	Pvt	W-018	120	Applied on 15.04.2015	Applied on 15.04.2015	Applied on 03.7.2013	Installed	Re-inspection be conducted.	Inspection conducted on 22.02.2016 and no deficiencies were observed.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted
73	RLKC Hospital Metro Heart Institute (A Unit of Dr. R.L.Khera Charitable Trust) Naraina Road, Pandav Nagar, Opposite Shadipur Depot, Naraina Road, Delhi-08	Pvt	W-341	102	Granted	Applied on 14.12.12	Applied on 18.03.15	Installed	Re-inspection be conducted.	Inspection conducted and minor deficiencies were observed w.r.t. BMW Management and STP. Letter regarding deficiency is issued. Reply received stating that they have rectified the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Provisional Consent and Authorization granted.

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt.	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
74	Altius Sonia Hospital 1, Gulshan Park, Main Rohtak Road, Nangloi, Delhi-41	Pvt.	W-376	100	Not Applied	Not Applied	Applied on 04.09.14	Not Installed	Issue SCN u/s 5 of EPA & 33 (A) of Water Act.,	SCN issued, reply received stating that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Authorization granted and letter for seeking necessary applications.
75	Metro Hospital & Cancer Institute (Earlier Anand Hospital) 21, Community Centre, Preet Vihar, Delhi-02	Pvt.	E-007	3	Granted	Applied on 07.04.2015	Granted (Valid upto 28.04.2016)	Installed	Issue CTO followed by inspection	CTO issued, inspection conducted, deficiencies observed and file is under submission. Unit has submitted a letter regarding rectifications of deficiencies as observed during inspection.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Provisional granted.
76	Tirath Ram Shah Hospital, 2 A, RBL, Ishwar Das Sawhney Marg, Rajpur Road, New Delhi-54	Pvt.	N-003	165	Granted	Applied on 14.09.15	Applied on 14.02.13	Installed	Re-inspection	Inspection has been conducted on 30.10.2015 and deficiencies were observed w.r.t. BMW and STP were observed. As approved, personal hearing was called on 09.12.2015. Reply received on 07.12.2015 stating that they have rectified all the deficiencies. File has been approved for another inspection.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted and Expedite Inspection

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
77	Park Hospital Super Speciality Hospital, 11, 12, 13 & 97 Meera Enclave, Near Keshavpur bus depot, outer ring road New Delhi-18	Pvt	W-326	270	Applied on 19.08.13	Applied on 13.09.2013	Applied on 09.08.2013	Installed	File be Put-up administratively	File was put up administratively and it was approved by the MS that reminder letter for BMW and reminder SCN to be issued. Letter and SCN were issued on 29.09.2015. Reply received on 09.09.2015. Stating that deficiency have rectified.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	provisional consent and authorization granted.
78	Shri Balaji Action Medical Institute Unit of Lal Munni Lal Mange Ram Charitable Trust Hospital, FC-34, A-4, Paschim Vihar, New Delhi-63	Pvt	W-327	200	Granted	Applied on 26.07.13	Applied on 23.08.13	Installed	Re-inspection be conducted	Inspection conducted and no major deficiency observed. HCE advised to maintain the things all times as required under the law.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	granted
79	MGS Hospital, 35/37, Rohtak Road, West Punjabi Bagh, Rohtak Road, New Delhi-26	Pvt	W-008	109	Granted	Not Applied	Applied on 17.01.14	Installed	Re-inspection be conducted.	Inspection conducted on 06.10.2015 and deficiencies were observed w.r.t BMW and STP.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Follow up action
80	Action Cancer Hospital, FC-34, A-4, Paschim-Vihar, New-Delhi-63	Pvt	W-408	100	Granted	Granted (valid up-to 09.12.2013) Not applied for renewal	Applied on 22.02.13	Installed	Re-inspection be conducted.	Inspection conducted and no major deficiency observed. HCE advised to maintain the things all times as required under the law.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Letter for seeking necessary applications

Shy

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
81	Kosmos Super Speciality Hospital C-59-60, Anand Vihar, Delhi-92	Pvt	E-487	65	Granted	Applied for renewal on 25.10.2013	Granted (Valid up-to 25.06.2015)	Installed	Re-inspection be conducted.	Inspection conducted on 30.11.2015 and deficiencies were observed w.r.t. BMW and ETP was also found non-operational. SCN issued on 01.02.2016. Reply received on 25.02.2016 stating that they have rectified all the deficiencies and they have also submitted the letter informing that hce has decreased its beds from 50 to 49.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	provisional consent granted and letter for seeking necessary applications
82	Jeevan Anmol Hospital, Mayapuri Vihar Phase-I, Delhi-91	Pvt	E-015	50	Granted	Applied on 19.12.14	Granted (Valid till 13.02.2015)	Installed	Issue SCN n/s 5 of EPA & 33 (A) OF Water Act.	SCN issued on 07.09.2015. Reply awaited.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Send Reminder
83	Moti Nagar Hospital(Acharya Bhikshu Hospital), Govt. of Delhi, Moti Nagar, Delhi-15	Pvt	W-015	80	Granted	Applied on 02.06.09 (Validity already expired)	Not Applied	Installed	Re-inspection be conducted.	Inspection conducted, BMW Management was found proper. STP found installed	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	letter for seeking necessary applications
84	Gupta Multi Speciality Hospital, B-20, (Opposite Ram Mandir), Vivek Vihar, Delhi-95	Pvt	E-281	50	Granted	Applied on 25.06.2015	Applied on 25.06.2015	Installed	File be put-up Administratively	File is being searched /traced for needful action	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Follow up action

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
85	Sardar Vallabh Bhai Patel Hospital East Patel Nagar, New Delhi-8	Govt	W-206	50	Granted	Applied on 03.11.2014	G (Valid upto 18.12.2015)	Installed	Issue SCN u/s 5 of EPA & 33 (A) OF Water Act.	SCN issued on 07.09.2015 and reply received on 14.09.2015 stating that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	consent grant and letter for seeking an application of authorization
86	R.B. Seth Jessa Ram & Bros Charitable Hospital WEA Karol Bagh, New Delhi-110005	Pvt	C-008	88	Granted	Granted valid up-to 09.08.2014	Applied on 15.07.2013	Installed	Inspection be conducted.	Inspection conducted on 02.12.2015 and HCE was found close and it was informed by the waterman present on the site that HCE is taken over by Fortis Group.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	No action at this stage and follow up accordingly.
87	Mansaram Hospital Pvt. Ltd. B-5, Aman Puri Extention, Main Najafgarh Road, Nangloi, Delhi-41	Pvt	W-388	52	Applied on 10.10.14	Applied on 10.10.14	Applied on 03.04.2013	Installed.	Re-inspection be conducted.	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection
88	Satyabhama Hospitals Pvt. Ltd. RZ-10, Naresh Park, Najafgarh Road, Nangloi, Delhi-41	Pvt	W-522	80	Granted	Applied on 02.06.13	Applied on 08.04.2015	Under Installation	Inspection be conducted.	Inspection yet to be conducted	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
89	Apex City Hospital D-440, West Vinod nagar, Hanuman Road, Near PNB, Delhi-92	Pvt	E-490	80	Granted	Applied on 03.08.2015	Granted (Valid up-to 22.04.2017)	Installed	Letter be issued asking to apply for Consent to Operate under Air & Water Act.	Letter issued. Reply received on 22.01.2016 stating that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	provisional consent granted
90	Samra Hospital Pvt. Ltd., C-3 52, A-53-A, Yamuna Vihar, Delhi-53	Pvt	NE-109	50	Applied on 22.12.2015	Not Applied	Granted (Valid up-to 03.03.17)	Under process	Inspection be conducted	Inspection conducted on 01.12.2015 no deficiency found.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	letter for seeking necessary applications
91	East Delhi Medical Centre 1-550, G.T. Road, Shahdara, Delhi-32	Pvt	E-062	50	Granted	Applied on 19.05.2015	Applied on 12.02.2014	Not Installed	Issue SCN u/s 5 of EPA & 33 (A) Of Water Act.	SCN issued and reply received that HCE has rectified all the deficiencies. File has been put up administratively, inspection is approved. Inspection conducted on 22.02.2016, no deficiency was found.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted
92	Malik Radix Healthcare Pvt. Ltd. C-218, Nirman Vihar, Delhi-92	Pvt	E-160	50	Applied on 21-Jan-14	Applied on 17.04.2015	Applied for renewal on 21.01.2014, earlier having 42 no. of beds	Installed	Revoke Authorization issued for 42 beds followed by inspection.	File is not tracable, being searched.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Report/facts to be put up administratively.

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
93	Irene Karan Hospital, B-1, West Jyoti Nagar, Loni Road, Shahdara-94	Pvt	NE-454	55	Granted	NA	Granted (Valid up-to 16.12.2017)	NI	Inspection be conducted.	Inspection conducted on 02.12.2015 and HCE was found under construction.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	No action
94	Vikas Hospital, 1624/3, Thana Road, Najafgarh, New Delhi-43	Pvt	W-	60	Applied for CTE on 04.06.2015	Applied on 04.06.2015	Applied on 04.06.2015	Installed	Issue CTE & Authorization under BMW Rule and followed by inspection	CTE & Authorization under BMW Rule issued. Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection
95	B.M. Gupta Hospital, H-11, 12, 14, 13 & 15, Uttam Nagar, New Delhi-59	Pvt	W-021	100	Granted	Applied on 02.06.2015	Applied on 04.06.2015 for 100 beds	Installed	Inspection be conducted.	Inspection yet to be conducted	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection
96	Batra Hospital & Medical Research Centre, 1, Tughlakabad Institutional Area, Mehrauli Badarpur Road, Delhi	Pvt.	S-005	495	Granted	Granted	Applied	Installed	Inspection be conducted.	Inspection has been conducted on 19.11.2015 and compliance found satisfactory. HCE advised to maintain the things all times as required under the law.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
97	Ram Manohar Lohia Hospital, Baba Kharak Singh Marg New Delhi-1	Govt.	ND-002	1000	Granted	Applied on 15.07.13	Granted (valid upto 13.08.2016)	Installed	Re-inspection be conducted.	Inspection conducted on 18.12.2015. BMW Management was found proper. However, installation of STP was found under consideration. Letter has been issued for submission of time frame schedule for installation of STP on 19.01.2016. Reply awaited.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Send Reminder.
98	Lady Harding Medical College and Associated Hospitals, Shaheed Bhagat Singh Marg, New Delhi-01	Govt.	ND-001	1247	Granted for existing building.	Applied on 23.11.09 (3 years lapsed)	Granted (valid up-to 21.05.16)	Under Installation	Re-inspection be conducted.	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection
99	Rajan Babu Institute for Pulmonary Medicine & Tuberculosis (RBTB Hospital), GIB Nagar, Kingsway Camp, Delhi-9	Govt. (MCD)	NW-001	1155	Applied on 12.10.10	Applied on 12.10.10	Granted (Valid up-to 23.05.16)	Under Installation	Re-inspection be conducted.	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection
100	Safdarjung Hospital, Aurobindo Marg New Delhi-29	Govt.	S-002	1531	Granted	Applied on 09.02.12	G (valid upto 17.04.2016)	Not Installed	Re-inspection be conducted.	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
101	Rao Tula Ram Memorial Hospital, Jafferpur, Delhi	Govt	SW-003	100	Applied on 21.02.12	Applied on 21.02.12	Applied for renewal on 10.03.15	Installed	Re-inspection be conducted.	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection
102	Bensups Hospital (B.R. Dhawan Memorial Charitable Trust) Bensups Avenue, Near K.M. Chowk, Sector-12, Dwarka, New Delhi - 110075	Pvt	SW-147	138	Applied on 29.09.08	Applied on (31.08.2009) time lapsed	Earlier having 30 beds. Applied for renewal on 19.07.2015 with 138 beds.	Installed	SCN u/s 5 of EPA and u/s 32(A) of Water Act.	SCN has been issued, reply received, stating that deficiencies has been rectified. For verification of claim as mentioned in its reply, HCE has been inspected on 08.10.2015. BMW Management was found proper, however SEP found non-functional	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Issue Authorization under BMW rules and reminder for non-operation of STP
103	Babu Jagjeevan Ram Memorial Hospital Jahangirpuri, Delhi-33	Govt	NW-009	100	Granted	Applied on 25.11.11	Applied on 03.01.14	Under Installation	Re-inspection be conducted.	Inspection conducted on 07.12.2015 and deficiencies were observed for which letter for rectification of deficiencies have been issued on 27.01.2016. Reply awaited.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Send Reminder
104	Maharishi Valmiki Hospital Pooth Khurd, New Delhi-39	Govt	N-011	150	Granted	Expired on 3.10.10	Applied on 15.1.13	Installed	Re-inspection be conducted.	Inspection conducted on 07.12.2015 and no deficiency was observed	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Authorization granted and letter for consent application.

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
105	Vidyasagar Institute of Mental Health & Neuro Sciences 1, Institutional Area, Nehru Nagar, New Delhi-65	Pvt	S-011	110	Granted	Applied on 08.3.13.	Granted (Valid upto 26.01.17)	Installed	Issue SCN u/s 5 of EPA & u/s 33 (A) of Water Act.	SCN u/s 5 of EPA & u/s 33 (A) of Water Act issued on 07.09.2015 and reply received on 23.09.2015 stating that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Provisional consent granted.
106	Pushpawati Singhania Research Institute for Liver Renal and Digestive Diseases Sheikh Sarai Phase-II, Press Enclave Marg, New Delhi-17	Pvt	S-014	106	Granted	Applied on 14.09.12	Applied on (16.7.13)	Installed	Re-inspection be conducted.	Inspection conducted on 31.08.2015 and Compliance in respect of BMW management and STP operation found satisfactory.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted
107	ESI Hospital Sri Maa Anand Mayee Marg, Okhla, Phase-I New Delhi-20	Govt	S-012	109	NA	Not applied	Applied on 02.12.2013	Under Installation	Re-inspection be conducted.	Inspection yet to be conducted.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Expedite Inspection
108	International Centre for Genetic Engg. & Biotech P. B. 10504, Aruna Asaf Ali Marg, New Delhi-67	CRIG	ND-054	Nil	Granted	Applied on 17.1.12	Applied on 09.03.2012	Installed	Issue SCN u/s 5 of EPA & u/s 33 (A) of Water Act.	SCN u/s 5 of EPA & u/s 33 (A) of Water Act issued on 09.09.2015 and reply received on 17.09.2015 stating that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	provisional consent granted and letter for seeking an application of authorization

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt.	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
109	NDMC Veterinary Hospital, Moti Bagh, New Delhi-21	Govt	ND	0	Granted	Applied on 20.12.2013	Applied on 20.5.15	Installed	Re-inspection be conducted.	Inspection was conducted on 09.12.2015 and deficiencies were observed w.r.t. BMW. As approved letter regarding deficiencies was issued on 19.01.2016. Reply received on 16.02.2016 stating that they have rectified all the deficiencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted.
110	Max Super Speciality Hospital, 1, Press Enclave Road, Saket, New Delhi-17	Pvt	S-266	192	Granted	Applied on 08.08.13	Applied on 18.07.13	Installed	Re-inspection be conducted.	Inspection conducted, and compliance in respect to related guidelines found satisfactory.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted
111	Max Super Speciality Hospital (A unit of Devki Devi Foundation), 2, Press Enclave Road, Saket, New Delhi 110017	Pvt.	S-275	302	Installed	Granted	Applied on 21-Dec-12	Installed	Re-inspection be conducted.	Inspection conducted, and compliance in respect to related guidelines found satisfactory.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	letter for seeking necessary applications.
112	Max Super Speciality Hospital (A unit of Max Health Care Institute Ltd.), FC-50, C & D Block, Shalimar Bagh Delhi-88	Pvt.	NW-406	300	Granted	Applied on 09.06.14	Applied on 06.06.14	Installed	Re-inspection be conducted.	Inspection conducted and no deficiencies were observed.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
113	Rockland Hospital Ltd., B-33,34, Institutional Area Delhi-16	Pvt	S-276	110	Not Applied	Applied on 24.11.14	Not Applied	Under Installation	Issue SCN u/s 5 of EPA & u/s 33 (A) of Water Act.	SCN issued and file was administratively put up and inspection was approved. Inspection has been conducted on 08.01.2016 and compliance under BMW management rules found satisfactory. HCE is advised to upgrade the STP.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	provisional consent granted. Letter for seeking an application of authorization and compliance of STP upgradation.
114	Rockland Hospital, HAF Pocket-B, Sector-12, Dwarka, Delhi-75	Pvt	SW-529	103	Applied on 17.02.14	Applied on 12.01.15	Applied on 17.02.14	Installed	Issue SCN u/s 5 of EPA & u/s 33 (A) of Water Act.	SCN issued and file was administratively put up and inspection was approved. Inspection was conducted. Compliance of related guidelines found satisfactory.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted
115	Palika Maternity Hospital, Lodhi Colony, New Delhi-3	Govt	S-018	50	Granted	Applied on 07.03.11	G (Valid till 11.06.2016)	Matter with NDMC	Re-inspection be conducted.	Inspection conducted and Compliance of related guidelines found satisfactory.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	letter for seeking an application of consent.
116	Shri Dada Dev Matri Ayum Shisu Chikitsalya, Dabri, New Delhi-45	Pvt	SW-171	64	Granted	Applied on 04.11.10	Applied on 30.10.2015)	Installed	Re-inspection be conducted.	Inspection conducted on 27.11.2015; deficiencies were observed w.r.t. BMW ETP found non-operational. Letter for deficiencies issued on 06.09.2016. Reply awaited.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Send Reminder

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
117	Pandit Madan Mohan Malviya Hospital, Govt. of Delhi, Delhi-17 Malviya Nagar, Delhi-17	Govt	S-066	92	Granted	Applied on 16.11.10	Applied on 07.07.2014)		Issue Modified. Directions.	HCE has submitted a reply along with adequacy report. Which certify about adequacy of plant in terms of treatment and discharge with compliance of parameters as mentioned in test report	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	authorization granted and letter for seeking an application of consent.
118	Max Hospital (A unit of Max Health Care Institute Ltd.) HBB Twin Towers, A-2, 3, & 4, Netaji Subash Place, Wazirpur, Distt. Centre, Delhi-34	Pvt	NW-017	98	Granted	Applied for renewal on 20.05.2014.	Applied for renewal of Authorization on 28.12.2015	Installed	Inspection be conducted	Inspection was carried out on 23.11.2015, no deficiencies was observed.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	granted
119	Irene Hospital (A unit of Delphi Healthcare Research Institute Private Ltd. DD-23, Kalkaji, New Delhi-19	Pvt	S-384	55	Granted	Not Applied	Granted (Valid up-to 11.06.17	Not Installed	Issue Reminder Letter.	Reminder issued. Reply received on 26.02.2016 stating that installation of STP is under process.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Letter for seeking an application of consent.
120	Tarak Hospital India Pvt. Ltd. C-7, Jai Bharat Enclave, Dwarka More, New Delhi-59	Pvt	SW-528	50	Granted	Not Applied	Applied for renewal of Authorization on 14.02.2014	Not Installed	Issue Reminder Letter	HCE has already replied they have applied for registration from 45 to 70 beds in DHS	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Grant authorization and Letter for seeking an application of consent.

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
121	Shakuntala Nursing Home RZ-1-8/A, Sagarpur West, Opposite Janak Cinema, New Delhi-46	Pvt.	SW-083	50	Applied for CTE on 21-apr-14	Not Applied	Applied for renewal of Authorization on 21.04.2014. Earlier having 20 no. of beds	Not Installed	Issue SCN u/s 5 of EPA & 33 (A) of Water Act.	SCN issued. Reply received. File was administratively put up and inspection was approved. Inspection was conducted and no deficiencies were found.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Authorization granted and letter for seeking an application of consent.
122	Lala Ram Swaroop Institute of Tuberculosis and Respiratory Diseases, Sri Aurobindo Marg, New Delhi-30	Govt.	S-004	520	Granted	Applied on 12.05.2015	Not Applied previous (valid upto 22.03.14)	Installed	Modified Direction be issued	File is being searched to implement the decision	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Reports/facts to be put up administratively.
123	ESI Hospital, Sector-15 Rohini, Delhi-85	Govt.	NW-010	300	Granted	Applied on 18.07.08	Applied on 09.06.2014	Under Installation	Modified Direction be issued	Modified Direction issued on 21.09.2015, reply received on 02.11.2015 stating that they have applied for authorisation and ETP/STP work is also under construction.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	authorization granted and letter for seeking an application of consent.
124	M.V.I.D Hospital (MCD), Kingsway Camp, Delhi-9	Govt. (MCD)	NW-004	227	Granted	Applied on 05.09.13	Applied on 06.06.14	Under Installation	Modified Direction be issued	Modified directions issued on 21.09.2015, Reply awaited.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Send Reminder

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
125	Saroj Hospital 2, Institutional Area, Sec-14, Madhuban Chowk, Rohini, Delhi-85	Pvt	NW-006	111	Granted	Valid till 10.11.13	applied on 09.11.2015	No Information	Inspection be conducted	Inspection conducted on 11.08.2015 and defeciciencies were observed w.r.t BMW and STP.As approved Modified Directions have been issued on 15.09.2015. Reply received on 19.11.2015 about rectification of defeciciencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	authorization granted and letter for seeking an application of consent.
126	Govt. of Delhi Hospital Kokiwala Bagh, Ashok Vihar, Phase-IV, Delhi-82. (Correspondence Address: Executive Engineer, Sector-6, Rohini, Delhi-85)	Govt	NW-417	200	Granted	Not Applied	Authizaton valid till 07.3.2016.	Installed	Issue Reminder Letter	Reminder letter issued on 10.08.2015, reply awaited	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	letter for seeking necessary applications



Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
127	Sitaram Bharti Institute of Science & Research B-16, Mehru Institutional Area, New Delhi-16	Pvt	S-015	70	Granted	Applied on 13.02.2014	G (Valid till 24.03.2016)	Installed	Issue SCN 33(A) of Water Act	Regarding clarification of waste water treatment plant capacity concerned engineer/representative of hospital appeared in the office of DPCC and clarified about the question regarding capacity of wastewater treatment plant that existing ETP is an old one when STP at that time was not required. Now in the compliance of DPCC direction ETP is being upgraded for STP to treat entire waste water generated from the hospital, related papers are submitted. In this support HCE submitted its letter on 25.02.2016 along with a copy of purchase order for increasing the capacity from 20KLD to 35KLD.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	provisional consent granted, letter be issued for STP compliance.
128	Red Cross Maternity & Child care Hospital, New Seemapuri, Delhi-95	Pvt	SHAHDA-006	57	Granted	Granted (Valid upto 17.07.2017)	Applied for renewal on 25.07.13	Not Installed	Put-up Administratively	File not traceable	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Reports/facts to be put up administratively.

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
129	Missionaries of Charity, Prem Nagar Leprosy Home, Tahirpur, Seemapuri, Delhi-95	Pvt	SHAHD ARA-141	55	Not Applied	Not Applied	Not Applied	Not Installed	File be Put-up Administratively	File is not traceable	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Reports/facts to be put up administratively.
130	Jeewan Hospital & Nursing Home Gate No.1, Jeewan Nagar, Opp. Maharan Bagh, New Delhi-14	Pvt	S-016	116	Applied CTE on 01.12.2015	Applied CTO on 01.12.2015	Applied for Authorization on 01.12.2015	Installed	Issue SCN u/s 5 of EPA & u/s 33 (A) of Water Act.	SCN issued on 29.09.2015. reply received on 12.10.2015 stating that they have rectified all the defecencies.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Granted
131	Rescue Hospital India Pvt. Ltd, S-5, Vishvas Park, Behind Sector-3, Petrol Pump, Dwarka, Delhi	Pvt	W-548	80	Applied on 16.07.14	Not Applied	Applied on 16.07.14	Installed	File be Put-up Administratively	File was put up administratively and after inspection permanent revocation was done. HCE found complying with the BMW Rules.	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Grant authorization and Letter for seeking an application of CTO.
132	Veer savarkar aarogya sansthan, karawal nagar ND-94	Govt.	fresh	50	Applied on 11-06-15				Not Applicable	Fresh	Not Applicable	CTE granted and letter for seeking an application of authorization and CTO.

[Signature]

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
133	Surya Hospital, 383/11-C, East azad nagar, Krishna nagar, Delhi-110051	pvt.	Fresh	50	Applied on 20-10-15	Applied on 20-10-15	Applied on 20-10-15	No Information	Not Applicable		No Information	Granted, letter for seeking information about wastewater treatment plant.
134	Dr. B. R. Sur Homoeopathic Medical college, nanak pura, moti bagh, ND-21	Govt.	Fresh	50	Granted	valid	Applied on 05-01-16		Not Applicable	fresh	Not Applicable	authorization granted
135	Surya kiran Hospital, 31-34 Roshan mandi, najafgarh, Delhi-43	pvt.	fresh	50	Applied on 23-12-15		Applied on 23-12-15		Not Applicable	Fresh	Not Applicable	Granted and letter for seeking information about wastewater treatment plant.
136	Aashirwad nursing home & Diabetic centre. A-29/3 lions enclave, marble block, vikas nagar, uttam nagar	pvt.	fresh	55	Applied on 06-01-16		Applied on 06-01-16		Not Applicable	Fresh	Not Applicable	Granted and letter for seeking information about wastewater treatment plant.

[Signature]

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt.	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
137	Narender prakash health care centre, Da-3/A main Vikas marg, Shakar pur, Delhi-92	Pvt.	fresh	100	Applied on 06-7-15				Not Applicable	Fresh	Not Applicable	CTE granted and letter for seeking an application of authorization and CTO including an information about STp installation.
138	Maha Durga Charitable Trust, Dr mukherjee nagar, model town-110009	Pvt.	fresh	55	Applied on 04-2-2015				Not Applicable		Not Applicable	CTE granted and letter for seeking an application of authorization and CTO including an information about STp installation.
139	kalyani hospital, Rz-30A ram rati marg, naya bazaar, najafgarh, ND-43	Pvt.	Fresh	51	Applied on 02-03-15				Not Applicable	Fresh	Not Applicable	CTE granted and letter for seeking an application of authorization and CTO including an information about STp installation.

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
140	Dr narayan Dutt shrimati foundation international charitable trust society, jasola district centre, new delhi-25	Pvt.	Fresh	51	Applied on 20-11-15				Not Applicable	Fresh	Not Applicable	CTE granted and letter for seeking an application of authorization and CTO including an information about STp installation.
141	Altius healthcare Pvt. Ltd 1 GULSHAN PARK MAIN ROHTAK ROAD DELHI-41	Pvt.	Fresh	102	Applied on 18-8-15	Applied on 15.01.2016	Applied on 04.09.2014		Not Applicable	Fresh	No Information	Consent an authorization be granted and letter for seeking information about wastewater treatment plant.
142	Delhi state cancer Institute, Dilshad garden, 110095	Pvt.	Fresh	102+70	Applied on 14-9-15		Applied on 14-9-15		Not Applicable	Fresh	Test Reports:-Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	Consent an authorization be granted and letter for seeking information about wastewater treatment plant.

Handwritten signature

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt.	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
143	Cygnus MLS Hospitals Pvt Ltd, Plot no-4, Mian kanjhawala road, near balajimandir, rama vihar, ND-81	Pvt.	Fresh	54	Applied on 8-7-15		Applied on 8-7-15		Not Applicable	Fresh	Not Applicable	Consent an authorization be granted and letter for seeking information about wastewater treatment plant.
144	Jeewan hospital, Nursing Home Pvt. Ltd., Gate no-1, 150, Jeewan nagar	Pvt.	Fresh	116	Applied on 01-12-2015	Applied on 01-12-2015	applied on 1-12-15		Not Applicable	Fresh	Test Reports:- Air (Emissions) - Test Reports within norms. Water (Effluent) - Test Reports within norms. Noise - Test Reports	Consent an authorization be granted and letter for seeking information about
145	SMS Water Grace BMW Pvt. Ltd, Nilothi Sewage Treatment Plant Complex of DJB, Nilothi, Delhi-41	Pvt.	W-401	NH	Granted	Applied on 30.01.2014	Applied on 30.10.2013	Installed	Inspection be conducted	Recently, it has been inspected on 29.01.2016. It was inspected by Dr. T.K Joshi, Doctors from DHS and DPCC Officials. Compliance in terms of BMW guidelines and operation of ETP was not found satisfactory. One bore well was also observed. File is under submission for necessary action.	Test Reports:- Air (Emissions) - Test Reports within norms. Water (Effluent) - Test Reports within norms. Noise - Test Reports within norms.	File under submission

Cases of HCEs for discussion/ decision by Committee-1 in its meeting held on 26.02.2016

S.no.	Name and Address of HCE	Govt./Pvt	Distt. No.	Beds	CTE Status	CTO Status	Authorisation Status	ETP/STP Status	Decision of Committee on 01.07.2015	Brief of the Case	Status of Test Report	Decision of the Committee.
146	Biotic Waste Solutions Pvt. Ltd. 46, SSI Industrial Area, Delhi-33	Pvt	NW-108	Nil	Granted	Valid till 20.8.2017	Applied on 19.08.2015	Installed	Inspection be conducted	Inspection conducted on 17.02.2016. Deficiencies in terms of ETP upgradation, flow metres at inlet/outlet were observed Unit has obtained EC on 30.11.2015 for plot no. 46 & 47 for expansion and modernization of the existing CBWT	Test Reports:-Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	File under submission

Signature