

Minutes of the 48th meeting of the Committee Constituted for Deciding the Consent under Orange Category, held on 03.4.2008 in the Conference Room of Chairman, DPCC.

The following persons attended the meeting on 03.4.2008:

1. Sh. J. K Dadoo, Chairman DPCC
2. Sh. K. Mahesh, Member Secretary, DPCC
3. Sh. S.K.Gupta, Head of Chemical Engineering Deptt. ,IIT Delhi
4. Sh. B. Kumar, SEE, DPCC
5. Sh. M. Dwarakanath, SSO, Deptt of Env., GNCTD
6. EEs of CMC
7. EE and AEEs of PGRC
8. Sh. BL Chawla, EE (Planning)
9. AEEs and JEE of CMC

Following decisions were taken in the said meeting:-

Agenda Item No.1- Personal hearing and discussion of Structural Fabricators, Metro Bhawan of DMRC, Jackson Buildwell, Eros Hotel, Upaj Buildcon and Cross River Mall

M/s Structural Fabricators:- Unit has filed an application for personal hearing after 5th April, 2008, since the Director of the unit is injured. The matter will be taken up in next CMC on 10.04.2008 at 5.00 PM.

M/s Metro Bhawan:- Sh. C.P. Singh attended the personal hearing. The unit was given three options, as is being done in similar cases, based on the letter of MOEF to take action against it under the EPA, 1986. The unit suggests that it would like to represent its case once again before MOEF.

In view of the above, time allowed till 10.04.2008, at 5.30 PM for another personal hearing.

M/s Jackson Buildwell Pvt. Ltd:- The unit has started construction in January, 2006, applied for CTE on 23.10.2007 after the completion of construction on 04.10.2007. EC was obtained on 29.02.2008 and the total built up area is over 23,000 sqmts. The total project cost is Rs. 55 crores. MOEF vide letter dated 14.01.2008 has directed Secretary, Department of Environment, GNCTD to initiate necessary action under Environment (Protection) Act, 1986 for violation of EPA. The Committee, deliberated on the facts above and was of the opinion that in such a case where construction was started without Consent to Establish & Environmental Clearance, and completed, DPCC should follow the directions of MOEF and close down the unit. However, in the personal hearing, the unit represented by Sh. Tarun Sharma, General Manger of M/s Jackson Buildwell Pvt. Ltd. gave a written undertaking that it is willing to abide by the 3rd option of paying the cash penalty of 0.5 % of the project cost and Bank Guarantee of 0.5 % of the project cost as was levied by this Committee in another case of the same Group. While this option was not given to the unit in this case because of complete violation of provisions of EPA and Air & Water Acts, the Committee deliberated on the issue and finally agreed to this option provided the unit filed the same by 10.04.2008 before the Committee meets.

If this is done, the Consent to Establish may be handed over to the unit at the same time and copies sent to Addl. Secretary, MOEF.

If, however, the unit fails to do so, closure orders may be issued and implemented through the area SDM in compliance of the directions of MOEF by initiating action under the relevant Acts.

M/s Eros Hotel:- The unit has represented today that it has constructed only one out of the three floors of the basement which are common to both the plots. Unit has also attached the minutes of the meeting taking by Hon'ble Lt. Governor for expediting construction on Common Wealth Games projects. It has also indicated that Rs. 11 crores worth of Bank Guarantee has been filed by the unit with DDA for constructing the hotel rooms within 42 months from the date of possession of the plot.

In view of the above and in view of the fact that on heavy Bank Guarantee has been furnished to DDA, the Committee took a lenient view on imposing a similar penalty. The Committee deliberated and finally decided that the cash penalty of Rupees Twenty Lakhs will stand, but the Bank Guarantee may be reduced to Rupees Ten Lakhs to be valid for three years for compliance of all Environmental Clearance conditions, and for abiding by all environmental legislation in these three years.

It was also found that the unit had applied for Consent to Establish only in respect of one case, while there are two different plots, two different building plans and two different Environmental Clearances. Therefore, unit was asked to file two separate Consent to Establish applications giving correct information in each case. If the unit files these two applications and complies with the conditions imposed above, the unit may be handed over the Consent to Establish for each of two plots at the same time. Otherwise, the case may be brought before CMC on 10.04.2008.

M/s Upaj Buildcon:- The unit has filed a cash penalty of Rupees Five Lakh and proof of having paid Rupees Twenty Eight Lakhs to DDA on 10.10.2007. It will submit the Bank Guarantee based on the format indicated to them during the personal hearing today before 10th April, 2008. The cheque may be credited in DPCC account immediately and if the unit files the Bank Guarantee before the 10.04.2008, it may be issued Consent to Establish at the same time. If, however, it is not done by 10.04.2008, case may be put up in CMC for final decision.

M/s Cross River Mall:- Sh. B. Kumar, SEE has examined the case and brought to the notice of the Committee, a document of DDA which says that construction work started when they inspected on 13.07.2004. As a result they imposed the penalty of Rs. 1.17 Lakhs for compounding the offence for starting the construction without sanction of building plan.

This document is only the document on file and is not sufficient or convincing enough to suggest that the unit has come beyond the plinth level on 07.07.2004. The unit may be asked to file an affidavit with concrete proof that it had come upto the plinth level on 07.07.2004 and therefore was not hit by the notification of MOEF dated 07.07.2004 regarding EIA.

MS may separately check with DDA the basis of the compounding fee to ascertain the extent of construction which corresponds to the compounding fee of Rs. 1.17 Lakh. Based on these documents and findings, a decision will be taken about this case in the CMC on 23.04.2008.

M/s Parasvnath Developers Ltd. for construction of Commercial Complex at Azadpur Metro Station :- M/s Parasvnath Developers Ltd. was not called for hearing today but appeared. The minutes of the last meeting dated 28.03.2008 were read out to the unit. The unit may be given personal hearing on 17.04.2008, at 5.00 PM.

Agenda Item No.2- Special reference cases.

Decisions taken with respect to this agenda item are tabulated and annexed as **Annexure – 1.**

Agenda Item No.3- Shopping Mall cases

14 cases of shopping malls were taken up for discussion, as decided in the CMC meetings dated 10.03.2008 and 11.03.2008, and the decisions taken are annexed as **Annexure – 2.**

Agenda Item No. 4- PGRC Cases

Decisions taken with respect to the cases of PGRC are annexed as **Annexure – 3.**

Agenda Item No.5- Representation of Md. Iqar of Delhi Pradesh Congress Committee forwarded by Office of CM and Representation of Delhi Manufacturers Federation dt 10.3.2008 regarding non issuance of consents in 17 new Indl. Areas.

Committee discussed this agenda, which is similar to agenda item 6 and decided to ask SEE to examine the whole issue and put up on file with all the facts.

Agenda Item No.6- Issuance of Consents in the industrial Area North of GT Road

Committee discussed this agenda, which is similar to agenda item 5 above and decided to ask SEE to examine the whole issue and put up on file with all the facts.

Agenda Item No.7- Categorization of the units under Green, Orange and Red category

All previous papers & all previous record on this matter should be linked and to be put up to SEE who will examine & submit the report to CMC on 30.04.2008.

Agenda Item No. 8- Pollution problem due to Cell Phone Towers

Ministry of Telecommunication guidelines must be checked and monitored in each complaint case of cell phone tower. Service provider must be called

by MS and directed to settle the complaint. A meeting of the cell phone operators may be called once MS confirms the completion of the task given to them.

Agenda Item No. 9- Matter regarding tripping of power transmission lines due to pollution.

Committee asked SEE to put up on file with all the facts.

Agenda Item No.10- Requirement of Consent of DPCC for commercial and service sector

Quoting the relevant section of Micro Small Medium Enterprise Development Act, 2006, a letter may be issued to Commissioner Industries. Govt. of Delhi.

Table Agenda Items- Three table agenda items was taken up in view of these matters coming up before the Chairman in an administrative capacity.

- (i) **Mc-Donold Restaurant, West Punjabi Bagh :-** The unit has once again requested for time upto 15th April, 2008 to complete all its planned works. The Committee deliberated on the issue and felt that the unit is in the habit of procrastination and appears to be bidding for time.

In view of the above, the Committee felt that the cash penalty of Rupees One Lakh each under the Air & the Water Acts and Bank Guarantee of Rupees One Lakh each under the Air & the Water Acts for one year period may be taken by 30.04.2008. The unit's consent to operate lapsed on 23.03.2008. Unit may be asked to apply for Consent to Establish so that both matters can be decided in CMC(Orange) on 30.04.2008. Issue letter accordingly.

- (ii) **Shantiniketan Buildwell :** A letter has been received addressed to Chairman, DPCC from Shantiniketan Buildwell enclosing a cheque of Rupees Ten Lakhs which may be credited in the account of DPCC immediately. Unit has also requested for 2-3 days time to file Bank Guarantee. Time allowed. If the unit files the Bank Guarantee, the Consent to Establish may be issued to him simultaneously, otherwise case be put up in CMC on 10.04.2008.
- (iii) **DLF Court Yard, Saket:** The final orders after the corrections are made in tune with the CMC decision of 28th March, 2008 may be issued to the unit.

Meeting ended with thanks to the Chair.

District	Name of Agency /Promoter with Location	Office Address	Status of EC Issued /Pending/Not Applied	Status of Application for CTE	Decision on 10.3.08	ATR/REMARKS	DECISION ON 03.4.08
W	West End Mall, Janak puri Disrict Centre, New Delhi	M/s P. P. Buildwell, C-8/28, Sector 7, Rohini, New Delhi	NO	Not applied for consent to Establish	Notice of environmental clearance may be issued immediately and this case will be taken up on 25.03.2008 for confirmation of Consent to Establish & environmental clearance. Affidavit for date of construction and completion & architectural drawing may also be asked by 25.3.08.	Letter issued on 18.03.2008. No reply received.	Take up on 10.04.2008.
W	AEZ Square Mall , Vikas puri	AEZ Group, 707 - 712A, 7th Floor, Chiranjiv Tower, 43, Nehru Place, New Delhi - 110019	NO	Not applied for consent to Establish	Notice of environmental clearance may be issued immediately and this case will be taken up on 25.03.2008 for confirmation of Consent to Establish & environmental clearance. Affidavit for date of construction and completion & architectural drawing may also be asked by 25.3.08.	Letter issued on 18.03.2008. No reply received.	Take up on 10.04.2008.
W	City Square Mall, Plot No -8, Shivaji Place, Rajouri Garden, Delhi	MGF Developers Limited ,17-B, MGF House Asaf Ali Road, New Delhi-02	NO	Applied for consent to Establish on 07/03/08	The unit may be asked to apply for environmental clearance, since the same unit is setting up two adjacent malls which will be construed as one mall unless otherwise clearly justified. Affidavit for date of construction and completion, architectural drawing & completion certificate may be filed by 25.3.08.	The unit has filed two applications for CTE on two different plots i.e. plot no. 7 & 8 through different companies but through same authorised person. Letter issued on 14.03.2008. The case was discussed in the CMC meeting on 10-03-08 as decided letter were issued both the units.Unit has submittted seperate reply for both the plots alongwith the copy of sention plans and affidavit. however, it is pertened to mention that the mall is built on both plots as single entity. The same is reflected in the letter head of the mall. Unit has stated that as the built-up area of the plot no 7 is approx. 15,826.90 m2, and plot no 8 is 11, 791.66 sqm hence the project does not fall under the purview of EIA notification of Sep 14, 2006. Further it has mentioned that only basement (upper and lower) is being utilised for services and car parking has been integrated, for which DDA has approved the map. According to affidavit the date of start of construction is May 2004 and date of completetion certificate is July 2005.	Let SEE study the file and take up on 10.04.2008.

W	Shoppers' Stop, Plot no 10, Shivaji Place, Rajouri Garde, Delhi	Eros Group, S-1, American Plaza, International Trade Tower, Nehru Place, New Delhi-19	NO	Not applied for consent to Establish	Issue letter to the unit to file environmental clearance & Consent to Establish. Also he may be asked to confirm why there are two applications from two different firms for the same plot / site / complex. Case to be put up on 25.03.2008. Affidavit for date of construction and completion, architectural drawing & completion certificate may be filed by 25.3.08.	Letter issued on 14.03.2008. No reply received.	Take up on 10.04.2008.
W	Capitol City Mall, B-1, Paschim Vihar, Delhi.	M/s Naresh Aggarwal Properties & Developers (P) Ltd., 28, Apra Plaza, Pitam Pura, Delhi.	NO	Not applied for consent to Establish	Ask him to file Consent to Establish & environmental clearance. Also ask the unit to file an affidavit indicating the date of construction & date of completion. Approved architectural drawing may also be filed by 25.3.2008. Case to be put up on 25.03.2008.	Letter issued on 18.03.2008. No reply received.	Take up on 10.04.2008.
W	Vardhman Land Developers Private Limited Pushpanjali Promoters Private Limited Construction of TDI Mall , Plot no 11, Shivaji Place, District Centre, Rajouri Garden, New Delhi	9, Kasturba Ghandhi Marg, New Delhi-01	D	Applied for consent to Establish	Issue fresh letter for environmental clearance along with approved architectural drawing. Case to be put up on 25.03.2008.	Letter issued on 14.03.2008. Unit has submitted reply alongwith copy of sanctioned plan, Affidavit etc. In its reply it has mentioned total covered area is 18815.592sqm . According to affidavit the date of start of construction is 11-01-05 and date of completion certificate is 23-02-07.	MS to study file and take up on 10.04.2008.
W	Ess Cee & Associates (India) Pvt Ltd Construction of Paragon Mall , Cinema Plot no 2, District Centre, Shivaji Place, Near Raja Garden Crossing, New Delhi	9, Kasturba Ghandhi Marg, New Delhi-02	D	Applied for consent to Establish	Issue fresh letter for environmental clearance along with approved architectural drawing. Case to be put up on 25.03.2008.	Letter issued on 14.03.2008. Unit has submitted reply alongwith copy of sanction, Affidavit etc. In its reply it has mentioned total covered area is 15,883.104 sqm . According to affidavit the date of start of construction is 25-03-04 and date of completion certificate is 23-02-06.	Sh. M. Dwarkanath, SSO to study file and take up on 10.04.2008.

E	Star City Mayur Vihar, Ph-I, Delhi Noida Road, Delhi	Mahatta Tower Pvt Ltd Regd Office -5A-B BLK Community Centre Janak Puri, New Delhi	NO	Not Applied For Consent to Establish	Ask him to file Consent to Establish & environmental clearance. Case to be put up on 25.03.2008. Issue fresh letter.	Letter issued on 13.3.2008. Reply received on 24.03.2008 & informed that environmental clearance is not required as the built-up area is less than 20000 sqm. U/s 25/26 for CTE is not applicable for us and the project is of DDA's design.	Chairman to study file and take up on 10.04.2008.
E	Gahoi Build Well Ltd Proposed Commercial Complex name East Centre Mall at Plot no 10 Laxmi Nagar District Centre	Gahoi Build Well Ltd., 701, Mercantile House, 15, KG Marg, New Delhi - 1	NO	Applied For Consent to Establish	Ask him to file Consent to Establish & environmental clearance. Case to be put up on 25.03.2008. Issue fresh letter. Affidavit for date of construction and completion, architectural drawing & completion certificate if received may be filed.	Letter issued on 13.3.2008. Applied for CTE on 24.03.2008 vide I.D. No. 25284. Built up area is 5189.19 sq.mts. Submitted a copy of architectural drawing.	Concerned CMC to inspect and report on 10.04.2008.
E	Rishab Ipex Mall, LP Extension, Near Max Balaji Hospital Delhi	Rishab Com Pvt Ltd Plot no 16, Community Centre, Karkardooma Delhi	NO	Applied For Consent to Establish	Ask him to apply for Consent to Establish. MS to inspect. Case to come up on 25.03.2008.	MS inspected. Placed the case in CMC meeting dated 17.3.08. Decided to ask the mall to apply for CTE and correct deficiencies.	Take up on 17.04.2008.
E	Pyramid Mall, CBD Ground, Near Karkardooma Court, Delhi-92	Office Address Not Provided Found closed and sold to India Bulls	NO	Not Applied For Consent to Establish	Ask him to file Consent to Establish & Environmental Clearance. Also ask the unit to file an affidavit indicating the date of construction & date of completion. Approved architectural drawing may also be filed by 25.3.2008. Case to be put up on 25.03.2008.	Copy of the letter dated 13.3.08 was pasted on the wall of M/s India Bulls. Reply received from Piramyd Retail Ltd on 26.03.2008 & informed that the property has been constructed & developed by Genious Promters & Devlopers Pvt. Ltd., and the same has been taken by Piramyd. They are not doing any sort of processing, treatment & mfg. activities from the premises. Hence, the question of discharging of sewage or trade effluent from the premises does not arise. Therefore, the provision relating to obtaining CTE & EC are not applicable.	The unit appears to be cleverly avoiding the arms of environmental laws. Direct him to appear before the committee on 17.04.2008 at 5.30 PM.
E	Aditya Mall, CBD Ground, Near Karkardooma Court, Delhi-92	M/s Aggarwal Associates, 10, Rajdhani Enclave, Delhi - 92	NO	Not Applied For Consent to Establish	Last and final reminder asking them to file Consent to Establish & Environmental Clearance. Also ask the unit to file an affidavit indicating the date of construction & date of completion. Approved architectural drawing may also be filed by 25.3.2008. Case to be put up on 25.03.2008.	Letter issued on 13.3.2008. No reply received.	The unit appears to be cleverly avoiding the arms of environmental laws. Direct him to appear before the committee on 17.04.2008 at 6.00 PM.

N	Parsvnath Developers Ltd in construction with M/s OCL Ltd Construction of Integrated Station Building and commercial development at Inderlok Metro	6th floor, Arunachal Building Barakhamba Road, New Delhi	D	Not applied for consent to Establish	Last and final reminder asking them to file Consent to Establish & Environmental Clearance. Also ask the unit to file an affidavit indicating the date of construction & date of completion. Unit will also file approved architectural drawing. Take up on 25.3.2008.	Letter issued on 13.3.2008. Reply received on 26.03.2008 & informed that commercial space is property of DMRC and building has been constructed by DMRC only and space lying within the footprint of the DMRC station does not require sanction of plans from local bodies. DMRC has offered the project to use for specified purposes. Hence, they are only the occupant in this commercial space.	The unit appears to be cleverly avoiding the arms of environmental laws. Direct him to appear before the committee on 17.04.2008 at 6.30 PM
N	Parsvnath Developers Ltd in construction with M/s OCL Ltd Commercial Complex at Pratap Nagar Metro	6th floor, Arunachal Building Barakhamba Road, New Delhi	D	Applied for consent to Establish	Last and final reminder asking them to file Consent to Establish & environmental clearance. Also ask the unit to file an affidavit indicating the date of construction & date of completion. Unit will also file approved architectural drawing. Take up on 25.3.08.	Letter issued on 13.3.08. Applied for CTE on 18.3.2008 vide ID No. 25234. Reply received on 26.03.2008 & informed that the built up area of the project is only 2550.46 sqm that is less than 20000 sqm. Hence, the project is exempted from EC.	Concerned CMC to inspect and report factually on 10.04.2008.

Sl.No.	Name & Address	Activity	Earlier Decision, if any	ATR/Remarks	Decision on 03.4.08
1	City Park Hotel 3/4, KP BLOCK, PITAMPUTA Delhi - 34	Hotel	21.8.2007 Inspect and put up on 19.9.07. 25.01.2008 In view of the fact that the unit is using 20,000 lt/day water for cooling and 90,000 lt/day for processing and for agriculture and gardening 5,000 lt/day, he may be asked to treat the water to the extent that waste water is made reusable to maximum extent.	UNIT HAS APPLIED FOR RENEWAL OF CONSENT. Obtained CTE on 23.12.2003 and operate on 29.1.2004. Hotel inspected. Letter as per CMC meeting dated 25.01.08, letter issued. Unit submitted letter odated 23.3.08.	Renewal granted subject to the condition that by the Common Wealth Games, 2010, the unit will utilize the treated water in the cooling, agriculture & gardening and other places like flushing of toilets. For reutilization of water, the treatment in ETP needs to be improved further and BOD levels should be brought down to at least 15 mg/l.
2	L & T Limited, DIAL Project Site, IGI Airport, Terminal - III	Third HMP	29.02.2008 Issue notice to the unit to comply with all the deficiencies in fugitive emissions control, noted by the CPCB, and file an affidavit.	L& T has applied, for CTE, for third HMP on 28.12.07 in view of SC order dt 14.12.07. A news clipping received from MoEF vide letter dt 18.1.2008. Letter issued on 20.3.2008	Take up on 10.04.2008.
3	Ruby Tuesday(A unit of Round the Clock Stores Ltd. M - 48, Connaught Place, N. Delhi - 1	Restaurant	25.01.2008 Since the unit desires to close down and his water / power supply disconnected, his Bank Guarantee of Rs. One Lakh only may be returned.	The file was processed for returning BG of Rs. Two lakhs (One lakh each under Air & Water Acts) Inspection of the unit was carried out on 11.3.08 to check whether the unit is actually closed on the directions on file.. Inspection revealsd that the unit has closed its activities.	Release Bank Guarantee of Rupees Two Lakh.

4	Representation from New Rohtak road Manufacturers Association		09.01.2008 MS to write separately to Commissioner (Plng), DDA to find out the status and properly drafted and carefully covering of all the points. Letter which is to be sent to Association will be put up for approval.	Letters issued. A meeting notice has also been received from the office of VC, DDA for discussion on issues pertaining to APIA on 07/04/08. The agenda has ben moved separately in the file.	A detailed note by SEE with the details of proceedings of meeting with Pr. Secretary to CM. Chairman, MS & SEE to attend the meeting with DDA on 07.04.2008.
5	Aspen Laboratories Pvt Ltd B - 82, GTK Road ind Area, Delhi - 33	Mfg. of Diagnostic Kits, Surgical items & Repacking of reagents	Nil	Unit obtained CTE on 12.4.04 valid up to 12.4.05. Obtained CTO on 22.7.04 valid up to 20.6.07. Now applied for renewal of consent on 18.6.07 vide ID No. 21867	Renewal of Consent granted.
6	Gupta Printing Works, I - 51, Sector - 2, DSIDC Bawana Ind Area, Delhi - 39	Printing	29.02.2008 Inspection to be done & put up on 19.03.2008.	Applied for Consent to Operate under green category on 08.08.2006. Also the unit has applied for auth under HW Rules on 8.8.06 CTE obtained on 20.4.06, valid up to 19.4.07. Inspection done as decided by CMC on 29.2.08	Consent to Operate & authorization granted.
7	Hardeep Electrical Pvt Ltd S - 101, Badli Indl. Estate, Delhi - 42	Mfg .of wires & cables	Nil	Unit applied for CTE on 31.12.07 vide ID No. 24619.	Wait for Justice Chopra Committee report.
8	Kamal Deep Metal Works 6/12D, Kirti Nagar Industrial Area, Delhi - 15	Auto parts with die casting	Nil	Unit has applied for CTE on 26/02/06. The fuel proposed, for casting, is electricity. Fugitive emissions will be controlled by hood & suction arrangement.	Consent to Establish granted.
9	Claridges Hotel Pvt. Ltd. 12, Aurangzeb Road, New Delhi - 110011.	5* hotel	Nil	Unit has applied for renewal of Consent for the second time on 20/10/06. Last consent of the unit (first renewal) was valid till 01/05/06. The unit has not applied for authorisation under HW Rules. The last inspection of the hotel was carried out on 22/12/04.	Issue notice for authorization under HWM Rules. Chairman to inspect.

10	Charu Motors A-69, Naraina Industrial Area, Phase-I, Delhi-28	Service Station	7.6.2007 Consent to operate granted. HW authorization to be decided in HW Committee. 25.01.08 The unit may be asked to file an affidavit immediately so that his application may be considered in the next month CMC.	The unit had applied for authorization under HW Rules on 22.9.2006.	Sludge quantity may be indicated by the unit in the form of affidavit.
11	Sawhney Rubber Industries B -1 & 2 Jhilmil Industrial Area, Delhi-95	Manufacturing of Tyres and Tubes(Rubber Products)	SEE to inspect & report on the limited point whether such a unit should be granted exceptional status whereas all such units were categorized under ‘H’ category and closed down. If we find the unit to fit into ‘H’ category, DPCC will move Hon’ble Supreme Court to get it listed as H category. Take up with inspection report in CMC on 28.3.2008.	The unit had applied for renewal of consent under orange category on 31.8.2006 alongwith requisite noise and stack monitoring report. The noise and stack reports are within the limits. The unit has submitted a representation for issuance of consent. Production of tyres and tubes(devulcanisation) is listed in negative list of Industries in MPD 2021 notified in Feb. 2007. As per categorization of DPCC, reclamation of rubber, rubber indsutry (tryres & tubes), rubber solution containing mineral naphtha rubber waste, Synthetic rubber production & Tyres & tubes manufacturing are mentioned in Red Categories at Sl. No 382, 400 & 404 respectively. Unit was inspected by SEE on 24.3.08	The unit is operating in a trade which is not permitted as per MPD-2021. This fact needs to be brought before the Hon’ble Supreme Court to ensure that any exclusion provided to the unit is not discriminatory and is not unfair to all other units which are closed down. MS to hire the standing Delhi Government Counsel in Hon’ble Supreme Court and file a petition on behalf of DPCC to close down this unit.

12	Samara India P Ltd B - 18, Mayapuri Ind Area, Ph - I, New Delhi - 64	Automobile service station	07.12.07 1. Unit may be asked to file an affidavit as to why he is operating while closure directions are in force. 2. He may be asked to correct remaining three deficiencies which have been found during inspection namely (i) Information about sale of used oil not provided. (ii) Date oo which storage began was not indicated on hazardous waste containers. (iii) Septic scum observed in one sludge drying bed. 3. He may be asked to file Bank Guarantee of Rs.1 lakh ech under Water Act, 1974, Air Act, 1981 and HW Rules, valid for one year. Case is to be taken up on 26.12. 2007. Letter to be issued on 08.12.2007. 29.2.08 The unit continues to violate the directions of closure which is not in the spirit of compliance of the Acts. MS to draft a letter highlighting the insubordination of the unit and imposing a cash penalty of Rupees Three Lakh along with already directed Bank Guarantee of Rupees Three Lakh.	Letter imposing penalty and Bg issued. Unit represented against the imposition of penalty and BG.	Inspect & report in CMC on 30.04.2008.
13	Shyam Gram Dall Mill, GI-24, Lawrence Road Industrial Area	Dall Mill	Nil	Unit has obtained CTO(R) on 27.10.2005 valid upto 09.12.2007. Unit has again applied for CTO(R) on 28.11.2007 vide I.D. No. 24346.	Renewal of Consent granted.
14	Balvinder Auto Industries, Plot No 155, Pocket-F, Sector-3, DSIDC, Bawana Industrial Area	Auto Parts (Oil Seal)	Nil	Unit has applied for Consent to Establish on 10.01.2008 vide I.D. No. 24714.	Consent to Establish granted.
15	Mahavir Industries, D-1558, DSIDC, Narela Industrial Are, Delhi	Dall Mill	Nil	Unit has applied for Consent to Operate on 17.09.2007 vide I.D. No. 23532.	Consent to Operate granted.
16	Arora Trading Co., Plot No 285, Pocket-E, Sector-05, Bawana Industrial Area	Mf.g of wires & cables	Nil	Unit has applied for Consent to Establish on 29.10.2007 vide I.D. No. 24037.	Wait for Justice Chopra Committee report.
17	Premier Fine Printers and Publishers A -244, Okhla Ind Area, Ph-I New delhi - 20	Printing	Nil	Unit appl;ied for CTO under orange category on 20.4.2005. Earlier the unit was granted consent on 13.3.03 under Green category for the same activity but with out trade effluent. Unit is having valid auth under HW Rules	Ask him to apply for Consent to Establish.

18	AM Automobiles (A unit of Blue Bird Enterprise Pvt. Ltd.), Plot No 189-91, Lawrence Road Industrial Area	Automobiles Service Centre with washifng, denting & painting & repairing	Nil	Unit has applied for Consent to Establish on 17.12.2007 vide I.D. No. 24514. Bank is seeking a copy of CTE for sanctioning the loan.	Ask him to apply for authorization under HWM Rules.
19	Piccadily Hotel Janak Puri New Delhi - 58	Hotel	17.3.2008 Unit was given the letter for depositing a cash penalty and BG of 0.5 % of project cost i.e 85 crores each with in 30 days.	No written response received from the hotel. As directed by Chairman on file, MS spoke to VP (operations) who has stated that the unit will write a letter to DPCC before 17.4.08 to seek clarifications.	MS spoke to VP (operations) of the unit who says he will file a reply soon, since 30 days are still not complete. The case may be taken up on 10.04.2008 if it files its reply otherwise on 17.04.2008.

S. No.	Name	Address	Activity	Facts of the case	Decision in CMC on 07.12.2007	Action Taken	Review on 03.4.2008
1	M.K. Metal	A-7/5, Jhilmil Indl. Area.	Super enamelling on Copper wire	A complaint was received from Sh. S.K.Jain on 21/12/2006. Accordingly, an inspection was carried out by DPCC OFFICIALS ON 22/1/2007 and a no. of discrepancies were observed. The case was put up in CMC on 7/6/2007. Accordingly, as per decision taken in CMC, revocation of consent to operate, refusal of authorization and closure directions u/s 31(A), u/s 5 were issued on 18.7.07. As per directions unit was reinspected on 6.8.07 & case put up in CMC on 21.8.07, accordingly,as per decision taken in CMC, letter for revocation of directions and letter to apply for CTE issued on 14.9.07.The unit has applied for consent to establish on 27/9/07.However, a complaint was again received from Sh. S.K.Jain on 30/10/2007.The case was put up in CMC on 7/12/07.	MS to inspect and case be put up in January, 2008 CMC	The unit was inspected by M.S. alongwith Sh. D.k.Srivastava,AEE on14.03.2008.It was observed that unit is in operation and no bypass arrangement was observed.No visible smoke was seen from exit of chimney.Record of Hazardous waste has been checked and found to be 47.20 Kg. upto 29.02.2008.Mild smell was observed near the super-enamelling plant.	Ask for adequacy report within 15 days. Call on 30.04.2008.

S.No.	Name	Address	Activity	Facts of the case	Decision on 25.01.2008	Action taken Report	Review on 03.4.2008
1	Daffodil Hotel	Tania farm Complex station village chattarpur Block N.D.110030	Restaurant & Banquet Hall	A public complaint received on 21.03.2007, marked as “TLC”.Accordingly, the unit was inspected by a team of DPCC officials on 23.03.2007. Following observations were made by the team -:The unit is having a banquet hall, a party lawn, a resurgent and boarding facility. The unit is having 3 kitchen with the restaurant and 1 kitchen with banquet hall / party lawn. The unit has provided suction and ducting arrangement with only one kitchen. However adequate stack height has not been provided. No channelization system has been provided with rest of the kitchens. No ETP has been provided. D.G. set of 180 KVA has been placed in a acoustic enclosure. However one side of acoustic enclosure has not been treated acoustically and adequate stack has not been provided. It was reported that the unit is having license from MCD & Delhi Police but no documents were available. Opportunity of hearing was given to the unit on 29.05.2007 and it was assured by the representative of the unit that he will submit reply and progress within 2-3 days. But no reply has been received so far. As decided in CMC on 27.09.2007, SCN u/s 31 (A) of the Air Act and u/s 33 (A) of the Water Act were issued on 17.10.2007. Subsequently, the unit replied on 30.10.2007 & 26.11.2007 in response to the notices. It was informed that they have awarded the ETP plant work to M/s R.B.ENVIRO ENGINEERING and copy of the contract is enclosed with the reply. It was directed to extend the time till 31.12.2007 for completion of work of ETP and directed to put up in CMC for ratification. Further, another complaint from Bodo Rasler, "Sarna Farm", 21, Guushala Road, Satbari Village, was recieved on 27.11.2007 against the Noise Pollution from this unit and several other units in the area.Case was put up in CMC on 25/01/2008.	The earlier decision ratified. Unit to file compliance report by 31/01/2008,failing which file should be processed in the normal course.	A letter was issued to the unit on 4/2/2008 directing the unit to submit the compliance report immediately.The unit submitted reply on 25/02/2008 vide which the unit has requested for some more time to install ETP.The file was put up in normal course and unit was directed vide letter dated 14/03/2008 to complete the work and submit the compliance report in all respects before 28/03/2008 positively.The unit has informed on 28/03/2008 that they have installed ETP which will start functioning within 2-3 days.	Ask for adequacy report within 15 days. Call on 23.04.2008.

S. No.	Name	Address	Activity	Facts of the case	Decision on 29.02.2008	Action Taken	Review on 03.4.2008
1	J.K. Oil Mill	468-469(old no. 189-191) Lawrence Road Indl. Area.	PVC Footwear	A public complaint by e-mail was received, the unit M/s J. K. Oil Mill was inspected by DPCC officials on 04.01.2007. The unit is engaged in the activity of Mfg. of PVC Footwear without any consent and without emission control system to channelise the process emission. A D.G Set of 125 KVA was found installed with acoustic enclosure. As decided in the CMC meeting on 19.03.2007, SCN for revocation of consent (green category) & the notice u/s 31(A) was issued on 10.04.2007. The unit replied on 07.05.2007 and the case was again put up in CMC on 07.06.2007. As decided in said CMC, inspection carried out on 06.08.2007.The case was again putup in CMC on 21.08.07,accordingly, a letter was issued on 14.09.07 to apply for consent to establish.The unit has applied for consent to establish under Orange category on 12.11.2007.As decided in CMC on 7/12/2007,the case was put up with file of CMC on 29/02/2008.	Ask the unit to file Bank Guarantee of Rupees One Lakh under Air Act and affidavit that he will correct all the deficiencies noted during inspection. Case to come up on 28.03.2008	A letter was issued on17/3/2008 for submission of bank guarantee and affidavit.a reply is received ON 2.4.2008 without BG & requested more time to arrange the BG.	Time allowed till 23.04.2008.
2	Rajender Kumar & sons	17, SSI, Indl. Area	Re-rolling, annealing & pickling of SS Sheets.	A public complaint by was received from CM office , the unit was inspected by DPCC officials on 5.1.06, As approved notice u/s 5 issued on 2.2.06. The unit submitted its reply on 15.6.06. As approved reinspection of the unit was carried out by DPCC officials on 26.5.06. Another complaint received on 27.6.06 , the unit was again inspected by DPCC official on 24.7.06 and by official of department of environment on 30.8.06. as approved notice u/s 33(A) of the water Act was issued on 20.9.06. Unit has submitted its reply on 9.1`0.06 regarding rectification of deficiencies The case was put up before CMC on 7.6.07. Accordingly refusal of consent to operate, refusal of authorization and closure direction u/s 33(A), u/s 5 were issued on 18.7.07. The unit filed a writ petition before Honble High Court.The unit was inspected on 14.08.07 & case was put up in CMC on 21.8.07, accordingly a letter was issued on 24.8.07 for removal of deficiencies. As per decision taken in CMC on 07.12.2007, a letter was issued on 04.02.2008 for submission of affidavit and bank guarantee of Rupees One Lakh each under water, Air, HWM Rules. Letter issued on 27.02.2008	Case to come up in CMC on 28.03.2008	Reply along with BGs of Rs one lakh each in Air Act, Water Act and HWM Rules were received(photocopies of the same obtained from account branch are placed in file).	Ask for adequacy report within 15 days. Call on 30.04.2008.

				granting time up to 05.03.2008 for submission of BGs			
3	M/s Vimco Plast India	405, FIE, Patparganj Indl. Area.	PVC Pipe	A public complaint was received from DOV, the unit was inspected by DPCC officials on 06.12.2006 and it was observed that the unit was engaged in mfg. of PVC pipes without consent and without ECS to control fugitive emissions generated from the process. DG Sets of 125 KVA installed without acoustic enclosure and adequate stack height. Notice u/s 31(A) was issued on 08.02.2007. The unit replied on 22.02.2007. The case was put up before CMC on 7.6.07. Accordingly, unit was again inspected on 2.8.07. The case was put up in CMC on 19.7.07. Accordingly, modified directions u/s 31(A) was issued on 14.9.07. As per decision taken in CMC on 07.12.2007, A letter was issued on 04.02.2008 to submit affidavit & BG. However, no reply was received and case was put in CMC on 29.02.08.	Final reminder be issued Cases to come up on 28.03.2008	A final reminder letter was issued on 14.3.08 to submit an affidavit and BG. However, no reply has been received so far.	Last & final reminder. Call on 30.04.2008.
4	Excel Motors/ Regent Automobile	A-29/(Old-B-1/E-20) MCIE	Workshop Cum Service Station	A public complaint received on 18.10.2006 from C.M. office. Accordingly, the unit was inspected by a team of DPCC officials on 23.01.2007. Following observation were made by the team -:The premises no. B-1/E-20 is being used only as showroom of M/s Excel Motors . Instead, the said unit was found in operation in the premises no. A-29 alongwith M/s Regent Automobile . ETP installed at A-29 was found in defunct condition. Reaction tank was not in use and no dosing of chemical was observed. Filtration unit was not in use. No sludge was observed in sludge drying bed. Waste water was being by passed without any treatment through flexible pipe. A sample from ETP outlet was collected. The effluent sample of the unit could not analyzed by DPCC Lab and it was asked to recollect the fresh sample. The unit has not obtained consent to establish / operate at the new premise i.e. A-29. Earlier the unit was having consent (expired on 16.09.2006) for the premises B-1/ E-20. As decided in CMC on 9.10.07, letter for submission of BG and notice u/s 21/22 & u/s 25/26 were issued on 6.11.07. As per decision in CMC on	Insepct & report on 28.03.2008	The unit was inspected by DPCC officials on 25/03/2008. It was observed that unit has closed its operations and at premises is lying vacant. It was informed that the said unit has shifted to B-II/31 and has started its operations. As per record, the unit at address B-II/31 has applied for consent to establish on 23/08/2007.	Reply to CM's office accordingly.

			07.12.2007, a reminder letter issued on 11.02.08. However, a letter was received from the unit on 07.12.07 informing that the washing activity have already been suspended and the unit will be completely closed by 30.12.07.			
--	--	--	--	--	--	--

5	Complaint against M/s J.S. Designer Pvt. Ltd & others.	Plot No.190, Patparganj Industrial Area		A public complaint has been received from Sh.Vinod Kumar. As directed , inspection was carried out by PGRC officials on 25.02.2008 and only one industrial unit in the name of M/s J.S. Designer Pvt. Ltd was found in operaton as per details given below:- The unit is engaged in mfg. of readymade garments including washing. Although the unit has installed an ETP but the same was not found in operation and lying in defunct condition.No dry/wet sludge was observed.The unit is not complying with the provisions of HWM Rules except placing of display boards.Acoustic enclosure has not been provided with the DG Sets of 125 KVA & 62 KVA.The unit has not provided adequate stack height above roof level with the oil fired boiler & air heater. As per the record, the unit has applied for consent to operate under orange category on 17.11.2005 and not applied for authorization under HWM Rules. As reported, there is one firm in the name of M/s J.S. Infra Pvt. Ltd. is existing in the premises and having its office at second floor.This firm does not involve in any industrial/mfg. activity.	A stiff notice may be issued to the unit listing out all the deficiencies to be corrected latest by 28th March. Unit will also apply for Consent to Establish. He will file an affidavit for correction of deficiencies and a Bank Guarantee of Rupees One Lakh each under all of three Acts. Call on 28.03.2008.	Notices u/s 31(a) of air act, u/s 33(a) of water act ,u/s 5 of EPA and a letter for submission of consent to establish,Bank Guarantees and an affidavit for correction of deficiencies were issued on 13/3/2008.Unit has submitted four replies on 27.3.2008 in response to said letters & mentioned that they have adopted all preventive mitigative measures regarding Air& Noise , Water pollution and Hazardous Waste Storage in the premises as per directions given in the letters.However, BG's , application of CTE & affidavit were not submitted by the unit. Unit asked one month time to submit BG's. Unit also mentioned that CTE & affidavit shall be submitted very soon.Unit also informed that they have placed order to M/s Envirocare Systems to	Time allowed till 23.04.2008. Call on 23.04.2008.
---	--	---	--	---	--	--	--

						make canopy for DG Sets.	
--	--	--	--	--	--	-----------------------------	--

6	M/s Golden Iron & Steel Works	7/19, Kirti Nagar, Indl. Area, New Delhi-15	Steel Forging	A no.of public complaints are received including RTI application from the complainant.Accordingly,an inspection was carried out on 31.01.07 and some discrepancies w.r.t. installation of E.S.P. WITH COAL FIRED BOILER,stack with furnace,fugitive emissions,acoustic enclosure with D.G.set were observed. As approved notice u/s 31 (A) was issued on 19.03.2007. The unit submitted its reply on 09.04.2007 and 20.05.2007 enclosing review report of the technical team of CPCB dated 12.02.1996, noise monitoring report of DG Set, copy of receipt dated 09.04.2007 for submission of consent application & stack monitoring report of coal fired boiler and oil fired furnace. As decided in CMC on 7.6.07, closure directions u/s 31(A), refusal of consent and authorization were issued on 8.6.07. As decided in CMC on on 4.7.07, temporary revocation of direction u/s 31 (A) of the Air Act was issued on 10.7.2007 granting two months time. As decided in CMC on 11.9.07, letter was issued on 01.10.2007 granting total four months time for conversion of coal fired boiler into oil fired. As decided in CMC on 7.12.07, time allowed till about the year end. As per decision taken in CMC on 25.01.2008, a letter was issued to the unit on 29.01.2008 to submit the compliance report. The unit has submitted to reply alongwith tht oil fired boiler has already been received at site and is at advance stage of installation which shall be completed shortly. Further, two more complants have been received against the unit from CPCB & PM Office.	Insepct & report on 28.03.2008. An interim reply may be sent to PM's Office.	The unit was inspected by DPCC officials on 20/03/2008.It was observed that unit has installed oil fired boiler however it is yet to be commissioned as inspection of chief inspector of boiler is pending from whom permission is required to commission/start operations of the boiler.It was informed that tentative date for inspection is 28/03/2008. Another letter dated 26/3/2008 from the unit informs that they hope to operationalise commissioning of oil fired boiler by10/4/2008.Interim reply was sent to P.M. office on 23/03/2008.Another complaint was registered by Sh.Rajesh Wadhwa on 17/03/2008 on Aap Ki Sunwai, action taken report as per present status was intimated to him on 25/03/2008.	Call on 10.04.2008.
---	-------------------------------	---	---------------	--	--	--	---------------------

S.No.	Name & Address	Facts of the case	Decision on 10.03.2008	Action Taken Report	Review on 03.4.2008
1	Letter from LG Office regarding complaints on CRGMS pending with Conservator of Forest & Department of Env.	A letter received from L.G. Office alongwith list of four no. of grievances of citizens on L.G. website/CRGMS, which are yet to be replied / redressed by department i.e. Conservator of Forest and Environment Department. Out of four grievances one pending with Forest Department and remaining three with Environment department. Therefore a copy of same has been forwarded to Deputy Secretary for n/a. The brief of these grievances are as below:- 1. G.No. 20702300033 ; created on 02.11.07 is regarding removal of forest from back side of 1 no to 4 block, R-Block, Dilshad Garden. 2. G.No. 20720000175 : created on 13.08.07 is regarding running of generators on services lane & causing pollution. 3. G.No. 20720000374 : created on 12.10.07 is regarding pollution due to factory in non-conforming area i.e. at 1/4372-B Ram Nagar Extension, Shahadara. 4. G.No. 20720000494 : created on 02.12.07 is regarding pollution due to burning of plastic items / types at E.B.C.B. W. Block Khajan Basti Near Mayapuri, Phase-II. It is pertinent to mention here that no such complaint received on CRGMS /Aap Ki Sunvai on DPCC account.	L.G. Office and new website 'Aap Ki Sunvai' may be informed that all pollution related complaints may be sent to the DPCC website directly also. MS to coordinate with IT department. PGRC is directed to get the required three out of four complaints received from LG office and put up the status on 28.03.2008.	A letter was written to Secretary(IT) on 20/3/2008 that all the POLLUTION RELATED grievances being registered at the Aap Ki Sunwai and at LG,S CRGMS should be sent directly to DPCC instead of sending these to Environment Department & Forest Department. Further, with regard to three grievances, the matter was discussed with Sh. Aditya Narain, Scientist he was told to forward these three grievances including other pollution related grievances to DPCC who has then forwarded these grievances to DPCC on 12/03/2008. Accordingly, grievance no.2072000374 was forwarded to Industry Deptt., grievance no.20720000175 was forwarded to DC(SOUTH)&POLICE and grievance no.20720000494 was forwarded to MCD and POLICE on 13.03.2008 and action taken report was uploaded on L.G,S CRGMS. At present, no grievance is pending on the said website.	No action.

S.No.	Name	Address	Activity	Facts of the case	Decision on 03.4.2008
1	Complaint against mobile towers	WZ-81 & WZ 81A, Hari Singh Park, New Multan Nagar, Delhi	Mobile Tower	A public complaint has been received from General Secretary, R.W.A. of the area through e-mail. Inspection was done on 12.03.08. The details of each premises are as under:- Premises No.WZ-81 (Landlord Sh. Ram Pal Singh):- A mobile tower of Airtel Co. alongwith CPU & D.G. Set of 15 KVA has been installed at IIIrd floor of the premises. Adequate stack height & acoustic enclosure/ canopy has been provided with the D.G. Set.No permission from MCD & noise monitoring report was available. Premises No. WZ-81A (Landlord Sh Lakhan Pal Goyal):- A mobile tower alongwith CPU & D.G. Set has been installed at 2nd floor of the premises. Adequate stack height & acoustic enclosure/ canopy has been provided with the D.G. Set. However, the canopy was found locked. Hence capacity of D.G. Set could not be ascertained.No permission from MCD & noise monitoring report was available.	Check if the location meets the guidelines of cell phone towers issued by Ministry of Communications, GOI and put up on 17.04.2008.
2	Delhi Cold Storage Pvt. Ltd.	5078 Roshanara Road Delhi-07	Cold Storage (storage of dry fruits, kiriyana items, & seeds)	A public complaint has been received against the unit through e-mail. Inspection was done on 24.03.08. The details of the observation are as under:- 1. The unit is engaged in the activity of cold storage and operating since 1947 as reported. The unit has applied consent to operate under orange category on 23.05.06 (ID. No. 18262, copy of application provided). 2. Refrigeration plant was not found in operation. It was reported that presently it is operated about two to four hours daily (copy of log book obtained). However, mild smell of Ammonia was observed near the refrigeration plant.	Let SS (Air) inspect and report on 17.04.2008.
3	Heavens Enterprises	MW-199A, Vishnu Garden, New Delhi-18	Mfg. of Oxo-biodegradable Polythene Bags/ Rolls	Two public complaints. have been received against the unit. Inspection was done on 25.03.08. The unit is engaged in Mfg. of Oxo-biodegradable Polythene Bags/ Rolls and as reported operating in the premises about 5 months back. Adequate stack height and acoustic enclosure has not been provided with the D.G. Set of 62 KVA. Smell was also observed.	Implement effective closure & confirm on 17.04.2008.
4	Factories running in	Sanjay Market, J.J. Colony, Wazirpur		A public complaint has been received through Directorate of Vigilance, Govt. of Delhi. Inspection was done on 20.03.08. The details of observation are as under:- 1. Total 22 premises/ shops were visited by the team. Out of which 14 nos. were found engaged in Buffing of S.S. Utensils without installing emission control system. Remaining 8 units were found engaged in various Engineering Activity. These activities are being carried out in non-conforming area and do not fall in F-27/33 category.	Send all the 22 cases to Industry Commissioner for action as per existing orders and confirm on 17.04.2008.

5	Complaint against fires in VSNL jungle adjoining Masjid Moth phase 1	Masjid Moth,DDA flats phase 1 ND-48		An inspection was carried out by a team of DPCC, MCD& PWD officials on 1/4/2008.It was observed that there are widespread signs due to burning of hundreds of trees/plants in an area of about 15 acres in a land of Videsh Sanchar enclave.The total area of this land is around 60 acres.The complainant,president of RWA of DDA flats at Masjid Moth was also contacted. She informed that burning of plants /trees is a routine affair and such incidents has occurred three times during last two months and she has made complaints to the police of these incidents.	I take a very strong view of burning of trees, plants in 15 acre of land. Strictest possible action must be immediately under all the environmental laws and report submitted to me in writing in CMC on 10.04.2008. Whatever assistance required from Forest Department must be taken. If any officers is found derelict in his duty he will be placed under suspension.
6	Complaint against M/s Shah Namkeen	at 77,83-84 and 31 Indra Park, Delhi.		A public complaint has been received against M/s Shah Namkeen at, 77,83-84 and 31 Indra Park. Inspection was done on 2.4.2008 by EE(PGRC) & AEE(PGRC). The details of observation are as under:- 1. M/s Shah Namkeen is carrying out its activity and business at various addresses at 34,77,83,84 & 31 of Indra park and 188 & 189 of Gopal Park. 2. Sh. Sumet Shah, owner only allowed inspection of partial premises of 188 & 189 wherein machines for biscuit mfg. are installed. 3. Sh. Sumeet Shah did not allow insepection on rest of the premises and remaining portion of Plot no. 188 & 189.	Issue notice under the relevant sections. MS & SEE to inspect & submit a detailed report.