

Minutes of the 31st meeting of the Committee Constituted for deciding the Consent under Orange Category, held on 07.12.2007 in the Conference Room of Chairman, DPCC.

The following persons attended the meeting on 07.12.2007:

1. Sh. J. K Dadoo, Chairman DPCC.
2. Sh. K. Mahesh, Member Secretary, DPCC.
3. Sh. S.K.Gupta ,Head Chemical Engineering Deptt., IIT Delhi.
4. Sh. B. Kumar, SEE, DPCC.
5. Sh. M. Dwarakanath, SSO, Deptt of Env., GNCTD.
6. EEs CMC – I, II & III.
7. EE (PGRC).
8. AEEs and JEE of CMC – I, II & III.
9. AEEs of PGRC

31st meeting of the Committee constituted for deciding the Consent (under orange Category) was held on 07.12.2007 and following decisions were taken in the meeting:

Agenda Item No.1- Special References & Court Cases

All the six cases of this agenda item were discussed and decisions were taken. Decisions taken are tabulated and annexed as **Annexure – I.**

Agenda Item No. 2 – Deficiency memo pertaining to Enquiry Counter, DPCC.

At present, only complete consent/authorization applications are being accepted at the Enquiry Counter of DPCC. So as to facilitate the industrialists/units/applicants, it was decided to issue a Deficiency memo as proposed in the agenda when the applicant comes to DPCC for submission of any application under pollution control laws. Performa of Deficiency Memos for Consent to Establish, Consent to Operate /Renewal and Authorisation under HW Rules are annexed as **Annexure – II.**

Agenda Item No. 3 – Review of ATR of decisions taken in the meeting held on 18.07.07 (36+8) cases.

All 44 cases of this agenda item were discussed in the said meeting. Decisions taken are annexed as **Annexure – III.**

Agenda Item No. 4 – Review of ATR of decisions taken in the meeting held on 20.08.07 (6+7+22) cases.

This agenda item was not discussed due to paucity of time and it was decided to take up this agenda on 26.12.2007.

Agenda Item No. 5 – Review of ATR of decisions taken in the meeting held on 21.08.07 [21+7+27(PGRC)] cases.

Only 27 PGRC cases of this agenda were discussed and decisions were taken, which are annexed as **Annexure – IV.** It was decided to take up remaining cases i.e 21 and 7 cases on 26th December 2007.

Agenda Item No. 6 – Cases of LRIA (3).

Decisions take w.r.t. three cases are tabulated and placed as ***Annexure – V.***

Agenda Item No. 7 – Review of ATR of decisions taken in the meeting held on 09.10.2007 (26) cases of PGRC.

Decisions taken wrt 26 PGRC cases are annexed as ***Annexure – VI.***

Agenda Item No. 8 :- Cases of Consent to Establish of Okhla Industrial Area.

Due to paucity of time, the said agenda was not discussed and it was decided to take up the same on 26.12.2007.

In one of the cases, wherein the issue of smell/odour pollution was discussed, it was decided to write to CPCB that units which create smell pollution cannot be governed by any law. CPCB may consider setting up of standards for such units.

Meeting ended with thanks to the Chair.

SL. NO.	NAME	ADDRESS	ACTIVITY	EARLIER DECISION, IF ANY	REMARKS	ATR	Decision on 07.12.2007
1	M/s Athashri Paranjpe Scheme (Construction) Ltd.		Residential complex in whitefield, Bangalore.		Unprecedented project site visit by National Environment Appellate Authority as a part of adjudicating appeal No. 2/2007 filed by Mr. C.J. Singh.		Put up the issue as an agenda in DPCC Board meeting.
2	Nirmal casting Udyog P Ltd	D-7, SMA Ind Area	Engg Work	Authorisation, of Nirmal casting Udyog P Ltd engaged in printing, under HW Rules refused. Letters issued for disconnection of electricity, water supply and for cancellation of MCD license. Present unit, in the name of Nirmal Casting Udyog P Ltd, applied, for consent to establish, for Engg work on 20.9.07 with ID No. 23579. Submitted an affidavit and requesting for restoration of electricity supply to the unit. Inspect and report in next CMC meeting.		Inspected.	While the inspection confirmed that the unit is closed and the electricity / water supply disconnected, the new owner of the unit has applied for Consent to Establish for the activity of light engineering works under the same name. This is not permissible. Let the new owner apply in the new name and then his application can be considered by CMC. If he does so, put up in January, 2008 CMC.

3	Lotus Automobile, 76/26, Andheria More, Mehrauli, N.Delhi	Service Station	Consent to operate and Authorization under HW Rules granted.	20.11.2007 CMC has decided to grant both consent and authorization in the last meeting on 27.09.07. I find from file today that renewal of consent has not been granted so far. This is a blatant violation of CMC decision. EE of concerned CMC must file an explanation in writing under whose authority he has done this. As regarding authorization under HWM rules, it is a job of CMC EE to study case fact properly and apprise CMC accordingly. The concerned EE must also explain why in this case discrepancy in HW application was not bought up in CMC earlier. The unit may be asked to comply with deficiencies noted by way of affidavit within two days. The case to be taken up on 22.11.07	While processing the case further for granting authorization under HW it was noticed that the unit has not informed about disposal of Hazardous Waste(Used oil to be specific) and the place where it is sold. The affidavit submitted was also found incomplete, so the matter is being placed once again before the CMC.	Consent to operate issued and a letter has been issued on 21.11.07 to the unit asking to fulfill the deficiencies noted by way of affidavit in two days.The unit has submitted a reply alongwith fresh Form-I and affidavit but still having deficiencies.	The unit has still not applied in the required format giving all the information. The unit is hereby asked to file the Bank Guarantee of rupees one lakh under HWM Rules and comply with the application formalities. If he does so, authorization under HWM Rules may be granted.
4	Vardhman Metal	B-50, Group	Wazirpur Indl. Area	The unit applied for consent to operate on 21.7.04 and authorization on 29.8.06. Closure directions u/s 31(A) of Air Act, 1981 were issued on 20.2.2003 for non installation of ECS. Directions were revoked temporarily on 8.4.05 for submission of monitoring and adequacy reports. This unit surprisingly has no consent to operate, but has been given authorization under HW Rules. Since the unit is closed down, letter be issued for disconnection of electricity and water supply to the unit and cancellation of MCD license.	Order of Hon'ble HC received.		Letter be sent to the unit asking them to apply for Consent to Establish. Inspection be made by Special Inspection Team by intimating the date of inspection before hand at his residential address.Case to be taken up in January, 2008 CMC.

5	SAVERA ENTERPRISES	PLOT NO 417, SECTOR-5, POCKET-E, DSIDC INDUSTRIAL COMPLEX, Bawana Indl. Area	MFG. OF ALLUMINIUM PRODUCTS (SHEETS, SLUGS & CIRCLE)	23.05.2007 As per MPD 2021 in plotted development of industrial use zone, groups permitted are "All industries except those prohibited and of Non- polluting and non-hazardous nature". Consent to establish is refused . 18.07.2007 As no representation received, put up in next CMC meeting. 27.09.2007 Disconnection of electricity & water supply and cancellation of MCD license in the name of the unit..	Applicant has represented for the withdrawal the order issued by DPCC for disconnection of electricity / water supply and cacellation of MCD license.		Letter be sent to the unit asking them to apply for fresh Consent to Establish. Once he does so, the application as well as the issue of restoration of electricity will be decided in January, 2008 CMC.
6	Gupta Steel	D-3, Wazirpur Ind Area	Hot Rerolling	Consent to establish was refused. Decision was taken to disconnect electricity and water supply		Letters for disconnection issued.	Let him file a Bank Guarantee of Rs.1 lakh under Air Act,1981 valid upto 06.02.2010, confirming that he will undertake only S.S. Sheets re-rolling. Put up in January, 2008 CMC.

S.No.	I.D. NO.	DATE	NAME OF UNIT	ADDRESS	INDUSTRIAL AREA	ACTIVITY	REMARKS	DECISION	ATR for 18.7.07	Decision on 18.07.07	ATR	DECISION ON 07.12.2007
1	2938	-	Ruby Tuesday C/o Round The Clock Stores Ltd.	M-48, Cannaught Circus	NC-N	Restaurant	Directions of closure u/s 31(A) of Air Act and 33(A) Water Act were issued on 18.05.05. Restaurant was inspected and found in operation. Reminder letter to NDMC for seeking compliance issued on 09.09.2005 and 21.09.2005 subsequently Chairperson, DPCC issued DO letter to Chairperson to NDMC on 06.07.2006 to ensure compliance of direction. Unit submitted the representaion on 27.04.2007 for restoration of electricity disconnected on 11.04.2007and has also submitted copy of appeal filed before the appellate authority. Unit has applied for consent.	Consent to establish granted.Unit shall not run without obtaining consent to opeerate.	Case was put before CMC on 13.7.07. It was decided to issue a letter asking the unit to withdraw all the cases and apply afresh for consent to operate.	Put up in next CMC meeting in August 2007	Case was disscussed in the meeting dated 27.09.07 and it was decided to seek bank guarantee of Rs. 1 lakh each under Air and Water Acts within 7 days. Letter issued. Unit complied with the same. File rotated on 18/10/07 among members of CMC as decided for their perusal.	The unit must install ETP, otherwise his application will not be considered. Put up in January, 2008 CMC.
2	20021	27.07.2006	Chime Electronics	E-17, Sector-3	Bawana Industrial Area	Mfg of electronic and electrical goods	Representaion received for consent. Case is to be put up in CMC as per the decision taken on represtation.	Ask the unit to submit an affidavit stating why he is operating the unit without obtaining consent to operate and why action shall not be taken against the unit / him as per the provisions of the Air Act and Water Act .	Letter issued.	***	Affidavit submitted on 24.07.07	Inspection by CMC and report. Put up in next CMC.

3	9474	28.11.2003	Kasturi Industries	28,	S.S.I Industrial estate	Mfg of labourcatting greases	Unit was inspected to check compliance of HW Rules and status submitted to LAEC. Case is to be put up in CMC as per the decision taken on file.	Consent granted. Put up application for authorization in chronological order in the committee for hazardous waste.	Consent issued.	***	No action pending.	No action.
4	15335	Refused	Prem Dyeing House	A-13,	Wazirpur Industrial Area	Dyeing	Closure directions issued and unit has submitted representation for revocation of directions, submitted affidavit and stated regarding stoppage of dyeing activity and due none polluting activity . Inspection of the unit was carried out 26.03.2007 for present status of the unit. Unit not found in operation. But plant and machinery found none operational condition. Case is to be put up in CMC as per the decision taken on file.	Letter for removal of all plant and machinery & apply a fresh for consent to establishing the unit.	Letter issued on 18.07.07	***	Not applied for consent to establish. Inspection by special team on 18.05.07. Unit closed.	Issue reminder.
5	15388	Refused	Rahul Singhal	E-742	Nearla Industrial Area	Mfg of plastic carry bags	Refused on 15.11.2006. Unit replied that they have vacated the premises after fire in May 2006 . Inspected on 18.09.2006, unit has closed & shifted. File was processed and as per the decision taken on file,case is to be put up in CMC .	Directions u/s 31(A) of the Air Act for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license. Refusal of registration/authorization under Plastic Rules.	Letters issued.	Seek compliance report.	Letters issued on 24.08.07 compliance from NDPL received.	Issue reminder for compliance.

6	15541	25.7.2005	Pankaj Kumar Jain & Sons	69	S.S.I Industrial estate	Pickling, anealling, rolloing of S.S Sheets	Complaints against the unit received and inspection was carried out. Case is to be put up in CMC as per the decision taken on file.	Two Member team Shri Aditya Narayan ,Scientist and Ms. Nigam, Scientist Department of Environment shall inspect the unit and submit report in the next meeting.	Inspected by team.	Decided along with other units of area, on 20.11.07.	Discussed on 20.11.07 along with other cases of the area.	*****
7	16083	16.8.2005	Devyani International Pvt.Ltd	58, Janpath,Cannaught Place	NC-C	Fast food Restaurant/Service	Directions of closure u/s 31(A) of Air Act and 33(A) Water Act were issued on 25.05.05. Remindar letter for compliance issued on 09.09.2005 and 21.09.2005 subsequently Chairperson, DPCC issued DO letter to Chairperson to NDMC on 06.07.2006 to ensure compliance of direction. Unit submitted the presentaion on 17.04.2007 for restoration of electricity disconnected on 11.04.2007. Unit has applied for consent on 16.08.2005(I.D.No.16083)	Consent to establish granted.Unit shall not run without obtaining consent to ooperate.	Case was put before CMC on 13.7.07. Directios were revoked for a period of 60 days. And asking the unit to apply for consent to oeperate afresh.	Put up in CMC in September 2007 with inspection after test report.	Case was disscussed in the meeting dated 27.09.07 and it was decided to seek affidavit and bank guarantee of Rs. 1 lakh under Air Act within 7 days. Letter issued. Unit complied with the same. File rotated on 18/10/07 among members of CMC for their perusal as decided.	The unit must install ETP, otherwise his application will not be considered. Put up in January, 2008 CMC.
8	17477	10.1.2006	Laxmi Industries	C-9	SMA Industrial Area	Pickling, rolloing of S.S Sheets	Complaints against the unit received and inspection was carried out. Case is to be put up in CMC as per the decision taken on file.	Two Member team Shri Aditya Narayan ,Scientist and Ms. Nigam, Scientist Department of Environment shall inspected the unit and submit report in the next meeting.	Inspected by team.	Decided along with other units of area, on 20.11.07.	Discussed on 20.11.07 along with other cases of the area.	*****

9	18831	19.7.2006	Puneet Wire Industries	2nd floor, 307/3	Shahzada Bagh Industrial Area	Mfg of PVC wire & cable	Closure directions issued by PGRC. Unit has requested for revocation of directions. Case is to be put up in CMC as per the decision taken on file.	Closure directions revoked. Put up application for consent in chronological order in CMC meeting.	Letter issued.	***	No action pending.	No action.
10	19118	24.8.2006	Samara India Pvt.LTd	B-10,Ph-I	Mayapuri Industrial Area	Washing & Servicing of cars	Authorization under HWM Rules revoked on 17.8.2006. File processed w.r.t. revocation of directions. Consent under Air & Water Act refused on 17.8.2007. Closure direction u/s 33(A) of Water Act 1974 issued on 17.8.2007. Unit applied for renewal of consent on 24.8.2006. Request for revocation of closure direction made vide dated 24.8.2006 and 25.8.2006(C/80-82). Unit applied for Authorization under HWM Rules on 24.8.2006.	Inspection and put up application for consent in chronological order in CMC meeting.	***	Inspection with in July 07.	Inspection done on 14.8.07. Unit found operating, electricity not found disconnected, date of storage not marked on HW Containers. No information could be provided on the sale of used oil.	1. Unit may be asked to file an affidavit as to why he is operating while closure directions are in force. 2. He may be asked to correct remaining three deficiencies which have been found during inspection namely (i) Information about sale of used oil not provided. (ii) Date oo which storage began was not indicated on hazardous waste containers.

												(iii) Septic scum observed in one sludge drying bed. 3. He may be asked to file Bank Guarantee of Rs.1 lakh each under Water Act, 1974, Air Act, 1981 and HW Rules, valid for one year. Case is to be taken up on 26.12.2007. Letter to be issued on 08.12.2007.
11	19193	1.09.2006	Swarn Khanna Dyeing	I-2273	Nearla Industrial Area	Acrylic yarn dyeing	Unit was inspected to check compliance of HW Rules and status submitted to LAEC. Case is to be put up in CMC as per the decision taken on file.	Refusal of consent .Directions u/s 31(A) of the Air Act for not installation of ESP with coal fired boiler and u/s 5 of EPA for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Letters issued.	Authorisation under HW rules refused.	Submitted representation and also consent to establish for the activity of PVC dana and products.	Inspection by CMC and report to be put up in January, 2008 CMC.

12	19220	5.9.2006	Arihant Metals	Kh.No.80,Gali No.4	Samaipur Industrial Area	Aluminum casting & rolloing (sheet Ribets & Buttons)	Representaion received for revocation of directions. Case is to be put up in CMC as per the decision taken on file.	Closure directions revoked. Put up application for consent and Authorization in chronological order in CMC meeting.	Letter issued.	***	No action pending.	No action.
13	19597	19.10.2006	Regal Polypack	E-691,	Nearla Industrial Area	Mfg of plastic carry bags	Refused on 20.09.2006. Notice u/s 31 (A) of Air Act issued on 15.11.2006. Unit has submitted reply on 13.12.2006 that they are manufacturing bags of above 20 microns in thickness & 8" X 12" in size and shall comply in future. Applied for consent on 19.10.06. Sample of carry bag again lefted on 22.02.2007 and found that thickness is less then 20 mircons. File was processed and as per the decision taken on file,case is to be put up in CMC .	Refusal of consent .Directions u/s 31(A) of the Air Act for closure of the unit & for disconnection of electricity & water supply to the unit. and cancellation of MCD license. Refusal of registration/authorization under Plastic Rules.	Letters issued.	***	Letters issued on 18.07.07. Report received from NDPL on 06.08.07.	Inspection by CMC and report to be put up in January, 2008 CMC.
14	19739	09.11.06	Charu Motors Pvt.Ltd.	Ph-I,	Nariana Industrial Area	Service Station	Representaion received for consent. Case is to be put up in CMC as per the decision taken on file.	Consent granted. Put up application for authorization in chronological order in the committee for hazardous waste.	Consent issued.	***	No action pending.	No action.
15	19917	23.11.2006	Pharmatech Engineers Pvt.Ltd	C-269,Sector-5	Bawana Industrial Area	Mfg of machineries for pharmaceutical & allied industries	Unit has applied for consent to operate on 13.11.2006 and requested for consent. File was processed and as per the decision taken on file,case is to be put up in CMC .	Inspection.	Inspected.	Consent Granted with the intimation that unit should have taken consent to establish before establishing the unit.	Consent issued.	No action.

16	19966	27.11.2006	Aggarwal Plastic	F-1907	Nearla Industrial Area	Mfg of plastic carry bags	Consent Refused on 20.09.2006. Notice u/s 31 (A) of Air Act issued on 15.11.2006. Unit has submitted reply on 13.12.2006 that now they are manufacturing bags of above 20 microns in thickness & 8" X 12" in size. Applied for consent on 27.11.2006. File was processed and as per the decision taken on file,case is to be put up in CMC .	Inspection + sampling of polythene bags.	Inspectection done. Premises found closed, as per the enquiry unit has shifted.	Consent Refusal. Registration/authorization under Plastic Rules refused. Letter for disconnection of electricity & water supply to the unit and for cancellation of MCD license of unit.	Letters issued on 03.09.07. Report received from NDPL 25.09.07. DJB filed reply on 15.10.07. Representation received on 05.10.07 for revocation of directions.	CMC to inspect and report in next CMC.
17	19984	28.11.2006	Shyam Enterprises	C-510	Nearla Industrial Area	Mfg of plastic tube and plastic dana(ealier found engaged in mfg of plastic carry bags)	Refused on 15.11.2006. Notice u/s 31 (A) of Air Act issued on 15.11.2006. Unit has submitted reply on 28.11.2005 and stated that they have stopped the activity of mfg. of polythene bags and now only mfg. plastic tube and dana. Submitted addition fee for change of trade along with application for consent to operate on 28.11.2006. File was processed and as per the decision taken on file,case is to be put up in CMC .	Inspection + sampling of polythene bags.	Inspectection done.Unit engaged in mfg. of Plastic dana (Reprocessing without washing). No channelisation provided.	Show Cause Notice for refusal of consent & u/s 31 (A) of Air Act for closure of the unit & for disconnection of electricity & water supply to the unit for the deficiencis observed. Registration/authorization under Plastic Rules refused.	Letters issued on 24.08.07. Filed reply on 10.09.07.	Ask the unit to apply for Consent to Establish.

18	20005	29.11.2006	Jai Narain	I-2147	Nearla Industrial Area	Mfg of plastic carry bags	Refused on 15.11.2006. Notice u/s 31 (A) of Air Act issued on 15.11.2006. Unit has submitted reply on 25.11.2006 that they will not make bag below 8" x 12" in size in future. Applied for consent on 29.11.2006. File was processed and as per the decision taken on file,case is to be put up in CMC .	Inspection + sampling of polythene bags.	Inspected. Sample report shows that the thickness is 5 microns and the size is 13.5" x 6.8".	Consent Refusal. Registration/authorization under Plastic Rules refused. Directions u/s 31 (A) of Air Act for closure of the unit & for disconnection of electricity & water supply to the unit & letter for cancellation of MCD Licence.	Letters issued on 31.08.07. Representation dated 20.09.07. NDPL report received 25.09.07.	Inspection by CMC to be done and case to be put up in next CMC.
19	20082	5.12.2006	Ajay Plastic Industries	A-90, Ph-II	Mangloi Puri Industrial Area	Mfg of plastic carry bags.(Now Calimed to be mfg only plastic packaging bags)	Consent Refused on 15.11.2006. Notice u/s 31 (A) of Air Act issued on 15.11.2006. Submitted reply on 06.12.2006 and stated that they have changed the product i.e. from plastic carry bag to plastic packaging bags and also shifted the D.G. Set. However, there is no change in the raw material / mfg. process except change in cutting / shape of the bags. Applied for consent on 05.12.2006. File was processed and as per the decision taken on file,case is to be put up in CMC .	Old application refused. Ask him to file a fresh application for consent with affdavit .	Letter issued on 18.07.07	***	No fresh application received.	Issue SCN u/s 31 (A) of Air Act, 1981 for closure.

20	20085	6.12.2006	Vicky Plastic	Gali No.3,Opp.Lal Building, Hanuman Mandir, Libaspur	Samaipur Industrial Area	Mfg of plastic carry bags.(Now Calimed to be mfg only plastic tube)	Consent Refused on 15.11.2006. Notice u/s 31 (A) of Air Act issued on 15.11.2006. Reply submitted on 06.12.2006 that they have stopped the activity of mfg. of plastic bags and now mfg. only plastic tubes and requested for cancellation of authorization under Plastic Bag Rules. Applied for consent to operate on 06.12.2006 for changed the activity. File was processed and as per the decision taken on file,case is to be put up in CMC .	Ask the unit to submit an affdavit wrt change of activity and inspection also to verify the claim of the unit.	Letter issued. Inspected. Unit engaged in the mfg. of Plastic tube. Cutting & stiching machines does not exists.	Registration/authorization under Plastic Rules refused. Put up in next CMC meeting in August 2007 with affidavit, if received.	Letters issued on 31.08.07.	Ask the unit to apply for Consent to Establish.
21	20401	8.1.2007	Saini Textiles	A-17, Ph-III,	Badli Industrial Area	dyeing of frabic	Representaion received for revocation of directions. Case is to be put up in CMC as per the decision taken on file.	Inspection.	Inspected . Premises found locked. As per enquiry, it was learnt that the unit has closed its operations and plant & machinery exists.	Orders/ directions issued on 30.06.2006 to continue.	Letters issued on 05.09.07.	No action.
22	-	-	Sudhir Jain Plastic Factory	Shed No.12,Kh No-7/23, Libaspur Road	Samaipur Industrial Area	Unit closed , ealier found engaged in mfg of plastic carry bags)	Notice returned undelivered. Inspected on 19.09.2006 Unit found locked & as per enquiry unit has closed & shifted. File was processed and as per the decision taken on file,case is to be put up in CMC .	Directions u/s 31(A) of the Air Act for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Letter issued.	Seek compliance report.	Letters issued on 24.08.07. NDPL report received on 05.09.07.	Issue reminder for compliance.
23	-	Refused	A.J.Exports Pvt.Ltd	G-1024,	Narela Industrial Area	M.S.Wire drawing with pickling	Unit was inspected to check compliance of HW Rules and status submitted to LAEC. Closure directions issued and unit has submitted representation. Case is to be put up in CMC as per	Case defer for next meeting.		Case to be put up in CMC meeting in August 2007.	Representation receieved against closure directions on 09.03.07.	Ask the unit to apply for Consent to Establish.

							the decision taken on file.					
24	-	Refused	Gaurav Steels	D-25	SMA Industrial Area	Pickling, anealling, rolloing of S.S Sheets	Closure directions issued and unit has submitted representation for revocation of directions. Complaints against the unit received. Case is to be put up in CMC as per the decision taken on file.	Case defer for next meeting.	Inspected by team of Env. Dept. officials.	To be decided along with other units of area, inspected by the team (Agenda 4)	Application for consent to establish received. Case was discussed in the meeting dated 28.09.07. Inspection, by SMA team, ordered. Discussed on 19/11/2007.	Already discussed on 29.11.2007.
25	-	-	Lakshmi Industries	D-23,	SMA Industrial Area	S.S. utensils with buffing	Unit was inspected by LAEC and accordingly notice was issued. Unit has submitted reply. Case is to be put up in CMC as per the decision taken on file.	Directions u/s 31(A) of Air Act to M/s Laxmi Industries for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Letter issued.	Seek compliance report + Inspection of M/s Budh Singh & Sons.	Letters issued. Unit inspected	Seek compliance for Lakshmi Industries first. Put up new case of Budh Singh & Sons in next CMC.
26	-	-	Nu-Tech(Himchal tin printers)	D-32,	SMA Industrial Area	Mfg of roto gravour cylinder	Unit was inspected to check compliance of HW Rules and status submitted to LAEC. Case is to be put up in CMC as per the decision taken on file.	Inspection.	Inspection to be done.	Inspection and case to be put up in CMC meeting in August 2007.	Inspected. Unit found closed.	No action.
28	-	-	Taj palace Hotal	New Delhi	Nc-ND	Hotel	File processed w.r.t Bank Guarantee. Case is to be put up in CMC as per the decision taken on file.	Inspection with respect to the ETP , ECS and DG set.	Inspection to be done.	Inspection by 31.7.07 and put up in August CMC meeting.	Discused on 9.10.07. Inspection to be done and put up before CMC in Nov 07.	Ask the unit to apply for authorization under HWM Rules and correct the deficiencies found during inspection. Put up in January, 2008 CMC.

29	—	—	J P sidarth Hotal	Rajindra Place	Nc-C	Hotel	File processed w.r.t Bank Guarantee. Case is to be put up in CMC as per the decision taken on file.	Inspection with respect to the ETP , ECS and DG set.	Inspection to be done.	Inspection by 31.7.07 and put up in August CMC meeting.	Inspected on 31/10/07	Ask the unit to apply for authorization under HWM Rules and correct the deficiencies found during inspection. Put up in January, 2008 CMC.
30	—	—	Intercontinental Hotal	Conought Place	Nc-ND	Hotel	File processed w.r.t Bank Guarantee. Case is to be put up in CMC as per the decision taken on file.	Inspection with respect to the ETP , ECS and DG set.	Inspection to be done.	Inspection by 31.7.07 and put up in August CMC meeting.	Inspected on 06/11/07	Ask the unit to apply for authorization under HWM Rules and correct the deficiencies found during inspection. Put up in January, 2008 CMC.
31	—	—	Hoal Excelsior Ltd	Conought Place	Nc-ND	Hotel	File processed w.r.t Bank Guarantee. Case is to be put up in CMC as per the decision taken on file.	Inspection with respect to the ETP , ECS and DG set.	Inspection to be done.	Inspection by 31.7.07 and put up in August CMC meeting.	Inspected on 10/10/07	Ask the unit to apply for authorization under HWM Rules and correct the deficiencies found during inspection. Put up in January, 2008 CMC.

32	2863	Refused	Fashion Highlight	A-272, Ph-I,	Okhla Industrial Area	Mfg of readymade garments (including washing)	Notice u/s 5 of EPA and 33(A) of the Water Act issued for closure of the unit. Case is to be put up in CMC as per the decision taken on file for deciding the closure directions.	Directions u/s 33(A) of Watare Act and u/s 5 of EPA for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Directions issued.	Seek compliance report from BSES and DJB.	Letter for seeking compliance from BSES/DJB issued on 24.8.2007. Compliance received from DJB. Unit has submitted an affidavit regarding stoppage of washing activity. Unit has requested for revocation of closure directions, waiving off Bank Guarantee of Rs. One Lac and restoration of electric/water supply and revocation of direction regarding MCD License.	Ask him to file the Bank Guarantee, as Committee feels that exemption cannot be given. Also, ask the unit to apply for Consent to Establish for the new activity.
33	—	—	Ideal Udyog	102,	Badli Industrial Area	Mfg of copper and brass sheet , circles involving anallealing and pickling	Consent under Air & Water Act , authorization under HWM rules were refused on 01.06.2007. Directions u/s 5 of EPA [read with EP rules 4(5)]and u/s 33(A) of the Water Act [read with rule 34(6) of water rules issued on 01.06.2007 for closure of the unit. Unit has submitted representations. Unit has reapplied for authorization under HWM rules on 05.06.2007(I.D.-4303)	Case defer for next meeting.	Inspected on 12.7.07 by the team which inspected earlier.Case was decided in 9th meeting on 13.7.07. File sent to legal cell for taking opinion of Delhi Govt. counsel.	File already submitted for taking opinion of Delhi Govt. counsel. Wait for the opinion.	This is a part of CBI cases. Case to be taken up along with other cases of CBI reference.Discused on 20/11/2007	****
34	16748	18.10.05	Trivani Industries	F-1739, DSIDC	Narela Industrial Area	Dal mill	Unit has applied for consent to operate on 23.11.06 and Show Cause Notice issued on 23.11.06. Unit has submitted balance fee of Rs.700/- as sought .	Consent granted.	Consent issued.	***	No action pending.	No action.

35	—	—	Peyarey Oil and General Mills	Plot no.116, Pocket-D	Bawana Industrial Area	Mfg of mustard oil	MPD matter to be discusses	Inspection.	Inspected.	Case to be decided by CMC (Green).	No action pending with orange CMC.	No action.
36	20835	13/03/2007	Telcon Ecoroad Resurfaces Pvt.Ltd (Qutab Minar To Badarpur)	C-155, Ph-I	Okhla Industrial Area,	Rehabilation of road by repairing recycling of asphalt	1.Activity not mentioned in negative list of MPD-2021 but emissions are similar to Hot Mix Plant. 2. As per MPD-2021, HMP in negative list except those approved by CPCB/DPCC.	Consent to establish granted with a condition (i) the generation of emission should be channalised through a stack within permissible limit.(ii) emssion of PAH should be controlled adequetly. (iii) comply with CPCB guidelines for HMPs.	Consent issued.	Put up in August CMC meeting, if the reply does not come.	No reply received.	No action.

S.No.	Name & Address	Activity	Decision of 23.5.07	ATR	ATR reviewed on 07.06.07.	ATR FOR 18.7.07	Decision 18.7.07	ATR	DECISION ON 07.12.2007
1	Arrow International Pvt. Ltd.(Erstwhile M/s Jain Wool Company), D-7, Udyog Nagar Indl.Area, New Delhi-41	Charging and trading on batteries		Consent issued.	***	***	Put up in next CMC meeting	As decided by Committee extra consent fee with effect from 01-04-02 has been paid. Proof of CETP membership / noise monitoring report in the name of Arrow International submitted. Application for Consent to Operate dated 12/06/06 of previous unit M/s Jain Wool Company (now changed to Arrow International) is still pending.	Consent application of Jain Wool is treated as null & void. Since the unit has applied in the name of M/s Arrow International Pvt. Ltd. and since the unit is dealing in battery, he may file an affidavit whether it has been registered with the Ministry of Env. & Forests, Govt. of India, under Battery Manufacturing Rules.Call on January, 2008 CMC.
2	Delhi Gymkhana Club, 2 Safdarjung Road, New Delhi	Restaurant	Inspection	To be Inspected	To be put up in the next meeting.	Inspected	SCN be issued indicating the deficiencies.	Case was discussed in meeting dated 28.09.07. Decided to seek consent to establish and to send a letter to rectify the deficiencies.Applicant submitted application for Consent to establish. Members approved the grant of same through rotation on 01/11/07. Consent to Establish issued on 02/11/07.	Put up in next CMC.

3	Shiva Steel , A-102/6, W.I.A	Pickling	SCN based on the inspection	SCN issued.	To be put up in the next meeting.		Inspection by the Committee for Wazirpur Indl. Area.	Inspected by the committee for WIA.	Unit has repeatedly not complied with the SCNs given to it. The committee feels strongly about such conduct and gives the last opportunity to the unit to file an affidavit after correcting all deficiencies by end of December. Unit may also file Bank Guarantee of One Lakh each under Water Act, 1974, Air Act, 1981 and HW Rules, valid till 06.02.2010. If the unit does not comply with these two directions, it will be liable for closure in January 2008 CMC.
4	Swarn Enterprises , I-5, Ph-III, Badli Indl.Area, Delhi	Mfg of different dosocomagctant cleaners, shampoo, hair oil, nophaiene balls	Inspection	Inspected.	Consent granted. Only fresh raw material shall be used. Conditions shall also be imposed as per CPCB guidelines. Application for registrations, authorization shall be taken up in chronological order in the committee concerned.	Consent issued	***	No action pending.	No action.
5	Delhi International Airport Pvt. Ltd., IGI Airport, Delhi	Restructuring and Modernistion of IGI Airport	A letter to Principal Secretary , PWD for comments and inspection of site.	To be Inspected	To be put up in the next meeting.	Inspected	SCN be issued indicating the deficiencies. A copy be sent to PS to CS, GNCTD.	Consent issued. Copy of consent forwarded to Chief Secretary. Unit has submitted a letter wherein it has requested that the condition regarding height of stack with DG Set as imposed by MoEF may be relaxed in view of DG Sets being installed at Airport.	The relaxation sought by DIAL may be referred to Prof. Mukesh Khare, IIT, Delhi for formal report/comments. All expenses will be borne by DPCC. He may be requested to file the report within one month. Put up in January, 2008 CMC.

6	Swatantra Jain Auto Industries, 92, Ph-II, Badli Indl. Area, Delhi-42	Mfg of auto parts	Inspection	Inspected on 06.06.07.	M/s A.M.Industries is operating without consent and without acoustic enclosure and inadequate stack height with the D.G.set. Issue SCN u/s 31 (A) of the Air Act, why the unit should not be closed for operating without consent.	Letter issued.	Put up in next CMC meeting in August 2007	SCN u/s 31 A of Air Act issued to M/s A.M. Industries on 18.07.07. Reply received on 01.08.07. Obtained CTE on 27.09.06. Applied for CTO on 11.06.07.	Let the unit file an affidavit that he complies with all the four conditions of CPCB. Put up in January, 2008 CMC.
7	L & T Hot Mix Plant	Hot Mix Plants				Inspected	Consent to establish for HMP granted with all conditions specified by CPCB.	Consent issued. Applied for consent to operate. In CTE permission was sought for 4x 500 KVA DG Sets, in CTO application, 4x 500 KVA are propsed and 2x 500 KVA DG Sets are installed. The unit has stated that the accoustic enclosures will be installed with the DG Sets. Neither emission analysis repot nor adequacy report has been submitted for the ECS, alongwith Consent application, even after issuance of Q/L by Enquiry counter. Affidavit submitted alongwith CTO needs to be modified as per specific conditions imposed by CPCB.	Inspection by CMC and report in January, 2008 CMC. During the inspection, feasibility of using plastic waste in road construction has also to be noted.

8	Vikas Fittings B- II/98, Mohan Co - Operative Ind. Estate, N. Delhi - 44	Automobile repair workshop with out washing & painting				Application (ID No. 16023 dated 12.8.05) submitted for consent under green category.	As the unit is HW generating unit, he has to apply for consent under Orange category. As number of such cases exists, before taking decision in the DPCC meeting on 26.7.07, issue a letter seeking proof of sale of Used Oil defined as HW to a CPCB registered recycler(s)	As decided in the CMC meeting on 28.09.07, consent to establish issued.	No action.
---	--	--	--	--	--	---	--	---	------------

Address	Activity	Decision on 07.06.2007	Action Taken	Decision on 19.07.2007	Action Taken	Decision on 21.08.2007	Action Taken	Decision on 07.12.2007
468-469(old no. 189-191) Lawrence Road Indl. Area.	PVC Footwear	Inspection and submit report to confirm deficiencies corrected or not.	Inspection is to be carried out.	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 06.08.2007.During the inspection it was observed that the unit has installed hood & duct fitted with exhaust fan.The unit has applied for consent to operate under orange category.	Unit to apply for consent to establish.	Letter issued on 14.09.07 for applying for consent to establish within 15 days.The unit has applied for consent to establish under Orange category on 01.10.2007.	Let the unit file an affidavit about the kind of smell pollution in his unit and how he will counter it. Let him also know that his application can be considered only if he files a Bank Guarantee of rupees one lakh for one year under the Air Act, 1981. Let him do so and the case will be examined in January, 2008 CMC.

468-469(old no. 189-191) Lawrence Road Indl. Area.	PVC Footwear	Inspection and report in the next meeting	Inspection is to be carried out	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 06.08.2007.During the inspection it was observed that the unit has installed hood & duck fitted with exhaust fan , a DG set of 120 KVA found installed in acoustic enclosure with adequate stack. Unit has applied for consent to operate under orange category.	Unit to apply for consent to establish.	Letter issued on 14.09.07 for applying for consent to establish within 15 days. The unit has applied for consent to establish under Orange category on 12.11.2007.	Since file is not available, the case will be taken up in January, 2008 CMC.
468-469(old no. 189-191) Lawrence Road Indl. Area.	Washing & Finishing of Jeans	Directions u/s 31(A) of the Air Act & u/s 33(A) of the Water Act for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Direction u/s 31 (A) of the Air Act & u/s 33 (A) of the Water Act issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	The directions returned back undelivered. The same has been delivered to lanldlord on 6.8.2007 as the premises is lying vacant (the unit left the premises).As no compliance report is received with regard to disconnection of electricity/water supply/ cancellation of licence from concerned agencies,reminder letter for getting the compliance was issued on 13.8.2007.	Seek compliance report on directions dated 18.07.2007 from the concerned agencies.	Only action taken report is received from NDPL that no industry exist at site. Reminders for getting compliance issued on 14.09.07 to DJB & MCD.	Repeat reminder for compliance.

17, SSI, Indl. Area	Re-rolling, annealing & pickling of SS Sheets.	Refusal of consent under Air & Water Act and refusal of authorization under HW Rules .Directions u/s 31(A) of the Air Act & u/s 33(A) of the Water Act and u/s 5 of EPA for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Refusal of consent under Air & Water Act, refusal of authorization under HWM Rules, directions u/s 33 (A) of the Water Act & u/s 5 of EPA issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	No compliance report is received . However a writ petition was filed by the unit before Honble High Court. The Honble High Court vide its order dated 26.07.2007, directed DPCC to conduct an inspection of the premises of the petitioner within two weeks and if any shortcommings are noticed ,same shall be notified to the petitioner within one week thereafter the petitioner shall remove the shortcommings if any , within two weeks thereafter. In case the shortcommings are not removed it shall be open to DPCC to pass appropriate orders thereafter. In the meanwhile, the impunged orders shall not be operative. Unit inspected by AEE's of PGRC on 14.8.2007, with following discrepancies 1. Reading of water flow meter at outlet of ETP was not visible, hence the functioning of the water meter is	A letter may be issued for the discrepancies observed during the inspection as per the Honble High Court directions.	A letter was issued on 24.08.07 wherein unit was asked to remove the deficiencies within 2 weeks. The unit has furnished a reply on 06.09.07 that it has removed all the deficiencies observed during inspection on 14.08.07 i.e. 1. The flow meter has been replaced. New flow meter is functioning properly. 2. Leakage observed through pipe fitting of wet scrubber has been rectified. 3. Slow speed stirring arrangement has been provided in the reaction tank for better floc formation.	Let the unit file an affidavit confirming that it has corrected all the deficiencies noted by the DPCC inspection team. Let him also file a Bank Guarantee of rupees one lakh each under Water Act, 1974, Air Act, 1981 and HW Rules, valid for one year. If it does so, case is to be taken up in January, 08 CMC.
---------------------	--	--	--	---	--	--	--	---

					not known. 2. Leackage were observed through pipe fittings of Wet Scrubber, hence repair is needed. 3. Arrangement for flash mixing exist, but no arrangement was exist for slow mixing to ensure flocculation. Hence, slow speed paddel type mixer may be used in the reaction cum settling tank.			
Kh. No.80, Samaypur	PVC Pipe	Directions u/s 31(A) of the Air Act for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Directions u/s 31 (A) of the Air Act issued on 18.7.2007	Put up in next CMC meeting on 20.08.2007.	As no compliance report is received with regard to disconnection of electricity/water supply/ cancellation of licence from concerned agencies,reminder letter for getting the compliance was issued on 13.8.2007.	Seek compliance report on directions dated 18.07.2007 from the concerned agencies.	Action taken report is received from NDPL that said site is not traceable. Reminders for getting compliance issued on 14.09.07 to DJB & MCD. The action taken report is also received from DJB that there is no such unit exist.	Repeat reminder for compliance.

A-7/5, Jhilmil Indl. Area.	Super enamelling on Copper wire	Revocation of consent under Air & Water Act and refusal of authorization under HW Rules .Directions u/s 31(A) of the Air Act [read with Air Rules 20 A (6)] and u/s 5 of EPA closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Revocation of consent under Air & Water Act, refusal of authorization under HWM Rules, directions u/s 31 (A) of the Air Act & u/s 5 of EPA issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	Unit submitted its representation in response to the directions & informed that the discrepancies have been removed & requested to withhold the directions. As directed, the unit was inspected on 2.8.2007. During the inspection, it was observed that by-pass arrangement with ECS has been removed, a DG set of 125 KVA was found installed with acoustic enclosure & with adequate stack height. The unit has rectified the deficiencies w.r.t. compliance of HW(M & H)Rules, 1989.The unit was not found in operation, the electricity& warer supply has not been disconnected so far.Further another representation was received on 16.08.2007 from the unit and requested to revoke closure orders.Again a complaint has also been received against the unit.	Revocation of directions u/s 31 (A) of the Air Act & u/s 5 of EPA issued on 18.7.2007 and the unit to apply for consent to establish.	Revocation letters for directions u/s 31 (A) of the Air Act & u/s 5 of EPA were issued on 14.09.07 and unit is asked on 14.09.07 to apply for consent to establish within 15 days. Another complaint received against the unit on 23.08.2007. As per computer record, unit has applied for consent to establish under orange category on 27.09.07.Further, another complaint was received and file is under submission with full facts.	MS to inspect and case be put up in January, 2008 CMC.
----------------------------	---------------------------------	--	---	---	---	---	---	--

A-8/3, Jhilmil Indl. Area.	Auto tubes (H category)	Directions u/s 31(A) of the Air Act [read with Air Rules 20A (6)]for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license since the activity falls in prohibited category as per MPD 2021.	Direction u/s 31 (A) of the Air Act issued on 18.7.2007	Put up in next CMC meeting on 20.08.2007.	As no compliance report is received with regard to disconnection of electricity/water supply/ cancellation of licence from concerned agencies,reminder letter for getting the compliance was issued on 13.8.2007.	Seek compliance report on directions dated 18.07.2007 from the concerned agencies.	Reminder letters for getting compliance report issued on 14.09.07 to the concerned agencies.only ATR from BSES received and informed that power connection of the unit has been disconnected , however another connection also exit by name of M/s C. Sunder Sham & Co.at the same premises. Compliance reports has been received from DCP(NE) and SDM (Seemapuri) on 15.10.2007 and 16.11.2007 respectively that the unit has been closed/ sealed. Further, two representation dated 30.11.2007 & 03.12.2007 were received from the unit alongwith copy of lease deed and an affidavit. The unit requested to deseal the premises for removal of plant/ machinery and belongings.	The unit may be opened/ de-sealed in the presence of EE and AEE of PGRC for exactly 24 hours for removing the machinery. The unit has also to file an affidavit that it will file pictures and proof that it has taken the machinery outside the boundary of Delhi. Inform SDM accordingly for necessary action as per his procedure.
Plot No. F-2, Dilshad Colony, Delhi-95	Banquent Hall & Restaurant	Ask the unit to file an affidavit indicating who is concerned/owner operating the unit and whose name Power and	Letter issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	Letter issued to unit returned back undelivered. The same was delivered by hand on 13.08.2007	Put up in next CMC on 19.09.2007.	The letter dated 18.07.07 is delivered through special messenger on 13.08.07.No reply is received to said letter dated 18.07.07.	Get the required information from the unit.

		water connection exist .						
405, FIE, Patparganj Indl. Area.	PVC Pipe	Inspection and report in the next meeting.	Inspection is to be carried out.	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 02.08.2007. During the inspection it was observed that the unit has provided acoustic enclosure with DG set of 125 KVA .However , adequate stack height has not been provided.The unit has provided hood & duct over mixers with inadequate height of stack above roof level and inadequate suction resulting in emissions being dispersed in the work place.The unit has applied for consent to establish under orange category.A representation received from the unit and it was informed that all descrepancies have been removed.	Issue modified directions u/s 31 (A) of the Air Act for remaining discrepancies observed during inspection.	Modified directions issued on 14.09.07 for removing the discrepancies within 15 days. The unit replied on 28.09.2007 and informed that all corrective steps have been taken.	Let the unit file an affidavit that it has corrected the all deficiencies. Let it also file Bank Guarantee of rupees One lakh under Air Act, 1981. If it does so, case be taken up in January, 2008 CMC.

405, FIE, Patparganj Indl. Area.	Software Development	MS to give public hearing as a last chance to apply for consent under Air and Water Act.	Letter issued on 18.7.2007.	Hearing may be taken by MS, DPCC and if the activity does not come in purview of DPCC exempt from consent. Put up in next CMC meeting on 20.08.2007.	No representative of the unit attended the hearing. However the unit has applied for consent to establish under Green category on 27.7.2006.	Put up consent application in CMC (Green) in chronology.	File of consent application under green category sent to concerned CMC on 14.09.07	Let the committee constituted for Green category decide the case.
--	-------------------------	---	-----------------------------------	--	--	---	---	---

405, FIE, Patparganj Indl. Area.	Offset Printing	Inspection and report in the next meeting	Inspection is to be carried out.	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 02.08.2007. During the inspection it was observed that the unit has installed plate making facilities in addition to offset printing and discharging waste water without treatment. The unit has not taken steps for compliance of HW (M&H) Rules, 1989. A DG set of 7 KVA found installed without acoustic enclosure and adequate stack. The unit is operating without consent / authorization from DPCC. Notices issued earlier to the unit returned back undelivered. It was reported that the unit has changed the name from M/s Universal offset Printers to M/s Deepak Printers. However same machineries are being used by M/s Deepak Printers. A representation has been received from the unit M/s Deepak Printers in response to closure directions issued and submitted	To issue directions u/s 31(A) of the Air Act and u/s 5 of EPA to M/s Universal offset Printers & directions u/s 31(A) of the Air Act, u/s 33(A) of the Water Act & u/s 5 of EPA to M/s Deepak Printers for disconnection of electricity & water supply and cancellation of MCD licenses.	Directions u/s 31 (A) of the Air Act and u/s 5 of EPA issued on 14.09.07 to M/s Universal offset Printers. Directions u/s 31 (A) of the Air Act, u/s 33 (A) of the Water Act & u/s 5 of EPA issued on 14.09.07 to M/s Deepak Printers. Representations with an affidavit dated 01.10.2007 and 05.10.2007 received from M/s Deepak Printers & Stationary and informed that they have removed plate making activity & DG set. Unit also submitted consent to establish under Orange category. The unit further informed that M/s Universal Offset Printing has shifted to another place and not operating at 405, FIE Patparganj. ATR w.r.t M/s Deepak Printers received from BSES mentioning that electricity supply to the said unit has been disconnected. A letter has also been received from DJB & informed that the area come in jurisdiction of PWD. A letter was issued to PWD on 13.11.2007 for disconnection of water supply.	Issue reminder to DJB & MCD for compliance.
----------------------------------	-----------------	---	----------------------------------	--	---	--	--	---

					that they have applied for consent to establish and for authorization.			
--	--	--	--	--	--	--	--	--

Near Southend Appartment, M.B. Road, New Delhi-44	Cutting & carving of Big Stones	SCN under section 31 (A) of Air Act .	Notice u/s 31 (A) of the Air Act issued issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	The unit has submitted its reply on 7.8.2007 & informed that they have now started sprinkling of water before starting the work to reduce dust emissions and shifted the work place opposite to the complainant apartment. It has also been mentioned in the reply that only manual cutting/ carving of stones are carried out. The unit has requested to cancel the application of the complainant.	Forward the complaint to Industry Deptt. for necessary action.	The complaint forwarded to industry Department on 14.09.07.	No action.
22/7, Gali no.12, Anand Parbat Indl. Area New Delhi-5	Manufacturing of Industrial Knives	Directions u/s 31(A) of the Air Act for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Directions u/s 31 (A) of the Air Act issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	As no compliance report is received with regard to disconnection of electricity/water supply/ cancellation of licence from concerned agencies,reminder letter for getting the compliance was issued on 13.8.2007.	Seek compliance report on directions dated 18.07.2007 from the concerned agencies.	Reminder letters for getting compliance report issued on 14.09.07 to the concerned agencies.A letter received from BSES that there is no electricity connection exist and supply is being used through DG set.	Inspect and report in January, 2008 CMC.
81/3, Adchini Village Arvindo Marg, New Delhi-17	Restaurant (156 Seats)	Inspection .Also check the encroachment on public land while inspection.	Inspection is to be carried out.	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 08.08.2007. The premises was found sealed. It was reported by the security incharge that the premises was sealed by MCD on 03.08.2007 as per directions of Supreme Court	At present no action is required as the unit was sealed by MCD.	No further action is taken	No action.

					monitoring committee.			
7/19, Kirti Nagar, Indl. Area, New Delhi-15	Steel Forging	Closure directions u/s 31 (A) of Air Act [read with Rule 20A (6) of Air Rules] for closure of the aforementioned unit and for disconnection of water, electricity supply to the unit and cancellation of MCD license in the name of the unit, refusal of consent under Air & Water Act and refusal of Authorization under HWM Rules (if any).	Closure directions u/s 31 (A) of the Air Act issued. The case was reviewed by the CMC on 04.07.2007. Accordingly temporary revocation of direction u/s 31 (A) of the Air Act issued on 10.7.2007.	Put up in next CMC meeting on 20.08.2007.	Directions were temporarily revoked on 10.7.2007 for 2 months to switch over from coal fired boiler to oil fired boiler.	Put up in next CMC on 19.09.2007.	Directions were temporarily revoked on 01.10.2007, granting total 4 months time to switch over from coal fired boiler to oil fired boiler i.e. upto 09.11.2007.A representation has been received from the unit on 02.11.2007 in response to temporary revocation of directions u/s 31(A) issued on 01.10.2007 regarding grant of six months time on various grounds e.g. grant of 4 months time from the back date i.e.10.07.2007, placing the order of boiler on commencement of auspicious days, huge expenditure, permission from Chief Inspector of Boiler, 12-14 weeks delivery time taken by supplier, time required for installation , trial & commissioning of new boiler etc.and giving two years time to other coal fired boilers. Further, another representation dated 13.11.2007 was	Time allowed till about the year end.

							received from the unit vide which it was informed that they shall put all their efforts to install the oil fired boiler by 31.12.2007.	
--	--	--	--	--	--	--	--	--

E-12, Local Convenient Shopping Centre, Masjid Moth.	Restaurant (24 seats)	Directions u/s 33(A) of the Water Act t for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Directions u/s 33 (A) of the Water Act issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	As no compliance report is received with regard to disconnection of electricity/water supply/ cancellation of licence from concerned agencies,reminder letter for getting the compliance was issued on 13.8.2007.	Seek compliance report on directions dated 18.07.2007 from the concerned agencies.	Reminder letters for getting compliance report issued on 14.09.07 to the concerned agencies.Compliance report for water disconnection received from DJB.	Reminder to other agencies for compliance.
C-150, Mayapuri, Indl Area, Ph-II	Mfg. of liquid soap	Revocation of directions to de-seal the unit. Put up application for consent in chronological order for decision in the CMC meeting.	Revocation of directions u/s 31 (A) of the Air Act issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.		Unit to apply for consent to establish.	1. Letter issued on 14.09.07 for applying for consent to establish within 15 days. 2.Unit has applied on 25.09.07 for consent to establish under orange category.	Consent to Establish granted with the condition that there will be no discharge of trade effluent.
C-150, Mayapuri, Indl Area, Ph-II	Mfg. of Auto Parts (Light Engg. Work)	Inspect both the units.	Inspection is to be carried out.	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 2. 8.2007. The unit was found in operation & found engaged in light enginnering work. The other unit M/s Darpreet Singh does not exit in the premises	Put up consent application in CMC (Green) in chronology.	File of consent application under green category sent to concerned CMC.	No action is required by this Committee.
Kudasia Ghat	Ready Mix Concrete	Conformation of closure of the units from department of industries w.r.t Hon'ble Supreme Court order dated 07.05.2004.	Letter issued to Industry Department on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	Letter issued to Industry department on 18.7.2007. However,no ATR received from the Industry Department .	A letter to be issued by the Chairman, DPCC to Commissioner of Industry.	A letter issued to industry Department on 14.09.07 for getting the details of action taken against the RMC plants.	No action.

Adjacent DND Flyway, New Delhi-14/ F1/1, First Floor, Okhla Industrial Area Phase-1, New Delhi-20	Exhibition	Inspection and check the violations if any at site and acted upon accordingly.	Inspection is to be carried out.	Inspection .If found in operation , issue immediate effective closure.	Inspected on 20.7.2007 . It was observed that scrap of Mela stalls & a DG Set of 5 KVA (without acoustic enclosure & adequate stack height) are lying between Mela site & DND flyway. SCN was issued to Noida Toll Bridge Company on 9.8.2007 with a copy to DTTDC & Principal Secretary to CM for not removing the scrap, not taking anti pollution measures with DG Set and not to undertake any activity of organising Mela/ Village in future without the approval of DPCC.	A letter to be issued after approval of the Chairman, DPCC covering all the points of reply submitted by M/s Noida Toll Bridge Co. Ltd. in response to show cause notice dated 08.08.2007 with a copy to concerned Dy. Commissioner.	A letter was issued on 29.08.07 on the observations made in CMC and giving an opportunity of personal hearing on 12.09.07 at 12: P.M. On request of Sh. Ajai Mathur, hearing was deferred for 13.09.07 at 11: 30 AM who attended the hearing on the said date & time and explained that no work will be taken up in future without DPCC approval and a reply in this regard will be submitted within 3 days. Further six snaps were taken by professional photographer on 27.08.07 which indicates that scrap/ DG set / roads / tiles etc. are still not removed from the site. NTBCL has submitted a reply on 17.09.07 which explains that the justice Usha Mehra committee was constituted by the Hon'ble High Court to take up the issues of removal of encroachments within 300 meters of edge of the River Yamuna. The reply was examined in CMC on 09-10-2007 and it was noticed that reply submitted by NTBCL can't be accepted. Therefore, NTBCL was asked on 15-10-2007 to submit an affidavit within seven days.	No action.
---	------------	--	----------------------------------	--	--	--	--	------------

					However, site was again inspected on 17.08.2007 and it was observed that the junk/scrap of stalls and other related materials is still lying between DND flyway and mela site. The approach road & service road are still intact. DG set is also being used without providing acoustic measures and adequate stack. It was informed by Sr. Manager of Noida Toll Bridge Co. Ltd. that there is no plan of organising any mela at this site. However, function (if any) will be arranged at site (300 metres away from Yamuna embankment) and with due permissions from Usha Mehra Committee, DPCC and other concern Departments.	A proposal regarding permission for Music Festival called "Eastwind Festival" to be held from 26.10.2007 to 28.10.2007 at ground next to DND Flyway was also received from M/s Prospect Advisory and Management Pvt. Ltd. F1/1, First Floor, Okhla Industrial Area Phase-1, New Delhi-20 which was also examined and discussed in the CMC in its meeting held on 09.10.2007 and it was decided to refuse the proposal as it shall damage the natural habitat, flora and fauna, pollute ground water and shall affect the river bed adversely. Accordingly the proposal was refused with letter dated 15.10.2007 and a copy was also sent to D.C. (South) and NTBCL. The site i.e. adjacent to DND Flyway was also inspected by PGRC officials on 17.10.2007 and it was observed that no activity is being carried out at the site. The scrap of the Times Global Village which were earlier lying at the site has also been removed.	
--	--	--	--	--	---	---	--

							A letter has also been received from M/s Prospect Advisory and Management Pvt. Ltd. regarding resheduling of the festival i.e. from 14.12.2007 to 16.12.2007 in place of 26.10.2007 to 28.10.2007 due to delay from the "YAMUNA MONITORING COMMITTEE" to provide the guidelines to conduct the event. The case has already been put up in the CMC in its meeting held on 23.10.2007. Further one more proposal received from M/s DNA Entertainment Networks Pvt. Ltd. for organising Cheers India Concert on 25.11.07 at DND flyover which was refused on 19.11.2007 on the similar grounds given in the case of M/s Prospect Advisory and Management Pvt. Ltd.	
Near Sagar sadan Cooperative Society, 113, IP Extention, Pataparganj	Storage of Garbage	M.S to write Mr. Shukla Additional Commissioner (Sanitation) to do the needful.	Letter issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	Letter issued to Addl. Commissioner (Sanitation) on 18.7.2007. However, no ATR received from the MCD.	Issue reminder letter.	Reminder letter issued on 18.09.2007.No reply received so far.	MS to speak to the concerned DC in MCD.

220, FIE, Patparganj Indl. Area	Offset Printing	Inspection on all the points.	Inspection is to be carried out.	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 02.08.2007 and it was observed that the unit has removed plate making facilities and now engaged only in offset printing , a DG set of 62.5 KVA found in defunct condintion i.e. wrapped with polythene sheet & lying in a corner at back side of the premises.The unit has taken adequate steps for complaince of HW (M&H) Rules, 1989.The unit has applied for consent to operate in green category & authorization under HW(M&H)Rules,1989.	Unit to apply for consent to establish under orange category.	Letter issued on 14.09.07 for applying for consent to establish within 15 days.Unit has applied for consent to establish under orange category on 10.10.2007.	Consent to Establish may be granted. However, for authroizaiton under the HWM Rules, let him file a Bank Guarantee of rupees Fifty Thousands only under the HWM Rules. If he does so, case is to be put up in January, 2008 CMC.
138- G Pkt-A-3 Mayur Vihar Ph- III, Delhi-96	Cable Operator	Reminder to be issued for submitting the noise monitoring report for DG set and installation of adequate stack with DG set.	Reminder issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	No reply received from the unit so far.	Issue notice u/s 31(A) of the Air Act.	Notice u/s 31(A) of Air Act issued on 14.09.07. No reply received from the unit, so far	Issue direction under 31(A) of Air Act, 1981 for not operating the D.G. set and for removal of the same from the site.

PU-8, GF & Basement, Pitampura	Restaurant (75 Seats)	Directions u/s 31(A) of the Air Act & u/s 33(A) of the Water Act for closure of the unit & for disconnection of electricity & water supply to the unit and cancellation of MCD license.	Direction u/s 31 (A) of the Air Act & u/s 33 (A) of the Water Act issued on 18.7.2007.	Put up in next CMC meeting on 20.08.2007.	The unit has submitted an affidavit on 31.7.2007 and informed that they have stopped the operation of DG Set & has installed ETP. A letter was also received from Sh.Prahalad Singh Shahani, MLA on 6.8.2007 in this regard.	Inspection to be carried out.	Inspected on 10.09.07. Unit has not installed ETP / Oil & grease trap and channelization system to control emissions from kitchen . The unit has removed DG set.Unit is not having valid licences from MCD & Police. Two court cases are also pending in Tishazari court against the unit, NDOH is on 20.09.2007. Unit found in operation.Power & water connection have not been disconnected so far.NDPL has informed that there is resistance from the consumer. Reminder letter is to be issued to NDPL/DJB/MCD for compliance of directions.	MS to write to the concerned HODs of the regulatory agencies to comply with the DPCC directions.
S.S.I., SMA, RUN, Badli & WI.A.	S.S. Re-rolling & Pickling.	Two Member team Shri Aditya Narayan ,Scientist and Ms. Nigam, Scientist Department of Environment shall inspected the units mentioned in the complaint and submit the report in the next meeting.	Matter is being dealt by CMC.	Matter dealt separately for decision (please refer annexure III of minutes)	Matter is being dealt by CMC.	As the matter is being dealt by CMC, PGRC is not required to put up this case in CMC meeting.	No further action is required.	Action taken by CMC.

Tikari Kalan,Mundaka, Ghevra,Ranhola, Kamruddin Nagarbakkarwala etc.	Plastic melting, plywood, waste oil refining etc.	M.S will meet Asstt. Registrar, Supreme Court of India.	M.S. spoken to Asstt. Registrar Supreme Court of India.	Chief Secretary had approved inspections of Hazardous units operating in 5 villages mentioned in complaints received from Astt. Registrar, Supreme Court. SEE (PGRC) feels that a joint inspection team comprising of concerned SDM, a person from industries deptt. And DPCC be formed for the inspection. Accordingly MS DPCC will write to concerned	Letter issued to Divisional Commissioner on 9.8.2007 with a copy to Commissioner of Industries with a request to nominate area SDM & suitable officer urgently so that the team could start the work of inspections immediately.	A letter to be issued from the Chairman side to Divisional Commissioner with a copy to the Commissioner of Industry & Conserved Dy. Commissioner.	A D.O was written on 21.09.07 from Chairman, DPCC to the Divisional Commissioner with a copy to the Commissioner of Industry & Dy. Commissioner (West).A reply confirming the nomination is received from industry department.However,no reply is received from Divisional commissioner/D.C.(West).A joint inspection with the SDM and representative from Industry department is tentatively scheduled from 13.11.2007 onwards. Accordingly, the team visited the site of waste oil refining units located in village Mundka and plywood manufacturing units located in Hiran Kudna on 13.11.2007. The team discovered that there are some 53 units in village Mundka which are engaged in waste oil processing by means of burning and refining of waste oil are highly polluting activity and completely prohibited in the NCT of Delhi in terms of the provisions contained in MPD-2021. In village Hiran Kudna, all the units were found sealed and no	Inspection found 53 units engaged in the activities which fall under the 'Prohibited' category as per MPD 2021. Hence, closure directions are issued to the concerned SDM & Police for effective closure.
---	---	--	--	---	---	---	---	---

				DC and industries deptt. To nominate one responsible person preferably concerned SDM to lead the team. From DPCC concerned Env. Engineer (PGRC) will be a part of the team. These inspections will be done carefully so that Chief Secretary can be informed about the outcome of the inspections.		manufacturing activity whatsoever was noticed. The next inspection of the team is tentatively scheduled for 07.12.2007.	
--	--	--	--	---	--	--	--

B-117 Okhla Industrial Area, Ph-1 New Delhi-20		Mfg. of Pharmaceuticals (Formulation)	Inspect w.r.t sludge and evaporation for HW Rules implementation.	Inspection is to be carried out.	Put up in next CMC meeting on 20.08.2007 after inspection.	Inspected on 8.8.2007. During the inspection it was observed that the effluent generation rate is much more then the evaporation rate. The unit has provided one more container of 50 ltr. capacity for evaporation as a standby arrangement. The unit has provided hood & suction arrangement over evaporation container. However, adequate stack height above roof level has not been provided with ducting .As per the record the quantity of HW is 92 Kg for the period from Jan 2000 to June 2007. Some discripancies were observed w.r.t. HW (M&H)Rules 1989.	Issue notice u/s 33(A) of the Water Act and u/s 5 of EPA for HWM Rules.	Notice u/s 33 (A) of the Water Act & u/s 5 of EPA issued on 14.09.07. Further, a letter has been received from the unit vide which it has been informed that they are installing an ETP for treatment of waste water. A letter has been received from the unit and informed they have completed and fully commissined their ETP(photographs of ETP enclosed) and it was also informed that they have applied for DPCC lab on 25.9.07 for testing and also engaged the empanelled consultant for adequacy report.The unit has submitted effluent analysis report of treated effluent carried out by DPCC lab on 05.10.2007.	Let him file adequacy report of ETP.		
S.No.	Name of the unit	Activity	Status of unit & Pollution Control Devices			Consent/Authorisation	Recommendations	Decision on 12.10.07		ATR	Decision on 07.12.07
			ETP		ECS	Status					

1	Darshan Trading Co. C-34, Lawrence Road Industrial Area	Meat processing and Cold Storage.	ETP(physiochemical) on the roof and not operating since long as sludge filter was found dry. One portion of the plant under renovation and other portion meat processing work was in operation. The effluent is directly going to sewerage.	-----	Consent valid upto 7.10.07. Applied for authorization on 30/10/05. Renewal applied on 05.10.07	Closure direction u/s 33(A) of Water Act and Direction u/s 5 of EPA. Revocation of consent and refusal of authorization.	The unit was inspected by SEE, during which certain deficiencies were observed and effluent was directly going into the drain. Subsequently the unit has filed consent application for renewal on 05.10.07 alongwith the test report which reveals that all parameters were with in the prescribed limits. The owner has also filed an applicaton saying that the unit was under renovation at the time of inspection and now he has corrected the deficiencies and has a fully functioned ETP at his site. He has also informed that as soon as factory is in the fully operational stage he will inform DPCC. In view of the above, the committee felt that (a) he should be asked to apply for CTE immediately. (b) he should be asked to file an affidavit saying that all his deficiencies stand corrected and ETP is fully functional. If he does the above two things, a re-inspection may be done by the same team and the matter may be brought up on 16.11.07 with the inspection report.	Letter issued to the unit. Inspection carried out by Sh. B. Kumar, SEE	Issue reminder asking the unit to apply for Consent to Establish.
---	---	-----------------------------------	---	-------	--	---	---	--	---

2	Sushil Ice Factory & Cold Storage Pvt. Ltd. C-34/2, Lawrence Road Industrial Area	Storage and meat processing.	ETP (biological) found in operation but aeration was started after arrival to the plant. Trade effluent is being discharged into the drain.	-----	Consent valid upto 6/9/10.	Closure direction u/s 33(A) of Water Act. Closure Direction u/s 5 of E.PA.Revocation of consent.	The unit was inspected by SEE . Subsequently the unit has filed an affidavit saying that adequate biological ETP has been installed. As regards the treated effluent was being disposed off into the drain, the affidavit states that the effluent is being discharged in sewer now. In view of the above affidavit, the same inspection team may verify and submit the inspection report on 16.11.07.	Inspection was carried out by Sh. B.Kumar, SEE	Bank Guarantee of rupees One lakh under Water Act, 1974, valid for one year, be taken.
3	Kaytis Food Preservers, A-3, Lawrence Road Industrial Area., Delhi-35	Ketchup, Jam, Vegetable Products.	Biological E.T.P. Broken inlet Channel in ETP, Therefore partially Bypassed.	Coal fired boiler with bypass arrangement with ESP.	Applied for consent on 7.6.02	Analysis shows-pH – 6.4, TSS -130, BOD-110, COD-288, O&G-6.4 exceeding the limit. Notice u/s 31(A) of Air Act. Notice u/s 33(A) of Water Act.	The unit was inspected by SEE and the following deficiencies were observed (a) broken channel between inlet and outlet thereby partially untreated effluent was being discharged. (b) Coal fired boiler though having an ESP, bypass arrangement exists. In view of the above the unit may be asked to file an affidavit saying that these two deficiencies have been corrected.This affidavit should be filed within 3 weeks and reinspection may be done by same team and put up before on 16.11.07.	Letter issued to the unit.Inspection done by Sh. B. Kumar, SEE.	Consent to Establish granted.

S.No.	Name	Address	Activity	Facts of the case	Decision taken on 09.10.07	Action Taken	Decision on 07.12.2007
1	HaldiramMktg.P.Ltd.	B-1/H-8, MCIE, New Delhi-44	Mfg.of Sweets & Outlet.	A public complaint received on 18.10.2006, marked as "check it out" .Accordingly, the unit was inspected by a team of DPCC officials on 23.01.2007.Following observation were made by the team Equalization tank was under ground and almost covered and there is no suitable arrangements for removal of oil & grease and settled solids. Primary tanks (3 nos.) were not having arrangement for convenient / regular removal of settled solids / sludge. Media provided for growth of bacteria in the aeration tank was choked at some places and filter press was lying defunct. No facility for sludge removal / dewatering and disposal. Ducting arrangements to be provided for proper channelization of fumes generated. A sample from ETP outlet was collected.	After inspection done in January, 07, the unit was found to be having several deficiencies. The unit has filed an application saying deficiencies are corrected. Unit may be asked to file bank guarantee of Rs. one lakh under each of three Acts. The same team which inspected earlier may inspect the unit again and put up the case on 14.11.07. All the papers must also be checked whether unit is paying cess fully to DPCC or not.	Letter for seeking Bank Guarantee was issued on 5.11.2007.As informed by officials of Planing Cell the unit is not paying cess and notice for the same has been issued on 5/11/07.However,the unit has not submitted self assessment report or any reply in this regard. The unit has submitted BG of Rs. 1 Lakh under each of three Acts on 23.11.07. One more letter dt. 27.11.07 has been received from the unit informing that they are using piped natural gas in place of HSD and renovated the removal of oil & grease , sludge/ settled solids for which all due care is being taken for managing the same. It has also been informed that they have gone through an aggrement with M/s Eco Wise Mgnt. P. Ltd., Noida for lifting the setteled solids /sludge every day from the site.The unit has requested to release / return their BG submitted under Air Act & HWM Rules and grant 60 days time for submission of adequacy report.	The information provided by PGRC indicates that the adequacy report is yet to be submitted and the self assessment under the Cess Act is yet to be done. Ask the unit for compliance of the both and take up the case in next CMC.

2	HaldiramMktg.P.Ltd.	B-1/F-10 &12, MCIE, New Delhi-44	Mfg.of Sweets & Namkeen	A public complaint received on 18.10.2006, marked as “check it out” Accordingly, the unit was inspected by a team of DPCC officials on 23.01.2007. Following observation were made by the team The dosing tanks were found empty. It was reported by the representative that the same is not being done since last one year. The UASB was having the silt / sludge deposited in the peripheral channels. The settling tank / tube stellar was found empty and it was informed that it was so because they were trying to determine sludge volume index. Hence sample could not be collected. The tank provided for storing of activated sludge was receiving / having clear water and no facility was observed for removal, dewatering and disposal of sludge	After inspection done in January, 07, the unit was found to be having several deficiencies. The unit has filed an application saying deficiencies are corrected. Unit may be asked to file bank guarantee of Rs. one lakh under each of three Acts. The same team which inspected earlier may inspect the unit again and put up the case on 14.11.07. All the papers must also be checked whether unit is paying cess fully to DPCC or not.	Letter for seeking Bank Guarantee was issued on 5.11.2007.As informed by officials of Planing Cell the unit is not paying cess and notice for the same has been issued on 5/11/07.However,the unit has not submitted self assessment report or any reply in this regard. The unit has submitted BG of Rs. 1 Lakh under each of three Acts on 23.11.07. One more letter dt. 27.11.07 has been received from the unit informing that they are using piped natural gas in place of HSD, having biological treatment, taking up the routine cleaning exercise by taking break in processing/production and renovated the sludge handling and disposal facilities. It has also been informed that they have gone through an aggrement with M/s Eco Wise Mgnt. P. Ltd., Noida for lifting of the ETP sludge every day from the site.The unit has requested to release / return their BG submitted under Air Act & HWM Rules and grant 60 days time for submission of adequacy report.	The information provided by PGRC indicates that the adequacy report is yet to be submitted and the self assessment under the Cess Act is yet to be done. Ask the unit for compliance of the both and take up the case in next CMC.
---	---------------------	----------------------------------	-------------------------	--	--	--	---

3	Excel Motors/ Regent Automobile	A-29/(Old-B-1/E-20) MCIE	Workshop Cum Service Station	A public complaint received on 18.10.2006, marked as “check it out” .Accordingly, the unit was inspected by a team of DPCC officials on 23.01.2007. Following observation were made by the team -:The premises no. B-1/E-20 is being used only as showroom of M/s Excel Motors. Instead, the said unit was found in operation in the premises no. A-29 alongwith M/s Regent Automobile. ETP installed at A-29 was found in defunct condition. Reaction tank was not in use and no dosing of chemical was observed. Filtration unit was not in use .No sludge was observed in sludge drying bed .Waste water was being by passed without any treatment through flexible pipe. A sample from ETP outlet was collected. The effluent sample of the unit could not analyzed by DPCC Lab and it was asked to recollect the fresh sample. The unit has not obtained consent to establish / operate at the new premise i.e. A-29. Earlier the unit was having consent (expired on 16.09.2006) for the premises B-1/ E-20. Further course of action is to be decided.	During the inspection, the unit was found that to be having improper air and water pollution control systems. The unit has not applied for consent to establish or operate. Notice may be issued why unit is operating without consent. Bank guarantee of Rs. One lakh may be asked under each of the three Acts.	Letter for seeking Bank Guarantee & notice to apply for consent was issued on 6.11.2007. No reply has been received from the unit, so far.	Issue reminder for expeditious action. Take up in January, 2008 CMC.
---	------------------------------------	-----------------------------	---------------------------------	---	--	---	---

4	Panacea Biotech Ltd.	A-224,OIA Ph-I,N.D.20	R&D of Vaccines	A public complaint received on 18.10.2006, marked as “check it out”. Accordingly, the unit was inspected by a team of DPCC officials on 27.04.2007. Following observation were made by the team:-The unit is having pretreatment plant which converts water from lab section into purified water which is again used in the laboratory.It was reported that no waste water is discharge except cleaning of cooling tower. Water from different units of pretreatment plant is being used for cooling tower and boiler. The unit is also having a oil fired boiler (reported capacity – 200 Kg.). But nothing has been mentioned in the consent application submitted on 22.02.2006.The unit has not provided adequate stack height with the D.G. set of 380 KVA as mentioned in the consent application. At present only 1 lab at first floor is in operation and second floor have been newly constructed.	The unit has concealed certain information in the consent application and has not provided adequate stack height of the DG set. The unit has not applied for consent to establish but only for consent to operate. He may be asked for to apply for consent to establish and submit a bank guarantee of Rs. 50,000/- under Air Act.	Letter for seeking Bank Guarantee & to apply for consent was issued on 5.11.2007. During the inspection of other unit of the Co. at A-239-242, OIA, Phase-I by a team comprising of Dr. T.K. Joshi, Specialist BMW Committee, Mohd. Arif, EE and D.K. Srivastava, AEE , it was learnt that this unit is also generating BMW which is collected, transported & disposed off by M/s Synergy Waste Management (P) Ltd. Accordingly, units were advised to apply for authorization under BMW Rules, 1998 within a week.As per directions given in BMW meeting on 15.11.2007, file of the unit has been sent to BMW Cell on 15.11.2007. Subsequently, reply alongwith BG submitted by the unit was also sent to BMW Cell.	No action on this side. EE(BMW) to put up the case on 31st December, 2007 in BMW CMC.
---	----------------------	-----------------------	-----------------	--	--	---	--

5	Panacea Biotech Ltd.	A-239 A-242 OIA, Ph-I, New Delhi-20	Mfg. of Vaccines	A public complaint received on 18.10.2006, marked as “check it out” . Accordingly, the unit was inspected by a team of DPCC officials on 25.09.07. Following observations were made by the team :- The unit is carrying out different process on four plots from A-239 to A-242. From pollution point of view, there is discharge of waste water due to washing of voils at two different sections at level II . Further, there is discharge of waste water from washing of vessels / glasswares in analytical lab at level III. The unit has provided acoustic canopy and adequeate stack hight with the DG sets of 2X500 KVA. As per the record, the unit applied for renewal of consent under orange category on 20.01.06 for manufacturing of vaccines for primises no. A-239 to A-242 and having a DG set of 500 KVA. The unit has also submitted an affidavit dated 23.01.06 that manufacturing is being done at plot no. A-241& plot no. A-239, A-240 & A-242 are being used for trading / office purpose.	The unit has been submitting consent applications with confusing address on 3 locations. The unit has not applied for consent to establish and only applied for consent to operate. Let him file an application alongwith an affidavit of correct address. Since the unit is involved in mfg of vaccines for which inspection would require the services of specialist, PGRC team may take Prof. T.K. Joshi, specialist of BMW committee for this purpose and report on 14.11.07.	Letter for consent to establish &filing an affidavit for correct address was issued on 5.11.07.A team comprising of Dr. T.K. Joshi, Specialist BMW Committee, Mohd. Arif, EE and D.K. Srivastava, AEE went to inspect the unit on 06.11.2007. But the inspection could not be carried out as person incharge was not available due to Board meeting. However during the discussions, it emerges that there is generation of BMW for which they have an agreement with M/s Synergy Waste Management (P) Ltd for collection, treatment & disposal of BMW (copy obtained). It was also learnt that one more unit (R & D) is existing at A-224 which also generates BMW. Accordingly, the units were advised to apply for authorization under BMW Rules, 1998 within a week.As per directions given in BMW meeting on 15.11.2007, file of the unit has been sent to BMW Cell on 15.11.2007.	No action on this side. EE, BMW to put up on 31.12.2007, in BMW CMC.
---	----------------------	-------------------------------------	------------------	--	--	--	---

6	The Workshop	A-25, B-I, MCIE, New Delhi-44	Formulation Cum service station	A public complaint received on 18.10.2006, marked as “check it out”. Accordingly, the unit was inspected by a team of DPCC officials on 25.09.07. Following observations were made by the team:- ETP of the unit was lying in defunct condition and not in use since long. No dry / wet sludge was observed. It was informed that waste water collected in collection tank is taken away through a tanker without any treatment. No measures under HWM Rules have been taken. Adequate stack height has not been provided with the DG set of 12.5 KVA . As per the record the unit applied for consent to operate and for authorization under HWM Rules on 29.08.2006. Earlier the unit was having consent to establish which was valid up to 01.04.2005. Further course of action is to be decided.	Unit doesn't have satisfactory air and water pollution control system and also no measures under HWM Rules have been taken. Let the unit file bank guarantee for one year of Rs. one lakh under each of 3 acts and correct all deficiencies and file an affidavit with this effect. Call on 14.11.07.	Letters for Bank Guarantee and for filing an affidavit for correction of deficiencies were issued on 5.11.2007. The unit has submitted three BG of Rs. 1 Lakh under Air Act instead of separate BG's under Air Act, Water Act & HWM Rules. The unit has also submitted an affidavit regarding removal of deficiencies.	Ask the unit to submit a Bank Guarantee for rupees one lakh each under Water Act, 1974, Air Act, 1981 and HW Rules and not a consolidated BG under the Air Act.
---	--------------	----------------------------------	------------------------------------	---	--	---	--

7	Panacea Biotech Ltd.	B-I/E-12, MCIE, New Delhi-44	Formulation of medicines.	A public complaint received on 18.10.2006, marked as “check it out” . Accordingly, the unit was inspected by the team of DPCC officials on 25.09.07 . Following observations were made by the team:- The unit is engaged in manufacturing of tablets, capsules, liquid orales and transgels through formulation process. Washing activity is carried out at tablet section (basement), gel manufacturing (1st floor) and syrup section (1st floor). Further, virgin bottles are rinsed through purified water through bottle washing machine. A grab sample was collected from SS vessels containing waste water to be discharged at washing area of tablet section. The unit is having 2 DG sets of 725 KVA and 380 KVA which have been placed in a common acoustically treated room. As per the record, the unit has applied for renewal of consent under orange category on 28.10.05 and has submitted fresh application for authorization under HWM Rules on 05.06.2006 in response to S.C.N.The report of effluent sample(grab) collected on 25.09.07, received from DPCC lab. It reveals from the report that all the tested parameters are meeting the prescribed norms. Further course of action is to be decided.	Prof. T.K. Joshi to inspect and call on 14.11.07.	The unit was inspected by a team comprising of Dr. T.K. Joshi, Specialist BMW Committee, Mohd. Arif, EE and D.K. Srivastava, AEE on 06.11.2007. The unit is generating BMW for which they have an agreement with M/s Synergy Waste Management (P) Ltd for collection, treatment & disposal of BMW (copy obtained). There is no isolated storage site for BMW as well as Hazardous Waste. The storage site was inadequate and unsafe stacking was observed. It was also learnt that M/s Synergy Waste Management (P) Ltd is also collecting liquid toxic waste generated from the R & D section which falls in category of Hazardous & toxic waste.Accordingly, the unit was advised to apply for authorization under BMW Rules, 1998 within a week and provide proper personal protective equipment to the workers.As per directions given in BMW meeting on 15.11.2007, file of the unit has been sent to BMW Cell on 15.11.2007.	No action on this side. EE, BMW to put up the case on 31.12.2007, in BMW CMC.
---	----------------------	------------------------------	---------------------------	--	---	---	---

--	--	--	--	--	--	--	--	--

8	International panacea Ltd	A-31,/B-I Extn., MCIE, New Delhi-44	Formulation of Biotech product	A public complaint received on 18.10.2006, marked as “check it out”. Accordingly, the unit was inspected by the team of DPCC officials on 25.09.07 . Following observations were made by the team:- The unit has augmented some of the activities of powder mixing, filling and labelling at an adjacent primeses i.e. A-30. No channelization (ducting - hood) has been provided for dust emissions from mixing section. The unit has not applied for consent to establish / operate for its augmented section at A-30, B-1 Extn., MCIE. Waste water generated from the laboratary section is being discharged directly without any treatment. The unit has not ensured permanent connections from fermentors (4 Nos.) for discharging. waste water to the ETP. It was reported that waste water is being taken to the ETP through cans. As per the record, the unit was having consent (valid up to 05.01.2006) and has applied for renewal of consent under orange category on 22.05.06. Earlier the unit has obtained consent to establish which was valid up to 03.04.03. Further course of action is to be decided.	The unit in old premises has unsatisfactory water control system for which notice may be issued to him with bank guarantee of Rs. one lakh alongwith affiavit to that effect may be taken. The unit has augmented his facility in an adjacent plot where the air pollution control systems are not proper. Unit may be asked to file bank guarantee of one lakh under the Air Act and file consent to establish. Call on 14.11.07.	Letter for seeking Bank Guarantee & to apply for consent to establish were issued on 06.11.2007. A letter has been received from the unit and informd that they will provide necessary ducting and apply for the NOC within few days. Further it was also informed that they will submit the BG as soon as their signing authority joins the office.	Let him submit Bank Guarantee, application for Consent to establish and affidavit. Take up in January, 2008 CMC.
---	---------------------------	--	--------------------------------	--	--	---	---

9	Riddhi Garments	Not mentioned		A public complaint received on 18.10.2006, marked as “check it out”. No Address has been mentioned in the complaint. The unit can not be inspected as no record of the unit is available in DPCC.	Not traceable. Record to be checked on computer and report on 14.11.07.		A letter may be written by MS to Varun Kapoor, Dy. Secretary (Grievances), CM office, indicating that the whereabouts of this unit namely Riddhi Garments should be indicated to DPCC for further necessary action.
10	Chaggar Engg. Works (Chaggar Bros.)	WZ-283/372, Gali Vishnu Garden Extn. N.D.18	Mfg. of Steel Furniture including powder coating & derusting	A public complaint received on 31.05.2007 through NHRC marked for inspection. Accordingly, the unit was inspected by a team of DPCC officials on 20.06.2007. Following observations were made by team - :The unit is engaged in manufacturing of steel furniture including powder coating and derusting and it is located in non conforming Area. The powder coating plant was found equipped with best collection system. However adequate stack height has not been provided. No ETP has been provided. Activity of the unit falls F-27/33 category. Further course of action is to be decided.	The unit is operating in non conforming area and intimation for effective closure may be sent to concerned DC.	Letter for effective closure of the unit was issued to Dy. Commissioner(west) on 06.11.2007. No compliance report is received so far.	Issue reminder for compliance.

11	Soloman Engineers & Traders	94/16, Jindpur, Mukhmail Pur Road, Alipur, Delhi-36	Mfg. of Spare Parts of Socks knitting machine and repairing of knitting machine.	A public complaint received on 14.09.2006, marked as "TLC". Accordingly, the unit was inspected by a team of DPCC officials on 28.09.2006. Following observations were made by the team -: The unit was having oil fired furnace for heat treatment followed washing with water. Polishing / Finishing was also carried out by using barrels, liquid shop and sent followed by washing activity. No ETP has been installed. Adequate stack height and acoustic enclosure has not been provided with the D.G. Sets (4 nos.). Activity carried out by the unit falls under F27/33 category. As approved name of the unit was forwarded to Dy. Commissioner (North- West) on 01.11.2006 for immediate action for closure of the unit being F-27/33 category activity. A representation received from the unit regarding restoration of power connection. The unit was again inspected by a team of DPCC officials on 22.02.2007 and it was observed that the unit has removed the heat treatment facility from the premises. The unit was also found in operation with the help of D.G. Sets (without acoustic enclosure).	No relief can be given. Compliance report may be asked from the concerned DC.	Letter for seeking compliance with regard to effective closure of the unit was issued to Dy. Commissioner(North-west) on 5.11.2007. No compliance report is received so far.	Issue reminder for compliance.
----	-----------------------------	---	--	--	---	--	--------------------------------

12	M/s Govind Wadhwa, M/s Harish Chand, M/s Kiran Jewellers & M/s Vijay Kumar	43/1, 44/1, 42, 3, Community Center East of Kailash	Store & office Shop Retail Shop	A public complaint was received through CM office / Minister of Env. & Forest, Govt. of Delhi marked as TLC regarding operation of DG sets by shopkeepers in East of Kailash. Inspection was carried out by DPCC officials on 25.07.2005.3. Closure directions u/s 31 (A) of the Air Act (to five Shops / offices namely M/s Vijay store, M/s Kiran Jewellers, M/s Deepa Exports, M/s Vadh Sahab & prop. 44/1 were issued on 31.03.2005 for removal of DG set. Representations have been received from four units namely Sh. Vadh Sahab, Harish Chand prop. 44/1, Kiran Jewellers & Vijay store with affidavit and informed that their DG sets were sealed by SDM (Defense Colony). They further mentioned that they are using invertors instead of DG sets and therefore requested to Deseal the DG sets so that same can be remove and sold.	Inspection found, DG set without acoustic enclosure. The 4 units have filed for de-sealing saying they will remove DG set and put inverter. Request allowed, inspection to be done after one month to check that they have removed the DG set or not.	Letter for desealing issued on 06.11.07 to SDM (Defence colony). A copy of order dated 04.12.2007 received from the SDM (Defence Colony) to deseal the DG Sets for its removal.	Letter to complainant to confirm whether action has been completed.
----	--	---	---------------------------------	--	---	---	---

13	M/s Metal Can Company	1024, Near Maharaja Cable, Mahipalpur Village, New Delhi.	Mfg. of Tin Containers & Card Board Boxes Including Printing with plate making	A complaint was received through LG office regarding Air & Noise pollution from the unit.2. Accordingly, the unit M/s Metal Can Company was inspected by a team of PGRC & Lab officials on 12.07.2007. Following observations were made by the team -The unit is engaged in the activity of Mfg. of Tin Containers & Card Board Boxes Including Printing with plate making. No ETP Installed to treat the trade effluent generated from the process i.e. plate making and washing of rollers.No steps have taken to comply with the HWM Rules for Hazardous Waste generated from Printing process.A DG set of 125 KVA found installed without acoustic enclosure.A DG set of 140 KVA found installed with acoustic enclosure and adequate stack height. Noise monitoring was carried out by DPCC. As per report ambient noise level 68.4 dB (A) is not meeting the prescribed norms of 55 dB (A) and contribution of the unit is 8.8 dB (A). The insertion loss is meeting the prescribed norms. It was reported that the unit is being operated since 1983 and provided copy of SSI & sales Tax registration as a proof.	Immediate closure orders under Air, Water and HWM Rules for disconnection of power supply, water supply and cancellation of MCD license.	Closure orders under Air Act, Water Act and HWM Rules for disconnection of power supply, water supply and cancellation of MCD license were issued on 06.11.2007. ATR from BSES has been received & informed supply has been disconnected.	Seek compliance from DJB. Put up in file.
----	-----------------------	---	--	--	--	---	---

14	M/s Mc Donald Restaurant	23, Central Market, West Punjabi Bagh Delhi-26	Restaurant (seating capacity – 120 nos.)	The unit was inspected w.r.t. a public complaint with regard to noise pollution due to exhaust at roof top. Accordingly, the unit was inspected by a team of PGRC officials on 16.08.2007. Following observations were made by the team -: The unit has installed refrigeration plant, duct of kitchen with ID fan and small water purification plant at roof top of the premises. However, adequate height of duct above roof top has not been provided. The unit has provided steel strainer followed by oil & grease trap. However as per RESDH policy the unit is required to install full fledged ETP. Adequate stack height and acoustic enclosure has been provided with the DG set of 140 KVA. The unit has not provided MCD & police license for Restaurant. As per the record the unit has not applied for consent to DPCC. As per approval of competent authority, notices u/s 31(A) of Air Act & 33(A) of Water Act issued on 18.09.2007. A letter is also issued on 18.09.2007 to MCD for taking necessary action against violations on conformity issue. Noise monitoring report received from DPCC lab. As per the noise monitoring report insertion loss is meeting the norms. However contribution of the unit is 0.8 dB(A).	Unit is operating without consent to establish and has air and water control system not in conformity. The unit may be asked for apply for consent to establish, file a bank guarantee of Rs. one lakh under water and air act, correct all deficiencies and submit affidavit to that effect within one month. Relevant clearance from police and MCD for both ground floor and 1st floor where he is operating alongwith the application for consent to establish may be submitted.	Letters for Bank Guarantee and to apply for consent to establish with floorwise clearances from MCD & Police & for filing an affidavit for correction of deficiencies were issued on 06.11.2007. The unit has submitted reply only w.r.t. letter issued on 6.11.07 to apply for consent to establish. The unit has submitted its reply informed that they have made changes and tried to provide adequate stack height of the duct. It has also mentioned in the letter that steel strainer followed by oil & grease trap has been provided as per DPCC circular dated 23.7.04. No reply has been received from the unit regarding submission of BG. Further, one more complaint has been received from the complainant. A letter has also been received from Delhi Police informing that the unit is having valid eating house licence upto 31.12.07.	MS to inspect and report on 13.12.2007.
----	--------------------------	--	--	---	---	---	--

15	Sh. Vijay Kumar Wadhwa & M.K. Wadhwa	Premises no.DU-133, Pitampura, Delhi-34	Mobile Tower	The premises was inspected by PGRC officials on 16.08.2007 w.r.t. High Court Case titled as Sh. Hargobind oberoi Vs. MCD & others. The petitioner has requested to stop the work of installation of mobile tower at premises No. DU-133 and remove the temporary structure as the same may cause nuisance to the nearby residents. Following observations were made by the team -: A DG set of 15 KVA (not installed) and other related material i.e. wooden panels, angles, sheets etc., were lying on roof top of the premises. However, a steel antenna of app. 15 feet height has been installed.As reported by Mrs. Wadhwa, the work for installation of Mobile Tower (Airtel) had been stopped about one year back.	Since the petitioner has requested for removal of the DG set and all related material, as the respondent has kept this material without use, CMC feels that they should remove the material and close the court case.	File with decision of CMC was sent to legal cell on 5.11.2007 for necessary action.A letter has also been sent to Sh. Vijay Kumar Wadhwa & M.K. Wadhwa on 13.11.07 for removal of material from roof top. No reply received so far.	MS to monitor the 3 cases to support the petitioner.
16	M/s Tata Tele Services Ltd.	Village Basti Neelwal, Tikri Kalan, New Delhi	Mobile Tower	The premises was inspected by PGRC officials on 08.12.2006 w.r.t. High Court Case titled as Sh. Mahavir Singh Vs. Tata Tele Services Ltd.& others. Following observations were made by the team -: Adequate stack height and acoustic enclosure provided with the DG set of 25 KVA.The tower has been installed in the open land having boundary wall.	If the petitioner is objecting for valid reasons then DPCC is on the side of the petitioner and not with mobile company. This may be brought to the notice of the court.	File with decision of CMC was sent to legal cell on 6.11.2007 for necessary action.	MS to monitor the 3 cases to support the petitioner.

17	Tarla Rajnikant Somaya Vs MCD & others	S-571 main Road, Alaknanda G.K. II, New Delhi.	Mobile Tower	The petitioner has filed the writ in the Hon'ble High Court and requested for removal / demolish the cellular Tower, Industrial generator and other equipments from the terrace and direct the respondent to stop misuse of the residential premises. Accordingly, official from DPCC Lab went to the site on 17.07.2007 to conduct the noise monitoring and found that DG set has been removed.	If the petitioner is objecting for valid reasons then DPCC is on the side of the petitioner and not with mobile company. This may be brought to the notice of the court.	File with decision of CMC was sent to legal cell on 6.11.2007 for necessary action.	MS to monitor the 3 cases to support the petitioner.
18	Clarification regarding categorization w.r.t activity of unit M/sShiv Skakti Products Ltd,	550, old dal mill, Bakhawarpur, Delhi-36	Mfg. of Ink	(i) A letter from Industry Department has been received on 14.02.2006 regarding clarification for category of unit engaged in Mfg. of ink in H/F category so that decision on the allotment of Industrial Plot may be taken by Industry Department.(ii) After approval of competent authority a letter alongwith criteria for classification of Industries formulated by CPCB was sent to the Industry Department on 13.06.2007(iii) A letter was again received on 7.09.2006 from Sh. Darshan Singh, Dy. Commissioner(R) , Industry Department with photocopy of application mentioning details of machineries,raw material which were used earlier by the unit & asked whether the activity of the unit falls in H category or not as per MPD- 2001 .	Letter according to MPD 2021 be sent to him.	Letter with regard to categorization as per MPD-2021 was issued to Industry department with a copy to applicant on 5.11.07	No action.

19	M.C.Auto Pvt. Ltd.	B-43, GTK road Indl Area, Delhi	Mfg. of Jewellery Items	A public complaint received on 09.08.2007, marked as "TLC" regarding water, air and noise pollution .Accordingly, the unit was inspected by a team of DPCC officials on 19.5.9.2007. Following observations were made by the team -:(i)The unit is engaged in mfg.of jewellery items at second floor & part of first floor. The unit has not installed ETP to treat the waste water generated during process.(ii) No control measures have been taken to channalize the emissions generated from the process of melting .(iii) A DG Set of 75 KVA found installed without acoustic enclosure and adequate stack height.(iv) Unit is operating without consent from DPCC. Further course of action is to be decided.	Unit is operating without consent to establish or operate and not proper air and water control systems not installed. Unit may be asked to file a bank guarantee of Rs. one lakh under air and water act, correct all deficiencies and file an affidavit and ask for consent to establish. Call up on 14.11.07	Letters for Bank Guarantee and for applying for consent to establish & for filing an affidavit for correction of deficiencies were issued on 5.11.2007. The unit has submitted a BG of Rs. 1 Lakh on 21.11.07 instead of Rs one lakh each under Air Act & Water Act. The unit has also submitted an affidavit informing that (i) small quantity of water(5 ltr.) is used for cleaning of gold chain with liquid soap. The spent liquor generated during cleaning process dried in open area through solar evaporation & gold piece is recovered.(ii) The adequate Emission Control System will be provided within one month. (iii) acoustic enclosure & adequate stack height will be provided within one month with DG Set of 75 KVA . As per computer record, the unit has applied for consent to establish under orange category on 22.11.07	Time allowed for one month to comply with all the conditions.
----	--------------------	---------------------------------	-------------------------	--	---	--	--

20	Sanjay Kumar & Co.	B-34(basement),Sawan Park, Ashok Vihar, Delhi	Godown & packing of towels	A public complaint received on 03.09.2007 marked as "TLC" regarding illegal factory & godown which is fire Hazardous. Accordingly, the unit was inspected by a team of DPCC officials on 10..9.2007. Following observations were made by the team -: (i)The premises in question is being used for gowden & packing(mannualy) of towels. The premises B-35 as mentioned in the complaint was found locked from the outside and as per local enquiry the premises is lying locked from last one year & no activity is carried out. However, earlier some industrial activity related to garments was being carried out. Further course of action is to be decided.	Complaint be sent to MCD.	Letter with original complaint sent to MCD on 5.11.2007	No action.
----	--------------------	---	----------------------------	--	---------------------------	---	------------

21	Kurl-on Ltd	Kh. No.238, Budhpur, Alipur, Delhi	Godown/warehouse of mattresses & curtains.	A public complaint received on 03.09.2007 marked as "TLC" regarding pollution by factory and burning of waste .Accordingly, the unit was inspected by a team of DPCC officials on 10..9.2007. Following observations were made by the team -:(i)The premises in question is being used for godown of mattresses & curtains of Curl-on Ltd., which were brought from Bangalore (ii).One no. of stitching machine exists in the premises for repairing of mattresses, if required. (iii)No burning of foam/ rubber seen in the premises.However at a plot infront of the unit a lot of coir sheets including foam cuttings are lying , which generates wastage from packing material used for transportation of mattresses. Further course of action is to be decided.	Complaint be sent to MCD.	Letter with original complaint sent to MCD on 5.11.2007.	No action.
----	-------------	--	---	--	---------------------------	--	------------

22	Pali Electricals	488/12A, Damodar Park, North of G.T. Road Indl. Area, Shahdara, Delhi-32	Mfg. of Electrical strip coil used in transformers	A public complaint received on 03.09.07 marked as TLC regarding air pollution . Accordingly, the premises was inspected by a team of DPCC officials on 14.09.07. Following observations were made by team.1.The unit was found in operation & engaged in the activity of Mfg. of Electrical strip coils used in transformers by the process of binding of strips in coil form- electric welding -tempering (Heating in furnace)- Natural Cooling. 2. The unit was having a DG set of 7.5 KVA without acoustic enclosure & adequate stack. 3. Unit was not installed hood & suction arrangement for channelization of emission generated during the process of tempering. As per the record of enquiry counter, earlier consent to operate under green category was obtained for the activity of electric stamping (sheet cutting by engg. work) in the name of M/s Pali traders which was valid up to 25.07.07. Further course of action is to be decided.	Unit is operating without consent to establish or operate and proper air and noise control systems not installed. Unit may be asked to file a bank guarantee of Rs. One lakh under each of Air Act and Noise Rules, correct all deficiencies and file an affidavit and ask for consent to establish. Call up on 14.11.07. No reply received so far.	Letters for Bank Guarantee and for applying for consent to establish & for filing an affidavit for correction of deficiencies were issued on 5.11.2007. No reply has been received from the unit so far.	Issue notice to comply with all the conditions.
----	------------------	--	--	--	--	---	--

23	Illegal Running of units in non conforming / residential area	Trinagar area	Industrial units	A public complaint received through CM office on 13.10.06 against insustrial units operating in Tri Nagar area despite Supreme Court order dated 07.05.04. As desired by Chairman for assessing factual position, the area was visited by a team of DPCC officials on 06.11.06 &18.12.06. Following observations were made by team.1. Tri Nagar area is having approx. 4700 Nos of plots of about 50-100 sq. mtr. in size. The team visited 32 Nos of premises in gali no. 1, Kanhiya Nagar, Tri Nagar, Delhi & 16 Nos. of Industrial units were found operating. Out of 16 nos.of units 3 Nos. fall under F-27/33 category and rest of the 11 Nos. of units in non F-27/33 category. The same was apprised to Principal Secy. to CM. Accordingly, the complaint and name of the units were forwarded to DC (North West) on 06.03.07 for effective closure and to Commissioner of Industries on 19.03.07 for necessary action in persuance of Hon'ble S.C. order dated 07.05.04. 2. Further another complaint against industrial units operating in Tri Nagar Area is received on 20.08.07 and marked as checked out.	These compliants from Trinagar have been coming from several sources, the last one from LG. This matter was raised before Principal Secretary to Chief Minister once and he had asked to check the status w.r.t. MPD 2021. According to MPD 2021 this area now falls under non conforming area. In view of the above, formally on file the matter may brought to notice of Principal Secretary / Chief Minister and then matter may be referred to Commissioner of Industries as per Hon'bel Supreme Court order dated 07.05.04.	File is under submission for appriasal to Pr. Secretary of Chief Minister with a draft D.O.letter to Commissioner of Industries.	MS to send the file to Commissioner of Industries for his formal comments on the proposal of DPCC.
----	---	---------------	------------------	--	---	---	---

24	M/s Ambience Developers Pvt. Ltd. (Ambi Mall)	Plot No.2, Vasant Kunj, Ph-II, New Delhi	Shopping Mall (under construction)	The project proponent has applied on 17.05.05 for consent under Air & Water Acts in terms of EIA notification. As no EIA report was submitted, SCN was issued on 31.05.05 to furnish 20 sets of EIA report along with other documents. The project proponent furnished a reply on 05.07.2005 but the project proponent failed to submit EIA reports. Case was put up before Consent Management Committee on 01.02.06. As per decision taken in the said meeting, SCN was issued on 07.02.06 giving last opportunity to submit EIA report within 15 days. The project proponent submitted a reply on 22.02.06 however it failed again to submit the mandatory EIA reports. Case was again put up before CMC on 16.03.06, as per decision of the said committee, the consent application in terms of EIA notification was refused on 23.03.06.	Case to be taken with other Mall cases on 23.10.07 with all the facts.	The case was put up in CMC on 23.10.07. As per the decision taken in the CMC meeting held on 23.10.2007, letter was issued to the project proponent on 22.11.2007 for submission of compliance of all the conditions given in Environmental Clearance issued by MOEF within three weeks. The case was heard before Appellate Authority under Water Act on 29.11.2007. Order is awaited.	Take up with other mall cases in December 2007.
----	---	--	------------------------------------	---	--	--	---

25	M/s Bobby Overseas	A-21, Amanpuri, Najafgarg Road Nangloi, Delhi-41	Lather finishing without water	A letter has been received from the Industry Deptt. regarding clarification of the activity i.e. leather finishing without water falls in H category or not as per MPD-2001. In this regard it is submitted that as per MPD-2001 leather tanning is in H Category and as per MPD-2021 leather tanning and dying (raw hides/ skin to semi finish) is in prohibited list. Further as per criteria of CPCB, tannery is in Ha category. Further course of action is to be decided.	Inform as per MPD 2021.	Letter with regard to categorization as per MPD-2021 was issued to Industry department with a copy to applicant on 06.11.07	No action.
26	M/s Shri Sanatan Dharam Sabha, GK-II (Regd.)	S- Block , Road No. 1, GK-II, N Delhi-48.	Socio cultural organisation(Karante,uthala, dispensary etc.)	The premises was inspected by PGRC officials on 16.08.2007 w.r.t. High Court Case titled as Sh.K.L.Talwar V/s LG & others. Following observations were made by the team -: A DG set of 5 KVA was found installed in the premises without mandatory acoustic enclosure. The premises is being used for Mandir & other socio cultural activities i.e. Karante, Uthala, Dispensary etc. No society member was available at site . Next date of hearing is 08.01.08	Notice u/s 31 (A) of the Air Act be issued for noise from DG set.	Noticeu/s 31(A) of Air Act was issued on 06.11.2007. A reply has been received on 27.11.07 informing that the DG Set of 5 KVA is used rarely for in emergency for charitable Medical Centre. As the temple complex is quite huge and as such it does not create any pollution as it is lying in an isolated corner.It has also been mentioned in the reply that actions are being taken to provide enclosures etc. as desired by DPCC.	Put up in Feb. 2008.

