

Minutes of the 24th meeting of the Committee Constituted for Deciding the Consent under orange Category, held on 12.10.2007 in the Conference Room of Chairman, DPCC.

The following officers, attended the meeting on 12.10.2007

1. Sh. J. K Dadoo, Chairman DPCC
2. Sh. S.K.Gupta ,Head Chemical Engineering Deptt., IIT Delhi
3. Sh. B. Kumar, SEE, DPCC
4. Sh. M. Dwarakanath, SSO, Deptt of Env., GNCTD
5. EEs CMC – I, II & III.
6. AEEs (PGRC)
7. AEE of CMC – II

Leave of absence was granted to MS, DPCC.

24th meeting of the Committee constituted for deciding the Consent (under Orange Category) was held on 12.10.2007 and following decisions were taken in the meeting:

Agenda 1- One PGRC case

One PGRC case was discussed and decision taken is annexed as ***Annexure – I.***

Agenda 2- VIP/VVIP cases

Two cases were discussed and decisions taken are annexed as ***Annexure – II.***

Agenda 3- Cases of Lawrence Road Industrial Area

All the 30 cases, which were inspected by Sh. B. Kumar, SEE, in the month of September 2007, were discussed and decisions taken. Same are annexed as ***Annexure – III.***

Agenda 4- Cases of WIA where inspections were done by the special team

Out of 31 cases in which inspection were undertaken in 22 cases by special team consisting of Sh. Dwarakanath, SSO and Smt. Ajeetha Agarwal, EE, CMC, were discussed and decided. Remaining nine cases were not discussed due to non availability of inspection reports of the team. It was decided to take up the remaining 9 cases on 16.11.07. Decisions taken w.r.t. 22 cases have been tabulated and annexed as ***Annexure – IV.***

Meeting ended with thanks to the Chair.

S.No.	Name	Address	Acivity	Facts of the case			Decision on 12.10.07
1	M/s Jeet Engineering Works	1416, Gali No 97 , Ganesh pura-A, Anaj Mandi, Tri Nagar , Delhi-35	Welding(job work) of rotors	1.A public complaint received on 14.06.2007 marked as “TLC” and directed to inspect by Ms. Ajeeta Aggarwal.Accordingly, the unit was inspected by Ms. Ajeeta Aggarwal(EE) on 05.07.07 Following observations were made -(i)The unit is engaged in job work of rotor assembling and welding(the raw mterial like rotor parts and aluminium rods received from parties only) (ii) Welding is carried out by LPG gas and oxygen(as carrier) (iii) Hammering is required to insert aluminium rods into rotor grooves before welding the same. (iv) construction in the unit going on. 2.After approval of Chairman, the complaint has been forwarded to Commissioner of Industries on 30.07.07 for action in terms of Honble Supreme Court orders dated 7.05.04 3. A number of complaints were received on 24.07.07, 30.07.07 & 12.9.07 and after directions of chairman the reply has been sent(by E-mail) to complainant on 28.09.07. 4. A copy of letter(marked toDy. Secretary PGC) has been received on28.9.07 from SDM (Model Town) wherein it has been mentioned that factory already closed & no indl. activity is being carried out. 5. Further, a complaint received on 1.10.07 & as directed the premises was inspected on 6.10.07 by Sh. Pankaj Kapil, EE(CMC) and reported that the premises was found locked, information gathered that the welding work has been stopped and premises is vacant at present.			The copy of report received from SDM(Model Town) be communicated to the complainant.
SL. NO	NAME	ADDRESS	ACTIVITY	EARLIER DECISION, IF ANY	REMARKS	DECISION ON 12.10.07	

1	Sparton Industries	A- 90/4,Group ,Wazirpur Indl. Area, Delhi - 52	Sanitary fittings (including electroplating and buffing)	04.07.07 - Consent under the Air and Water Acts Refused. Authorisation under HW Rules Refused. Directions u/s 33(A) of Water Act (invoking rule 34(6)),) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit. 28.09.07 - Inspect and report in next month CMC, in view of the affidavit filed by him saying all deficiencies have been corrected.	Inspected by special inspection team for Wazirpur Industrial Area.	The earlier inspection and the latest inspection shows all deficiencies corrected by the unit. To ensure the unit maintains its systems properly, BG of Rs. One lakh, valid up to 06.02.2010, under each of 3 acts may be taken and he has to apply CTE and also under authorization under HW Rules. Case may be taken up on 16.11.07.
---	--------------------	--	--	---	--	--

2	Krish Auto Motors Pvt. Ltd.	B-62/2, Wazirpur Indl. Area, Delhi - 52	Automobile service workshop	Since he has changed his name, he must apply for consent to establish under new name. Reinspection be done by the same team to check on the merits of his representation and case be taken up in next month CMC.	Applied for consent to establish. Inspected by special inspection team for Wazirpur Industrial Area.	The earlier inspection and the latest inspection shows all deficiencies corrected by the unit. To ensure the unit maintains its systems properly, BG of Rs. One lakh each under Water Act, 1974 and HWM Rules applicable up to 06.02.2010 be sought from the unit. Case may be taken up on 16.11.07.
---	-----------------------------	---	-----------------------------	--	--	--

Sl.No.	Ref. No. of 78	Ref. No.	Name of Industry/Unit	Address	Industrial Area	Activity	Remarks	Decision Taken on 12.10.07.
1	58	217	M.M. Bros Merry Maker Banquet Hall	C-91/4	Wazirpur Industrial Area	Banquet Hall		Ask him to apply for Consent to and Air Acts. Minor deficiencies special inspection team during letter asking them to correct the affidavit and BG of Rs. One lakh for one year.

2	59	218	Ambica Steels	B10/9,Group	Wazirpur Industrial Area	Pickling		Ask him to apply for Consent to operate and Air Acts. Minor deficiencies observed. special inspection team during their inspection letter asking them to correct the deficiencies, file an affidavit and BG of Rs. One lakh under Water Act and HW Rules which is valid upto 06.02.2010.
3	60	219	Lakshmai Milk Testing Machinery co.	A-90, Group	Wazirpur Industrial Area	Mfg of Dairy Equipments (Milk Canes) with Anodizing.		Ask him to apply for Consent to operate and Air Acts or close down.
4	61	220	Sohal Motor works	B-24	Wazirpur Industrial Area	Pickling, Annealing & Re-Rolling of SS Sheets		Ask him to apply for Consent to operate and Air Acts. Deficiencies were observed. inspection team during their inspection asking them to correct the same, file an affidavit and BG of Rs. One lakh under Water Act and HW Rules up to 06.02.2010.
5	62	221	Shree Krishna Industries	A-101/1	Wazirpur Industrial Area	Pickling & Cold Re rolling of SS Sheets.		Ask him to apply for Consent to operate and Air Acts. SCN u/s 33(A) of EPA for correct deficiencies observed by inspection team, file an affidavit and file BG of Rs. One lakh each of 3 Acts valid up to 06.02.2010.
6	63	222	Him Giri Cars Pvt. Ltd	B-99	Wazirpur Industrial Area	Sales Service And Spares		Ask him to apply for Consent to operate and Air Acts. SCN for closure u/s 33(A) of EPA. Water Act, 1974,u/s 5 of EPA. for consent , authorization. Unit being closed. deficiencies, file an affidavit and BG of Rs. One lakh under Water Act and HW Rules up to 06.02.2010.
7	64	223	R.K.Metal Industries	A-99/3	Wazirpur Industrial Area	Mfg of Copper & Brass Sheet with casting & washing		Ask him to apply for Consent to operate and Air Acts. SCN for closure u/s 33(A) of EPA. Water Act, 1974,u/s 5 of EPA. for consent , authorization. Unit being closed. deficiencies, file an affidavit and BG of Rs. One lakh under Water Act and HW Rules up to 06.02.2010.

8	65	224	Sh. Abdul Rasheed	Shed no.100, DSIDC	Wazirpur Industrial Area	Buffing and Buffing Machines Installed		Ask him to apply for Consent to Operate and Air Acts. Issue SCN for closure (A) of Air Act. Ask the unit to co-submit affidavit and BG of Rs. One lakh to 06.02.2010..
9	66	225	Sh. Balak Ram. Sh. Suresh. Sh. Islam, Sh. Ram Bils	Shed no.101, DSIDC	Wazirpur Industrial Area	Buffing		Ask units to apply for Consent to Operate and Air Acts. Issue SCN for closure (A) of Air Act. Ask the unit to co-submit affidavit and BG of Rs. One lakh to 06.02.2010..
10	67	226	Sh. Shree Venkateshwar Enterprises	Shed no, 54 DSIDC	Wazirpur Industrial Area	S.S. Utensils (Pressing & Buffing)		Ask him to apply for Consent to Operate and Air Acts. Issue SCN for closure (A) of Air Act. Ask the unit to co-submit affidavit and BG of Rs. One lakh to 06.02.2010..
11	68	227	Sh. Varun Fabricators	Shed no.80, DSIDC	Wazirpur Industrial Area	S.S. Utensils (Pressing & Buffing)		Ask him to apply for Consent to Operate and Air Acts. Issue SCN for closure (A) of Air Act. Ask the unit to co-submit affidavit and BG of Rs. One lakh to 06.02.2010. Green application submitted. Ask him to apply under orange category.
12	69	21	Sh. Rakesh (Sobti Associates)	B-78	Wazirpur Industrial Area	No activity	Case of M/s Sobti Associates decided in the meeting on 4.07.07. (Ref. No 21).	No action, if no unit is operating to this effect.

13	70	228	Sh. Bhupinder(M/s Jain Steel Udyog)	Shed no, 71 DSIDC	Wazirpur Industrial Area	Steel Untenslis		Ask him to apply for Consent to Establish and Air Acts. Issue SCN for closure under section 31 (A) of Air Act. Ask the unit to comply with the conditions of the affidavit and BG of Rs. One lakh within the time limit upto 06.02.2010. Green application to be submitted by him to apply under orange category.
14	71	229	Sh. Ravi (M/s Dayal Industries)	Shed no, 63, DSIDC	Wazirpur Industrial Area	Buffing		Ask the units (3 Nos) to apply for Consent to Establish under Water and Air Acts. Issue SCN under section 31 (A) of Air Act. Ask the units to rectify the deficiencies, file an affidavit and apply for closure under Air Act valid up to 06.02.2010.
15	72	230	Sh. Yaseen and Sh. Sultal	C-85	Wazirpur Industrial Area	Steel Polish		No action.
16	73	51	Sh. Sunil Bansal (M/s Eastern Engineering)	C-86	Wazirpur Industrial Area	Steel Rolling Annealing Re - Rolling & Pickling	Case of Eastern Engineering already decided on 4.07.07.(Ref. No 51)	No action.
17	74	231	Sh. Shajid and Sh. Aslam	A-103/6	Wazirpur Industrial Area	Steel Polish		Ask the units to apply for Consent to Establish under Water and Air Acts. Issue SCN under section 31 (A) of Air Act. Ask the units to rectify the deficiencies, file an affidavit and apply for closure under Air Act valid up to 06.02.2010.
18	75	232	Sh. Vijay Kumar Goel	A-104	Wazirpur Industrial Area	Buffing		Ask the units to apply for Consent to Establish under Water and Air Acts. Issue SCN under section 31 (A) of Air Act. Ask the units to rectify the deficiencies, file an affidavit and apply for closure under Air Act valid up to 06.02.2010.

19	76	233	Sh. Mohammad, Sh. Noshad, Sh. Lekraj (M/s Pratap Metals)	A-136	Wazirpur Industrial Area	Buffing		Ask them to apply for Consent and Air Acts. SCN for closure under Air Act. Refusals of consent, and deficiencies file an affidavit and under Air Act.
20	77	52	Sh. Paras and Sh. Mohd. Latif & (M/s Krishna Metal Industries)	A-40	Wazirpur Industrial Area	Steel Rolling Annealing Re - Rolling & Pickling	Case of M/s Krishna Metal Industries already decided on 4.07.07. (Ref No.52)	Let Sh. Paras apply for Consent Water and Air Acts under green
21	78	54	Bitto Malhotra Industries	B-20	Wazirpur Industrial Area	Re-Rolling & Pickling	Case of Malhotra Industries B-20 already decided on 4.07.07 (Ref No.54)	Case to be taken up on 16.11.0
22			Shanti Steels	A-24, Backside, WIA	Wazirpur Industrial Area		Applied for consent to establish.	Letter be issued to concerned S closure.
23			Vardhman re rolling Mills	A-64, Group	Wazirpur Industrial Area			Case to be taken up on 16.11.0
24			Akash industries	B-22, Group	Wazirpur Industrial Area			Case to be taken up on 16.11.0
25				B-28	Wazirpur Industrial Area			Case to be taken up on 16.11.0
26			Bijender Jain	B-72/4	Wazirpur Industrial Area			Case to be taken up on 16.11.0
27				Shed No.89, DSIDC	Wazirpur Industrial Area			Case to be taken up on 16.11.0

28				A-102/5	Wazirpur Industrial Area			Case to be taken up on 16.11.0
29				A-64, Group	Wazirpur Industrial Area			Case to be taken up on 16.11.0
30				A-112/1	Wazirpur Industrial Area			Case to be taken up on 16.11.0
31				B-30/1	Wazirpur Industrial Area			Case to be taken up on 16.11.0

S.No.	Name of the unit	Activity	Status of unit & Pollution Control Devices		Consent/Authorisation	Recommendations	Decision on 12.10.07
			ETP	ECS	Status		
1	Dyeing Unit (Roof top) G1-57, Lawrence Road Industrial Area	Dyeing and washing of Jeans	Dyeing and washing of Jeans without ETP.	No boiler, no DG Set.	Not applied under Air and Water Act.	Analysis shows-pH - 6.9, TSS -390, BOD-220, COD-528, O&G-9.2, Total Cr-0.18, Sulphide-17, Phenolic compound-ND exceeding the limit. Direction u/s 33(A) of Water Act for closure.	Issue SCN u/s 33(A) under Water Act, 1974 and ask the unit to apply for consent to establish. He must apply within a week.
2	Melody Ice cream GI-56, Lawrence Road Industrial Area	Ice cream mfg.	ETP found defunct. Wet/ Dry sludge not observed.	Gas/ Electric based equipments.	Consent valid upto 25.7.05	Direction u/s 33(A) of Water Act for closure.	Issue SCN u/s 33 (A) of Water Act, 1974 for correction of deficiencies within 30 days. Ask for consent to establish application under Water and Air Acts.
3	Gee Dee International B-16, Lawrence Road Industrial Area	Dyeing and washing of Jeans. Plastic injection moulding.	No ETP. Effluent discharge directly to sight open drain .	No boiler.	No renewal application after 25/7/05	Sample collected. Consent to Establish under Water and Air Acts. Analysis shows-pH – 11.8, TSS -1145, BOD- 310, COD-768, Total Cr-0.28, Sulphide-29, Phenolic compound-0.6 which is exceeding the limit. Direction for closure u/s 33(A) of Water Act. One more unit of plastic injection moulding was also operating on ground floor. SCN for moulding unit for operating without consent.	Issue SCN u/s 33(A) under Water Act, 1974 and ask the unit to apply for consent to establish. He must apply within a week. Issue SCN u/s 21/22 of Air Act, 1981 to the plastic unit.
4	D Club B -18, Lawrence Road Industrial Area	Dyeing and washing of Jeans	No ETP.	Coal fired boiler without ECS.	Not applied under Air and Water Act.	Analysis shows-pH-9.2, TSS-270, BOD-160, COD-448, O & G-7.6, Total Cr-0.28, Sulphide-27, Phenolic compound-0.65 exceeding the limit. Direction u/s 31(A) of Air Act & u/s 33(A) of Water Act.	Issue SCN u/s 33(A) under Water Act, 1974 and ask the unit to apply for consent to establish. He must apply within a week.

5	Indraprastha Industrial Corpn. B-70/7, DSIDC Sheds Lawrence Road Industrial Area	Electroplating. (Job Work)	ETP installed but not in operation. Bypass arrangement exits. No sludge storage facility. Sludge found on the floor.	DG Set without acoustic enclosure.	Consent valid upto 10/10/08. Applied for renewal of authorization on 11/10/06.	Direction u/s 33(A) of Water Act. Direction u/s 5 of EPA for HW. Direction u/s 31(A) of Air Act. Revocation of consent and authorisation .	SCN for revocation of consent and refusal of authorization. Issue SCN u/s 33 (A) of Water Act, 1974 , u/s 31(A) of Air Act, 1981 and u/s 5 of EPA. Seek BG of Rs. One lakh under each of 3 Acts/Rules.
6	Sethi Achar Company B-45, Lawrence Road Industrial Area	Achaar and Murabba.	ETP (physiochemical) not in operation and condition shows that it was not operated for some time. No dry/ wet sludge found.	Chanalisation and stack not provided for two furnaces.	Applied for consent on 7/9/2005 for consent renewal and 29/9/06 for authorization.	Direction u/s 33(A) of Water Act and u/s 31(A) of Air Act. Direction u/s 5 of EPA. Refusal of consent and authorisation .	SCN u/s 31 (A) of Air Act, 1981, u/s of 33(A) of Water Act, 1974 & u/s 5 of EPA. Ask for consent to establish. SCN for refusal of consent and authorization be issued.
7	Jolly Ice & Cold Storage A-18, Lawrence Road Industrial Area	Cold storage and meat processing	Biological ETP was not in operation. Sludge drying bed have some plants along with a peepal plant of more than 2ft. Inspection team kept for waiting for starting the operation of ETP.	-----	Consent valid upto 5.2.09	Sample analysis shows as pH 7.6, TSS 80, BOD-280 , COD-680, O&G-8.8 BOD exceeding the limit. a) Direction u/s 33(A) of Water Act. b) Revocation of Consent.	Issue SCN u/s 33(A) of Water Act, 1974 for correction of deficiencies. The unit should be asked to submit BG of Rs. One lakh under Water Act, 1974 valid for one year. Issue SCN for revocation of consent.

8	Darshan Trading Co. C-34, Lawrence Road Industrial Area	Meat processing and Cold Storage.	ETP(physiochemical) on the roof and not operating since long as sludge filter was found dry. One portion of the plant under renovation and other portion meat processing work was in operation. The effluent is directly going to sewerage.	-----	Consent valid upto 7.10.07. Applied for authorization on 30/10/05. Renewal applied on 05.10.07	Closure direction u/s 33(A) of Water Act and Direction u/s 5 of EPA. Revocation of consent and refusal of authorization.	The unit was inspected by SEE, during which certain deficiencies were observed and effluent was directly going into the drain. Subsequently the unit has filed consent application for renewal on 05.10.07 alongwith the test report which reveals that all parameters were within the prescribed limits. The owner has also filed an application saying that the unit was under renovation at the time of inspection and now he has corrected the deficiencies and has a fully functioning ETP at his site. He has also informed that as soon as factory is in the fully operational stage he will inform DPCC. In view of the above, the committee felt that (a) he should be asked to apply for CTE immediately. (b) he should be asked to file an affidavit saying that all his deficiencies stand corrected and ETP is fully functional. If he does the above two things, a re-inspection may be done by the same team and the matter may be brought up on 16.11.07 with the inspection report.
---	---	-----------------------------------	---	-------	--	--	--

9	Sushil Ice Factory & Cold Storage Pvt. Ltd. C-34/2, Lawrence Road Industrial Area	Storage and meat processing.	ETP (biological) found in operation but aeration was started after arrival to the plant. Trade effluent is being discharged into the drain.	-----	Consent valid upto 6/9/10.	Closure direction u/s 33(A) of Water Act. Closure Direction u/s 5 of E.PA.Revocation of consent.	The unit was inspected by SEE . Subsequently the unit has filed an affidavit saying that adequate biological ETP has been installed. As regards the treated effluent was being disposed off into the drain, the affidavit states that the effluent is being discharged in sewer now. In view of the above affidavit, the same inspection team may verify and submit the inspection report on 16.11.07.
10	Kaytis Food Preservers, A-3, Lawrence Road Industrial Area., Delhi-35	Ketchup, Jam, Vegetable Products.	Biological E.T.P. Broken inlet Channel in ETP, Therefore partially Bypassed.	Coal fired boiler with bypass arrangement with ESP.	Applied for consent on 7.6.02	Analysis shows-pH – 6.4, TSS -130, BOD-110, COD-288, O&G-6.4 exceeding the limit. Notice u/s 31(A) of Air Act. Notice u/s 33(A) of Water Act.	The unit was inspected by SEE and the following deficiencies were observed (a) broken channel between inlet and outlet thereby partially untreated effluent was being discharged. (b) Coal fired boiler though having an ESP, bypass arrangement exists. In view of the above the unit may be asked to file an affidavit saying that these two deficiencies have been corrected.This affidavit should be filed within 3 weeks and reinspection may be done by same team and put up before on 16.11.07.

11	Shakun Consumer Processor Pvt. Ltd., B-36, Lawrence Road Industrial Area	Mfg.of Bread and other based products.	ETP(Biological) installed but condition indicated that ETP has been put into operation recently. Sludge not observed in sludge drying bed.	Gas as fuel for oven.	Consent (Renewal) valid upto 05/09/09.	Notice u/s 33(A) of Water Act. Show cause notice for refusal of Consent.	No action.
----	--	--	--	-----------------------	--	---	------------

12	Bahadur Singh & Sons (P) Ltd., A-28, Lawrence Road Industrial Area. (Bikanerwala Foods (P) Ltd.	Mfg. of processed food products (sweets and namkeen).	Biological ETP exists. However, condition indicated that not operated for quite some time. Maintenance engineer reported that it is not operated due to maintenance work in the plant. No sludge found.	PNG used for thermic fluid boiler and steam boiler.	Consent valid up to 25.7.08	a) Show cause notice for Revocation of consent. b) Notice u/s 33(A) of Water Act.	The unit was inspected by SEE and it was found that ETP was functional. However treated water was not found discharged. Unit may be asked for BG of Rs. One lakh under Water Act, 1974 to ensure that the ETP is fully functional to ensure to discharge the treated effluent in to the sewer.
13	Jagdish Cold Storage and Ice Factory, Plot No. C-34/1, Lawrence Road Industrial Area	Cold storage and meat processing, Ice mfg.	ETP(physiochemical) is batch process. Sludge drying bed is not proper. Sludge is not stored properly and even one out of five was having lot of water.	-----	Applied for consent renewal on 12/6/06. Applied for authorization on 12/6/06.	Show cause notice for refusal of consent and authorization. Notice u/s 5 of EPA. Notice u/s 33(A) of Water Act.	The unit was inspected by Sh. B. Kumar, SEE. It was found that sludge was not properly stored and .Unit may be asked to submit BG of Rs. 50000/- for one year and correct the deficiencies and file an affidavit within 4 weeks. He may also be asked for apply for consent to establish.
14	Blue Bird Enterprises, 189-191, Lawrence Road Industrial Area	Bread, Buns, Rusks, Bakery items	ETP (Biological) was found perational(only aeration process). Performance of ETP was not satisfactory. No sludge was seen and sludge drying bed was empty.	LDO fired oven.	Applied for consent on 27.9.05	SCN for refusal of consent. Notice u/s 33(A) of Water Act.	The unit was inspected by SEE and found the performace of ETP was not satisfactory and he may file an affidavit to correct his dificiencies. He may also be asked to apply for Consent to Establish.
15	S.K. Service Station, B-51, Lawrence Road Industrial Area	Servicing	No washing activity observed.	Waste oil found in a container.	Consent (Green) valid upto 21/7/09. Authorisation under HW not applied.	Notice u/s 5 of EPA for HW. May be asked to obtain consent under orange category.	Unit may be asked to apply under orange category for Consent to Establish under Water and Air Acts since he is generating HW and also apply for authorization under HW Rules.
16	Suri & Suri (P) Ltd., B-33, Lawrence Road Industrial Area	Meat Processing unit and Cold Storage	Reuse of treated effluent for washing of cloth. Sludge drying bed needs improvement.		Applied for consent renewal on 14.07.06.	Letter for improvement in sludge drying bed.	Unit was found to require improvement in sludge drying pit. Unit may be asked to file an affidavit and BG of Rs. 50000 for correcting his deficiencies.

		Storage.					
17	Samsons Food, B-39, Lawrence Road Industrial Area	Achaar & Food Products.	Biological ETP was in operation. To provide a proper sludge drying bed as condition of sludge drying bed was poor.	Oil fired boiler and oil fired thermic fluid boiler.	Applied for consent renewal on 29.12.05	Letter for improvement of sludge storage(biological ETP) and to increase frequency of cleaning for removal of oil and grease.	Unit was found to require improvement in sludge drying pit. Unit may be asked to file an affidavit and BG of Rs. 50000 for correcting his deficiencies.
18	Dr. Wadhwa Pharmaceuticals Ltd., G-40/1, Lawrence Road Industrial Area	Pharmaceuticals	ETP dismantled. Informed no use of water now. No water discharge observed	-----	Applied for CTO 14.8.02 and again on 25.4.04. Not applied for renewal.	Show cause notice for operating without consent.	Let him apply for Consent to Establish under Water and Air Acts.
19	Melody Ice Factory & Cold Storage, GI-57, Lawrence Road Industrial Area	Ice slabs.	No effluent discharge. Salt water is recycled.	_____	Not applied for renewal of consent after expiry of earlier consent on 28/3/07.	SCN for operating the unit without consent.	Let him apply for Consent to Establish under Water and Air Acts.
20	Panna Lal Tavinder Kumar, B-48, Lawrence Road Industrial Area	_____	_____	_____	Consent applied on 9/8/05 and authorization on 30/8/06.	Found Locked. Not inspeConsent to Establish under Water and Air Actsd. Enquiry reveals not in operation. SCN for refusal of consent and authorization.	Let him apply for Consent to Establish under Water and Air Acts or close down.
21	Chawla Jam Factory, B-48, Lawrence Road Industrial Area	_____	_____	_____	Consent renewal applied on 15/7/05 and authorization on 20/9/06.	Found Locked. Not inspeConsent to Establish under Water and Air Actsd. Enquiry reveals not in operation. SCN for refusal of consent and authorization.	Let him apply for Consent to Establish under Water and Air Acts or close down.

22	Devi Singh Amrik Singh, B-46, Lawrence Road Industrial Area				Consent applied on 15/7/05 and authorization on 20/9/06.	No industrial activity observed. Unit closed from last two years. Other parts of the premises is used for office godowns. SCN for refusal of consent and authorization.	Let him apply for Consent to Establish under Water and Air Acts or close down.
23	Pearl Drinks Ltd., B-42, Lawrence Road Industrial Area	Aerated Drinks	ETP in operation. Sludge generated from biological ETP is stored in a plastic container separate room. Used/ waste oil is found stored in a drum with labeling. Waste water from RO based water treatment plant was treated in ETP. The unit was in process of upgradation of ETP through installation of RBC system.	Natural gas for boiler. HSD for DG Set.	Consent valid upto 13.01.08. Authorisation renewal applied under HW Rules on 28/10/06.	WW analysis shows ph 7.7. TSS-36, BOD-24, COD-68, O&G-<1 which is within the limit. Authorisation application may be considered.	Renewal of authorization on HW Rules granted.
24	Ajaney Cold Storage, B-35, Lawrence Road Industrial Area	Cold storage and meat processing	Biological ETP was in operation. Semi dry and wet sludge found at the sludge drying bed .		Applied for renewal on 15/7/05.	Consent application may be considered.	Renewal of Consent granted.
25	Kwality Ice cream, B-12, Lawrence Road Industrial Area	-----	-----	-----	Unit closed for 1½ years. No Electricity/ Water supply as reported by Security Guard. Consent valid up to 22.7.07. Informed closure on 01.12.05	Action based on file status.	No action.

26	Sipla Food Products, B-64A, Lawrence Road Industrial Area	Achaar and Murabba.	Biological ETP was in operation. Less production due to off season.	Oil fired furnace	Consent valid upto 17.07.08	No action.	No action.
27	Behari Lal Darshan Lal, B-3, Lawrence Road Industrial Area	Achaar and Murabba	Biological ETP was in operation. Being of season small quantity of effluent are generated.	-----	Consent valid upto 20/06/08	No action.	No action.
28	Harnarain Gokal Chand, B-/1, Lawrence Road Industrial Area	Achaar and Murabba	ETP(Biological) plant was found operational. Claimed off season.	-----	Consent valid upto 17/7/08.	DPCC has issued letter that no need to apply for authorization. No action.	No action.
29	Britania Industries Ltd., 33, Lawrence Road Industrial Area	Mfg. of Biscuit and food products.	Biological ETP was found in operation. Total re-utilization of Treated water in domestic toilet and horticulture. Rain water harvesting system (2nos.) in the campus.	Boilers and ovens are operating with PNG.	Consent valid upto 12/02/09	No action.	No action.
30	Kela & Co., Plot No.22, Community Centre, Lawrence Road Industrial Area	Servicing.	-----	-----	Consent and authorization refused. Appeal pending.	Unit was found closed.	No action.