

Minutes of the 45th meeting of the Committee Constituted for Deciding the Consent under Orange Category, held on 17.3.2008 in the Conference Room of Chairman, DPCC.

The following persons attended the meeting on 17.3.2008:

1. Sh. J. K Dadoo, Chairman DPCC
2. Sh. K. Mahesh, Member Secretary, DPCC
3. Sh. S.K.Gupta, Head Chemical Engineering Deptt. ,IIT Delhi
4. Sh. B. Kumar, SEE, DPCC
5. Sh. M. Dwarakanath, SSO, Deptt of Env., GNCTD
6. EEs CMC – I, II & III.
7. AEEs of PGRC.
8. AEEs and JEE of CMC – I, II & III.

Following decisions were taken in the said meeting:-

Agenda Item No. 1- Personal hearing of M/s Structural Fabricators, Piccadily Hotel and North – Ex Mall.

M/s North – Ex Mall:- The unit has not appeared for the hearing and it was decided to call the unit, for personal hearing, on 25.3.2008 at 4.30 PM.

M/s Piccadily Hotel:- After detailed discussion and personal hearing, letter /order was issued in the meeting.

M/s Structural Fabricators :- The unit submitted a request for postponement of the hearing and accordingly the Committee decided to accord hearing on 25.3.2008 at 8.30 PM.

Agenda Item No. 2- Special reference cases.

Decisions taken with respect to the cases of this agenda are annexed as **Annexure – 1.**

Agenda Item No.3- PGRC Cases

Decisions taken with respect to PGRC cases are tabulated and annexed as **Annexure – 2.**

Agenda Item No.4- Representation from Delhi Builders & Promoters Association (Regd.)

Reply may be sent stating that till the parent body MOEF decides the EIA clearance, the subordinate body DPCC cannot issue Consent to Establish.

Agenda Item No. 5- Cases of construction projects

Case of construction at Rani Jhansi Road adjoining Tyre Market was discussed and its details may be brought in the next CMC meeting of construction project in April, 2008.

List of all cases of construction projects being constructed by DDA requiring Consent to Establish & Environmental Clearance be prepared so that the concerned authority DDA may be contacted for early necessary action.

The Committee felt that all the three CMCs must have vital ground information on how many projects requiring CTE & EIA are on the anvil in their respective areas. This information may be included in the CMC of April,2008.

Decisions taken with regard to this agenda are annexed as **Annexure– 3.**

Agenda Item No. 6- Cases of Common Wealth Games

Decisions taken with respect to the cases of this agenda are annexed as **Annexure – 4.**

Table Agenda – Cases of 2 Shopping Malls i.e Ipex Mall of Rishab Buildcon P Ltd and Ring Road Mall by Jacksons Buildwell Pvt Ltd.

These two cases were taken up by the Committee as table agenda and the decisions taken are included in **Annexure – 1** itself.

Meeting ended with thanks to the Chair.

REMARKS	DECISION ON 20.11.07	ATR/Remarks	Decision on 17.3.2008
Applied for Consent to Establish on 17.9.2007. Having EC from MoEF	The unit may be asked to file an affidavit stating that all the conditions laid down in the EC of MOEF have been factored in, in the project report, and will be complied in toto.	Letter issued.	MS to speak to concerned authority. Take up in April, 2008.
Applied for Consent to Establish on 13.9.2007. Having EC from MoEF	The unit may be asked to file an affidavit stating that all the conditions laid down in the EC of MOEF have been factored in, in the project report, and will be complied in toto.	Letter issued on 23.01.08. Reply along with an affidavit received on 11.02.08 stating that all the conditions laid down in EC have been factored in, in the project report, and will be complied in toto.	MS to speak to concerned authority. Take up in April, 2008.
Applied for Consent to Establish on 17.9.2007. Having EC from MoEF	The unit may be asked to file an affidavit stating that all the conditions laid down in the EC of MOEF have been factored in, in the project report, and will be complied in toto.	Letter issued on 23.01.08. No reply received.	MS to speak to concerned authority. Take up in April, 2008.
Applied for Consent to Establish on 30.8.2007. Copy of EC not enclosed.	The unit has applied but not submitted EC from MOEF. The unit may be asked to file the EC expedietously.	Letter issued on 23.01.08. Reply along with an affidavit received on 19.02.08 stating that all the conditions laid down in EC have been factored in, in the project report, and will be complied in toto.	MS to speak to concerned authority. Take up in April, 2008.

Applied for Consent to Establish on 21.9.2007. Having EC from MoEF	The unit may be asked to file an affidavit stating that all the conditions laid down in the EC of MOEF have been factored in, in the project report, and will be complied in toto.	Letter issued on 23.01.08. Reply along with an affidavit received on 03.3.08 stating that all the conditions laid down in EC have been factored in, in the project report, and will be complied in toto.	MS to speak to concerned authority. Take up in April, 2008.
	The unit has applied and paid the necessary fee. The unit may be asked to file an affidavit stating that all the conditions laid down in the EC of MOEF have been factored in, in the project report, and will be complied in toto.	Letter issued on 23.01.08. Reply along with an affidavit received on 28.01.08 stating that they have complied/complying with the the conditions laid down in EC by MoEF before the date when the buildings for CWG will be completed.	List to be given to Chairman for discussion with VC, DDA .
Applied for Consent to Establish on 05.11.2007. Copy of EC not enclosed.	—	Letter issued.	MS to speak to concerned authority. Take up in April, 2008.

Issued notice u/s 25/26 of Water Act and 21/22 of Air Act on 14.5.2007. DDA submitted reply on 4.6.07 stating that the <i>built up area is less than 20000 sq mts.</i> The letter states that they have got EC from MoEF, GOI. Copy of EC obtained through fax from DDA.		Not applied for CTE.	Ask him to apply for Consent to Establish.
---	--	----------------------	--

Office Address	Status of EC Issued /Pending/Not Applied	Date of EC accorded by MOEF	DECISION ON 18.02.08	ATR/REMARKS	Decision on 17.3.2008
CMC-I					
Controller & Audit General (C& AG) of India 10, Bahadur Shah Zafar Marg, New Delhi-02	YES	31-08-06	No action.	No action	No action.
Ex. Engineer, CPWD, L Division, C-422, I.P. Bhawan, I.P Estate, New Delhi		—	Ask him to submit the EIA clearance.	Letter issued on 04.3.08. No reply received.	MS to speak. Take up in April, 2008.
Executive Engg,CPWD Jawahar Lal Nehru Bhawan Project , New Delhi	YES	22-12-06	Consent to Establish granted.	Consent to establish issued	No action.
The Chief Project Manager (Civic Centre), MCD, Site office, Minto Road, New Delhi-110002	P	—	Consent to Establish will be pending till EIA clearance is obtained.	No EC received.	MS to speak. Take up in April, 2008.

The Executive Engineer, CD-IV, C.P.W.D, IARI PUSA, New Delhi	YES	4/10/2007	Ask him to apply for fresh Consent to Establish.	Letter issued on 04.3.08 Not filed CTE.	MS to speak. Take up in April, 2008.
FC:\WINDOWS\hinhem.scr	Y	20-11-07	Ask him to apply for Consent to Establish.	Letter issued on 04.3.08 Not filed CTE.	MS to speak. Take up in April, 2008.
DLF Limited, Sansad Marg, New Delhi	No Builtup area is 20,571.4sqm	—	Ask him to submit EIA clearance of MoE&F first. Also ask him to apply for Consent to Establish.	Letter issued on 04.3.08 Not filed CTE and copy of EC..	Take up in April, 2008.

NBCC Place, Bhishma Pitamah Marg, Pragati Vihar, New Delhi-03	P	—	It has been brought to our notice by the MoE&F that unit has started the construction of the premises prior to obtaining EIA clearance from the MoE&F. As a result MoE&F has directed the unit to stop the construction until it gets the requisite clearance. It has also been noted that the unit has not applied for CTE to DPCC. The unit shall ensure that it applies for CTE under the Air & Water Act immediately and also complies with the directions issued by MoE&F w.r.t. EIA clearance. MS to write to MD, DMRC with a copy to MoE&F. Before writing a letter MS must verify whether MOEF has in fact directed to DMRC to stop the construction.	Letter issued on 05.3.08 after discussions with Director, MoEF, GOI over phone. Not filed CTE and copy of EC..	Give opportunity of being heard to DMRC on 03.04.2008 at 5.00 PM.
---	---	---	---	--	---

275, Capt. Gaur Marg, Srinivas Puri, New Delhi-65	YES	21-05-07	The unit has applied for Consent to Establish. The concerned EE has reported that in a meeting of EA Committee of MoE&F taken on 2-3.11.2006 the unit was found constructing without clearance and was directed to stop construction by MoE&F. This fact may be mentioned in the letter to the unit asking them to verify whether this is factually correct. Copy of this letter may be endorsed to Additional Secretary, MoE&F to again verify the latest status of the unit, and the directions of MoE&F issued so far. Separately, an inspection of this unit may be done by MS and report to CMC on 29.02.2008.	Taken up as an Agenda Item No. - 1	Order issued.
--	-----	----------	--	--	---------------

Hindustan Petroleum Corporation Ltd. MDPL project Office iind floor , Sanrakshan Bhawan, 10 Bhikamaji Cama Place, New Delhi-66	YES	20-06-05	The unit has requested for extension of the Consent to Establish since DDA is yet to grant them land at Tikrikalan Village. Let the unit file a formal extension application along with consent fee. This may be considered in the next CMC on 29.02.2008.	Letter issued on 12.02.08.No formal application has been filed by the applicant.	Take up in April, 2008.
6th Floor, Arunachal Building 19, Barkhamba Road, New Delhi	No	—	Ask him to file EIA clearance. Separately a copy of this letter may be sent to Addl. Secretary, MoE&F to ascertain the latest status of the unit and whether any order has been passed on their application by MoE&F.	Letter issued on 04.3.2008 to the project proponent. Letter issued to MoEF.	Unit be asked to submit an affidavit indicating date of start of construction & date of completion, approved architectural drawing & completion certificate, if received.
CMC-II					

M/s Eros Reports and Hotels Pvt. Ltd., S-1, American Plaza, International Trade Tower, Nehru Place, New Delhi-110019.	YES	6/6/2007 & 16-07-07	Prof. Gupta to inspect on 01.03.2008. EE, CMC-II to accompany him during the inspection. Inspection report to be filed during ATR meeting of these cases in March 2008.	Inspection done on 01.3.08 along with Prof Gupta.. Construction not in progress. Applied for CTE Submitted compliance report on the conditions laid down in EC.	In view of the fact that date of construction of the unit was not made clear even during the inspection, and in view of the fact that the basement construction was started sometime before the Consent to Establish application and Environmental Clearance was received, an opportunity of being heard may be granted to the unit on 25.03.2008 at 4.30 PM.
Sub CBD, Shadhara, Delhi	—	—	Ask the unit to apply for Consent to Establish. Also ask them to file EIA clearance.	Letter issued.	MS to speak to the concerned authority. Take up in April, 2008.
E-34, II Floor, Connought Circus, New Delhi-110001	Y	16-05-07	Ask the unit to file EIA clearance immediately.	Letter issued on 25.02.08. No reply received.	Unit be asked to submit item-wise compliance of conditions laid down in Environmental Clearance and date of start of construction & date of completion through an affidavit. Take up in April 2008.

The Executive Engineer, Building Project Division, P.W.D, Govt of NCT Delhi, B- 133, Near Haiderpur Dispensary, New Delhi- 110052	YES	3/9/2007	Ask the unit to apply for Consent to Establish. Also affidavit complying with EIA conditions.	Letter issued on 25.02.08. No reply received.	MS to speak to the concerned authority. Take up in April, 2008.
Office address not provided	P	—	Ask the unit to apply for Consent to Establish. Also ask them to file EIA clearance.	Letter issued.	MS to speak to the concerned authority. Take up in April, 2008.
Indraprastha University, Kashmere Gate, Delhi - 6	YES	16-01-08	The explanation of concerned EE must be called for why the decision given on the file has not been implemented. Ask the unit to apply for Consent to Establish immediately.	Letter issued on 22.02.2008.	Unit be asked to submit item-wise compliance of conditions laid down in Environmental Clearance through an affidavit and MS to speak to Registrar w.r.t. applying for Consent to Establish.Take up in April 2008.
6th Floor, Arunachal Building 19, Barkhamba Road, New Delhi	P	—	Ask the unit to file the EIA clearance. Separately a copy of this letter may be sent to Addl. Secretary, MoE&F to ascertain the latest status of the unit and whether any order has been passed on their application by	Letter issued. Copy of EC issued by the MoEF submitted by the unit.	Unit be asked to submit item-wise compliance of conditions laid down in Environmental Clearance and date of start of construction & date of completion through an affidavit.

			MoE&F.		
AP Real Estates, C - 8/28, Sector - 7, Rohini, Delhi - 85	P	—	Ask the unit to file EIA clearance.	Letter issued on 25.02.08.o reply received.	MS may write to MOEF to find out the status of EIA clearance. Take up in April, 2008.
Executive Enmgineer (C) Building Projects Division, B - 222, PWD (DS) GTB Hospital Complex Delhi - 95	No information	No information	Not discussed in the CMC meeting dt 18.02.08	Applied for CTE on 12.11.2007	MS to speak . Take up in April, 2008.
Breeze Constrcuions P Ltd DLF Centre 6th Floor, Sansad Marg, N Delhi - 1	No information	No information	Not discussed in the CMC meeting dt 18.02.08	Built up area - 29,884 Sq. Mtr Proposed date of completion - June 2010 Cost of the project - Rs 110.46	MS may write to MOEF to find out the status of EIA clearance. Take up in April, 2008.

Executive Enmgeener Rohini Project Division - 13, Delhi Development Authority Deepali Chowk, Sector - 3, Rohini Delhi - 85	No information	No information	Not discussed in the CMC meeting dt 18.02.08	Built up area - 76160 Sq.Mtr. Date of commencement - Apr 2008 Date of completion - Mar 2010	MS may write to MOEF to find out the status of EIA clearance. Take up in April, 2008.
Executive Engineer, Rohini Project Division - 9, DDA, Rohini, Delhi -85	No information	No information	Not discussed in the CMC meeting dt 18.02.08	Total plot area - 53600 Sq.Mtrs	MS may write to MOEF to find out the status of EIA clearance. Take up in April, 2008.
CMC-III					
Educational Consultants India Limited, Ed. CIL House, 18A, Sector 16A, NOIDA-201301	NO	—	Ask the unit to file EIA clearance. Separately a copy of this letter may be sent to Addl. Secretary, MoE&F to ascertain the latest status of the unit and whether any order has been passed on their application by MoE&F.	Letter issued on 04.3.2008 to the project proponent. Letter issued to MoEF.	Take up in April, 2008.
PWD Division No. 27, Dabri Police Station Campus, Dabri, New Delhi- 110045	YES	22-01-07	Ask the unit to submit an affidavit seeking itemwise compliance of EIA conditions.	letter issued on 05.3.08	MS to speak. Take up in April, 2008.

National Building Construction Corporation Ltd., NBCC Bhawan, Lodhi Road, New Delhi-110003	YES	21-03-07	Ask the unit to submit an affidavit seeking itemwise compliance of EIA conditions.	letter issued on 05.3.08	MS to speak. Take up in April, 2008.
Executive Engineer(CPWD)Outer Delhi Divison, East Block-4(Level-II) RK Puram, N. Delhi-66	YES	29-12-06	Ask the unit to submit an affidavit seeking itemwise compliance of EIA conditions.	letter issued on 05.3.08	MS to speak. Take up in April, 2008.
ONGC, Jeewan Bharti Building Tower-II, 7th and 8th Floor, 124 Indra Chowk, N.Delhi-110001	YES	28-11-06	Ask the unit to submit an affidavit seeking itemwise compliance of EIA conditions. Each unit must specify what is the exact activity on each of the two plots.	letter issued on 04.03.08	Consent to Establish granted.
ONGC, Jeewan Bharti Building Tower-II, 7th and 8th Floor, 124 Indra Chowk, N.Delhi-110001	YES	28-11-06	Ask the unit to submit an affidavit seeking itemwise compliance of EIA conditions. Each unit must specify what is the exact activity on each of the two plots.	letter issued on 04.03.08	Consent to Establish granted.

Qutab Ambience, Mehrauli Road, New Delhi-30	YES	28-11-06	Ask the unit to submit an affidavit seeking itemwise compliance of EIA conditions.	letter issued on 03.03.08	Take up in April, 2008. Ask the unit to submit an affidavit w.r.t. date of start of construction and likely date of completion of construction.
11th Floor Jeewan Prakash Building, 25 K.G. Marg, N.Delhi-110001	YES	29-11-06	Ask the unit to submit an affidavit seeking itemwise compliance of EIA conditions.	letter issued on 05.03.08	Take up in April, 2008. Ask the unit to submit an affidavit w.r.t. date of start of construction and likely date of completion of construction.
Delhi Metro Rail Corporation Ltd., 3rd Floor, NBCC Place, Bhishampitamah Marg, Pragati Vihar, Delhi-110003	YES	20-12-06	Ask the unit to submit an affidavit seeking itemwise compliance of EIA conditions.	letter issued on 03.3.08	Take up in April, 2008. Ask the unit to submit an affidavit w.r.t. date of start of construction and likely date of completion of construction.
Lower Ground Floor, C-4/5 Safdarjung Development Area, New Delhi -16	—	—	Ask him to file EIA clearance. Separately a copy of this letter may be sent to Addl. Secretary, MoE&F to ascertain the latest status of the unit and whether any order has	Letter issued on 03.3.2008 to the project proponent. Letter issued to MoEF	MS to speak to MOEF. Ask the unit to submit an affidavit w.r.t. date of start of construction and likely date of completion of construction. Take

			been passed on their application by MoE&F.		up in April, 2008.
CPWD, HUDCO Project Division No. 1, Andrews Ganj, New Delhi-110049	YES	5/6/2007	Ask the unit to apply for Consent to Establish. Also ask them to file an affidavit for compliance of EIA clearance conditions.	letter issued on 03.03.08	MS to speak. Take up in April, 2008.
Okhla Industrial Estate, New Delhi	—	—	Ask him to file EIA clearance. Separately a copy of this letter may be sent to Addl. Secretary, MoE&F to ascertain the latest status of the unit and whether any order has been passed on their application by MoE&F.	Letter issued on 04.3.2008 to the project proponent. Letter issued to MoEF	MS to speak to MOEF. Ask the unit to submit an affidavit w.r.t. date of start of construction and likely date of completion of construction. Take up in April, 2008.
229, Okhla Industrial Estate Phase-III, New Delhi-110020	NOT REQUIRED	Not Required(Letter from MoEF dated 9.07.2007)	Inspect and report on 29.02.2008.	letter issued on 13.03.08.	Take up in April, 2008.

Executive Engineer ED-IV, DDA, CBD Shahdara, Near Pashupati Nath Mandir, Karkardooma, Delhi	—	—	Ask him to file EIA clearance. Separately a copy of this letter may be sent to Addl. Secretary, MoE&F to ascertain the latest status of the unit and whether any order has been passed on their application by MoE&F.	Letter issued on 04.3.2008 to the project proponent. Letter issued to MoEF	MS to speak. Take up in April, 2008.
Guru Gobind Singh Indraprastha University, Kashmere Gate, Delhi	YES	12/2/2007	Unit may be asked to file an affidavit for compliance of EIA clearance conditions.	letter issued on 05.3.08	MS to speak. Take up in April, 2008.
Uppal Housing Ltd.(Formerly known as Uppal Housing Pvt. Ltd.), S-39 A, Panchsheel Park, New Delhi	—	—	Ask him to file EIA clearance. Separately a copy of this letter may be sent to Addl. Secretary, MoE&F to ascertain the latest status of the unit and whether any order has been passed on their application by MoE&F.	Letter issued on 03.03.2008 to the project proponent. Letter issued to MoEF	MS to speak to MOEF. Ask the unit to submit an affidavit w.r.t. date of start of construction and likely date of completion of construction. Take up in April, 2008.
Uppal Housing Ltd.(Formerly known as Uppal Housing Pvt. Ltd.), S-39 A, Panchsheel Park, New Delhi	YES	17-05-07	Unit may be asked to file an affidavit for compliance of EIA clearance conditions.	letter issued on 05.03.08	Take up in April, 2008. Ask the unit to submit an affidavit w.r.t. date of start of construction and likely date of completion of construction.

DLF Centre, Sansad Marg, New Delhi-110001	YES	26-12-07	Unit may be asked to file an affidavit for compliance of EIA clearance conditions.	letter issued on 4.3.08	Unit be asked to submit an affidavit indicating date of start of construction & date of completion.
Executive Engineer(CPWD) Construction Division No. VI, I.P. Bhawan, N.Delhi- 110001	—	—	Ask the unit to apply for afresh Consent to Establish. Also ask them to file EIA clearance.	letter issued on 03.03.08	MS to speak. Take up in April, 2008.
Executive Engineer(CPWD) Construction Division No. XII, 3rd Floor, I.P. Bhawan, N.Delhi-110002	—	—	Ask the unit to apply for afresh Consent to Establish. Also ask them to file EIA clearance.	letter issued on 03.03.08	MS to speak. Take up in April, 2008.

DLF Centre, Sansad Marg, New Delhi-110001	—	—	Ask him to file EIA clearance.	letter issued on 03.03.08	Unit be asked to submit an affidavit indicating date of start of construction & date of completion, approved architectural drawing & completion certificate, if received.
Executive Engineer,DDA , Squash and Badminton Stadium, Sri Fort Complex	—	—	Ask the unit to apply for Consent to Establish. Also ask the previous EE to file his explanation on whose orders notice was issued.	letter issued on 05.3.08	MS to check from MOEF for Environmental Clearance. Take up in April, 2008.
M/s Indian Farmers Fertilizer Co-Operative Ltd. , C-I, District Centre Saket, Saket, Delhi	—	—	Ask the unit to apply for Consent to Establish. Also ask the previous EE to file his explanation on whose orders notice was issued.	letter issued on 05.3.08	MS to speak and also check from MOEF for Environmental Clearance. Take up in April, 2008.
Plot No. C-4 District Centre, Saket, New Delhi	—	—	Ask the unit to apply for EIA clearance.	letter issued on 04.03.08	MS to speak to concerned authority. Take up in April, 2008.

CRRI Campus, Mathura Road, New Delhi	—	—	Ask the unit to apply for Consent to Establish. Also ask the previous EE to file his explanation on whose orders notice was issued.	letter issued on 05.3.08	MS to speak. Take up in April, 2008.
Executive Engineer, Construction Division No.- 3, CPWD, 120, Pushpa Bhawan, New Delhi-62	YES	5/6/2007	Unit may be asked to file an affidavit for compliance of EIA clearance conditions.	letter issued on 05.03.08	MS to speak. Take up in April, 2008.
Executive Engineer, South Western Division- 6,DDA,Dwarka,New Delhi-75	NO		Ask him to file EIA clearance. Separately a copy of this letter may be sent to Addl. Secretary, MoE&F to ascertain the latest status of the unit and whether any order has been passed on their application by MoE&F.	Letter issued on 03.03.2008 to the project proponent. Letter issued to MoEF	MS to speak. Take up in April, 2008.

Address	Brief of the case	Decision on 17.03.08
Gali No.207, Vishram Nagar, Tri Nagar, Near Old bus stand, Delhi	A public Complaint was received through L.G. Office.As directed inspection was carried out by DPCC officials on 11.03.2008. The details of the three plastic units are as below:(1) M/s Bansal Plastic, 2791/207 (GF&SF), Vishram Nagar, Tri Nagar is engaged in the mfg. of plastic dana. Unit has not taken any step to channalise the emissions generated during the process.Activity of the unit falls under F-27/33 Category of highly polluting category and operating in non-conforming/residential area.(2) M/s Guptal Plastic, 2816/207 (GF), Vishram Nagar, Tri Nagar is engaged in the mfg. of plastic dana. Unit has not taken any step to channalise the emissions generated during the process.Activity of the unit falls under F-27/33 Category of highly polluting category and operating in non-conforming/residential area.(3)M/s Krishna Plastic, 2797/207 (GF), Vishram Nagar, Tri Nagar is engaged in the mfg. of EVA/plastic Shoes & Chappals. Unit has installed a duct fitted with an exhaust fan to channalise the emissions generated during the process.Activity of the unit falls under F-27/33 Category of highly polluting category and operating in non-conforming/residential area.	Send all the three cases to concerned Dy. Commissioner for action as per F-27/33 category of Hon'ble Supreme Court..

16 Cottage/ Shop No. I-67, West Patel Nagar, New Delhi-08	A public complaint was received from Dr. M.M Anand against M/s Guru Nanak Agencies marked as "TLC" which was inspected by DPCC officials on 14.02.2007. As approved a letter was issued to Dy. Commissioner, MCD (West Zone) on 18.04.2007 for of the unit due to violation of the provisions of MPD - 2001. One more complaint has been received from Dr. M.M. Anand on 26.02.2008 alongwith photographs etc. As per directions inspection of both the unit were carried out on 12.03.2008 as per details given below:- M/s Guru Nanak Agencies, 16-Cottage:- At present the unit is engaged in PCO, sale/ purchase of old cars, sale of existing spare parts & battery of Amco Co. Three vechicles including two nos. for sale were found parked on the road side infront of the shops. M/s Timsy Car Care, I-67:- This is a small shop of approximatly 8 to 10 square yards and engaged in repairing of cars on road side. Spillage of oil was observed on ground. it was reported that the work is being carried out app. 12 to 15 years. But no proof was available.	The case be forwarded to Dy. Commissioner, MCD & Commissioner of Industries. Notice u/s 5 under EPA Act, 1986 be issued for violation of HWM Rules.
Sector-11, Rohini Delhi-85	A copy of form- I, TOR & Pre- Feasibhiltiy Report for he proposed project has been received from Head of Department (HOD), Power Procurement and Generation, North Delhi Power Limited (NDPL) CENNET Building adjacent to 66/11 KV Pitampura, Delhi-34, with reference to MOEF letter dated 25.02.2008. The site for proposed project is located in sector-11, Rohini, Delhi-85 & total project cost Rs. 256.48 Crores. The proposed project false in category B as per EIA notification dated 14.09.2006. As per the letter of NDPL, the proposed project was to be appriased during 18th EAC meeitng on 13th March, 2008 for finalising the terms of reference for for the EIA Studies to be undertaken by the proponent in accordance with the provisions of the EIA Notification, 2006. Thereafter, after deciding the Term of Reference of EIA report which will be communicated to the Project Proponent by MOEF. Then the Project Proponent will submit 20 hard & soft copies of EIA report alongwith other documents to DPCC for conducting public hearing.	The unit has sent pre-feasibility report for information to DPCC. The unit may be informed through a letter that they should file their Environmental Clearance when received along with application for Consent to Establish.

Activity	Earlier Decision, if any	ATR/Remarks	Decision on 17.3.08
Petrol Pump cum service station		Applied for CTE on 07.2.2008 vide ID No. 24898. Earlier the unit had CTO two times from the year 2000 to 2006.	Consent to Establish granted.
Sports and recreation club	25.01.2008 Case to be taken up in next month CMC.	Consent o establish was issued to the unit on 02.11.2007. Consent to operate dt 26.4.2007 to be decided.	Case to be taken up in last CMC of April, 2008.
Automobile service station		Unit has applied for consent to establish on 12.10.07 vide ID No. 23889. Not aplied for authorisation under HW rules.	Ask the unit to apply for authorization under HWM Rules.
5 star hotel		Applied for renewal of consent (second time) on 11.9.2006 vide ID no. 19277. Not applied for auth under HW rules No inspection since 2003 has been carried out. Letter for ISO 14001 certification issued on 28.2.08 as decided by the CMC in its meeting dated 18.02.08	Ask the unit to apply for authorization under HWM Rules.
Plastic Bottles and Comb		Unit applied for CTE on 13.8.07 vide ID No . 23120.	Wait for Justice Chopra Committee report.
Hotel		Not applied/obtained CTE	Issue a letter asking the unit to apply for Consent to Establish.

Shopping Mall	11.3.2008 Unit has filed Consent to Establish on 23.10.2007 & obtained EC on 29.02.2008. Website reveals that MOEF has directed the unit to stop construction. It is obvious that the unit has started construction much before Consent to Establish & EC. Unit may be asked to file an affidavit indicating start of construction, likely date of completion of construction and approved architectural drawing and item-wise compliance of conditions laid down in Environmental Clearance. Case to be taken up in April, 2008.	Received letter from MoEF for action under EPA.	Get the attested copy of the letter regarding prosecution of the unit from MOEF. Give him a personal hearing on 03.04.2008 at 5.30 PM.
Commercial Complex	10.3.2008 Ask him to apply for Consent to Establish. MS to inspect. Case to come up on 25.03.2008.	Inspection done by MS, DPCC. Letter issued for CTE	Ask both the projects to apply for Consent to Establish. Inform about the deficiencies found during the inspection for correction.