

Minutes of the 51st and 52nd meetings of the Committee Constituted for Deciding the Consent under Orange Category, held on 23.4.2008 and 24.4.2008 in the Conference Room of Chairman, DPCC.

The following persons attended the meeting:

1. Sh. J. K Dadoo, Chairman DPCC
2. Sh. K. Mahesh, Member Secretary, DPCC
3. Sh. S.K.Gupta, Head Chemical Engineering Deptt. ,IIT Delhi
4. Sh. B. Kumar, SEE, DPCC
5. Sh. M. Dwarakanath, SSO, Deptt of Env., GNCTD
6. EEs CMC – I, II & III.
7. EE and AEEs of PGRC
8. AEE, Enquiry Counter
9. AEEs and JEE of CMC – I, II & III.

Following decisions were taken in the said meeting:-

Agenda Item No.1- Personal hearings Piramyd Mall and Commercial Complex by Parsvanath at Inder Lok Metro Station

M/s Piramyd Mall: Sh. Birender Singh, General Manager (Legal), BPTP Ltd., 5th & 6th Floor, DCM Building, 16, Barakhamba Road, Connaught Place, New Delhi-110001 came for personal hearing and appears to be unaware of most of the operational and legal details of the mall which has been constructed without Consent to Establish. The said mall was constructed by them and at present, the premises has been given on lease to India Bulls. Since the mall does not require Environmental Clearance as the built up area is less than 20,000 sq.mts, opportunity is being given to the unit to file Consent to Establish application immediately and the case will be heard on 01.05.2008.

Commercial Complex by Parsvanath at Inder Lok Metro Station: The personal hearing was attended by Sh. Sandeep Mukherjee, Sr. Manager (Strategic Planning).The unit claims that it is only a tenant in the DMRC property and therefore has no role to play with respect to any adherence to environmental legislations. The unit has filed a letter saying that the commercial space has been concessioned to them and has been constructed by DMRC.

Clause (E) of the concession agreement filed by the unit states “ DMRC proposed to grant to a selected person a concession to develop, procure, finance, construct, manage, maintain and licence the use of the built up spaces and facilities in the Specified Area for specified purposes (the Project authorized to be undertaken is hereinafter call the ‘Project’)”

In view of the above, the status of the unit is not that of a tenant by any logical method of analysis and requires them to file the Consent to Establish application along with details of D.G. Sets and waste water discharge. This must be done by 14.05.2008. The case be taken up in CMC meeting on 14.5.2008.

The representative of Parvsanath Developers Ltd also raised the issue of payment of cash penalty and BG for **Commercial Project at Welcome Metro Station** and the unit has given a letter saying that they have erroneously given a figure of 40 % of construction last time on 11.4.2008. The actual construction is only about 20 %. The unit however has no document to substantiate its claim. The unit is allowed time to file an appropriate clear & correct document along with the photographs by 30.04.2008. Case to come up on 30.04.2008.

Agenda Item No.2- Shopping Mall cases

Decisions taken with respect to this agenda are annexed as **Annexure – 1.**

Agenda Item No.3- Review of ATR wrt Construction project cases

Decisions taken with respect to this agenda are annexed as **Annexure – 2.**

Some cases are coming to the notice of CMC whereby the local bodies issue the building plan clearances without asking for Consent to Establish from DPCC or Environmental Clearance from MoEF, GOI. Draft letter may be put up from Chairman to Commissioner, MCD, Vice Chairman, DDA, Chairperson, NDMC & Chief Ex. Officer, Delhi Cantonment Board to ask for Consent to Establish / Environmental Clearance before doing the same.

Agenda Item No. 4- PGRC Cases

Decisions taken with respect to this agenda are tabulated and annexed as **Annexure – 3.**

The DOEAC official may be asked to prepare software, whereby every unit referred to Commissioner of Industries / Dy Commissioner / SDM gets automatically updated when the minutes are issued and uploaded on the net. This will ensure that updated figures of all such units are available immediately whenever required administratively.

It has come to the notice of CMC that, units who are water guzzlers consuming more than 100 KLD of water are neither doing self assessment nor registering themselves for assessment of cess by the DPCC staff. A polite notice may be issued in all the newspapers asking them to self assess if they use less than 100 KLD. SEE (Plg) is hereby directed to ensure that he goes through the complete list of computer entered units and quickly checks and confirm within a month to CMC how many defaulter units exist which are violating the provisions of Water Cess Act, 1977.

Agenda Item No. 5- Renewal cases of Okhla Indl Area

Due to paucity of time, it was decided to take this agenda item in the meeting slated for 01.5.2008.

Agenda Item No.6- Review of ATR of decisions taken wrt SMA, SSI and RUN Indl Areas

Due to paucity of time, it was decided to take this agenda item in the meeting slated for 01.5.2008.

Agenda Item No. 7- Documents to be taken with CTE application

The Committee discussed the issue and it was decided that no action is warranted at this stage.

Agenda Item No. 8- Redevelopment of existing industrial areas

For want of time, it was decided to take this agenda item in the meeting slated for 01.5.2008.

Agenda Item No. 9- Review of ATR of WIA cases.

ATR of Wazirpur Industrial Area cases was reviewed on 24.04.2008 and decisions taken are tabulated & annexed as **Annexure – 4.**

All the cases of WIA will be taken up on 28.05.2008.

Meeting ended with thanks to the Chair.

1	Y.M.C Buildmore pvt ltd construction of Commercial Complex at plot no 12 Laxmi nagar Distt Centre (V3S Mall)	10.03.2008 Since an attested copy has been received from the MOEF saying action may be taken, this is a development over and above the Committee meeting decision on 05.02.2008. Like other cases an opportunity of being heard may be given to the unit on 25.03.2008 at 5.00 PM. 28.03.2008 Letter be issued seeking penalty and BG as was done in the first case i.e. M/s Splendor Forum. 11.4.2008 15 days elapsing on 19.04.2008. Take up on 23.04. 2008.	Cash penalty and BG submitted on 17.4.2008 and CTE issued on 18.4.2008	No action.
2	Cross River Mall, 9B & 9 C, Central Business Shahdara, New Delhi-95	10.03.2008 The unit claims it is not covered by the 2004 not ification, but have not adduced any proof of such exemption. The unit may therefore be asked to file an affidavit adducing proof of his assertion. The unit started construction in 2004 and did not bother to apply for CTE till 07.01.2008. In the same affidavit unit may be asked to explain how and why he has failed to file the CTE application. Let the unit be given an opportunity of being heard on 25.03.2008 at 6.00 PM and the unit may be directed to file the above affidavit before that day. 03.04.2008 The unit may be asked to file an affidavit with concrete proof that it had come upto the plinth level on 07.07.2004 and therefore was not hit by the notification of MOEF dated 07.07.2004 regarding EIA. MS may separately check with DDA the basis of the compounding fee to ascertain the extent of construction which corresponds to the compounding fee of Rs. 1.17 Lakh. Based on these documents and findings, a decision will be taken about this case in the CMC on 23.04.2008.	Letters to the unit and DDA written. Reply not yet received.	Take up on 30.04.2008
3	Structural Fabricators Pvt Ltd (Anant Raj Agencies P ltd) Commercial Complex at 67 Najafgarh Road, Kirti Nagar	11.04.2008 The unit was given personal hearing and he agreed to pay the cash penalty of Rs. 5 lakh. Bank guarantee to be waived off, in case the project proponent files a proof of paying penalty to M.C.D. before 23/04/08. If the unit does so, then 'Consent to Establish' to be granted with a copy to Additional Secretary, MOE&F. 11.4.2008 The Committee decided that as in the case of other malls where penalty was calculated on pro -rata basis, based on the percentage of construction carried out, project proponent be asked to deposit a cash penalty of Rs. 5 lakhs. Bank guarantee be waived, in case the project proponent files proof of paying penalty to M.C.D. before 23/04/08. If he does so, then 'Consent to Establish' may be granted w ith a copy to Additional Secretary, MOE&F.	Cash penalty of Rs. 5 lakhs submitted by the unit. CTE issued.	No action.

4	DLF Universal Ltd. Construction of Commercial Complex name DLF Court Yard at Plot No. A4 & P-1A, Saket Place, New Delhi-17	11.03.2008 Unit has applied for Consent to Establish on 25.09.2007 and Environmental granted on 15.01.2007. It is obvious that he started the construction before the Environmental Clearance. He has filed an affidavit indicating item-wise compliance the Environmental Clearance conditions. He may be asked an affidavit indicating date of start of construction and date of completion and architectural drawing and compliance certificate. DPCC inspection indicating start of construction much before the Environmental Clearance. Unit may be given an opportunity of being heard in 25.03.2008 at 6.30 PM. 17.4.2008 Take up on 23.4.2008	Letter for penalty of Rs. 35 Lakhs and Bank Guarantee of Rs. 3.15 Crore issued on 04.04.2008 as per the decision of CMC meeting dated 28.03.2008 and 03.04.2008. No reply received.	Court case discussion with advocate for filing the reply.
5	Parvsanath Developers Ltd Commercial Project At Welcome Metro Station	11.03.2008 Unit has applied for Consent to Establish on 09.04.2007. Website of MOEF indicates that MOEF has directed stoppage of construction. Let the unit file an affidavit indicating date of start of construction and completion of construction, approved architectural drawing and completion certificate. Case will be taken up in April, 2008 CMC. 11.4.2008 Personal hearing given and unit was asked to file cash penalty and BG of Rs. 15 lakhs. 17.4.2008 Take up on 23.4.2007	No cash penalty and BG submitted by the unit.	Case to come up on 30.4.2008

S.No	Name of Agency /Promoter with Location	Office Address	Type of Project	Earlier decision, if any	ATR/Remarks for 23.4.2008	Decision on 23.4.08
		CMC-I				
1	Controller & Audit General (C& AG) Office Complex at Pocket 9, Deen Dayal Upadhyay Marg, New Delhi Rouse Avenue	Controller & Audit General (C& AG) of India 10, Bahadur Shah Zafar Marg, New Delhi-02	Office Complex	17.3.2008 No action.	No action.	No action.
2	Ex. Engineer, CPWD (Construction of residential flats), Pocket-6 of Rouse Avenue Complex, Along DDU Marg	Ex. Engineer, CPWD, L Division, C-422, I.P. Bhawan, I.P Estate, New Delhi	Residential Complex	17.3.2008 MS to speak. Take up in April, 2008.	Spoken to Sh. Rajeev Kumar, EE. He requested to send a letter again through Fax. Accordingly, the letter has been faxed. Reply awaited. Unit has failed to submit any response.	MS to follow up. Call on 21.05.2008.
3	Construction of Office Building (MOEA) by CPWD (Jawahar Lal Nehru Bhawan, Plot No 23-D, Maulana Azad Road, New Delhi)	Executive Engg.CPWD Jawahar Lal Nehru Bhawan Project , New Delhi	Office / residential complex	17.3.2008 No action.	No action.	No action.
4	MCD, Civic Center at J.N. Marg, Delhi	The Chief Project Manager (Civic Centre), MCD, Site office, Minto Road, New Delhi-110002	Office Complex	17.3.2008 MS to speak. Take up in April, 2008.	Spoken to Sh. Naresh Kumar, Addl. Secretary. Unit has submitted a copy of EC accorded by MOEF on 18th July, 2007. As directed a letter of compliance of EC conditions has been issued on 04/04/08. Case was discussed in CMC on 17.4.08.File under process.	Issue letter to MCD as decided in CMC on 17.04.2008.
5	Executive Engineer, CPWD ,Const. of General Pool Housing at Dev Nagar	The Executive Engineer, CD-IV, C.P.W.D, IARI PUSA, New Delhi	Office / residential complex	17.3.2008 MS to speak. Take up in April, 2008.	Spoken to Sh. Ravinder Yadav, AE. He has assured that they will apply for CTE.	Call on 21.05.2008
6	Central Bureau of Investigation,Construction OF CBI Building at Plot no 5 b, CGO Complex, Lodhi Raod, New Delhi	Plot no 5 b, CGO Complex, Lodhi Raod, New Delhi	Office Complex	17.3.2008 MS to speak. Take up in April, 2008.	Unit was issued a letter for seeking Consent to Establish on 04-03-08. Unit has applied for the same on 19/03/08.	Issue Consent to Establish and ask the unit to file item-wise compliance of environmental clearance conditions through an affidavit.



7	DLF Limited, Construction of Office Complex at DLF Centre Sansad marg	DLF Limited, Sansad Marg, New Delhi	Office Complex	17.3.2008 Take up in April, 2008.	Unit was issued a letter for seeking EC from MOEF and consent to establish on 04-03-08. Unit has submitted reply on 25-03-08 wherein it has stated that its office building "DLF Centre" was completed in accordance with the sanctioned plan by NDMC and put in operation in 1991 therefore it would be infructuous to apply for Consent to Establish. Further, it has submitted in regard to EC from MOEF that the building was constructed and occupied long before the EIA notification came into effect.SEE studied the file.	There is no provision in law to provide Consent to Operate directly without Consent to Establish. Let the unit, therefore, file application for Consent to Establish and self assessed cess by 21.05.2008.
8	DMRC , Construction of operation control centre (Metro Bhawan) of Delhi Metro Rail Corporation Ltd at Fire Brigade, Lane Connaught Place, New Delhi	NBCC Place, Bhishma Pitamah Marg, Pragati Vihar, New Delhi-03	Metro Bhawan	17.3.2008 Give opportunity of being heard to DMRC on 03.04.2008 at 5.00 PM.	The unit has applied for CTE on 01-04-08 .Personal hearing accorded by the Committee on 03.4.08. The case was discussed and the unit suggested that it would like to represent its case once again before MOEF the Committee decided for another personal hearing on 10-04-08 at 5.30 pm. Accordingly letter has been issued and faxed on 09/04/08.	Let the unit file item-wise compliance of environmental clearance conditions through an affidavit by 21.05.2008. Take up on 21.05.2008.
9	Piccadily Hotel at District Center, Janakpuri, Delhi	275, Capt. Gaur Marg, Sriniwas Puri, New Delhi-65	Hotel	17.3.2008 Order issued.	The unit has not submitted any reply wr.t t to the order issued on 17-03--08. The case shall be taken up on 17-04-08 since 30 days time are not completed.	Issue letter as drafted by hand this week.
10	Hindustan Petroleum Corporation Ltd. (HPCL), Mundra-Delhi Pipeline Project, Haryana Border to Tikri Kalan	Hindustan Petroleum Corporation Ltd. MDPL project Office iind floor , Sanrakshan Bhawan, 10 Bhikamaji Cama Place, New Delhi-66	Pipeline	17.3.2008 Take up in April, 2008.	In the CMC Orange Meeting Dated 18-02-08 it was decided that unit should file a formal extension application alongwith consent fee. Accordingly unit was issued a letter on 28-02-08. Unit has submitted a reply alongwith a banker cheque for Rs 7,800 against Consent fee for three years and has requested for extending the validity of consent to establish by a period of three years upto 24-01-11. The unit has also mentioned that Additional Secretary to LG Delhi has written a letter to DDA advising it to acquire land for HPCL.at Tikri Kalan.	Extended for three years from 24.01.2008.

11	Parsvnath landmark developers Pvt. Ltd Construction of Residential Complex at Subhash Nagar	6th Floor, Arunachal Building 19, Barkhamba Road, New Delhi	Residential Complex	17.3.2008 Unit be asked to submit an affidavit indicating date of start of construction & date of completion, approved architectural drawing & completion certificate, if received.	Case discussed in the CMC Meeting dated 17-03-08. Accordingly a letter was issued on 01-04-08. In response to our letter, unit has submitted a reply on 02.4.08 where in it has mentioned that as per DPCC consent policy the CTE will be granted with in the period of 4 month after the receipt of the application for Consent but neither their CTE application was accorded with a formal CTE nor it was formally rejected, nor any in- sufficiency in application was communicated to the unit till date. Further it has reported that total Builtup area is 19, 928.954sqm (super structure area 12, 852 sqm + basement area 7, 076.416 sqm) therefore the proposed project does not come under the purview of the EIA notification no S.O 1533 dt 14-06-09. Unit submitted one more letter on 06.4.08 stating that the building plan is yet to be approved for want of CTE. However, in the letter of MCD condition is wrt submission of EC from MoEF.	Since the unit is trying to avoid the Environmental Clearance by showing himself only 77 sqm short of the norms, MS may write to Addl. Commissioner (Engineering), MCD to confirm the actual built up area proposed in the building plan. Call on 21.5.2008.
12	Hotel Queen Road Pvt. Ltd., 19, Ashoka Road, Connaught Place, New Delhi-01	Hotel Queen Road Pvt. Ltd., 19, Ashoka Road, Connaught Place, New Delhi-01		11.4.2008 Ask the unit to file Environmental Clearance along with affidavit indicating date of start of construction, date of completion, built up area, approved architectural drawing completion certificate. This case will be taken up on 30th April, 2008 & must be listed in the Construction Projects list.		Call on 30.04.2008.
13	Leela Palce Hotel, Vinay Marg, Africa Avenue, Chanakya Puri, New Delhi	Leela Venture Limited, 905, Arunachal Building, Bharakamba Road, New Delhi - 1		Nil	Notice was issued to the unit to apply for CTE and submit a copy of EC on 09.4.2008 as approved by Chairman. No reply received as yet.	Issue a reminder to both the addresses to file Consent to Establish and environmental clearance by 30.04.2008. Call on 30.04.2008.

14	Indus Hotel & Spa Plot No. - D, Paschim Vihar Dist Centre, New Delhi	Office adress not avaiable		Nil	On perusal of the website of the MoEF, GOI, Environmental Appraisal Committee in its meeting dated 13.3.2008 the project proponent was asked to carry out certain tasks. Not applied for CTE.	Issue notice to file Consent to Establish and environmental clearance by 14.05.2008. Call on 14.05.2008.
		CMC-II				
1	Construction of proposed Hotel "Crown Plaze" at Plot No. 13-A, 13 B District Centre, Mayur Vihar, New Delhi-110096	M/s Eros Reports and Hotels Pvt. Ltd., S-1, American Plaza, International Trade Tower, Nehru Place, New Delhi-110019.	Construction of Hotel "Crown Plaze"	17.3.2008 In view of the fact that date of construction of the unit was not made clear even during the inspection, and in view of the fact that the basement construction was started sometime before the Consent to Establish application and Environmental Clearance was received, an opportunity of being heard may be granted to the unit on 25.03.2008 at 4.30 PM. 03.4.08 Personal hearing accorded. Asked to submit pealty, BG and separate CTE applications by 10.4.08		No action.
2	General Pool Office Complex	Sub CBD, Shadhara, Delhi	Office / residential complex	17.3.2008 MS to speak to the concerned authority. Take up in April, 2008.	Letter issued on 13.3.08. Spolen to Sh. A.K. Kashyap, EE. Reply received on 03.4.08 stating that the letter issued to wrong address.	Fresh letter at correct address be sent.
3	Negolice India Ltd. Construction of Residential Complex named "VVictoria Gardens" at Ring Road, Azadpur, New Delhi	E-34, II Floor, Connought Circus, New Delhi-110001	Residential Complex	17.3.2008 Unit be asked to submit item-wise compliance of conditions laid down in Environmental Clearance and date of start of construction & date of completion through an affidavit. Take up in April 2008.	Letter issued on 07.4.08. Reply received.	Let the unit file the forest clearance and let him comply with STP condition of MOEF rather than becoming a judge in his own case. All other conditions not mentioned in the compliance affidavit must also be done by 14.05.2008. Call on 14.05.2008.

4	The Executive Engineer, Building Project Division, P.W.D Govt of NCT Delhi for construction of Lawyers Chambers at District Court Complex, Rohini	The Executive Engineer, Building Project Division, P.W.D, Govt of NCT Delhi, B-133, Near Haiderpur Dispensary, New Delhi- 110052	Lawyers Chambers	17.3.2008 MS to speak to the concerned authority. Take up in April, 2008.	Spoken to Sh. B.B. Dhar, Project Manger. He requested to send a letter again through fax. Accordingly, the letter has been faxed. Reply awaited.	Call on 21.05.2008 with response.
5	DDA , New Construction Project of a Housing Complex for economically weaker section at siraspur in Delhi	Office address not provided	Residential Complex	17.3.2008 MS to speak to the concerned authority. Take up in April, 2008.	Spoken to Sh. N.L. Singh, Chief Engineer. He has informed that no such work of DDA is going on at Siraspur.	The minutes of the meeting of MOEF and other relevant papers may be sent by MS to the concerned Chief Engineer to clarify the issue.
6	Indian Institute of Information Technology Campus of Indraprastha University at Surajmal Vihar, Shahdara	Indraprastha University, Kashmere Gate, Delhi - 6	Indian Institute of Information Technology Campus	17.3.2008 Unit be asked to submit item-wise compliance of conditions laid down in Environmental Clearance through an affidavit and MS to speak to Registrar w.r.t. applying for Consent to Establish.Take up in April 2008.	Letter issued on 01.4.2008 Applied for CTE on 17.03.2008 vide I.D. No. 25213. However, compliance affidavit not submitted.	Compliance affidavit by 21.05.2008. Call on 21.5.2008.
7	Parsvnath landmark developers Pvt. Ltd (La Teopicana) at Magazine Road, Khber Pass, Civil Line, New Delhi	6th Floor, Arunachal Building 19, Barkhamba Road, New Delhi	Residential Complex	17.3.2008 Unit be asked to submit item-wise compliance of conditions laid down in Environmental Clearance and date of start of construction & date of completion through an affidavit.	Letter issued on 31.3.2008 Reply received on 04.4.08. Stated that they have not started construction work since the building plan is not approved for want of CTE.	MS to inspect and report. Call on 14.05.2008.
8	Residential Complex near Rithala Metro Station	AP Real Estates, C - 8/28, Sector - 7, Rohini, Delhi - 85	Residential Complex	17.3.2008 MS may write to MOEF to find out the status of EIA clearance. Take up in April, 2008.	Letter written by MS on 20.3.2008. No reply received.	Call on 21.05.2008 with response..
9	Maharaja Agrasen College,Delhi University, Village Dallupura, Vasundhara Enclave, Delhi	Executive Enmgineer (C) Building Projects Division, B - 222, PWD (DS) GTB Hospital Complex Delhi - 95		17.3.2008 MS to speak . Take up in April, 2008.	Spoken to Sh. V.K. Gupta, EE. He informed that EC is not required as the project area is les than 20000 sqm.	Unit may be asked to submit sanctioned building plan by 21.05.2008. Call on 21.05.2008.
10	Hilton Garden Inn, Plot No. 1 B - 4, Twin District Centre Sec - 10, Rohini, Delhi - 85	Breeze Constrcuions P Ltd DLF Centre 6th Floor, Sansad Marg, N Delhi - 1		MS may write to MOEF to find out the status of EIA clearance. Take up in April, 2008.	Letter written by MS on 20.3.2008. No reply received.	MS to remind Addl. Secretary, MOEF about the Environmental Clearance of the unit.

11	Construction of HIG Multistoried Houses Sec - 29, Rohini, Phase - IV, Delhi - 85	Executive Enmgineer Rohini Project Division - 13, Delhi Development Authority Deepali Chowk, Sector - 3, Rohini Delhi - 85		MS may write to MOEF to find out the status of EIA clearance. Take up in April, 2008.	Letter written by MS on 20.3.2008. No reply received.	MS to remind Addl. Secretary, MOEF about the Environmental Clearance of the unit.
12	Construction of Slum houses near STP, Sector - 26, Phase - IV, Rohini, Delhi - 85	Executive Engineer, Rohini Project Division - 9, DDA, Rohini, Delhi -85		MS may write to MOEF to find out the status of EIA clearance. Take up in April, 2008.	Letter written by MS on 20.3.2008. No reply received.	MS to remind Addl. Secretary, MOEF about the Environmental Clearance of the unit.
13	Construction of Zonal Development Plan of Narela Sector-A-1 to A-4 Narela Sub City Narela, Delhi Development Authority	Ex. Engineer, Narela, DDA		Nil	A letter dated 27.03.2008 was received from MOEF indicating the agenda for 59th meeting of Expert Appraisal Committee. As directed by Chairman, notice was issued on 09.04.2008 asking the unit to apply CTE and submit a copy of EC. Letter issued has returned back undelivered.	Send notice to concerned Chief Engineer, DDA for compliance.
14	Asrani Inns and Resorts Pvt. Ltd., (construction of 'JML' Hotel'), Wazirpur District Centre, Delhi	Asrani Inns and Resorts Pvt. Ltd., (construction of 'JML' Hotel'), Wazirpur District Centre, Delhi		Nil	A letter dated 27.03.2008 was received from MOEF indicating the agenda for 59th meeting of Expert Appraisal Committee. As directed by Chairman, notice was issued on 09.04.2008 asking the unit to apply CTE and submit a copy of EC.	Reminder for taking up on 21.05.2008.
15	Aman Hospitality Pvt. Ltd., (construction of '5 Star Hotel'), CBD Shahdara, Delhi	Aman Hospitality Pvt. Ltd., (construction of '5 Star Hotel'), CBD Shahdara, Delhi		Nil	A letter dated 27.03.2008 was received from MOEF indicating the agenda for 59th meeting of Expert Appraisal Committee. As directed by Chairman, notice was issued on 09.04.2008 asking the unit to apply CTE and submit a copy of EC.	Reminder for taking up on 21.05.2008.

16	Purearth Infrastructure Ltd 20, Manohar lal Khurana Marg, New Delhi - 6	Purearth Infrastructure Ltd 20, Manohar lal Khurana Marg, New Delhi - 6		17.3.2008 Inspection be carried out to know the construction status apart from the status of application for CTE and EC.	Premises inspected by CMC officials on 20.3.2008 and found that the project proponent is engaged in the construction of Flatted Factory Complex and 70% of the construction has been completed .It was learnt that they have not obtained any EC and not applied for CTE. The built up area is more than 20, 000 sq. mts.	Issue notice u/s 31(A) of the Air Act, 1981 & 33(A) of the Water Act, 1974 as to why construction should not be stopped since there is no Environmental Clearance and Consent to Establish. Copy to Addl. Secretary, MOEF to take action as per EPA, 1986. Notice may be issued without waiting for minutes.Call on 21.5.2008.
17	Delhi Administration Staff Quarters at Shalimar Bagh being constructed by PWD	Project Manager, PWD, Pocket G, Shalimar Bagh, Delhi - 88		Nil	On perusal of the website of the MoEF, GOI, Environmental Appraisal Committee in its meeting dated 28.01.2008 the project proponent was asked to stop the construction work. No formal letter received by DPCC in this regard. Not applied for CTE.	MS to speak to Engineer in Chief about Consent to Establish application after revealing to him the directions of MOEF. Call on 21.5.2008
18	Indus Hotel & Spa Plot No. - 11, CBD, Shahdara, Delhi - 92	Anush Finlease and Construction P Ltd,Plot No. - 11, CBD, Shahdara, Delhi - 92		Nil	On perusal of the website of the MoEF, GOI, Environmental Appraisal Committee in its meeting dated 13.3.2008 the project prop onent was asked to carry out certain tasks. Not applied for CTE.	Issue notice for Consent to Establish and Environmental Clearance without waiting for minutes. Check on MOEF website for any adverse order. Call on 30.04.2008.
		CMC-III				
1	UGC Campus, Pocket 7 Sector B Vasant Kunj, Nelson Mandela Road, Delhi	Educational Consultants India Limited, Ed. CIL House, 18A, Sector 16A, NOIDA-201301	UGC Campus	Take up in April, 2008.	In response to our letter dated 04.03.2008, unit has submitted its reply on 25.03.2008/26.03.2008 & informed that their case is scheduled on 05.04.2008 before the MOEF.	Call on 21.05.2008.

2	Delhi Judicial Academy, National Law School ad National Institute of Mediation & Concilation , Sector 14, Dwarka Phase- I, New Delhi	PWD Division No. 27, Dabri Police Station Campus, Dabri, New Delhi-110045	Institutional & Residential	17.3.2008 MS to speak . Take up in April, 2008.	Spoken to Sh. B.N.Viz. He has asured that they will submit an affidavit very soon.	Call on 21.05.2008.
3	Redevelopment of Netaji Nagar(Part) and Moti Nagar(East), New Delhi, Ministry of Urban Dwevelopment, Govt. of India, Nirman Bhawan, New Delhi	National Building Construction Corporation Ltd., NBCC Bhawan, Lodhi Road, New Delhi- 110003	Residential Complex	17.3.2008 MS to speak . Take up in April, 2008.	In response to letter dated 05.03.2008, unit has submitted an affidavit w.r.t. itemwise compliance conditions mentioned in EC. Proposed date of completion of construction : May, 2010.	Issue CTE and ask them to comply with the conditions of Environmental Clearance which have not yet been done. Call on 21.5.2008.
4	Cabinet Secretariate Biuilding , Plot No. 5A, CGO Complex, Lodhi Road, New Delhi	Executive Engineer(CPWD)Outer Delhi Divison, East Block- 4(Level-II) RK Puram, N. Delhi-66	Office Complex	17.3.2008 MS to speak . Take up in April, 2008.	Spoken to Sh. Ram Dayal, EE. He requested to send a letter again through fax. Accordingly, the letter has been faxed. Reply awaited.	Call on 21.05.2008.
5	ONGC Ltd., Plot No.5B, Vasant Kunj, Phase-II, New Delhi	ONGC, Jeewan Bharti Building Tower-II, 7th and 8th Floor, 124 Indra Chowk, N.Delhi-110001	Office Complex	17.3.2008 Consent to Establish granted.	Consent issued	No action.
6	ONGC Videsh Ltd. , Plot 5A Vasant Kunj, Phase-II, New Delhi	ONGC, Jeewan Bharti Building Tower-II, 7th and 8th Floor, 124 Indra Chowk, N.Delhi-110001	Office Complex	17.3.2008 Consent to Establish granted.	Consent issued	No action.
7	Jasmine Projects Private Ltd. , Plot No. 1 Vasant Kunj Mall, Vasant Kunj	Qutab Ambience, Mehrauli Road, New Delhi-30	Office Complex	17.3.2008 Take up in April, 2008. Ask the unit to submit an affidavit w.r.t. date of start of construction and likely date of completion of construction.	Letter issued on 03.04.2008.Reply received on 17.4.2008. .The unit has submitted their earlier reply on 20.03.2008 that they have been submitting EC compliance to MoEF and therefore affidavit regarding compliance of EC conditions has no relevance.	Draft letters seeking clarification have been put up which will be corrected and issued.

8	Maruti Udyog Limited , Plot No. 1 Vasant Kunj Mall, Vasant Kunj, New Delhi	11th Floor Jeewan Prakash Building, 25 K.G. Marg, N.Delhi-110001	Office Complex cum Guest Rooms	17.3.2008 Take up in April, 2008. Ask the unit to submit an affidavit w.r.t. date of start of construction and likely date of completion of construction.	Letter issued on 4.4.2008, no reply received. Letter dated 20.03.2008 received in response to DPCC letter dated 5.3.2008. The unit has submitted itemwise compliance of EC conditions separately annexed to the affidavit.	Draft letters seeking clarification have been put up which will be corrected and issued.
9	DMRC , IT Park, Shastri Park, GT Road	Delhi Metro Rail Corporation Ltd., 3rd Floor, NBCC Place, Bhishampitamah Marg, Pragati Vihar, Delhi- 110003	Offices for I.T. Professionals	17.3.2008 Take up in April, 2008. Ask the unit to submit an affidavit w.r.t. date of start of construction and likely date of completion of construction.	Letter issued on 4.4.2008, no reply received. Letter dated 24.03.2008 received in response to DPCC letter dated 3.3.2008. The unit has submitted itemwise compliance of EC conditions on the affidavit.	Ask the unit to file fresh affidavit clearly indicating what conditions under each of the three phases have been complied with, date of start of construction & date of completion of construction & approved architectural drawing. Call on 21.5.2008.
10	Shanti Hospitality Private Ltd , Shanti Ananda Delhi, National Highway-8, Delhi	Lower Ground Floor, C-4/5 Safdarjung Development Area, New Delhi -16	Motel Complex	17.3.2008 MS to speak to MOEF. Ask the unit to submit an affidavit w.r.t. date of start of construction and likely date of completion of construction. Take up in April, 2008.	Spoken to Director, MOEF. He informed that old project file no. 139/2007 record being checked. Letter issued on 03.4.2008, no reply received. Letter dated 04.04.2008 received in response to our letter dated 3.3.2008, wherein the unit has stated that built up area is less than 20000 sq. mt. therefore they are proceeding with the construction activity.	MS to inspect and report. Call on 21.05.2008.
11	CPWD, Construction of general pool office Accommodation, Phase-II , Pushpa Bhawan, Pushp Vihar, Delhi	CPWD, HUDCO Project Division No. 1, Andrews Ganj, New Delhi-110049	General Pool Office Accommodation	17.3.2008 MS to speak . Take up in April, 2008.	Spoken to Sh. Ram Daya, SE. He assured to look into the matter.	Call on 21.05.2008 with response.

12	National Small Industries Corporation Ltd , Okhla Industrial Estate, New Delhi	Okhla Industrial Estate, New Delhi	New Flatted Small Industries Building, substation, toilets, and relocation of quarters within NSIC Complex.	17.3.2008 MS to speak to MOEF. Ask the unit to submit an affidavit w.r.t. date of start of construction and likely date of completion of construction. Take up in April, 2008.	Spoken to Director, MOEF. He informed that file no. 1080/2007 to be taken up in meeting on 1st / 2nd / 3rd May, 2008. Letter issued on 03.04.2008, no reply received. In response to letter dated 04.03.2008, unit has submitted its reply regarding submission of EC, the unit has stated that the case is to be considered by EAC, however, no affidavit submitted so far.	Call on 21.05.2008 with response.
13	The Mira , 1 & 2 Ishwar Nagar, New Delhi	229, Okhla Industrial Estate Phase-III, New Delhi-110020	Office Complex	17.3.2008 Take up in April, 2008.	In response to letter dated 13.03.2008, unit has submitted its reply on 09.04.2008.	Draft letter will be put up and issued this week.
14	DDA LIG Houses , Molar Bandh, New Delhi	Executive Engineer ED-IV, DDA, CBD Shahdara, Near Pashupati Nath Mandir, Karkardooma, Delhi	Residential Complex	17.3.2008 MS to speak . Take up in April, 2008.	In response to our letter dated 04.03.2008, unit has submitted its reply on 31.03.2008 & informed that they have applied for EC on 20.11.2007.	Call on 21.05.2008 with response.
15	Guru Gobind Singh Indraprastha University, Sector 16 Dwarka, New Delhi	Guru Gobind Singh Indraprastha University, Kashmere Gate, Delhi	University Campus	17.3.2008 MS to speak . Take up in April, 2008.	Spoken to Sh. Ajay Gupta, Ex. Engineer. In response to our letter dated 05.03.2008, unit has submitted its reply on 19.03.2008 & informed that necessary confirmation is being sought from EIL and have requested the performa for affidavit.	Call on 21.05.2008. Let the unit download the proforma from the net.
16	Uppal Housing Pvt. Ltd , Mehrauli Road, Village Chandahaula, Tehsil Hauz Khas, New Delhi	Uppal Housing Ltd.(Formerly known as Uppal Housing Pvt. Ltd.), S-39 A, Panchsheel Park, New Delhi	Residential Complex	17.3.2008 MS to speak to MOEF. Ask the unit to submit an affidavit w.r.t. date of start of construction and likely date of completion of construction. Take up in April, 2008.	Spoken to Director, MOEF. He informed that case to be taken up in meeting on 1st / 2nd / 3rd May, 2008. Letter issued on 03.04.2008. Reply yet to be received. The unit has submitted a letter on 01.04.2008 in response to our letter 03.03.2008 wherein they have stated that EC is awaited.	Call on 14.05.2008 with response.
17	Metro Park , Dwarka Morh, Najafgarh	Uppal Housing Ltd.(Formerly known as Uppal Housing Pvt. Ltd.), S-39 A, Panchsheel Park, New Delhi	Residential Complex	17.3.2008 Take up in April, 2008. Ask the unit to submit an affidavit w.r.t. date of start of construction and likely date of completion of construction.	Letter issued on 03.04.2008, no reply recieved. In response to our letter dated 05.03.2008, Unit has submitted its reply on 01.04.2008 along with an affidavit w.r.t. compliance of the conditions mentioned in EC.	Ask the unit to file the copy of forest clearance and seek affidavit of previous directions. Call on 14.05.2008.

19	DLF Ltd. , Block W, Greater Kailash, New Delhi	DLF Centre, Sansad Marg, New Delhi-110001	Residential Complex	17.3.2008 Unit be asked to submit an affidavit indicating date of start of construction & date of completion.	Letter issued on 03.04.2008. No reply received so far.(1)Compliance affidavit w.r.t. EC submitted on 17.03.2008.(2) Domestic effluent(44.61 KLD) will be discharged into the sewer without STP. Total water consumption is shown as 155.72 KLD as per consent application (3)Regarding DG Sets, accoustic enclosure proposed.(4) Affidavit regarding date of start of construction and completion not available. (5) Completion Certificate not available. (6) Letter of sanction of building plan not available. Unit vide its letter dated 09.04.2008 has informed that construction activity is yet to start and submitted a building plan.	Ask the unit to file affidavit indicating date of start of construction and completion of construction and also to submit completion certificate. Call on 21.05.2008.
20	Construction of General Pool Accomodation at Vasant Vihar	Executive Engineer(CPWD) Construction Division No. VI, I.P. Bhawan, N.Delhi- 110001	General Pool Accommodation	17.3.2008 MS to speak . Take up in April, 2008.	Spoken to Sh. S.P. Singh, SE. He informed that no construction is going on. No reply received	Call on 14.05.2008 reminding about Consent to Establish and Environmental Clearance.
21	Redevelopment of GPRA , Aliganj, Jorbagh	Executive Engineer(CPWD) Construction Division No. XII, 3rd Floor, I.P. Bhawan, N.Delhi-110002	Redevelopment of GPRA	17.3.2008 MS to speak . Take up in April, 2008.	Spoken to Sh. Sudhir Kumar, AE. He has submitted a reply through fax on 09.04.2008. He informed that his case was listed at 15 no. in MOEF whenever case is considered, they will submit EC. No reply received	Call on 21.05.2008.

22	DLF Ltd., Grpup Housing Society at E Block, G.K-II	DLF Centre, Sansad Marg, New Delhi-110001	Residential (Group Housing)	17.3.2008 Unit be asked to submit an affidavit indicating date of start of construction & date of completion, approved architectural drawing & completion certificate, if received.	Letter issued on 07.4.08. Reply not yet received.(1)Claims that EC is not applicable(2) Domestic effluent(24.73 KLD) will be discharged into the sewer without STP. Total water consumption is shown as 109.49 KLD as per consent application (3)Regarding DG Sets, accoustic enclosure proposed.(4) Affidavit regarding date of start of construction and completion not available. (5) Completion Certificate not available. (6) Letter of sanction of building plan from MCD alongwith the drawing submitted. Letter dated 18.2.2008 was issued to install mini STP to which the unit replied vide letter dated 21.2.2008 that in view of small quantity of sewage construction of STP is not feasible and they have obtained permission of sewer connection from DJB. Unit vide its letter dated 09.04.2008 has informed that construction activity is yet to start and submitted a building plan sanctioned by MCD.	Let the unit file an affidavit of previous directions regarding date of start of construction and date of completion by 14.05.2008. Call on 14.05.2008.
23	Squash and Badminton Stadium, Sri Fort Complex	Executive Engineer,DDA , Squash and Badminton Stadium, Sri Fort Complex	Construction of squash and badminton stadium	17.3.2008 MS to check from MOEF for Environmental Clearance. Take up in April, 2008.	CTE not applied.	Ask him to apply for Consent to Establish. Call on 21.05.2008.
24	IFFCO Sadan , C-1, District Centre Saket, Saket, New Delhi	M/s Indian Farmers Fertilizer Co-Operative Ltd. , C-I, District Centre Saket, Saket, Delhi	Construction of Office	17.3.2008 MS to speak and also check from MOEF for Environmental Clearance. Take up in April, 2008.	Spoken to Director, MOEF & informed that not able to locate the file. Spoken to Sh. M.K. Mittal, Dy. Manger (Coordinator). He requested to send the letter again through fax. Accordingly, the letter has been faxed. Reply dated 21.04.2008 received.	Fresh reminder for Consent to Establish & Environmental Clearance. Call on 21.05.2008.

25	IRCON International Limited , Plot No. C-4 District Centre, Saket, New Delhi	Plot No. C-4 District Centre, Saket, New Delhi	Cnstruction of office complex	17.3.2008 MS to speak to concerned authority. Take up in April, 2008.	Spoken to Sh. Parag Verma, Dy. General Manager. He requested to send a letter again through fax. Accordingly, the letter has been faxed. Reply awaited.	MS to write to the MD asking him to submit 1. Consent to Establish application. 2. Copy of Environmental Clearance. 3. Affidavit indicating date of start of construction and completion of construction. 4. Approved architectural drawing. 5. Completion certificate. 6. Water discharge details. Call on 21.05.2008.
26	I.G.I.B. , CRRI Campus, Mathura Road, New Delhi	CRRI Campus, Mathura Road, New Delhi	Construction of South Campus	17.3.2008 MS to speak . Take up in April, 2008.	Spoket to Sh. Satender Kumar, Civil Section. He assured to reply back.	Call on 21.05.2008 with response.
27	General Pool Office accomodation at INA, New Delhi-23	Executive Engineer, Construction Division No.- 3, CPWD, 120, Pushpa Bhawan, New Delhi-62	Office Complex	17.3.2008 MS to speak . Take up in April, 2008.	Spoken to Sh. K.M. Vyas, EE. He will submit a reply very soon.	Call on 21.05.2008 with response.
28	Construction of International Convention Centre, Sector-24, Dwarka, New Delhi	Executive Engineer, South Western Division- 6,DDA,Dwarka,New Delhi-75		17.3.2008 MS to speak . Take up in April, 2008.	Spoken to Sh. Aswal, EE. He will send the reply very soon.	Call on 21.05.2008 with response.
29	M/s Kenneth Builders & Developers Pvt. Ltd., Maa Anandmayi MARG, Tehkhanda, Delhi				Fresh Case. Information received from DCF. Notice issued on 10.4.208 for applying CTE and submitting EC.Notice has returned back undelivered.	Issue fresh letter with all the requirements of Consent to Establish and Environmental Clearance and ensure it is delievered at the correct address. Call on 21.05.2008.

30	Today's Hotel (New Delhi) Pvt. Ltd., Plot No. 1 Okhla Community CENTER, Delhi-110020	Today's Hotel (New Delhi) Pvt. Ltd., 16th Floor Statesman House, Barakhamba Road, N.Delhi-110001			Case was placed before CMC on 13.12.2007 alongwith the cases of CTE of Okhla Industrial Area, now being shifted to Construction projects being hotel project. The unit was asked to file EC and to give complete information on boilers vide letter dated 24.1.2008. Unit has filed the EC on 29.1.2008.	Ask for an affidavit giving itemwise compliance of conditions of Environmental Clearance and check for any adverse order by MOEF. Call on 21.05.2008.
31	Construction of Internal Data Center Building, at Greater Kailash-I, New Delhi	Videsh Sanchar Nigam Ltd., Videsh Sanchar Bhawan, Bangla Sahib Road, New Delhi-110001			Fresh Case. MoEF vide its letter dated 4.12.2007 returned the EIA application of the project stating that the builtup area is less than 20000 sq. Mtr.	Ask him to apply for Consent to Establish. Call on 21.05.2008.
32	Army Welfare Housing Organization, Construction of residential project at plot No. 15, Sector 22, Dwarka, New Delhi	Army Welfare Housing Organization, South Hutments, Kashmir House, Rajaji Marg, New Delhi-110011			Unit was issued notice u/s 21/22 of Air Act, 1981 and u/s 25/26 of Water Act, 1974 but has not applied for CTE. EC issued on 19.7.2007.	Reminder for Consent to Establish and itemwise compliance of Environmental Clearance conditions through an affidavit. Call on 21.05.2008.
33	Army Welfare Housing Organization, Construction of residential project at plot No. 16, Sector 23, Dwarka, New Delhi	Army Welfare Housing Organization, South Hutments, Kashmir House, Rajaji Marg, New Delhi-110011			Unit was issued notice u/s 21/22 of Air Act, 1981 and u/s 25/26 of Water Act, 1974 but has not applied for CTE.	Reminder for Consent to Establish and itemwise compliance of Environmental Clearance conditions through an affidavit. Call on 21.05.2008.
34	Construction of 5 star Hotel project at Plot No. 15 and 15 A, Non-Heirachial Commercial Complex, Jasola, Delhi by M/s Emmar MGF Land Pvt. Ltd.				Information received from website of MoEF.	Ask the unit to submit an application for Consent to Establish and a copy of Environmental Clearance. Call on 21.05.2008.
	Construction of Indus Hotel & Spa at Plot No. 4, Sector-13, Dwarka, New Delhi by M/s Divine				Information received from website of MoEF.	Ask the unit to submit an application for Consent to Establish and a copy of Environmental Clearance. Call on 21.05.2008.



36	Construction of Indus Hotel & Spa at Plot No. 3, Sector-10, Dwarka, New Delhi by M/s Trupati Buildings and Offices Pvt. Ltd.				Information received from website of MoEF.	Ask the unit to submit an application for Consent to Establish and a copy of Environmental Clearance. Call on 21.05.2008.
37	Construction of modern Inter State Bus terminal (ISBT) at Sarai kale Khan, New Delhi by M/s Executive Engineer, Building Project Division, New Delhi.				Information received from website of MoEF.	Ask the unit to submit an application for Consent to Establish and a copy of Environmental Clearance. Call on 21.05.2008.
38	Construction of Integrated Freight Complex at Sector 25 & 26, Dwarka Sub City, Phase-II, North West District., NCT of Delhi by M/s Delhi State Industrial and Infrastructure Development Corporation Ltd.				Information received from website of MoEF.	Ask the unit to submit an application for Consent to Establish and a copy of Environmental Clearance. Call on 21.05.2008.

S. No.	Name	Activity	Facts of the case	Earlier Decision, if any	Action Taken Report	Decision on 23.04.2008
1	Puneet Industries A-8/3, Jhilmil Indl. Area.		A complaint was received on 21/12/2006 against this unit. It was observed that unit is engaged in activity of mfg. of auto tubes and the activity falls in H CATEGORY which is not permitted in NCT of Delhi. As decided in CMC on 7/6/07, closure directions were issued on 18/7/2007. As decided in CMC on 21.8.07, reminder letters for getting compliance report issued on 14.09.07 to the concerned agencies. Only ATR from BSES received and informed that power connection of the unit has been disconnected, however another connection also exists by name of M/s C. Sunder Sham & Co. at the same premises. Compliance reports have been received from DCP(NE) and SDM (Seemapuri) on 15.10.2007 and 16.11.2007 respectively that the unit has been closed/sealed. Further, two representations dated 30.11.2007 & 03.12.2007 were received from the unit along with copy of lease deed and an affidavit. The unit requested to desal the premises for removal of plant/ machinery and belongings	Decision on 7.12.07 The unit may be opened/ de-sealed in the presence of EE and AEE of PGRC for exactly 24 hours for removing the machinery. The unit has also to file an affidavit that it will file pictures and proof that it has taken the machinery outside the boundary of Delhi. Inform SDM accordingly for necessary action as per his procedure.	A letter was issued to the unit on 4/2/08 and the unit was desaled by SDM (Seema puri) in presence of EE&AEE on 11/3/08 AT 1.20 PM and was again sealed on 12/3/08 at 1.20 PM. The unit has submitted reply along with photographs and other documents that it has taken machineries to Himachal Pardesh. The unit has submitted two affidavits stating that they shall not use the premises for any other purpose without consent from DPCC. Further, unit vide letter dated 17/3/08 has requested for permanent desaling of the premises.	No action.

2	Haldiram Mktg.P.Ltd., B-1/H-8, MCIE, New Delhi-44	Mfg.of Sweets & Outlet.	A public complaint received on 18.10.2006, marked as "check it out" .Accordingly, the unit was inspected by a team of DPCC officials on 23.01.2007.Following observation were made by the team Equalization tank was under ground and almost covered and there is no suitable arrangements for removal of oil & grease and settled solids. Primary tanks (3 nos.) were not having arrangement for convenient / regular removal of settled solids / sludge. Media provided for growth of bacteria in the aeration tank was choked at some places and filter press was lying defunct. No facility for sludge removal / dewatering and disposal. Ducting arrangements to be provided for proper channelization of fumes generated. A sample from ETP outlet was collected. As decided in CMC on 9.10.07, a letter for seeking Bank Guarantee was issued on 5.11.2007.As informed by officials of Planing Cell the unit is not paying cess and notice for the same has been issued on 5/11/07.However,the unit has not submitted self assessment report or any reply in this regard. Subsequently,the unit has submitted BG of Rs. 1 Lakh under each of three Acts on 23.11.07. One more letter dt. 27.11.07 has been received from the unit informing that they are using piped natural gas in place of HSD and renovated the removal of oil & grease , sludge/ settled solids for which all due care is being taken for managing the same. It has also been informed that they have gone through an aggrement with M/s Eco Wise Mgnt. P. Ltd., Noida for lifting the setteled solids /sludge every day from the site.The unit has requested to release / return their BG submitted under Air Act & HWM Rules and grant 60 days time for submission of adequacy report.Case was putup in CMC on 7.12.07.	Decision on 7.12.07 The information provided by PGRC indicates that the adequacy report is yet to be submitted and the self assessment under the Cess Act is yet to be done. Ask the unit for compliance of the both and take up the case in next CMC.	A letter was issued to the unit on 06.02.2008 regarding submission of adequacy report & self assessment under Cess Act/ Rules within 15 days of issue of the letter. The unit has submitted adequacy report and copy of sanction of sewer connection and informed that adequacy report has been issued under the Union Territory Standards. A copy of letter dated 09.02.2008 regarding deposit of cess has also been received with the reply of other unit located at B-I/ F-10 & 12. The unit has requested to consider the Union Territory Standards or General Sewer Standards notified under Environment Protection Rule.	Ask the unit to correct the deficiencies. No further action.
---	---	-------------------------	---	--	---	---

3	Haldiram Mfg. Co. Pvt. Ltd., B-I/ F-10 &12, MCIE, New Delhi-44	Mfg.of Sweets & Namkeen	A public complaint received on 18.10.2006, marked as "check it out" Accordingly, the unit was inspected by a team of DPCC officials on 23.01.2007. Following observation were made by the team The dosing tanks were found empty. It was reported by the representative that the same is not being done since last one year. The UASB was having the silt / sludge deposited in the peripheral channels. The settling tank / tube stellar was found empty and it was informed that it was so because they were trying to determine sludge volume index. Hence sample could not be collected. The tank provided for storing of activated sludge was receiving / having clear water and no facility was observed for removal, dewatering and disposal of sludge.As decided in CMC on 9.10.07, a letter for seeking Bank Guarantee was issued on 5.11.2007.As informed by officials of Planing Cell the unit is not paying cess and notice for the same has been issued on 5/11/07.However,the unit has not submitted self assessment report or any reply in this regard. Subsequently, the unit has submitted BG of Rs. 1 Lakh under each of three Acts on 23.11.07. One more letter dt. 27.11.07 has been received from the unit informing that they are using piped natural gas in place of HSD, having biological treatment, taking up the routine cleaning exercise by taking break in processing/production and renovated the sludge handling and disposal facilities. It has also been informed that they have gone through an aggrement with M/s Eco Wise Mgnt. P. Ltd., Noida for lifting of the ETP sludge every day from the site.The unit has requested to release / return their BG submitted under Air Act & HWM Rules and grant 60 days time for submission of adequacy report.Case was putup in CMC on 29.2.08.	Decision on 7.12.07 The information provided by PGRC indicates that the adequacy report is yet to be submitted and the self assessment under the Cess Act is yet to be done. Ask the unit for compliance of the both and take up the case in next CMC.	A letter was issued to the unit on 06.02.2008 regarding submission of adequacy report & self assessment under Cess Act/ Rules within 15 days of issue of the letter. The unit has submitted that the unit has approached to the approved agency of DPCC and final adequacy will take 10 to 15 days. However, unit has not submitted adequacy report and self assessment report till date.	Unit has filed the self assessed cess and seeks time to file the adequacy report. Time allowed upto 21.05.2008. Case may be put up on 21.05.2008.
---	--	-------------------------	--	---	--	--

4	Complaint against industrial units Plot No.23, Badli Industrial Area	A public complaint has been received from Sh.Jagdish Singhal. As directed , inspection was carried out by PGRC officials on 14.02.2008 and five units were found in operaton as per details given below:- (1) M/s Paras Engg. Works/ Meera Engg. Works, at GF- The unit is engaged in job work of mfg. of fan shaft and gyeaser components by engineering works/ sheet metal works.As reported, the unit is in operation at the premises since last six months.As per record ,the unit has not applied for consent to establish/operate. (2) M/s Durga Engg. Works,at GF:The unit is engaged in job work of die making by engineering works. As reported, the unit is in operation at the premises since last five months.As per record, the unit has not applied for consent to establish/ operate. (3)M/s Dharmendra Yadav,at FF: The unit is engaged in job work of teflon coating on iron/ press parts with the help of electric oven, sand blasting machine, paint booth & surface grinder.The unit is having inbuilt dust collector/cyclone system fitted with sand blasting and surface grinder machines.Adequate stack height has not been provided	Decision on 29.02.08 In all the five units , notices may be issued asking them to apply for consent to establish. In the same notice all the deficiencies found during inspection may also be listed out for immediate correction. Case to come up in CMC next month.	Notices to five units issued on 18/3/08.A reply received from land lord informed that the unitM/s Jeans Washing & dyeing has left the premises. Further, it was also informed that the other two tenanted units i.e. Subhash Jainh & Jalmed Singh Yadav are applying for CTE.No reply is received from any of these units till date.	Out of the five units inspected, one has discontinued the operation and two have applied under Green Category which Green Committee will decide. The two orange cases must file Bank Guarantee of One Lakh under the Air Act. The case will be taken up on 21.05.2008.
---	--	---	---	---	---

			with paint booth and electric oven. As reported, the unit is in operation at the premises since last three months. As per record, the unit has not applied for consent to establish/operate. (4) M/s Subhash Jain,at SF: The unit found locked. However, as reported by Sh. Vikas Jain, the unit is engaged in the mfg. of Polythene rolls by one blowing machine and operating in the premises since last six months.As per record, the unit has not applied for consent to establish/operate. (5) M/s Jeans Washing & Dying Unit(Prop. Praveen Aggarwal), at SF&TF: The unit is engaged in the process of washing and dying of jeans with the help of wood fired boiler. No ETP and ECS is installed to control water and air pollution. The second floor occupied by the unit was found locked, As reported the unit is in operation at the primeses about last two months.As per record, the unit has not applied for consent to establish/operate. It is pertinent to mention that there are only two power connections of 90 KW each in the name of M/s Meera Engg. Works & M/s Jain Steel Udyog which are used by all these units.			
5	M/s A.S. Footwear468-469(old no. 189-191) Lawrence Road Indl. Area.	PVC Footwear	A public complaint by e-mail was received, the unit M/s A. S. Footwear was inspected by DPCC officials on 28.11.2006. The unit is engaged in the activity of Mfg. of PVC Footwear without any consent and without emission control system to chennalise the process emission. As decided in the CMC meeting on 19.03.2007, notice u/s 31(A) was issued on 10.04.2007. The unit replied on 25.04.2007 & applied for consent to operate(orange) on 25.4.07.The case was again put up in CMC on 07.06.2007. As decided in CMC, inspection was carried out on 06.08.2007.The case was again put up in CMC on 21.08.07,accordingly, a letter was issued on 14.09.07 to apply for consent to establish.The unit has applied for consent to establish under Orange category on 01.10.2007.As per decision taken in CMC on 7.12.07, a letter was issued on 4.2.08. Subsequently, the unit submitted its aply	Decision on 29.02.08 Request refused. Ask him to submit Bank Guarantee within 15 days. Case to come up in April CMC.	The unit has submitted Bank Guarantee of Rs one lakh and an affidavit on15/4/2008.	Wait for Justice Chopra Committee report.

			of chanalization system.			
			The unit informed that this is very small unit & using fresh PVC compound,there are no fugitive fumes and smell & they have installed chanalization system. The unit has requested to exempt from provision of BG being a small entrepreneur.The case was putup in CMC on 29.2.08.			

6	Vikas Machine Tools22/7, Gali no.12, Anand Parbat Indl. Area New Delhi-5	Manufacturing of Industrial Knives	The unit was inspected by DPCC officials on 15.9.06 w.r.t. court case. The unit was found engaged in mfg. of industrial knives. The unit had not provided adequate stack height with tempering furnace, proper chanalisation system over quenching tank and adequate stack height & acoustic enclosure with DG Set of 7.5 KVA. The unit was being operated with the help of DG Set. The unit was having consent under green category. The case was put up before CMC on 7.6.07. Accordingly, closure direction u/s 31(A) issued on 18.7.07. The case was put up in CMC on 19.7.07, accordingly, reminder letter was issued to BSES, DJB & MCD on 14.9.07. A letter received from BSES that there is no electricity connection exist and supply is being used from DG Set. As decided in CMC on 7.12.07, unit was inspected on 8.2.08, the unit was found in operation with the help of DG Set of 7.5 KVA. Adequate stack height & acoustic enclosure provided with DG Set.	Decision on 29.02.08 The unit continues to violate the directions of closure which is not in the spirit of compliance of the Act. MS to draft a letter highlighting the insubordination of the unit and imposing a case penalty of Rs. One lakh alongwith a Bank Guarantee of Rs. one Lakh.	Letter issued on 14/03/2008. The unit has submitted a representation through advocate for knowing the Appellate Authority and requested to exempt penalty & B.G. of Rs one lakh each due to economic hardships being faced by the unit owner.	The Committee saw his petition wherein he wants waiver of penalty and Bank Guarantee. The unit was operating under Orange category without CTE and if the unit is allowed what he desires, it will set a very bad precedent. However, in view of his representation the cash penalty of Rs. One Lakh may be waived and Bank Guarantee of One Lakh may be sought by 21.05.2008. Call on 21.5.2008.	
			The unit has also provided adequate stack height with the oil fired tempering furnace and also provided exhaust fan at ceiling height followed by duct of approx. 10 feet height from roof level over quenching tank. Copy of stack monitoring report of tempering furnace and noise monitoring report provided by the unit. Case was put up in CMC on 29.2.08				

7	M/s Shri Sanatan Dharam Sabha, S- Block , Road No. 1, GK-II, N Delhi-48.	Socio cultural orgnisation(Karante,uthala, dispensary etc.)	The premises was inspected by PGRC officials on 16.08.2007 w.r.t. High Court Case titled as Sh.K.L.Talwar V/s LG & others . Following observations were made by the team -: A DG set of 5 KVA was found installed in the premises without mandatory acoustic enclosure. The premises is being used for Mandir & other socio cultural activities i.e. Karante, Uthala, Dispensary etc. No society member was available at site . Next date of hearing is 08.01.08 As decided in CMC on 9.10.07, Notice u/s 31 (A) of the Air Act was issued on 6.11.07.As decided in CMC on 7.12.07, the case was put up in CMC on 29.2.08 as no further reply received so far.Next date of hearing is on 12.3.08.	Decision on 29.02.08 Ask for affidavit and put up in April CMC.	Letter issued on 14.03.2008 to submit affidavit within 15 days of issue of letter.However, no reply is received so far.	Call on 21.05.2008.
---	--	---	--	---	---	---------------------

8	Tivoli Garden Resorts(A unit of TG Leisure & Resorts P Ltd) , Chhattarpur, Mehrauli, N. Delhi - 30	Resorts with Restaurant,Banquette Hall	Decision of CMC dt 30.01.2008 A complaint has been received from the Chief Minister's Office for Tivoli Resorts at Chatterpur. The complaint is in the nature of violation of D.G. Set rules. The moot point is whether the ETP is installed and is fully operational. Also whether the unit has a valid consent to establish / operate. These facts may be ascertained by the PGRC and the case may be put up on 5th February, 2008. Inspection done on 04.02.2008. STP installed, but not found in operation during the inspection. Fresh bore water is being mixed in the final treated water collection tank and the same is used for gardening purposes.Septic conditions were prevailing in various units of STP. 750, 380 and 125 KVA DG sets found in the premises, placed in separate accoustic enclosures.Adequate stack height has not been provided with the DG set of capacity of 125 KVA. Apart from two permanent kitchens one temporary kitchen exists. No channelisation of emissions generated from the cooking process. Unit is having two oil fired boilers for hot water generation. Not applied for consent to establish/operate.	Decision on 29.02.08. Ask the unit tot file a compliance affidavit for all he deficiencies noted during the inspection. Let the unit file Bank guarantee of Rupees One Lakh each under three acts vailid for three years not to repeat any of these deficiencies in future. Unit may be aske dto file Consent to Establish. since the unt is very big he may be aske to confirm to all the clean envrionmental legislation as follows:-Provisions of Water act, 1974, Air Act, 1981, Environment (Protection) Act, 1986, Hazardous Waste (Management and Handling) rules, 1981, Noise Pollution Control Rules, Energy Conservatin Act, 2001 for solar water harvesting, notification fro solar water heating/	Letter issued on 14.03.2008 to submit compliance report within 15 days of issue of letter. A reply is received on 28/03/2008 which has requested to waive off penalties in view of compliances already made by the unit .However, unit has not submitted bank guarantee,affidavit and confirming that it is complying with all environmental legislations.	Call him for a personal hearing on 21.05.2008 at 5.00 PM with clear directions to file the BG and an affidavit stating that he has corrected all the deficiencies. Copy of the letter issued to Lodhi Hotel may be issued to him indicating different environmental legislations to be complied. Further Planning Cell may be directed to asses the cess immediately and report to CMC by 21.05.2008.
---	--	--	---	---	--	---

				code of BEE etc. case to come up with compliance report in April CMC.		
--	--	--	--	---	--	--



			As decided in CMC on 5.2.08, notice u/s 31(A) of the Air Act,u/s 33(A) of the Water Act and a letter to apply for consent to establish & file an affidavit regarding rectification of deficiencies issued on 06.02.2008 granting 20 days time.As decided in CMC on 18.2.08, a letter was issued to LG office on 25.2.08. The unit submitted its reply on 25.02.08 alongwith an affidavit and requested for grant of some more time to rectify the deficiencies observed during inspection.Further, the unit has submitted its reply w.r.t. allegations made in the complaint and informed that (1) they never allow use of the DJ & loud speaker after 10 P.M. and play the same within the permissible limit. (2) there is no violation in terms of licences granted to the resort (3) having its own three DG Sets for use and are not using old fashion generators (4) having huge parking space inside the premises (2500-3000 vehicles).The case was put up in CMC on 29.02.08			
9	Complaint against mobile towers,WZ-81 & WZ 81A, Hari Singh Park, New Multan Nagar, Delhi	Mobile Tower	A public complaint has been received from Gernal Secretary, R.W.A. of the area through e-mail. Inspection was done on 12.03.08. The details of each premises are as under:- Premises No.WZ-81 (Landlord Sh. Ram Pal Singh):- A mobile tower of Airtel Co. alongwith CPU & D.G. Set of 15 KVA has been installed at IIIrd floor of the premises . Adequate stack height & acoustic enclosure/ canopy has been provided with the D.G. Set.No permission from MCD & noise monitoring report was available. Premises No. WZ-81A (Landlord Sh Lakhan Pal Goyal): - A mobile tower alongwith CPU & D.G. Set has been installed at 2nd floor of the premises. Adequate stack height & acousitc enclosure/ canopy has been provided with the D.G. Set. However, the canopy was found locked. Hence capacity of D.G. Set could not ascertained.No permission from MCD & noise monitoring report was available.	Check if the location meets the guidelines of cell phone towers issued by Ministry of Communications, GOI and put up on 17.04.2008.	Checked from draft guidelines of cell phone towers issued by Ministry of Communications, GOI. As per the observations made during last inspection there are two towers of Airtel & Idea Co. installed at roof top of the premises No. WZ-81 & WZ-81A which are adjacent to each other.	Since the guidelines are being violated, the concerned service provider must be called by MS and given clear warning not to violate the existing guidelines. They must also settle the dispute with the complainant amicably. The result of the correction of deficiencies must be reported to CMC on 21.05.2008.

10	Delhi Cold Storage Pvt. Ltd.5078 Roshanara Road Delhi-07	Cold Storage (storage of dry fruits, kiriyana items, & seeds)	A public complaint has been received against the unit through e-mail. Inspection was done on 24.03.08. The details of the observation are as under:- 1. The unit is engaged in the activity of cold storage and operating since 1947 as reported. The unit has applied consent to operate under orange category on 23.05.06 (ID. No. 18262, copy of application provided). 2. Refrigeration plant was not found in operation. It was reported that presently it is operated about two to four hours daily (copy of log book obtained). However, mild smell of Amonia was observed near the refrigeration plant. As decided in CMC on 3.4.08 the file sent to SSO(air) for inspection	Decision on 03.04.2008 Let SS (Air) inspect and report on 17.04.2008.	The unit was inspected by SS(Air) on 15.04.2008 (I/R is placed in File). The brief of findings are as below:-(1) Mild smell was felt near the storage tank and compressors however the smell was not felt out side the premises.(2) No Change in smell observed when start the cooling process from 61 F to 52 F. (3). No safety system is available with the unit for control of leakage.Staff informed they if feel excess smell at the time of charging they put wet cloth near the joint to control the leakage which is a very crude way of contolling the emissions.(4) Unit stores about 60 Kg of Ammonia Cylinder which require proper storage and facility to control the emission, especially when the unit is existing in thickly populated area. It was also observed that the piping etc. which carry the gas also need the proper maintenance.	The deficiencies found during inspection maybe communicated to the unit for correction and submission of Bank Guarantee of Rupees One Lakh under the Air Act by 21.05.2008. Case to come up on 21.05.2008.
11	Heavens Enterprises,MW-199A, Vishnu Garden, New Delhi-18	Mfg. of Oxo-biodegradable Polythene Bags/ Rolls	Two public complaints. have been received against the unit. Inspection was done on 25.03.08. The unit is engaged in Mfg. of Oxo-biodegradable Polythene Bags/ Rolls and as reported operating in the premises about 5 months back. Adequate stack height and acoustic enclosure has not been provided with the D.G. Set of 62 KVA. Smell was also observed.	Decision on 03.04.2008 Implement effective closure & confirm on 17.04.2008.	A letter was issued to Deputy Commissioner(WEST) on 9/4/2008 for implrmenting effective closure of the unit in pursuance of Honble Supreme Court orders.	Seek compliance.
12	Factories running in Sanjay Market, J.J. Colony, Wazirpur		A public complaint has been received through Directorate of Vigilance, Govt. of Delhi. Inspection was done on 20.03.08. The details of observation are as under:- 1. Total 22 premises/ shops were visited by the team. Out of which 14 nos. were found engaged in Buffing of S.S. Utensils without installing emission control system. Remaining 8 units were found engaged in various Engineering Activity. These activities are being carried out in non-conforming area and do not fall in E-27/33 category. As decided in	Decision on 03.04.2008 Send all the 22 cases to Industry Commissioner for action as per existing orders and confirm on 17.04.2008.	A letter was issued to Industry department on 9/4/2008 sending all the 22 cases for n/a in pursuance of Honble Supreme Court order dated 7/5/2004 and with a copy to D.O.V.	No action.



			department for action.			
13	Daffodil Hotel Tania farm Complex station village chattarpur Block N.D.110030	Restaurant & Banquet Hall	A public complaint received on 21.03.2007, marked as "TLC".Accordingly, the unit was inspected by a team of DPCC officials on 23.03.2007. Following observations were made by the team -:The unit is having a banquet hall, a party lawn, a resurgent and boarding facility. The unit is having 3 kitchen with the restaurant and 1 kitchen with banquet hall / party lawn. The unit has provided suction and ducting arrangement with only one kitchen. However adequate stack height has not been provided. No channelization system has been provided with rest of the kitchens. No ETP has been provided. D.G. set of 180 KVA has been placed in a acoustic enclosure. However one side of acoustic enclosure has not been treated acoustically and adequate stack has not been provided. It was reported that the unit is having license from MCD & Delhi Police but no documents were available. Opportunity of hearing was given to the unit on 29.05.2007 and it was assured by the representative of the unit that he will submit reply and progress within 2-3 days. But no reply has been received so far. As decided in CMC on 27.09.2007,	Decision on 3.4.08 Ask for adequacy report within 15 days. Call on 23.04.2008.	Letter issued on 09.04.2008 to submit adequacy report within 15 days of issue of letter. No reply is received so far.	Final reminder may be issued to the unit to file adequacy report along with self assessed cess by 21.05.2008. Case to come up on 21.05.2008.

			SCN u/s 31 (A) of the Air Act and u/s 33 (A) of the Water Act were issued on 17.10.2007. Subsequently, the unit replied on 30.10.2007 & 26.11.2007 in response to the notices. It was informed that they have awarded the ETP plant work to M/s R.B.ENVIRO ENGINEERING and copy of the contract is enclosed with the reply. It was directed to extend the time till 31.12.2007 for completion of work of ETP and directed to put up in CMC for ratification. Further, another complaint from Bodo Rasler, "Sarna Farm", 21, Guushala Road, Satbari Village, was received on 27.11.2007 against the Noise Pollution from this unit and several other units in the area. As decided in CMC on 25/01/2008, a letter was issued on 4.2.08 to submit the compliance report immediately. The unit submitted reply on 25/02/2008 vide which the unit has requested for some more time to install ETP. The file was put up in normal course and unit was directed vide letter dated 14/03/2008 to complete the work and submit the compliance report in all respects before 28/03/2008 positively. The unit has informed on 28/03/2008 that they have installed ETP which will start functioning within 2-3 days. .			
14	J.K. Oil Mill 468-469(old no. 189-191) Lawrence Road Indl. Area.	PVC Footwear	A public complaint by e-mail was received, the unit M/s J. K. Oil Mill was inspected by DPCC officials on 04.01.2007. The unit is engaged in the activity of Mfg. of PVC Footwear without any consent and without emission control system to channelise the process emission. A D.G Set of 125 KVA was found installed with acoustic enclosure. As decided in the CMC meeting on 19.03.2007, SCN for revocation of consent (green category) & the notice u/s 31(A) was issued on 10.04.2007. The unit replied on 07.05.2007 and the case was again put up in CMC on 07.06.2007. As decided in said CMC, inspection carried out on 06.08.2007. The case was again put up in CMC on 21.08.07, accordingly, a letter was issued on 14.09.07 to apply for consent to establish. The unit has applied for consent to establish under Orange category on 12.11.2007. As decided in CMC on 7/12/2007, the case was put up with file in CMC on 29/02/2008. As decided in CMC on 29.2.08, a letter was issued on 17/3/2008 for submission of bank	Decision on 3.4.08 Time allowed till 23.04.2008.	A letter was issued on 9/4/2008 however no reply is received till date with regard to submission of Bank Guarantee and affidavit.	Wait for Justice Chopra Committee report.

			2.4.2008 without BG & requested more time to arrange the BG. .			
15	Complaint against M/s J.S. Designer Pvt. Ltd & others. Plot No.190, Patparganj Industrial Area		A public complaint has been received from Sh.Vinod Kumar. As directed , inspection was carried out by PGRC officials on 25.02.2008 and only one industrial unit in the name of M/s J.S. Designer Pvt. Ltd was found in operaton as per details given below: - The unit is engaged in mfg. of readymade garments including washing. Although the unit has i nstalled an ETP but the same was not found in operation and lying in defunct condition.No dry/wet sludge was observed.The unit is not complying with the provisions of HWM Rules except placing of display boards.Acoustic enclosure has not been provided with the DG Sets of 125 KVA & 62 KVA.The unit has not provided adequate stack height above roof level with the oil fired boiler & air heater. As per the record, the unit has applied for consent to operate under orange category on 17.11.2005 and also applied for authorization under HWM Rules. As reported, there is one firm in the name of M/s J.S. Infra Pvt. Ltd. is existing in the premises and having its office at second floor.This firm does not involve in any industrial/mfg. activity.As decided in CMC on 29.2.08,	Decision on 3.4.08 Time allowed till 23.04.2008. Call on 23.04.2008.	A letter was issued on 9/4/2008 to remove all the discrepancies observed during the inspection and submit Bank Guarantees of Rs one lakh under three acts, application for consent to establish & an affidavit for correction of deficiencies.However, no reply is received till date.	A final reminder may be issued to the unit to correct all the deficiencies and file the affidavit and Bank Guarantee and to remit self assessed cess.

			Notices u/s 31(a) of air act, u/s 33(a) of water act ,u/s 5 of EPA and a letter for submission of consent to establish,Bank Guarantees and an affidavit for correction of deficiencies were issued on 13/3/2008.Subsequently, unit has submitted four replies on 27.3.2008 in response to said letters & mentioned that they have adopted all preventive mitigative measures regarding Air& Noise , Water pollution and Hazardous Waste Storage in the premises as per directions given in the letters.However, BG's , application of CTE & affidavit were not submitted by the unit. Unit asked one month time to submit BG's. Unit also mentioned that CTE & affidavit shall be submitted very soon.Unit also informed that they have placed order to M/s Envirocare Systems to make canopy for DG Sets.Case was put up in CMC on 28.3.2008 which was deferred for 3.4.08.			
16	Complaint against M/sAuto Needs India Pvt. Ltd., 507, FIE Patparganj Indl Area	Servicing & washing of two wheelers	A public complaint has been received against the unit . Inspection was done on 02.04.08. The details of observation are as under:- 1. ETP is not operational. 2 No dry or wet sludge was seen in Sludge Drying Beds and chemicals not found sotred in dosing tanks. 3.Acoustic enclousre & adequate stack hei ght is not provided with the D.G. Set of 7.5 KVA. 4.Waste oil generated during the process of servicing of vehicles is being sold to local vendors. No measures under H.W.M. rule had been taken. As approved on file closure directions u/s 31(A) of the Air Act, u/s 33(A) of the Water Act & u/s 5 fo the EP Act, 1986 ware issued on 17.04.2008. The case is being put up for ratification the decision taken on file in CMC.			Ratified.



17	Complaint against LM-365,Enjoy Shopping, C-3/341,Yamuna Vihar, Delhi-53		A public complaint has been received through LG office against illegal AC installed in commercial shop . Inspection was done on 12.04.2008. The details of the observation are as under:- 1. The unit is a retail shop of Lal Mahal Ltd., has installed 3 A.Cs of 1.5 tonnes each. During inspection , only two ACs are in operation.2. Hot air is being emitted to the rear side of the complainant house . Noise also observed.3. The unit is advised to take remedial measures by providing duct away from the complainant house and by using packing material in joints for noise control.			The unit may be asked to correct all the deficiencies noted during the inspection and ensure that there is no Air & noise pollution otherwise stringent action may be taken. Copy may be sent to LG's Office.
18	Complaint against Sabka Bazar, C-3/10GF, Janakpuri, New Delhi-58		A public complaint has been received through e-mail against illegal ACs installed in commercial shop . Inspection was done on 09.04.2008. The brief of observations are as below:- 1. The unit located at C-3/10, Janakpuri has installed 10 Acs of 2 tons capacity. Out of which, 6 ACs are facing the complainants house. during inspection, only one AC was in operation.2. Hot air is being from the outlet of the split AC which is emitted to the rear side of the complainant house. some noise was also observed from operation of the A.C. 3. Person contacted has agreed to take the remedial measures to curb the noise pollution & emissions of hot air in to the complainant house by provided duct to divert the hot air emissions and by using packing material in joints for noise control.			The unit may be asked to correct all the deficiencies noted during the inspection and ensure that there is no Air & noise pollution otherwise stringent action may be taken. Copy may be sent to LG's Office.

19	Complaint against 4 units in Jhilmil Indl area & Friends colony	A public complaint has been received through LG office against the four industrial units . Inspection was done on 16.04.08. The details of observation of each unit is as given below 1.M/s Bansal Wire Industries Ltd/ Vishwaman Industries, 456-466, Gali No 8, Shambhu Nath compound, Friends Colony Industrial Area, Shahadara: -Unit is engaged in the activity of mfg. of MS wire/GI wire/SS wire by the activity of wire drawing, pickling,phosphating, galvanizing & annealing. (ii) ETP was found operational. However proper chemical dosing tanks have not been provided. The dosing is being done manually.(iii) Unit has installed Wet Scrubber with galvanizing plants. However pipe line found disconnected. Hood has been provided only over acid section of galvanizing plant, fumes were observed in galvanizing section.(iv) Fugitive emissions observed in annealing section(v) no fumes were observed in pickling section. It was reported that pickled oil is being used to check the generation of fumes (v) A DG Set of 380 KVA was installed in a room which is not acoustically treated (vi) As reported there are two units in the premises i.e. Bansal Wire Inds. Ltd & Vishvaman Inds.However there is no seperate demarcation of each unit.(vii) As per CMC record the unit M/s Vishvaman Inds has applied for renewal of consent on 5/7/07 for activity of MS wire drawing without pickling. The other unit i.e.M/s Bansal Wire Inds Ltd has applied for Renewal of Consent(orange) to operate on 21.6.2007& also applied for renewal of authorization under HWM rules on 13.07.2006. The unit was also inspected by a team comprising Joint Commissioner Industries , EE(DJB)&EE(DPCC) on 8.6.07. Further the case was putup(by concerned CMC) with reply of the unit dt.16.08.07 in CMC on 21.8.2007 & CMC decided to reinspect the unit & report in CMC on 18.9.2007. No further record is available in file. 2. M/s M.S. Metal 456-466, Gali No 8, Shambhu Nath compound, Friends Colony Industrial Area, Shahadara (i) the unit is engaged in the activity of mfg. of copper ingots by melting of scrap.(ii) Unit is not in operation since last 15 days/30		The 4th unit which was not traceable may be ascertained by MS by calling the complainant. For remaining units, notice may be issued to correct all the deficiencies noted during the inspection. Unit no. 1 may be asked to file Bank Guarantee of Rupees One Lakh each under the three acts and the remaining two, a BG of Rupees Fifty Thousands each under Air & HWM Rules. Call on 21.5.2008 with response.
----	---	--	--	---

			furnance. the motor of pump			
			is under repair, one side of hood over furnance was found broken. (iii) Adequate stack & acoustic provided with DGset of 62.5 KVA. (iv)One display board was found broken(v) the unit has applied for renewal of consent(orange) on 10/4/2007 & for renewal of authorization on 20.10.06 . A letter was issued by CMC on 15.4.2007 to apply for CTE as per decision taken in CMC on 29.02.2008 3. M/s Citizen wire, A-10/8, Jhilmil Indl. Area, Shahadara, Delhi:- (i) the unit is engaged in the activity mfg. of copper ingots by melting of scrap.(ii) Unit is not in operation since last 10 days(iii)ECS i.e. wet scrubber found installed with melting furnance. (iii) Adequate stack provided with DGsets of 62.5 & 125 KVA & placed in a common acoustically treated room. (v) the unit has again applied for renewal of consent(orange) on 14.12.2006 & for renewal of authorization on 01.09.2006. Earlier consent renewed upto 11.12.06. 4. M/s Anurag Industries, Gali No. 8, Friends Colony Indl. Area,- Unit could not be traced out.Proper address with plot no. is not available in complaint. No record of the unit is available in CMC.			

20	Complaint agaist burning of waste by industrial units in Patparganj Indl. Area		A public complaint has been received through Maurya CGHS Ltd against burning of waste material by industrial units in Patparganj Indl. Area . Inspection was done on 19.04.2008 along with Sh. R.K. Aggarwal & Sh. V. Seshagiri, Vice President . The details of the observation are as under: - 1. No incident of burning of waste material from the industrial unit was observed. 2. It was reported that generally such burning takes place 3-4 times in a month at the location across the nallah opposite to Maurya CGHS Ltd.			PGRC to do another surprise inspection before 21.05.2008 and report to CMC on 21.05.2008.
21	Complaint of Mrs.Chander kanta, Mansa Ram Park, New Delhi-59		Two public complaints against noise pollution by a furniture factory located at C-45, Mansa Ram Park, Uttam Nagar, New Delhi - 59 were received on 24.09.2007 & 10.10.2007 from Mrs. Chander Kanta. The said complaints were forwarded to Industry Department on 13.11.2007 for necessary action in pursuance of Hon'ble S. C. order dated 07.05.2004. One more complaint was received from the complainant which was marked to Ms. Nigam, Env. Deptt. for inspection within a week. Accordingly the inspection was carried out by Ms Nigam on 24.08.2007 and reported that assembling of furniture like computer tables, almirahs , office tables, dressing tables etc. are assembled. It was also reported that iron pipes are also cut with the help of saw and assembled and jointed by means of welding & screwing. As observed, activity carried out by the unit does not fall under F-27/33 category. Three more complaints including one through Assistant Registrar of Hon'ble Supreme Court of India was received. Accordingly, the ATR was sent to Assistant Registrar on 04.01.2007 that the complaint has already been forwarded to Industry Department on 13.11.2007 for necessary action in pursuance of order of Hon'ble Supreme Court dated 07.05.2004. Now three more complaints have been received from the complainant. Two more complaints have been received from the complainant.	Decision on 25.01.2008 Noise monitoring may be conducted at the boundary of the unit. Further action will be taken up on the basis of the monitoring.	Noise monitoring was conducted by DPCC lab on 29.02.2008. As per the report the ambient noise level is 69.5 db(A) against the prescribed limit of 55 db (A) and the contribution of the unit is 11.8 db(A) which is more than 10 db (A).	The unit is exceeding the norms of noise rules and should correct itself to come within the norms immediately. Issue notice accordingly. Call on 21.05.2008.

COMPLETE	Total Sl. No	Sl.No.	RESDH	Sl. No	Name of Industry / Unit	Address	Activity	Production Figure	Status of BG	CTE status	Status of consent	Status of authorization	Decision on 28.3.2008	ATR for 24.04.2007	Decision on 24.04.2008
Y	60	3		1	Ambica Steels	B10/9,Group	Pickling	40 tonnes / month (as per inspection report)	BG Rupees Three Lakh submitted on 03.12.2007..	Applied CTE on 19.11.2007 vide I.D. No. 24246.	Applied CTO on 31.03.2006 vide I.D. No. 17987.	Applied on 31.03.2006 vide I.D. No. 2613.	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.
Y	61	95		2	Him Giri Cars Pvt. Ltd	B-99	Sales Service And Spares	30 cars (as per inspection report)	BG of Rs. Two Lakh submitted on 22.11.2007 Revalidated BG on 10.04.2008	CTE on 22.11.2007 vide I.D. No. 24289.	CTO on 14.03.2005 vide I.D. No. 12976.	Not applied.	Take up in CMC on 15 April, 2008.	Letter issued. Reply received on 10.04.20008. Revalidated BG submitted.	Ask the unit to apply for authorization under HWM Rules by 28.05.2008.
Y	77	66		3	Jai Shree Sheyam Enterprises	A-123	Pickling & Re-Rolling of SS sheets.	750 tonnes /year (as per affidavit)	BG of Rupees One Lakh submitted.	CTE on 29.10.2007 vide I.D. No. 24049.	CTO on 02.08.2002 vide I.D. no. 5456 & 15.05.2007 vide I.D. No. 21331.	Applied for renewal on 04.08.2006 vide I.D. No. 3129.	Since the earlier inspection found ETP & ECS partly operational and since the unit has not confirmed whether ETP & ECS are fully operational now, an inspection may be done by SIT for finding out whether ETP & ECS fully operational.		SIT to inspect & report by 28.05.2008.
Y	62	91	Z	4	M.M. Bros Merry Maker Banquet Hall	C-91/4	Banquet Hall	150 Seats (as per inspection report)	BG of Rs. One Lakh under HWM Rules on 23.11.2007.	CTE on 27.11.2007 vide I.D. No. 24335.	CTO(R) on 31.08.2005 vide I.D. No. 16247.	Applied on 15.11.2006 vide I.D. No. 1092.	Consent to Establish granted.	Consent to Establish granted.	No action.
Y	66	96		5	R.K.Metal Industries	A-99/3	Mfg of Copper & Brass Sheet with casting & washing	150 Kg (as per inspection report)	BG of Rs. Two Lakh submitted on 07.12.2007 and alos revalidated up to 06.02.2010.	CTE on 03.12.2007 vide I.D. No. 24377.	CTO obtained on 07.08.2000. Valid upto 24.07.2003. CTO(R) on 12.10.2006 vide I.D. No. 19553.	Applied for renewal of authorization on 12.07.2006 vide I.D. No. 2759.	Consent to Establish granted.	Consent to Establish granted.	No action.
Y	1	62		6	Ram Steel	C-13(Backside)	Annealing, Re-Rolling & Pickling of SS Sheets.	1 tonne (as per inspection report)	BG submitted on 20.12.2007	CTE on 12.10.2007 vide I.D. No. 23898.	CTO on 30.12.2004 vide I.D. No. 12379.	Applied on 30.10.2004 & 02.08.2006 vide I.D. No. 2251 & 3079.	Report of SIT positively by 15.04.2008.		SIT to inspect & report by 28.05.2008.



Y	69	99		7	Sh. Shree Venkateshwar Enterprises	Shed no, 54 DSIDC	S.S. Utensils (Pressing & Buffing)		BG submitted on 21.01.2007	Applied for CTE on 19.11.2007 vide I.D. No. 24249	Not applied.	Not applicable	Issue reminder immediately to file an affidavit, to the effect that the deficiencies observed during inspection have been rectified, by 15.04.2008.	Letter issued. Reply received on 22.04.2008. Affidavit submitted.	Ask the unit to submit adequacy report of ECS by 28.05.2008.
Y	70	100		8	Sh. Varun Fabricators	Shed no.80, DSIDC	S.S. Utensils (Pressing & Buffing)	5 tonnes/month utensils. No pickling	BG submitted on 19.11.2007.	CTE on 19.11.2007 vide I.D. No. 24247.	CTE on 19.11.2007 vide I.D. No. 24247.	Not applicable	Consent to Establish granted.	Consent to Establish granted.	No action.
Y	65	94		9	Shree Krishna Industries	A-101/1	Pickling & Cold Re rolling of SS Sheets.	2 tonnes (as per inspection report)	BG submitted on 12.12.2007.	CTE on 19.11.2007 vide I.D. No. 24248.	CTO on 24.07.2006 vide I.D. No. 18889	Applied on 25.07.2006 vide I.D. No. 2926.	Inspection report of SIT records that ETP should be protected from ageing especially chemical dosing tank and pipe fitting. Let the unit confirm that it will comply with this condition. Take up on 15.04.2008.	Letter issued. Reply along with an affidavit received on 11.04.2008 & informed that he has made provisions to proect ETP including chemical dosing tanks and pipe fitting, from ageing by the application of anti rust and anti acid coating.	Ask the unit to submit adequacy report of ETP by 28.05.2008.
Y	2	12		10	National Industries India	A - 102/2	Annealing, Re-rolling & Pickling	1 tonne (as per inspection report)	BG of Rupees Three Lakh filed on 11.02.2008.	CTO(R) obtained. valid upto 25.07.2008.	CTO(R) obtained. valid upto 25.07.2008.	Applied for renewal for authorization on 02.08.2006 vide I.D. No. 3083.	In view of several deficiencies noted during last inspection, SIT to inspect and report by 15.04.2008.		SIT to inspect & report by 28.05.2008.
Y	95	89		11	Rameshwar Foods	A-94/4	Mfg of Sweets& Namkeen	500 Kg (as per inspection report)	BG of Rs. 50,000 submitted.	CTO(R) obtained. Valid upto 25.07.2008.	CTO(R) obtained. Valid upto 25.07.2008.	Not applicable	Issue reminder immediately to file an affidavit, to the effect that the deficiencies observed during inspection have been rectified, by 15.04.2008.	Letter issued. Reply received on 15.04.2008. Affidavit submitted.	Ask the unit to submit adequacy report of ETP by 28.05.2008.
Y	109	84		12	Pawa International Pvt. Ltd.	C-93	Service Station	14-17 cars (as per inspection report)	Not yet submitted	CTE obtained on 08.10.2003. Valid upto 06.10.2004. CTO on 25.02.2005 vide I.D. No. 12788.	CTE obtained on 08.10.2003. Valid upto 06.10.2004. CTO on 25.02.2005 vide I.D. No. 12788.	Applied on 25.02.2005.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. No reply received.	Issue final reminder to file Bank Guarantee by 28.05.2008, failing which the unit will be closed down.

Y	3	2		13	Deep (India) Pvt. Ltd.	B- 72/4	Service Station	30 cars (as per inspection report)	Submitted 3 lakhs valid up to 06.02.2010	CTE obtained on 26.08.2004. Valid upto 27.06.2005. CTO on 23.03.2005.	CTE obtained on 26.08.2004. Valid upto 27.06.2005. CTO on 23.03.2005.	Applied on 28.03.2005 vide I.D. No. 2336.	In view of several deficiencies noted during last inspection, SIT to inspect and report by 15.04.2008.	Inspected by SIT on 03.04.2008. Unit has submitted a copy of certificate (sanction of Sewer Connection) from the CETP on 21.04.2008.	Inspection report of Special Inspection Team shows following deficiencies :- (i) No reasonable approach to reaction cum settling tank of ETP. (ii) No chemical dosing tank fund.(iii) No tray at the bottom of the filter press. (iv) No fresh sludge was observed in the premises. Issue notice for correction of the deficiencies indicated above and submit an affidavit in this regard by 28.05.2008.
Y	89	75		14	Harihant Steel	C-10/2	Pickling of SS Sheets	2 tonnes per day	Not submitted	Obtained CTE on 21.9.05 valid up to 20.9.2006	CTO on 03.05.2007 vide I.D. No. 21207.	Applied on 03.5.07 with ID No. 1280	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. BG not submitted. Unit has requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too.	Final time allowed to file Bank Guarantee till 28.05.2008.
Y	51	51		15	Parag Metal Udyog	C-36/2	Pickling , Annealing and Cold Re-Rolling of S.S.Sheets	4 tonnes/day (as per inspection report)	Not submitted	CTE obtained on 09.06.2003.	CTO on 18.07.2007 vide I.D. No. 22500.	Applied for renewal of authorization on 18.09.2006 vide I.D. No. 3617.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008 BG not submitted. Unit has requested to reduce the amount of BG or extend some more time period as the amount is very high, poor market conditions due to high raw material price & taxes like excise etc. are high etc. In the said representation, Chairman has allowed time till 14.05.2008.	Issue final reminder to file Bank Guarantee by 28.05.2008, failing which the unit will be closed down.

Y	99	79		16	U-like Exports	C-34	Pickling, Annealing & Re-Rolling of SS Sheets and mfg. of SS utensils (w/o buffing)	0.5 tonne (as per affidavit)	Not submitted	CTE obtained on 29.09.2005.	CTE obtained on 29.09.2005. CTO on 27.06.2006 vide I.D. No. 18619.	Applied on 04.05.2007 vide I.D. No. 4284.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 21.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to file Bank Guarantee till 14.05.2008
Y	107	82		17	Dr.Jagdish Lal Sethi	A-95/1	Aeralyic Dental Powder	3 tonnes / month (as per inspection report)	Submitted valid up to 06.02.2010	CTO obtained vide consent order no. 15714. Valid upto 25.09.2008.	CTO obtained vide consent order no. 15714. Valid upto 25.09.2008.	Applied for renewal on 29.08.2006 vide I.D.No. 3479.	Consent to Establish granted.	Unit is having valid consent.	No action.
Y	108	83		18	Super Dental Product	A-95/1	Aeralyic Dental Teeth	—	Submitted valid up to 06.02.2010	CTO obtained on 12.09.2006 vide consent order no. 16799. Valid upto 08.07.2008	CTO obtained on 12.09.2006 vide consent order no. 16799. Valid upto 08.07.2008	Not applicable	Consent to Establish granted.	Unit is having valid consent.	No action.
Y	110	85		19	Shalimar Motors	C-91/9	Service Station	4 cars per day	Not yet submitted	Consent obtained two times	CTO (Renewal) valid up to 11.01.07 CTO (Renewal) applied on 20.3.07	Applied for renewal of auth on 06.11.06	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 15.04.2008 BG submitted.	Issue renewal of Consent. Call on 28.05.2008
Y	16	18		20	Speculum Finish	Shed no. 20 (DSIDC Sheds)	Electroplating	13000-15000 pieces (as per HWM affidavit)	Not submitted	Consent obtained two times	CTO (R) obtained vide consent order no. 11749. Valid upto 18.03..2007.	Applied for renewal for authorization on 05.09.2006 vide I.D. No. 3540.	Issue reminder asking the unit to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 23.04.2008. BG submitted. Affidavit submitted.	Issue renewal of Consent after submission of adequacy report. Call on 28.05.2008

Y	19	21		21	Benlon (India) Ltd.	A- 68, Group	Dyeing of synthetic yarns	1 tonnes (as per affidavit)	Not submitted	Consent obtained two times	CTO(R) obtained on 15.05.2006. Valid upto 30.04.2009.	Applied for renewal of authorization on 07.08.2006 vide I.D. No. 3183..	Issue reminder to the unit to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 15.04.2008. Unit has informed that industries with similar activity have been asked to submit BG of Rs. 50,000 whereas we have asked Rs. One Lakh and requested to reconsider the amount of BG. Affidavit submitted.	Ask the unit to submit Bank Guarantee of Rs. 50, 000 under each of Water Act, Air Act and HWM Rules by 28.05.2008.
Y	56	56		22	Delhi Job Works	B-6, Group	Pickling and cold Re - Rolling of S.S.Sheets	3.5 tonne (as per inspection report)	Not submitted	CTO(R) obtained on 14.06.2006. Valid upto 24.08.2008.	CTO(R) obtained on 14.06.2006. Valid upto 24.08.2008.	Applied for renewal of authorization on 26.07.2006 vide I.D. No. 2952.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 21.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to file the Bank Guarantee till 14.05.2008
Y	8	9		23	G. S. Enterprises	A-74/2	Re-rolling & Pickling	800 kg/day as per I/R	Not submitted	CT(R) obtained on 28.07.2006 (valid upto 13.06.2009)	CT(R) obtained on 28.07.2006 (valid upto 13.06.2009)	Applied on 02.08.2006	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 23.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to file the Bank Guarantee till 14.05.2008
Y	46	46		24	Ganga Industries	A-113, Group	Re-Rolling & Pickling of S.S.Sheets	400 Kg (as per inspection report)	Not submitted	CTO(R) obtained. Valid upto 08.08.2008.	CTO(R) obtained. Valid upto 08.08.2008.	Applied for renewal of authorization on 09.08.2006 vide I.D. No. 3243.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 21.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to file the Bank Guarantee till 14.05.2008
Y	84	69		25	Ganpati Steels	A-47	Re-Rolling and Pickling of SS Sheets.	2-2.5 tonnes (as per inspection report)	Not submitted	Consent obtained two times	CTO(R) obtained. Valid upto 14.06.2009.	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3071.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 11.04.2008 & 17.04.2008. BG not submitted. Unit has requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a	Time allowed to file the Bank Guarantee till 14.05.2008

														Affidavit submitted.	
Y	4	4		26	Hem Chand Nand Lal.	B-76	Re-rolling, annealing & Pickling	1 tonne (as per inspection report)	Not submitted	CTO(R) obtained on 17.04.2006 (valid upto 19.03.2009)	CTO(R) obtained on 17.04.2006 (valid upto 19.03.2009)	Applied for renewal of authorization on 24.08.2006 vide I.D. No. 3444.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 21.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to file the Bank Guarantee till 14.05.2008
Y	50	50		27	J.N. Steel	A-111/1	Pickling , Annealing and Cold Re-Rolling of S.S.Sheets	5 tonnes (as per inspection report)	Not submitted	CTO (R) obtained on 19.06.2006 vide consent order no. 15667. Valid upto 30.09.2008.	CTO (R) obtained on 19.06.2006 vide consent order no. 15667. Valid upto 30.09.2008.	Applied for renewal of authorization on 09.08.2006 vide I.D. No. 3244.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 22.04.2008. Unit has requested to grant one month time for submission of BG.	Time allowed to file the Bank Guarantee till 14.05.2008
Y	17	19		28	Malhotra Industries	B - 20	Rolling and pickling	7-8 tonnes / month (as per inspection report)	BG submitted on 10.04.2008.	CTO(R) obtained on 28.07.2006 (valid upto 02.07.2009).	CTO(R) obtained on 28.07.2006 (valid upto 02.07.2009).	Applied for renewal for authorization on 26.10.2006 vide I.D. No. 3969.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 10.04.2008. BG submitted.	Call on 28.05.2008.
Y	86	71		29	Pradeep Industries	A-31	Annealing, Re-Rolling and Pickling of SS Sheets.	1.5 tonnes (as per affidavit)	Not submitted	CTO(R) obtained on 19.06.2006 (valid upto 01.08.2008).	CTO(R) obtained on 19.06.2006 (valid upto 01.08.2008).	Applied for renewal of authorization on 26.07.2006 vide I.D. No. 2945.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 21.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to file the Bank Guarantee till 14.05.2008

Y	41	42		30	Rajasthan Knitting Mills	A-51	Dyeing, Bleaching ,Knitting and processing of hosiery clothes	550 Kg/day of hosiery dyeing	Not submitted	Consent (Renewal) obtained. Valid upto 14.06.2009.	Consent (Renewal) obtained. Valid upto 14.06.2009.	Applied for renewal for authorizatoion on 18.08.2006 vide I.D. No. 3325.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. Unit has informed that it is a very small scale unit and not in a position to submit BG and they decided to wind up the unit and requested to give reasonable time to wind up the unit.	SIT to inspect & report by 28.05.2008.
Y	47	47		31	Shree Krishna Metal Industries	B-22/2	Re-Rolling & Pickling of S.S.Sheets	1 tonnes (as per inspection report)	Not submitted	CTO (R) obtained. Valid upto 25.07.2008.	CTO (R) obtained. Valid upto 25.07.2008.	Applied for renewal for authorization on 26.07.2006 vide I.D. No. 2951.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008 BG not submitted. Unit has requested to reduce the amount of BG or extend some more time period as the amount is very high, poor market conditions due to high raw material price & taxes like excise etc. are high etc. In the said representation, Chairman has allowed time till 14.05.2008.	Time allowed to file the Bank Guarantee till 14.05.2008
Y	40	41		32	Shri Ram Industries	A-132, Group	Re-rolling and pickling of SS sheets	1 T/day as per affidavit	BG submitted.	Consent(R) obtained. Valid upto 31.07.2008.	Consent(R) obtained. Valid upto 31.07.2008.	Applied for renewal for authorizatoion on 28.07.2006 vide I.D. No. 3000.	Let the unit get the power connection its name and confirm the same by 15.04.2008. Take up on 15.04.2008.	Letter issued. Reply received on 10.04.2008. Unit informed that the electricity meter which are using is his father Sh. Gopi Chand. NOC from Sh. Gopi Chand and photocopy of electricity bill are enclosed. BG submitted.	No action.
Y	15	17		33	Vikas Enterprises	Shed no. 43 (DSIDC Sheds)	Rolling & Pickling	12-15 tonnes / month (as per inspection report)	Not submitted	CTO(R) obtained on 29.11.2005. Valid upto 20.06.2008.	CTO(R) obtained on 29.11.2005. Valid upto 20.06.2008.	Applied for renewal for authorization on 21.08.2006 vide I.D. No. 3400.	Issue reminder asking the unit to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 15.04.2008. Take up	Letter issued. No reply received.	Issue final reminder to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 28.05.2008, failing

Y	35	36		34	Precision Castings & Components	B-69/1	Manufacturing of Piston rings (Engineering activity)	5000 Pcs/day	Not submitted	Consent (Renewal) obtained on 19.06.2006 under Green cat (valid upto 06.05.2010)	Consent (Renewal) obtained on 19.06.2006 under Green cat (valid upto 06.05.2010)	Applied for renewal of authorization on 13.11.2006 vide I.D. No. 4052.	Issue reminder asking the unit to file Bank Guarantee, Consent to Establish & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 16.04.2008. BG not submitted. Unit has requested to exempt from BG as the unit is very small & it is very difficult to give huge amount of BG. Affidavit submitted. CTE not applied.	Ask the unit to submit Bank Guarantee of Rs. 50, 000 under HWM Rules & Consent to Establish under Orange category by 28.05.2008.
Y	68	98		35	Sh. Balak Ram. Sh. Suresh. Sh. Islam, Sh. Ram Bilas	Shed no.101, DSIDC	Buffing	Units closed	Not submitted stating that tenants vacated the premises.	CTE on 21.11.2007 vide I.D.No. 24276 (Suresh), CTE on 21.11.2007 vide I.D.No. 24277 (Balak Ram) & CTE on 21.11.2007 vide I.D.No. 24278 (Ram Bilas)		Not applicable	Report of SIT positively by 15.04.2008.		SIT to inspect & report by 28.05.2008.
Y	64	93		36	Sohal Motor works	B-24	Pickling, Annealing & Re-Rolling of SS Sheets	40 tonnes / month (as per affidavit)	Not submitted stating that they have stopped pickling activity..	CTE on 16.10.2007 vide I.D. No. 23924.	CTO on 05.10.2004 vide I.D. No. 11819.	Applied for renewal on 11.08.2006 vide I.D. No. 3286.	Report of SIT positively by 15.04.2008.		SIT to inspect & report by 28.05.2008.
Y	85	70		37	Goyal Steel Industries	A-35	Annealing, Re-Rolling & Pickling of SS Sheets.	Found pickling closed. 2 - 3 tonnes/day	Not submitted	CTE on 27.10.2007 vide I.D. No. 23980.	CTO refused on 17.05.2004 vide refusal no. 228.	Applied on 08.07.2004.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 22.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to file Bank Guarantee till 14.05.2008.
Y	118	90		38	Jain & Company	A-95/4	M.S. Wire drawing with Pickling	3 tonnes (as per adequacy report)	Not submitted	CTE on 19.12.2007 vide I.D. No. 24545.	CTO on 29.10.2004 vide I.D. No. 12032	Applied for renewal on 12.07.2006 vide I.D. No. 2756.	Issue reminder asking the unit to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by	Letter issued. Reply received on 09.04.2008. BG not submitted. Affidavit submitted.	Issue final reminder to file Bank Guarantee and adequacy report of ETP by 28.05.2008, failing which the unit will be closed down.



Y	80	64		39	Kesho Ram Industries	A-100/6	Re-Rolling & Pickling of SS Sheets.	1 tonne (as per inspection report)	Not submitted	CTE on 23.10.2007 vide I.D. No. 24008.	CTO obtained on 18.12.2000. Valid upto 12.12.2003. CTO (R) on 15.03.2005 vide I.D. No. 12998.	Applied for renewal on 26.07.2006 vide I.D. No. 2944.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. No reply received.	Call on 28.05.2008 with response.
Y	106	81		40	Laxmi Industries	A-97/4	Pickling, Annealing & Re-Rolling of SS Sheets	500-600 Kg (as per inspection report)	Not submitted	CTE on 08.11.2007 vide I.D. No. 24179.	CTO on 09.08.2004 vide I.D. No. 11276.	Not applicable	SIT to inspect & report by 15.04.2008.		SIT to inspect & report by 28.05.2008.
Y	31	33		41	Maruti Industries	B-70/2	SS utensils with buffing	2 tonnes / month (as per inspection report)	Not sought	Consent to Estalish received on 26.09.2007 vide I.D. No. 23652.	Refused on 09.02.2007. CTO on 03.01.2007 vide I.D. No. 20345	Not applicable	SIT to inspect & report by 15.04.2008.	Inspected by SIT on 03.04.2008.	Ask the unit to submit Bank Guarantee of Rupees Fifty Thousand only under Air Act, 1981 valid upto 06.02.2010 by 28.05.2008.
Y	88	73		42	Narender Industries	C-58/4	Annealing, Re-Rolling & Pickling of SS Sheets.	01 tonne/day (as per inspection report)	Not submitted	CTE on 24.10.2007 vide I.D. No. 24015.	CTO on 05.09.2005 vide I.D. No. 16279.	Applied for renewal of authorization on 22.08.2006 vide I.D. No. 3405.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 23.04.2008. BG not submitted. Unit has again requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too.	Time allowed to file Bank Guarantee till 14.05.2008.
Y	76	74		43	Pooja Enterprises	D-26	Re-Rolling & Pickling of SS Sheets.	2-3 tonnes (as per affidavit)	Not submitted	Applied for CTE on 22.10.2007 vide I.D. No. 23993.	Applied for CTO on 01.08.2002, 25.06.2004 & 20.08.2007.	Applied for renewal of authorization on 01.08.2006 vide I.D. No. 3028.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. BG not submitted. Unit has requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too.	Time allowed to file Bank Guarantee till 14.05.2008.

Y	30	32		44	Prem Electroplating	B-28/5	Electroplating & Buffing	Job Work 1500 Kg/month as per affidavit	BG Submitted on 07.04.2008.	Consent to Estalish received on 05.10.2007 vide I.D. No. 23769.	Consent to Estalish received on 05.10.2007 vide I.D. No. 23769.	Applied for renewal on 28.7.06 vide ID No. 2984. Refused.	Issue reminder asking the unit to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 07.04.20008. BG submitted. Affidavit submitted.	Consent to Establish granted.
Y	87	72		45	R.D. Steel	C-58/2	Re-Rolling & Pickling of SS Sheets.	10 tonnes / monthy (as per inspection report)	Not submitted	CTE on 24.10.2007 vide I.D. No. 24014.	CTO on 28.03.2005 vide I.D.No. 13233.	Applied on 15.09.2007 vide I.D. No. 2490	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 23.04.2008. BG not submitted. Unit has requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too.	Time allowed to file Bank Guarantee till 14.05.2008.
Y	92	78	Z	46	Richi Rich Restaurant (P) Ltd.	A - 7	Restaurant Cum Banquet Hall	65 Seats (as per inspection report)	BG submitted.	CTE on 08.10.2007 vide I.D. No. 24178.	CTO on 19.07.2002 vide I.D. 3288.	Applied on 08.11.2007 vide I.D. No. 4415.	Issue reminder asking the unit to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 15.04.2008. Take up on 15.04.2008	Letter issued. Replies received on 28.03.2008 & 11.04.20008. BG submitted. Affidavit submitted.	Ask the unit to submit adequacy report of ETP by 28.05.2008.
Y	111	86		47	Uttam Steel Alloy (P)Ltd.	C-14	Pickling, Annealing & Re-Rolling of SS Sheets	3 tonnes (as per affidavitt)	Not submitted	CTE on 07.11.2007 vide I.D. No. 24163.	CTO on 29.11.2006 vide I.D. No. 19996.	Applied on 17.07.2007 vide I.D. No. 4333.	Issue reminder asking the unit to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 21.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008. Affidavit not submitted.	Time allowed to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection till 14.05.2008
Y	94	80	Z	48	RCI industries & Technologies Ltd.Unit All Heavens	B-97	Resturant & Bar	200 Seats (as per inspection report)	Not submitted.	CTE on 10.04.2008 vide I.D. No. 25460.	Applied for CTO on 14.08.2002.	Not applicable	Issue reminder to the unit to file Bank Guarantee, Consent to Establish & affidavit to the effect that the deficiencies observed during inspection by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 15.04.2008. BG submitted. CTE applied on 10.04.2008 vide I.D. No. 25460. Affidavit not submitted.	Ask the unit to submit adequacy report of ETP & & affidavit to the effect that the deficiencies observed during inspection by 28.05.2008.

Y	67	97		49	Sh. Abdul Rasheed	Shed no.100, DSIDC	Buffing and Buffing Machines Installed	Not mentioned.	Not submitted.	Not applied.	Not applied.	Not applicable	SIT to inspect & report by 15.04.2008.		SIT to inspect & report by 28.05.2008.
Y	75	105		50	Sh. Mohammad, Sh. Noshad, Sh. Lekraj (M/s Pratap Metals)	A-136	Buffing	Not mentioned.	Not submitted.	CTE on 15.04.2008 vide I.D.No. 25497	Not applied.	Not applicable	M/s Pratap Metal & unit operating on 2 & 3 floor may be issued notices seeking Consent to Establish under Orange Category. M/s Tahal Singh at basement may be issued notice seeking Consent to Establish under Green Category.	Notice issued. Reply received on 22.04.2008. CTE on 15.04.2008 vide I.D. No. 25497.	Ask the unit to submit a Bank Guarantee of Rs. 50,000/- under Air Act , 1981 valid up to 06.02.2010 by 28.5.2008.
Y	73	103		51	Sh. Shajid and Sh. Aslam	A-103/6	Steel Polish	Not mentioned.	Not submitted.	Not applied/obtained	Not applied.	Not applicable	Units other than listed were found. One such unit by the name M/s Sangam Plastic may be issued notice to apply for Consent to Establish under Orange category. Other unit namely M/s Lancer Metaware may be issued notice by Green Committee.	M/s Sangam Plastic has applied for CTE on 1.04.2008 vide I.D. No. 25483.	SIT to inspect & report by 28.05.2008.
Y	74	104		52	Sh. Vijay Kumar Goel	A-104	Buffing	Not mentioned.	Not submitted.	Not applied/obtained	Not applied.	Not applicable	Closure orders under Air & Water Acts in view of the fact that it is operating without any pollution control devices and has not applied for Consent to Establish. Further, M/s Heera Enterprises & M/s S.Kumar Polishing Works which are operating may be issued notices seeking Consent to Establish.	Letter issued. No reply received.	Ask both the units to file Bank Guarantee of Rs. 50000 under Air Act, 1981 valid up to 06.02.2010 by 28.05.2008. ATR on closure orders also to be put up on 28.5.2008.
Y	114	88		53	Jai Mata Metal Treatment	A-74(Ground Floor)	Heat Treatment	500 Kg (as per raw material list)	Not submitted.	Not applied.	CTO on 30.12.2005 vide I.D.No. 17412.	Applied on 28.11.2005 vide I.D. No. 2559.	SIT to inspect & report by 15.04.2008.		SIT to inspect & report by 28.05.2008.

Y	63	92		54	Lakshmai Milk Testing Machinery co.	A-90, Group	Mfg of Dairy Equipments (Milk Canes) with Anodizing.	Plot found vacant.	Not submitted.	Not applied/obtained	CTO(R) on 31.08.2005 vide I.D. No. 16242.	Applied for renewal on 02.08.2006 vide I.D. No. 3074.	Take up in 15 April, 2008 with Court order.		MS to check and report. Call on 14.05.2008.
Y	72	102		55	Sh. Ravi (M/s Dayal Industries)	Shed no, 63, DSIDC	Buffing	8 tonnes / month (as per inspection report)	Unit claims BG is not required as there is no buffing activity.	Not applied/obtained	Not applied.	Not applicable	SIT to inspect & report by 15.04.2008.		SIT to inspect & report by 28.05.2008.
Y	54	54		56	Trilok Chand & Sons	A-98	Mfg. of Hinges (MS & SS) without pickling	6000 Pcs/day	Not sought	CTE not applied/obtained.	Applied for Green renewal on 21.7.2005	Not applicable	Shift to Green Committee.	Shifted to Green Committee.	No action.
Y	9	10		57	Shiva Steels	A-102/6	Re-rolling & Pickling	450 Kg (as per affidavit)	Not submitted. Submitted representation expressing inability to submit such amount.	Not applied/obtained	CTO on 03.07.2007 vide I.D. No. 22132.	Applied for renewal for authorization on 02.08.2006 vide I.D. No. 3081.	Call on 15.04.2008.	BG not submitted. Unit has submitted a request letter on 08.04.2008 & informed that he is not in a position to submit the BG due to 'accute financial crisis and heavy losses' in unit. Affidavit not submitted.	Ask the unit to submit Bank Guarantee of Rs. 50000 under each of Water Act, ir Act and HWM Rules & an affidavit to the effect that the deficiencies observed during inspection have been rectified by 28.05.2008. Call on 28.05.2008.
Y	91	77		58	Jaquar Co. Ltd (Unit -2)	A - 6	Bathroom Fittings (Including Casting , Electroplating & Buffing)	65000 Pcs/month	Submitted	CTE on 15.04.2008 vide I.D. No. 25498	CTO valid up to 24.1.2006. Applied for renewal on 10.01.06	Applied for renewal on 05.7.2006 vide I.D. No. 2729.	Issue reminder to the unit to file application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. CTE applied on 15.04.2008 vide I.D. No. 25498.	Ask the unit to submit adequacy report of ETP by 28.05.2008.

Y	49	49		59	Laxmi Narain Steel Rollers	B-32/2	Re-Rolling & Pickling of S.S.Sheets	03 tonnes / month (as per HWM application)	Not submitted	CTE on 10.04.2008 vide I.D. No. 25451	CTO on 11.05.2004 vide I.D. No. 10524.	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3076.	Issue reminder to the unit to file Bank Guarantee, Consent to Establish & adequacy report of ETP by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 28.03.2008. BG not submitted. Unit has requested to extend the time for submitting the BG. CTE applied on 10.04.2008 vide I.D. No. 25451. Adequacy report of ETP not submitted. Affidavit submitted. Unit has not responded against reminder notice.	Time allowed to file Bank Guarantee & adequacy report of ETP till 28.05.2008.
Y	90	76	Z	60	Mohan's Leela Banquet	A-8/3	Banquet Hall	20 days / month (as per inspection report)	BG submitted.	CTE on 11.04.2008 vide I.D. No. 25486	CTO on 26.07.2002 vide I.D. No. 5473. Unit has deposited three years fee on 21.08.2006 as sought by DPCC in continuation of earlier CTO application dated 26.07.2002.	Applied for renewal on 31.10.2005 vide I.D. No. 2524.	Issue reminder to the unit to file Bank Guarantee, Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 11.04.2008. BG submitted. CTE applied on 11.04.2008 vide I.D. No. 25486. Affidavit submitted.	Consent to Establish granted.
Y	28	30		61	Arora Steel	C- 7/2 (Backside portion)	Pickling of SS sheets	2-3 tonnes (as per inspection report)	Not submitted	Not applied/obtained	CTO on 04.10.2005 vide I.D. No. 16649.	Applied on 04.10.2005 & 01.08.2006 vide I.D. No. 2505 & 3029 respectively.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. No reply received.	Issue final reminder to file Bank Guarantee by 28.05.2008, failing which the unit will be closed down.
Y	79	63		62	Durga Industries	A-99/4	Re-Rolling and Pickling of SS Sheets.	800 Kg (as per affidavit)	Not submitted	Applied on 26.03.2008 vide I.D. No. 25317	CTO(R) on 12.08.2005 vide I.D. No. 16044.	Applied for renewal of authorization on 26.07.2006 vide I.D. No. 2949.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 16.04.2008. BG not submitted. Unit has requested to waived off the BG as unit is very tiny unit being run in rented premises and also informed that they have been regularly operating ETP & ECS.	Bank Guarantee remains same and time allowed to file Bank Guarantee till 28.05.2008.

Y	23	25		63	Gupta Iron & Steel Company	A-95 /1A	Pickling, & Re-Rolling of S.S.Sheets (Annealing furnace defunct).	40 tonnes / month (as per affidavit)	Not submitted	CTE on 27.03.2008 & 16.04.2008 vide I.D. No. 25331 & 25508	Applied for CTO three times. Last CTO on 04.06.2007 vide I.D. No. 21658.	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3321.	Issue reminder to the unit to file Bank Guarantee and affidavit to the effect that the deficiencies observed earlier have been rectified by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 22.04.2008. BG not submitted. Unit has again requested to give one more month time for submission of BG i.e. 15.05.2008. Affidavit submitted.	Time allowed to file Bank Guarantee till 14.05.2008.
Y	82	67		64	Jay Kay Enterprises	A-127	Pickling, Annealing & Re-Rolling of SS Sheets	3 tonnes (as per inspection report)	Not submitted	CTE on 15.04.2008 vide I.D. No. 25502	CTO on 29.06.2005 vide I.D. No. 14796.	Applied for renewal on 23.08.2006 vide I.D. No. 3428.	Issue reminder asking the unit to file Bank Guarantee & Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 15.04.2008. BG not submitted. Unit has again requested to not impose the BG since no deficiency were found during the inspection. Affidavit submitted. CTE on 15.04.2008 vide I.D. No. 25502	Time allowed to file Bank Guarantee till 14.05.2008.
Y	78	61		65	Singhal Steel Udyog	C-12/1	Re-Rolling & Pickling of SS Sheets.	2 tonnes (as per inspection report)	Not submitted	Not applied/obtained	CTO obtained. Valid upto 03.06.2007. CTO(R) on 01.06.2007 vide I.D. No. 21627.	Applied for renewal of authorization on 18.08.2006 for 3331.	Issue reminder asking the unit to file Bank Guarantee & Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. No reply received.	Issue final reminder to file Bank Guarantee & Consent to Establish by 28.05.2008, failing which the unit will be closed down.
Y	42	1		66	Aggarwal Industries	A-95/5	Annealing, Cold Re-Rolling and Pickling of S.S.Sheets	3 tonnes /day as per affidavit	Not submitted	CTE on 10.04.2008 vide I.D. No. 25450	CTO obtained valid up to 02.12.06 CTO(R) on 27.02.2007 vide I.D. No. 20735.	Applied for renewal of authorization on 03.10.2006 vide I.D. No. 3750.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 28.03.2008. BG not submitted. Unit has again requested to give relief for not submission of BG as he is not a manufacturer and just a contract who does the job only and at present working capacity is reduced to just 300 kg to 500 kg / day. Affidavit submitted. CTE applied on 10.04.2008 vide I.D.No. 25450. Unit has not responded against the reminder notice	Ask the unit to submit Bank Guarantee of Rs. 50000 under each of the three acts by 28.05.2008



Y	25	27		67	Deepak Industries	A-83/5	Annealing & Pickling of S.S.Sheets	1 tonne (as per affidavit)	Not submitted	CTE on 19.03.2008 vide I.D. No. 25261	CTO on 15.7.2002 and again 26.07.2005 vide I.D. No. 15691.	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3060.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 22.04.2008. BG not submitted. Unit has again requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to file Bank Guarantee till 14.05.2008.
Y	26	28		68	Essco Sanitations	C-58/1	Electroplating & Buffing(Manufacturing of bathroom fittings involving electroplating, buffing & grinding)	2000 pieces (as per applicaton form)	Submitted valid up to 06.02.2010	CTE on 15.04.2008 vide I.D.No. 25494	CTO(R) on 19.07.2005 vide I.D. No. 15264.	Applied for renewal of authorization on 05.07.2006 vide I.D. No. 2730.	Issue reminder to the unit to file affidavit w.r.t.rectification of deficiencies found during the inspection & Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply not received. Affidavit not submitted. CTE on 15.04.2008 vide I.D.No. 25494	Issue last opportunity to the unit to file affidavit w.r.t.rectification of deficiencies found during the inspection by 28.05.2008.
Y	18	20		69	Golden Steel Industry	A-103/3	Annealing, hot-rolling and pickling	5-6 tonnes (as per inspection report)	Not submitted	Applied for CTE on 18.03.2008 vide I.D. No. 25222.	CTO(R) on 26.07.2005 vide I.D. No. 15680.	Applied for renewal of authorization on 26.09.2006 vide I.D. No. 3695.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 22.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008. Affidavit submitted.	Time allowed to file Bank Guarantee till 14.05.2008
Y	21	23		70	Multi Products Industries	A-97 / 5	Surgical and Hospital wares (including anodizing and buffing)	500 pieces per day (as per raw material list)	BG submitted.	CTE on 20.03.2008 vide I.D. No. 25282	CTO(R) on 22.07.2005 vide I.D. No. 15475.	Applied for renewal of authorization on 17.10.2006 vide I.D. No. 3921.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 11.04.2008. BG submitted.	Consent to Establish granted.
Y	43	43		71	Naresh Industries	A-52, Group	Dyeing and bleaching of cotton fabrics.	300 Kg (as per affidavit)	Not submitted	CTE on 27.03.2008 vide I.D. No. 25333	CTO(R) on 20.03.2006 vide I.D. No. 17926.	Applied for renewal of authorization on 09.08.2006 vide I.D. No. 3249.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection by 15.04.2008. Take up on 15.04.2008	Letter issued. No reply received.	Issue final reminder to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection by 28.05.2008, failing which the unit will be closed down.

Y	44	44		72	R.K. Steel	A-12, Group	Re-Rolling & Pickling of S.S.Sheets	400 Kg/day (as per lsit of raw material)	Not submitted	Applied for CTE on 18.03.2008 vide I.D. No. 25221	CTO on 09.09.2004 vide I.D. No. 11588.	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3059.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 22.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to file Bank Guarantee till 14.05.2008
Y	10	11		73	Shree Balaji	A-88	Re-rolling & Pickling	1 tonne / month (as per inspection report)	Not submitted	CTE on 27.03.2008 vide I.D. No. 25332	CTO obtained (expired on 08.09.2007).	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3082.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 22.04.2008. BG not submitted. Unit has again requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to file Bank Guarantee till 14.05.2008
Y	81	65		74	Shri Shyam Steels	A-113/1	Re-Rolling & Pickling of SS Sheets.	1.5-2 tonnes (as per inspection report)	Not submitted	CTE on 18.03.2008 vide I.D. No. 25219.	CTO on 21.03.2005 vide I.D. No. 13116.	Applied for renewal on 18.08.2006 vide I.D. No. 3358.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 10.04.2008. BG submitted. Affidavit submitted.	Ask the unit to submit adequacy report of ETP by 28.05.2008
Y	24	26		75	Sidhartha Industries	B-31, Group	Re- Rolling & Pickling	1.5 tonnes (as per inspection report)	Not submitted	Not applied/obtained	CTO obtained on 22.03.2004. Valid upto 01.08.2005. CTO(R) on 25.07.2005 vide I.D. No. 15574.	Applied for renewal of authorization on 17.10.2006 vide I.D. No. 3927.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 22.04.2008. BG not submitted. Unit has requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too. Affidavit submitted. CTE not applied.	Time allowed to file Bank Guarantee and application for Consent to establish till 14.05.2008
Y	5	6		76	Wesco Auto Products (I) Pvt. Ltd.	B-72	Auto electrical switches for tractors involving electroplating.	100 pieces (as per adequacy report)	BG submitted.	CTE on 10.04.2008 vide I.D. No. 25452.	CTO on 28.09.2004 vide I.D. No. 11748.	Applied for renewal of authorization on 25.07.2006 vide I.D. No. 2925.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Replies received on 28.03.2008 & 10.04.2008. BG submitted. Affidavit submitted. CTE applied on 10.04.2008 vide I.D. No. 25452.	Consent to Establish granted.

Y	34	5		77	Anand Electro Engineering	B-67/1	Electroplating (Job work) with buffing.	200 Kg/day (as per inspection report)	Not sought	Not applied/obtained	CTO on 26.04.2005 vide I.D. No. 13747.	Applied on 12.04.2005 & 11.08.2006 vide I.D. No. 2378 & 3287 respectively.	SIT to inspect & report by 15.04.2008.	Inspected by SIT on 03.04.2008.	Inspection report shows following deficiencies. (i) ETP needs to be protected from ageing as leakage observed in pipe fitting. First unit to submit BG of Rs. 50000 under Water Act & HWM Rules..Issue notice to another unit namely M/s Teesha Kitchen Accessories, Basement & 1st Floor, WIA for submit Consent to Establish application.
Y	83	68		78	Satvir Jain	A-134	Pickling of SS Sheets	2-2.5 tonnes (as per inspection report)	Not sought	Not submitted.	CTO on 30.12.2004 vide I.D. No. 12378.	Applied for renewal on 18.08.2006 vide I.D. No. 3373.	As per the inspection report of SIT building demolished & no unit found. Refuse renewal.	Consent refused.	No action.
Y	36	37		79	Apex International,	B-69/1	Manufacturing of piston rings (involving electroplating, grinding phosphating and buffing)	200 Kg (as per inspection report)	Not submitted	Not applied/obtained	CTO obtained. Valid upto 30.09.2007. CTO(R) on 01.03.2007 vide I.D. No. 20760.	Applied for renewal of authorization on 27.10.2006 vide I.D. No. 3986.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 16.04.2008. BG not submitted. Unit has requested to exempt from BG as the unit is very small & it is very difficult to give huge amount of BG. Affidavit submitted. CTE not applied.	Time allowed to file Bank Guarantee and application for Consent to Establish till 14.05.2008
Y	12	14		80	Bhawani Industries	B-62/1	Re-rolling & Pickling	2 tonnes (as per inspection report)	Not sought	CTE on 14.03.2008 vide I.D. No. 25205.	CTO obtained vide consent no. 11747. Valid upto 13.08.2008.	Applied for renewal for authorization on 28.07.2006 vide I.D. No. 2995.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 21.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to file Bank Guarantee till 14.05.2008
Y	93	60		81	Bright Electroplating Industries	C-5/2	Electroplating	Job work	Not submitted	Not required	CTO(R) on 16.04.2004 vide I.D. No. 10329 and on 27.02.2008 vide I.D. No. 25043.	Applied for renewal of authorization on 17.10.2006 for 3924.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 15.04.2008. Unit has requested to allow sufficient time (at least 90 days) to arrange funds to file	Time allowed to file Bank Guarantee till 14.05.2008



Y	113	87	Z	82	Celebration Banquet	A-16/3	Banquet Hall	125 days / year (as per inspection report)	BG submitted.	CTE on 11.04.2008 vide I.D. No. 25482.	CTO on 02.05.205 vide I.D. No. 13856.	Applied on 04.05.2005 & 17.10.2006 vide I.D.No. 2398 & 3913 respectively.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 10.04.2008. BG submitted. CTE applied on 11.04.2008 vide I.D. No. 25482.	Ask the unit to submit adequacy report of ETP by 28.05.2008.
Y	6	7		83	Continental Car Scanning Centre	B- 72/4	Service Station	3-4 cars (as per inspection report)	Not sought	Applied for CTE on 19.03.2008 vide I.D. No. 25270.	CTO(R) on 18.04.2007 vide I.D. No. 21059.	Applied for renewal of authorization on 01.08.2006 vide I.D. No. 3032.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. BG not submitted. Unit has requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too. Affidavit on 15.04.2008 submitted.	Time allowed to file Bank Guarantee till 14.05.2008
Y	11	13		84	Cooper Pharma	B-59	Pharmaceutical (formulations)	300 Kg/day as per affidavit	Not sought	Not applied/obtained	CTO obtained valid up to 25.7.05. CTO(R) on 25.07.2005 vide I.D. No. 15659.	Applied for renewal for authorization on 18.12.2006 vide I.D. No. 4171.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. No reply received.	Issue final reminder to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 28.05.2008, failing which the unit will be closed down.
Y	14	16		85	Goodwill Industries	C-44	Annealing & Pickling	15-20 tonnes / month (as per inspection report)	Not sought	CTE on 10.04.2008 vide I.D. No. 25464.	CTO obtained on 07.04.2005. Valid upto 30.09.2005. CTO (R) on 07.12.2006 vide I.D. No. 20117.	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3368.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 23.04.2008. BG not submitted. Unit has again requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too. Affidavit submitted. CTE applied on 10.04.2008 vide I.D.	Time allowed to file Bank Guarantee till 14.05.2008

Y	52	52		86	Guru Faquir Metal Udyog	C-37	Pickling , Annealing and Cold Re-Rolling of S.S.Sheets	1 tonne (as per affidavit)	Not submitted	Applied for CTE on 24.03.2008 vide I.D. No. 25291	CTO on 25.08.2006 vide I.D. No. 19135.	Applied on 25.08.2006 vide I.D. No. 3453.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 22.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to file Bank Guarantee till 14.05.2008
Y	59	59		87	Guru Prem Industries	A-101	Pickling , Annealing and cold Re-Rolling of S.S.Sheets	4 tonnes (as per inspection report)	Not submitted	CTE on 27.03.2008 vide I.D. No. 25330	CTO on 08.04.2005 vide I.D. No. 13493.	Applied on 08.04.2005 vide I.D. No. 2381.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. BG not submitted. Unit has requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too. Affidavit submitted.	Time allowed to file Bank Guarantee till 14.05.2008
Y	58	58		88	Jain Steel	B-14, Group	Pickling and cold Re - Rolling of S.S.Sheets	01 tonne (as per affidavit)	Not submitted	CTE on 28.03.2008 vide I.D.No. 25342.	CTO on 07.02.2005 vide I.D. No. 12572.	Applied for renewal of authorization on 24.08.2006 vide I.D. No. 3443	Issue reminder to the unit to file Bank Guarantee & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 22.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008. Applied for CTE on 28.03.2008 vide I.D.N O. 25342.	Time allowed to file Bank Guarantee till 14.05.2008
Y	53	53		89	Kamal Steel Industries	C-37/2	Annealing of S.S.Sheets	1.5-2 tonnes (as per affidavit)	Not submitted	CTE on 04.04.2008 vide I.D. No. 25414.	CTO obtained on 01.09.2003. Valid upto 01.08.2005. CTO(R) on 01.06.2007 vide I.D. No. 21630.	Applied on 21.03.2005 & 27.10.2006 vide I.D. No. 2354 & 3974 respectively.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. BG not submitted. Unit has again requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too. Affidavit submitted. Applied for CTE on 04.04.2008 vide I.D. No. 25414.	Time allowed to file Bank Guarantee till 14.05.2008

Y	37	38		90	Mahavir Steel Industries	B-68/1	Re-rolling and pickling of SS sheets	2 tonnes (as per inspection report)	Not submitted	CTE on 27.03.2008 vide I.D. No. 25335	CTO on 24.03.2005 vide I.D. No. 13193.	Applied on 24.03.2005 vide I.D. No. 2364.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. BG not submitted. Unit has again requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too. Affidavit submitted.	Time allowed to file Bank Guarantee till 14.05.2008
Y	55	55		91	Moonlight Steel Industries	A-99/1	Pickling and Re-Rolling on MS Sheets	250 Kg (as per adequacy report)	Not submitted	CTE on 10.04.2008 vide I.D. No. 25455	CTO(R) on 21.07.2005 vide I.D. No. 15369.	Applied for renewal of authorization on 10.08.2006 vide I.D. No. 3264.	SIT to inspect & report by 15.04.2008.	Unit has submitted a letter on 10.04.2008. Unit wants to know the amount of BG. Affidavit submitted. CTE applied on 10.04.2008 vide I.D. No. 25455.	SIT to inspect & report by 28.05.2008.
Y	33	35		92	Onkar Steel	B-67/1	Annealing, Cold Re-Rolling and Pickling of S.S.Sheets	1.5 tonnes (as per inspection report)	Not submitted	CTE on 11.04.2008 vide I.D. No. 25488	CTO(R) on 25.07.2005 vide I.D. No. 15597.	Applied for renewal of authorization on 01.08.2006 vide I.D. No. 3033.	Issue reminder to the unit to file Bank Guarantee & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. BG not submitted. Unit has requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too. CTE applied on 11.04.2008 vide I.D. No. 25488	Time allowed to file Bank Guarantee till 14.05.2008
Y	32	34		93	Premier Industries	B-62 (Backside)	Pickling of SS sheets	2 tonnes (as per inspection report)	Not submitted	CTE on 15.04.2008 vide I.D. No. 25499	CTO obtained. Valid upto 27.06.2007.	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3072.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. BG not submitted. Unit has again requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too. CTE on 15.04.2008	Time allowed to file Bank Guarantee and an affidavit w.r.t. rectification of deficiencies found during the inspection till 14.05.2008

Y	29	31		94	Rafik Kitchen Accessories (previously as Rafiq Electroplating),	C- 60/5	Electroplating (Job work of Ni- Cr plating) and buffing.	4000 Kg / month (as per affidavit)	Not submitted	Not applied/obtained	CTO on 17.05.2007 vide I.D. No. 21382.	Applied on 17.05.2007 vide I.D. No. 4289.	Issue reminder to the unit to file Bank Guarantee & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. No reply received.	Issue final reminder to file Bank Guarantee & application for Consent to Establish by 28.05.2008, failing which the unit will be closed down.
Y	27	29		95	Raunaq Motors	B-89	Service Station	10 cars (as per AR)	BG submitted.	Applied for CTE on 20.03.2008 vide I.D. No. 25277.	CTO obtained 10.06.2003. Valid upto 23.07.2005. CTO(R) on 18.07.2005 vide I.D. No. 15198.	Applied for renewal of authorization on 07.08.2006 vide I.D. No. 3177.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 11.04.2008. BG submitted.	Ask the unit to submit adequacy report of ETP by 28.05.2008.
Y	20	22		96	S.V. Industries	A-59, Group	Pickling, & Re-Rolling of S.S.Sheets	2-3 tonnes (as per affidavit)	Not submitted	Applied for CTE on 18.03.2008 vide I.D. No. 25232.	CTO on 25.08.2006 vide I.D. No. 19141.	Applied for renewal of authorization on 10.08.2006 vide I.D. No. 3261.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. BG not submitted. Unit has requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too.	Time allowed to file Bank Guarantee till 14.05.2008
Y	22	24		97	Saraswati Traders	A-96/2	Annealing, Re-Rolling & Pickling of S.S.Sheets	40 tonnes / month (as per affidavit)	Not submitted	CTE on 27.03.2008 vide I.D. No. 25334	CTO obtained. Valid upto 01.07.2007.	Applied for renewal of authorization on 24.08.2006 vide I.D. No. 3432.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 21.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to file Bank Guarantee till 14.05.2008
Y	39	40		98	Shri Luxmi Industries	A-39	Cold Re-Rolling and Pickling of S.S.Sheets	2.25 tonnes (as per inspection report)	Not submitted	Applied for CTE on 19.03.2008 vide I.D. No. 25269	CTO on 10.11.2004 vide I.D. No. 12099.	Applied for renewal of authorization on 10.08.2006 vide I.D. No. 3260.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. Unit has requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too.	Time allowed to file Bank Guarantee till 14.05.2008

Y	7	8		99	Singhal Udyog	B- 70	Annealing, re-rolling & Pickling.	10-15 tonnes / month (as per inspection report)	Not submitted	CTE on 18.03.2008 vide I.D. No. 25228	CTO obtained. Valid upto 01.08.2005. CTO(R) on 25.07.2005 vide I.D. No. 15584.	Applied for renewal of authorization on 14.07.2006 vide I.D. No. 2811.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. BG not submitted. Unit has requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too.	Time allowed to file Bank Guarantee till 14.05.2008
Y	57	57		100	Tirupati Metal	B-8, Group	Pickling , Annealing and Cold Re-Rolling of S.S.Sheets	2.5 tonnes (as per inspection report)	Not submitted	CTE on 14.03.2008 vide I.D. No. 25206.	CTO on 20.12.2006 vide I.D. No. 20238 along with condonation fee for 10 years.	Appied on 20.12.2006 vide I.D. No. 4176.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 22.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to file Bank Guarantee till 14.05.2008
Y	38	39		101	U.S. Enterprises	B-72/3	Electroplating (job work) with buffing	1500 parts (as per inspection report)	Not submitted	Not applied/obtained	CTO obtained. Valid upto 22.08.2007. CTO(R) on 22.08.2007 vide I.D. No. 23224.	Authorization obtained. Valid upto 30.07.2008.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 11.04.2008. BG not submitted. Unit has requested to grant the extension for submit the BG by 3 days as it needs approval from the head office. Affidavit submitted . CTE not applied.	Time allowed to file Bank Guarantee and application for consent to establish till 14.05.2008
Y	45	45		102	Vijay Enterprises	A-15, Group	Re-Rolling & Pickling of S.S.Sheets Pickling stopped as per SIT	2 - 3T/day as per mfg process.	Not submitted	Applied for CTE on 25.03.2008 vide I.D. No. 25306.	CTO on 24.02.2006 vide I.D. No. 17833	Applied for renewal for authorization on 07.08.2006 vide I.D. No. 3178. Not applicable as pickling stopped.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. BG not submitted. Unit has requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too.	Time allowed to file Bank Guarantee till 14.05.2008

Y	13	15		103	Prime Industries	C-44	Annealing & Pickling	15-20 tonnes / month (as per inspection report)	Not submitted	CTE on 10.04.2008 vide I.D No. 25463.	CTO on 02.08.2002 vide I.D. No. 3170. CTO (R) on 19.01.2007 vide I.D. No. 24241.	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3371.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 23.04.2008. BG not submitted. Unit has again requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too. Affidavit submitted. CTE applied on 10.04.2008 vide I.D No. 25463.	Time allowed to file Bank Guarantee till 14.05.2008
Y	48	48		104	Subash Goel	B-29/2 (Back Side)	Pickling of S.S.Sheets	300 MT/annum as per affidavit	Not submitted	Not applied/obtained	CTO(R) on 23.08.2007 vide I.D. No. 23236.	Applied for renewal for authorization on 15.09.2006 vide I.D. No. 3591.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 23.04.2008. BG not submitted. Unit has again requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too. Affidavit not submitted. CTE not applied.	Issue final reminder to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 28.05.2008, failing which the unit will be closed down.
Y	71	101		105	Sh. Bhupinder(M/s Jain Steel Udyog)	Shed no, 71 DSIDC	Steel Untenslis	Not mentioned.	Unit claims BG is not required as there is no buffing activity.	Not applied/obtained	CTO(R) under Green Category on 13.06.2005 vide I.D.No. 14442.	Not applicable	SIT to inspect & report by 15.04.2008.		SIT to inspect & report by 28.05.2008.

S.No.	Sl. No	Name of Industry / Unit	Address	Activity	BG Submitted	CTE status	Consent Status	Status of authorization	Decision on 28.03.2008	ATR for 24.04.2008	Decision on 24.04.2008
9	1	Arihant Industries	C- 60/1	Re-rolling & Pickling	BG of Rs. Three Lakh submitted on 28.09.2007.	CTE on 01.01.2008 vide I.D. No. 24631.	CTO on 06.08.2007.	06.08.2007.	Call in June, 2008.		SIT to inspect in June, 2008.
184	2	Gupta Enterprises	B-47/2, Group	Annealing, Re-Rolling & Pickling of SS Sheets.	BG submitted on 21.11.2007	CTE on 21.11.2007 vide I.D. No. 24275.	CTO was valid up to 30.9.2005. CTO(R) 28.09.2007.	Applied for authorization on 26.07.2006 vide I.D. No. 2948.	Inspection by SIT and call on 15.04.2008.		SIT to inspect & report by 28.05.2008.
195	3	Rana Motors Pvt. Ltd.	A-3	Service Station	BG of Rs. Three Lakh submitted on 22.11.2007	CTE on 15.01.2008 vide I.D. No. 24752.	CTO refused on 09.10.2007. CTO on 24.08.2006 vide I.D. No. 19123.	Refused on 09.10.2007. Applied on 23.01.2008 vide I.D. No. 4469.	Call in June, 2008.		SIT to inspect in June, 2008.
6	4	Sahil Mohit & Co.	B-85	Re-rolling & Pickling	BG of Rs. Three Lakh submitted on 24.12.2007	CTE on 13.2.2008 with ID No. 24929	CTO on 09.11.2004 vide I.D. No. 12091.	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3365.	Reminder be issued asking the unit to submit an affidavit to the effect that it will comply with the provisions of all the Pollution Control Laws and connection to conveyance system.	Letter issued. No reply received.	Issue final reminder asking the unit to submit an affidavit to the effect that it will comply with the provisions of all the Pollution Control Laws and connection to conveyance system by 28.05.2008.
33	5	Scorpion Iron Steel Pvt. Ltd.	A- 135	Manufacturing of utensils involving Buffing	BG submitted on 26.09.2007.	CTE on 17.09.2007 vide I.D. No. 23528.	CTO revoked on 09.08.2007	Not applicable	Call in June, 2008.	No action.	SIT to inspect in June, 2008.
64	6	Shiv Shakti Industries	A-84/1	Re-Rolling & Pickling of S.S.Sheets	BG of Rs. Three Lakh submitted on 23.10.2007.	CTE on 07.01.2008 vide I.D. No. 24690.	CTO(R) applied on 12.10.2006	Applied for renewal on 28.7.2006	Call in June, 2008.	NDPL informed that "unit with different name exists at site".	SIT to inspect in June, 2008.
182	7	Shri Sai Enterprises	B-27/2, Group		BG of Rs. Three Lakh submitted on 31.12.2007.	CTE on 07.11.07	CTO (Re) applied on 05.10.2007 vide ID No. 23785	Revocation of authorization on 01.10.2007	Call in June, 2008.	No action.	SIT to inspect in June, 2008.

67	8	Avtar Refrigeraton Industries	C-57/1	Re-Rolling & Pickling of S.S.Sheets	BG of Rs. Three Lakh submitted on 03.01.2008	CTE obtained on 05.01.2004. Valid upto 05.01.2005. CTO refused on 07.08.2007 vide refusal no. 1646..	CTE obtained on 05.01.2004. Valid upto 05.01.2005. CTO refused on 07.08.2007 vide refusal no. 1646..	Refused on 07.08.2007.	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.
58	9	Parmod Steel	C-54, GateNo.5	Pickling and Cold Re Rolling of S.S.Sheets	Submitted on 25.02.2008	Obtained CTE on 21.9.2005 valid up to 20.9.06	CTO applied on 20.12.2006	Applied for auth on 20.12.06 with ID No. 4178.	SIT to inspect & report. Take up on 15.04.2008.	Inspected by SIT on 04.04.2008.	The inspection report has observed that ETP should be protected from aging. The unit must clarify by 28.05.2008 how it will do so.
93	10	Brij Mohan Ram Mohan	A-86/2	Pickling & Re-Rolling of SS sheet	Submitted valid up to 06.02.2010 for 3 lakhs	CTE on 27.09.2007 vide I.D. No. 23668.	CTO obtained. Valid upto 30.09.2008. Revoked on 09.2.07	Refused on 09.02.2007	SIT to inspect & report. Take up on 15.04.2008.		Inspection report of SIT shows following deficiencies :- (i) Separate polyelectrolyte dosing tank needs to be installed. (ii) A valve needs to be installed at water outlet of wet scrubber. Issue notice for correction of deficiencies as indicated above and submit an affidavit by 28.05.2008.
106	11	Dham Dyeing & Bleaching Mills	B-63/2	Dyeing , Bleaching and processing of hosiery fabrics	Submitted valid up to 06.02.2010 for 3 lakhs	CTE on 18.09.2007 vide I.D. No. 23543.	CTO refused on 13.9.07	Auth refused on 13.9.07	SIT to inspect & report. Take up on 15.04.2008.	Inspected by SIT on 03.04.2008.	During the inspection by Special Inspection Team, ETP found in defunct condition but unit found in operation. Forfeit Bank Guarantee and issue SCN why the unit should not be closed down.
140	12	R.J. Enterprises	A-112	Pickling and Cold Re-Rolling of S.S Sheets	Submitted on 25.02.2008	CTE on 14.12.2007 vide I.D. No 24493	CTO dt 03.10.06 refused on 18.08.2007 vide refusal no. 1667.	Refused on 18.08.2007.	Call in June, 2008.	No action.	SIT to inspect in June, 2008.
188	13	Rishabh Steel	C-59/2	Pickling of SS Sheets	Submitted valid up to 06.02.2010 for 3 lakhs	CTE on 22.10.2007 vide I.D. No. 23992.		Applied on 08.11.2007 vide I.D. No. 4416.	SIT to inspect & report. Take up on 15.04.2008.	Inspected by SIT on 04.04.2008.	SIT to re-inspect & report by 28.05.2008.

15	14	S. K. Steels	B-58, Group	Pickling	Submitted on 25.02.2008	CTE on 31.12.2007 vide I.D. No. 24612.	CTO applied on 16.3.2005 vide ID No. 13018.	Applied on 29.8.06 for renewal.	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.
138	15	Swaroop Industries	B-9, Group	Pickling of S.S.Sheets	Not yet submitted.	CTE on 21.09.2007 vide I.D. No. 23597.	–	Applied on 04.02.2005 vide I.D. No. 2306.	Issue reminder to the unit to file Bank Guarantee & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 22.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to file Bank Guarantee & application for Consent to Establish till 28.05.2008.
126	16	A.V. Metal	A-72/2	Re-rolling and pickling of SS sheets	Not sought	CTE on 13.11.2007 vide ID No. 24193	–	–	MS to appear before Court on 07.04.2008.		SIT to inspect & report by 28.05.2008.
75	17	Ajit Nath Alloys (P) Ltd.	C- 60/1	Manufacturing of SS utensils (including buffing)	Not sought	CTE on 13.08.2007 vide I.D.No. 23112 under Orange category. CTE under Green category on 21.9.07		Not applicable	SIT to inspect & report. Take up on 15.04.2008.	Inspected by SIT on 04.04.2008.	In view of the inspection report and the request of the unit, Bank Guarantee is reduced to Rs. 50,000 under Air Act, 1981 and unit be asked to submit the same by 28.05.2008.
100	18	Baba Steels	A- 14 (Backside)	Pickling (unit found closed & locked from outside .Unit non operational)	Not sought	CTE on 28.11.07 vide ID No. 24342	CTO refused on 18.08.2007 vide refusal no. 1659.	Applied for renewal on 18.08.2006 vide I.D. No. 3351.	Issue last reminder to the unit to file Bank Guarantee & affidavit to the effect that the unit is connected to conveyance system by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 22.04.2008. BG not submitted. Unit has requested to give one more month time for submission of BG i.e. 15.05.2008.	Time allowed to the unit to file Bank Guarantee & affidavit to the effect that the unit is connected to conveyance system till 14.05.2008.
57	19	Bhalla Hosiery Factory	B-40, Group	Re-rolling & Pickling	–	CTE on 18.09.2007 vide I.D. No. 23542.	CTO refused on 09.08.2007 vide refusal no. 1655. CTO on 21.08.2007 vide I.D. No. 23212.	–	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.

210	20	Gee Aar Industries	A-9/3	Mfg A cotton thread, Mercerizing, and Bleaching.	Not sought	CTE on 28.12.2007 vide I.D. No. 24606.	CTO refused on 30.11.2007	Refused on 30.11.2007	Seek compliance from DJB.	Letter issued to DJB. No compliance report received. Affidavit submitted.	Seek compliance. Call on 28.05.2008.
193	21	Hari Ram	C-40/3	Pickling of SS Sheets	Not yet submitted.	CTE on 31.12.2007 vide I.D. No. 24620.	CTO refused on 09.12.2005.	Applied for renewal on 18.08.2006 vide I.D. No. 3367.	Issue last reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of all pollution control laws in future by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. BG not submitted. Unit has requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too. Affidavit submitted.	Time allowed to file Bank Guarantee till 28.05.2008. No further extension of time is allowed.
72	22	Hariom Industries	C- 60/3	Manufacturing of SS utensils (involving buffing)	Not sought	CTE on 20.9.2007 vide ID No. 23580	Only CTE applied	Not applicable	SIT to inspect & report. Take up on 15.04.2008.	Inspected by SIT on 04.04.2008.	Special Inspection Team found D.G. Set without acoustic enclosure. Unit to provide acoustic enclosure with the D.G. Set and confirm the same through an affidavit by 28.05.2008.
54	23	Parasmani Steel Job Works	B-33/3, Group	Re-rolling & Pickling	Not submitted.	CTE on 11.09.2007 vide I.D. No. 23462.			Issue reminder to file Bank Guarantee, adequacy report of ETP and Effluent analysis report & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008	Reply received on 10.04.2008. BG not submitted. Unit has requested to reduce the amount of BG from One Lakh each to Rs. Fifty Thousand each as the production is 10 tonne / month. Affidavit not submitted.	Bank Guarantee is reduced to Rs. 75,000 under each of Water Act, Air Act & HWM Rules valid upto 06.02.2010 and unit be asked to submit the Bank Guarantee, adequacy report of ETP and Effluent analysis report & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 28.05.2008 and also submit the information w.r.t. production data of next three months through an affidavit. To be reviewed after 03 months with production data.

161	24	Shakti Industries	C-9/4	Re-Rolling and Pickling of SS Sheets.	Not submitted.	CTE on 14.12.07	CTO valid up to 01.8.05. Applied for CTO(R) on 08.10.2007 vide I.D. No. 23808.	–	Issue reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 10.04.2008. BG not submitted. Affidavit submitted.	Bank Guarantee not to be reduced. Time allowed to submit Bank Guarantee till 28.05.2008.
61	25	Vishal Industries	C-55/1	Re-Rolling & Pickling of S.S.Sheets	Not submitted.	CTE on 10.09.2007 vide I.D. No. 23442.	CTO refused on 20.07.2007 vide I.D. No. 22638.		Issue reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008	Letter issued. No reply received.	Issue final reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 28.05.2008, failing which the unit will be closed down.
87	26	Goyal Enterprises	B-7, Group	Pickling & Re-Rolling of SS sheet	BG of Rs. Three Lakh submitted on 24.10.2007.	CTO(R) obtained. Valid upto 11.08.2008.	CTO(R) obtained. Valid upto 11.08.2008.	Applied for renewal of authorization on 26.07.2006 vide I.D No. 2943	Consent to Establish granted.	No action.	Renewal of authorization under HWM granted.
88	27	Hari Ram Babu Lal	B-63	Pickling , Annealing & Re- Rolling of SS sheet	BG of Rupees Two Lakh submitted on 29.10.2007	CTE on 14.03.2008 vide I.D. No. 25202	CTO(R) obtained. Valid upto 01.08.2008. CTO on 04.10.2006 vide I.D. No. 19489.	Applied on 04.10.2006 vide I.D. No. 3759	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.
86	28	S.K. Enterprises	A-126/1	Pickling, Annealing & Re- Rolling of SS sheet	BG submitted on 08.10.2007	Not applied/obtained	CTO (Renewal) obtained. Valid upto 26.7.2008.	Applied for renewal of authorization on 03.08.2006 vide I.D. No. 3110.	SIT to inspect & report. Take up on 15.04.2008.		No action.
117	29	Parkash Re-Rolling Works	A-131, Group	Re-rolling and pickling of SS sheets	Not Sought	Not yet applied	CTO refused on 18.08.2007 vide refusal no. 1661..	Refused on 18.08.2007	Issue reminder to file Bank Guarantee, application for Consent to establish & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008	Letter issued. No reply received.	Issue final reminder to file Bank Guarantee, application for Consent to Establish & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 28.05.2008, failing which the unit will be closed down.

98	30	Prem Dyeing	A- 13	Dyeing (Premises found closed, unit not operating)	unit closed	Not applied/obtained	CTO(R) on 09.04.2007 vide I.D. No. 21011.		Seek compliance from MCD.	Letter issued. No reply received.	Seek compliance from MCD.
81	31	Bhagwati Steels	B-28/4	Pickling, Annealing & Re-Rolling of SS sheet	Revalidated BG of Rs. Three Lakh submitted on 19.03.2007	Applied for CTE on 20.03.2008 vide I.D. No. 25278.	CTO on 25.07.2005.	Renewal of authorization on 12.07.2006 vide I.D. No. 2758.	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.
97	32	Ganpati Rolling Mill	A-98/6	Pickling & Re-Rolling of SS sheet	Revalidated BG of Rs. Three Lakh submitted on 29.10.2007	CTE on 11.03.2008 vide I.D. No. 25151.	CTO(R) on 16.05.2007 vide I.D. No. 21335	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3353	Issue reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 15.04.2008. Bank Guarantee submitted. Affidavit submitted.	Account Officer to verify the Bank Guarantee. Call on 28.05.2008.
18	33	Kusum Steel Co.	C-57	Re-rolling & Pickling	BG of Rs. Three Lakh submitted on 23.08.2007	CTE on 11.04.2008 vide I.D. No. 25487.	CTO on 11.01.2005 vide I.D. No. 12421.	Applied for renewal of authorization on 11.01.2005 vide I.D. No. 2265.	Issue reminder to file Bank Guarantee, application for Consent to establish & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 28.03.2008. Revalidated BG submitted. Affidavit submitted. CTE on 11.04.2008 vide I.D. No. 25487.	SIT to inspect & report by 28.05.2008.
92	34	Metal Fabricators	A-85/3	Pickling, Annealing & Re- Rolling of SS sheet	Revalidated BG submitted on 29.10.2007	Applied for CTE on 20.03.2008 vide I.D. No. 25279.	CTO on 24.01.2005 vide I.D. No. 12494	Applied on 20.09.2006 vide I.D. No. 3637	SIT to inspect & report. Take up on 15.04.2008.		Inspection report of Special Inspection Team shows following deficiencies :- (i) Pipe needs to be connected with hopper of reaction tank and sludge collection tank. At present, temporary arrangement available. Ask the unit to correct the deficiencies and file an affidavit by 28.05.2008.
79	35	Mitul Industries	A-124	Pickling, Annealing & Re-Rolling of SS sheet	Extension letter for BG submitted on 01.10.2007. BG revalidated up to 26.03.2008	Applied for CTE on 19.03.2008 vide I.D. No. 25262.	CTO(R) on 01.08.2005 vide I.D. No. 15868.	Applied for renewal of authorization on 09.12.2006 vide I.D. No. 3248.	Issue last reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008.	Letter issued. Reply received on 15.04.2008. BG submitted. Affidavit submitted.	Consent to Establish granted.

84	36	Pooja Rolling Mills	A-90/1, Group	Pickling & Re-Rolling of SS sheet	Revalided BG of Rs. Three Lakh submitted on 29.10.2007	Applied for CTE on 18.03.2008 vide I.D. No. 25220.	CTO(R) on 30.01.2006 vide I.D. No. 17616.	Applied for renewal of authorization on 01.08.2006 vide I.D. No. 3030.	Issue reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 15.04.2008. BG not submitted. Affidavit submitted.	Issue final reminder to file Bank Guarantee by 28.05.2008, failing which the unit will be closed down.
51	37	Rahul Udyog	A- 96 / 1A	Annealing, Re-Rolling & Pickling of S.S.Sheets	BG of Rs. Three Lakh submitted on 15.10.2007.	Not applied/obtained	CTO applied on 29.3.2005 vide ID No. 13253	Applied on 28.03.2005 vide I.D. No. 2367.	Issue reminder to file application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. No reply received.	Issue final reminder seeking application for Consent to Establish. SIT to inspect & report by 28.05.2008.
73	38	Raj Overseas	C- 60/1	Annealing , re-rolling and pickling of SS sheets and manufacturing of utensils (including buffing)	BG of Rs. Three Lakh submitted on 31.12.2007.	CTE on 17.04.2008 vide I.D. No. 25523	CTO on 01.06.2007.	Applied on 01.06.2007	Issue reminder to file application for Consent to establish & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 28.03.2008. Applied for CTE on 17.04.2008 vide I.D. No. 25523 Affidavit submitted. Unit has not responded against the reminder letter.	Consent to Establish granted.
95	39	Satish Kumar	B-70/2	Annealing of SS sheet	Revalided BG of Rs. 50,000 submitted.	Not applied/obtained	CTO on 31.01.2006 vide I.D. No. 17629.	Not applicable	Issue reminder to file Bank Guarantee & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. Unit has requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too. CTE not applied.	Final time allowed to file Bank Guarantee & application for Consent to Establish till 28.05.2008.
83	40	Shriram Rolling Mill	A-93/14	Pickling & Re-Rolling of SS sheet	Revalided BG of Rs. Three Lakh submitted on 29.10.2007	Applied for CTE on 25.03.2008 vide I.D. No. 25299.	CTO on 01.06.2006 vide I.D. No. 18355	Applied on 01.06.2007 vide I.D. No. 2655.	Issue reminder to file an affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008	Letter issued. No reply received.	Issue final reminder to file an affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 28.05.2008, failing which the unit will be closed down.

80	41	Vinayak Industries	C-36/1	Re- Rolling & Pickling of SS sheet	BG of Rs. Three Lakh subitted 29.10.2007.	CTE on 18.03.2008 vide I.D. No. 25226	CTO applied on 02.8.02 and 25.6.04 CTO valid up to 24.6.07. CTO(R) on 11.06.2007 vide I.D. No. 21775.	Applied on 23.12.2003 & 25.04.2005 vide I.D. No. 192 & 2387 respectively.	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.
118	42	Rajkumar Hosiery	A-128, Group	Dyeing , Bleaching and processing of hosiery clothes	Not submitted.	Not applied/obtained	CTO applied on 26.7.02 CTO renewal applied on 30.9.05	Applied for renewal on 02.8.06 vide Id No.3077	Issue reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 16.04.2008. BG not submitted. Unit has informed that they have stopped the dyeing activity w.e.f. 07.01.2008. Now they are not doing any pollution type activity. Affidavit not submitted.	SIT to inspect & report by 28.05.2008.
59	43	Sh. Gaurav(Proprietor of pickling unit)	C-55/1 (back side portion)	Pickling of S.S.Sheets	Submitted valid up to 06.02.2010 for 3 lakhs	Not applied/obtained	CTO applied.	Not applied.	SIT to inspect & report. Take up on 15.04.2008.	Inspected by SIT on 04.04.2008.	Ask him to apply for Consent to Establish by 28.05.2008.
122	44	A.N. Steel Industries	A-95	Re-Rolling of S.S.Sheets(Pickling stopped)	Not sought	Not applied/obtained	Refused on 31.07.2006		Seek compliance from DJB.	Letter issued. No reply received.	Seek compliance from DJB.
40	45	Abhinandan Steel	A-124, II & III Floor,	Manufacturing of steel utensils (involving buffing)	Not sought	Not applied/obtained	CTO revoked on 09.08.2007 vide revocation no. 1651.	Not applicable	SIT filed inspection report before the Committee. Unit closed. Other units M/s Adhinath Works on 2 & 3 floor & M/S Mittal Inds on 1 floor are operating without consent. Notices may be issued asking them to apply for Consent to Establish.	Notice issued. Reply received on 22.04.2008.	Ask M/s Adhinath Works to file Bank Guarantee of Rupees One Lakh under Air Act valid upto 06.02.2010 and affidvit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 28.05.2008.
55	46	Jain Udyog	B-41, Group	Re-rolling & Pickling	Not sought	CTE refused on 29.11.07	CTE refused on 29.11.07	Not applied.	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.
52	47	Laxmi Chand Hosiery Factory	A-97 / 2	Buffing on S.S.Utensils(knitting of socks is also being carried out)	Not Sought	Not applied/obtained	CTO on 25.07.2007 vide I.D. No. 22799 under Green Category.	–	Unit closed. Other unit engaged in knitting activity may be issued notice asking to apply for Consent to Establish.	Letter issued. Reply received on 15.04.2008.	Ask the unit to submit Bank Guarantee of Rs. 50,000 under Air Act, 1981 valid up to 06.02.2010 by 28.05.2008.

85	48	Laxmi Rolling Mills	A-90/3, Group	Pickling & Re-Rolling of SS sheet	Revalided BG submitted on 29.10.2007	CTE on 18.03.2008 vide I.D. No. 25233	CTO on 12.03.2003 vide I.D. No. 7956. Unit deptsited the fee for further three years on 17.08.2006 as sought by DPCC.	Applied for renewal of authorization on 07.08.2006 vide I.D. No. 3179.	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.
121	49	Mittal Dyeing and Processing Mills	A-94/1	Dyeing , Bleaching and processing of hosiery clothes	Not yet submitted.	CTE on 26.03.2008 vide I.D. No. 25319 under Green Category	CTO valid up to 28.11.2003 CTO(R) applied on 22.3.2005	Applied for renewal on 01.08.2006 vide I.D. No. 3027.	Issue reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008	Letter issued. No reply received.	Issue final reminder to file an affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 28.05.2008, failing which the unit will be closed down.
76	50	Rafiq Electroplating	C- 59/2	Unit shifted.(Premises found vacant.)	Not sought	Not applied/obtained	CTO refused on 07.08.2007 vide refusal no. 1643.	Refused on 07.08.2007.	Seek compliance from MCD.	Letter issued. No reply received.	Seek compliance from MCD.
253	51	Sh. Paras and Sh. Mohd. Latif & (M/s Krishna Metal Industries)	A-40	Steel Rolling Annealing Re - Rolling & Pickling	Not Sought	Applied for CTE on 24.03.2008 vide I.D. No. 25290.	CTO obained. Expired on 02.12.2007. CTO(R) on 04.04.2008 vide I.D. No. 25417.	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3355.	SIT to inspect & report. Take up on 15.04.2008.	M/s Krishna Metal Inds has applied for CTO(R) on 04.04.2008 vide I.D. No. 25417.	SIT to inspect & report of M/s Krishna Metal by 28.05.2008. Other four Green category units, Green Committee to issue notices. Call on 28.05.2008.
152	52	Shiv Industires	B-7 (Back side), Group	Re-Rolling & Pickling of S.S.Sheets (Presently unit is not in operation)	Not Sought	Not applied/obtained	CTO was valid up to 06.6.07. CTO(R) on 11.07.2007 vide I.D. No. 22316.	Applied for renewal of authorization on 09.08.2006 vide I.D. No. 3245.	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.

24	53	Shree Krishna Enterprises	Shed no. 75 (DSIDC Sheds)	Rolling. Pickling proposed.	Not submitted.	Not applied/obtained	Refused on 09.08.2007 vide refusal no. 1659.	Refused on 09.08.2007.	Issue reminder to file Bank Guarantee, application for Consent to Establish & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008	Letter issued. Reply received on 17.04.2008. BG not submitted. Unit has again requested to allow some more time to submit BG as the amount is very huge and at present, the market is very tight and there is a slump in the business too. Affidavit submitted. CTE not applied. Unit has requested on 01.04.2008 to grant some more time to submit CTE as he could not have proof of possession, because his landlord is out of station.	Final time allowed to file Bank Guarantee & application for Consent to Establish till 28.05.2008.
116	54	Vardhman Impex	A-38	Re-rolling and pickling of SS sheets	Not submitted.	CTE on 18.03.2008 vide I.D. No. 25217.	CTO refused on 18.08.2007 vide refusal no. 1660.	—	SIT to inspect & report. Take up on 15.04.2008.		Last opportunity to file Bank Guarantee of Rupees Fifty Thousand under Air Act valid upto 06.02.2010 by 28.05.2008. Another unit M/s Rakesh Kumar is operating at 3rd Floor may be asked to provide acoustic enclosure with the D.G. Set and submit an affidavit in this regard and also apply for Consent to Establish.
183	55	Vardhman Metal	B-50, Group	Pickling	Not Sought	CTE on 28.02.2008 vide I.D. No. 25059.	CTO on 21.07.2004 vide I.D. No. 11088.	Applied on 29.08.2007 vide I.D. No. 3426.	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.
7	56	Vijay Industries	B-71	Annealing & Pickling	3 lakhs submitted valid up to 06.02.2010	CTE on 15.04.2008 vide I.D. No. 25519	CTO applied on 02.5.2005.	Applied on 27.4.05 vide ID No. 2390	Ask unit to apply for Consent to Establish.	Letter issued. Applied for CTE on 17.04.2008 vide I.D. No. 25519	SIT team to clarify and submit report by 28.05.2008.
89	57	W.C. Steel	B-70/2	Pickling of SS sheet	Not Sought	Not applied/obtained	CTO refused on 19.09.2007	Refused on 19.09.2007	Seek compliance.	Letter issued. No reply received.	Seek compliance from MCD. Call on 28.05.2008.
39	58	R. K. Hosiery A-69	A-69, Group	Dyeing and bleaching of cotton hosiery fabric.	Not sought	CTE under Green Category on 14.12.2007 vide I.D. No. 24494.	CTO (R) obtained. Valid upto 29.11.2007	Applied for renewal of authorization on 02.08.2006 vide I.D. No.	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.

159	60	Bhagwati Industries	A-101/5	unit closed	unit closed	unit closed	–	–	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.
158	61	Durga Industries	A-100/2	unit closed	unit closed	unit closed	–	–	No action. Disconnect electricity / water supply in the name of the unit.	Letter issued. Reply received on 16.04.2008. NDPL informed that earlier connection which stood in the name of Sh. Durga Dass has been transferred in name of Smt. Meenu Aggarwal. There are two connection under the name of M/s Such Khand Soap Factory & Smt. Meenu Aggarwal. Since, no connection in the said unit exists.	SIT to inspect the unit of Meenu Aggarwal & Soap Factory and report by 28.05.2008.
133	62	Ganesh	A-79, Group	Unit Closed	unit closed	unit closed	–	–	Call for complinace.	Letter issued. Reply received on 16.04.2008. No firm & no connection in the name of M/s Ganesh exists at A-79, Group, WIA, Delhi	Six units were required to be checked by the concerned CMC which have not be done. Seek explanation EE & AEE. SIT to inspect six units and report by 28.05.2008.
181	63	Ganpati Industries	B-27/2, Group	Unit does not exist.	Not sought	Unit does not exist.	Unit does not exist.	Unit does not exist.	No action.	No action.	No action.
56	64	K.C. Steel	B-31, Group	Buffing on S.S. Utensils.	Not sought	Premises vacant.	Revocation of consent on 09.08.2007.	Not applicable	Call for complinace.	Letter issued. No reply received.	Seek compliance from MCD. Call on 28.05.2008.
156	65	Kirti Industries	A-100/1	unit closed	unit closed	Unit found closed by SIT	Unit found closed by SIT	–	Unit closed. Other units operating in the premises, notices may be issued seeking Consent to Establish.	Letter issued. No reply received.	Issue notice to other two units found during the inspection. Seek explanation concerned AEE why this has not been done.
139	66	Manoj Steel Industries	B-5, Group	unit closed and shifted.	unit closed	unit closed and shifted.	–	–	Call for complinace.	Letter issued. Reply received on 16.04.2008. Firm is closed and no connection in the name of M/s Manoj Steel Inds exists at B-5, Group , WIA, Delhi	No action.

124	67	Om Steel Rolling Works	A-96/10	No Indl Activity observed(Premises is being used for godown & One Transport Company exists)	–		CTO refused on 18.08.2007 vide refusal no. 16640.		SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.
74	68	Rajinder	C- 60/2 (Backside portion)	Manufacturing of Hinges (including pickling activity)	Unit does not exist.	Unit does not exist.	Unit does not exist.	Unit does not exist.	SIT to inspect & report. Take up on 15.04.2008.	Inspected by SIT on 04.04.2008.	Issue notice to five units seeking Consent to Establish application by 28.05.2008.
1	69	Sobti Associates	B-78	Pickling (unit found closed / site found vacant)	Not sought	Unit closed.	CTO refused on 06.08.2007 vide I.D. No. 1638	Unit closed.	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.
128	70	Sun Flower Steel Industries	A-81/1	Unit closed & shifted.No Indl Activity observed. Premises found vacant	unit closed	Unit closed	–	–	SIT to inspect & report. Take up on 15.04.2008.		Take up on 28.05.2008.
105	71	Swastik Enterprises	B-63	Pickling of SS sheets (Unit found closed, Pickling not found at site)	unit closed	Unit closed	–	–	No action.	No action.	SIT to inspect & report by 28.05.2008.

60	72	Sh. Charat / Sadanand (Proprietor of pickling unit)	C-55/1 (front portion)	Pickling of S.S.Sheets	–	–	–		SIT to inspect & report. Take up on 15.04.2008.	Inspected by SIT on 04.04.2008.	Inspection report of Special Inspection Team shows Charat closed and Suraj Inds is operating with ETP & ECS. Ask the unit to apply Consent to Establish and submit the Bank Guarantee of Rupees Seventy Five Thousand under each of the three Acts. There are two other units namely M/s Shriram Inds. & Shree Metals which are engaged in steel re-rolling & circle cutting activity respectively. Issue notices to them to file Consent to Establish and Bank Guarantee of Rupees One Lakh under Air Act by 28.05.2008.
111	73	Sterling Auto Engineering	B-69/1	Manufacturing of piston rings (involving electroplating, grinding and buffing)	Not Sought	–	–		Seek compliance.	Letter issued. No reply received.	Seek compliance from DJB.

Sl. No	Name of Industry / Unit	Address	Activity	Inspection by SIT or not	Earlier CMC decision	Decision on 28.3.2008	ATR for 24.04.2007	Decision on 24.04.2008
1	Mahavir Agency	A-109/2	Unit Closed	17.9.2007	Both record and inspecting team found unit closed. Wrt CMC's order dated 29.01.07 for closure and cancellation of MCD license, compliance report received from NDPL and DJB.	No action.		No action.
2	Jagdish & Co.	C-39/1	Unit Closed	17.09.2007	Inspection team found closed unit. Consent and authorization be refused and issue letter for disconnection of electricity & water supply and cancellation of MCD license.	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.
3	Ravi Steel Industries	Shed no. 69(DSIDC Sheds)	Rolling & Pickling	20.11.2007	Issue letter for applying for Consent to Establish.	Take up along with CBI reference cases.	Being dealt with CBI referred cases.	Being dealt with CBI referred cases.
4	Pawan Kumar	A-87/1	Plastic injection moulding	28.8.2007	Directions u/s 31(A) of Air Act(invoking rule 20 A (6)) for closure of the unit and for disconnection of electricity and water supply to the unit . Letter for cancellation of MCD license in the name of the unit. <i>Being dealt along with District Court cases.</i>	No action.		No action.
5	Vikash Steel	B-17/2	Unit Closed	17.09.2007	Applied for consent to operate and was valid up to 17.1.05. Not applied for renewal and also for the authorization. Inspection team found no such unit. In view of above, no action is required. Issue letter for disconnection of electricity and water supply to the unit. MCD be asked to cancel the license in the name of the unit.	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.
7	Tonika Automobiles	A-15	Service Station	28.09.2007	Applied for renewal of consent and authorisation. Special inspection team observed all the pollution control measures O.K and found operational. Issue consent for renewal and renewal for authorization. Complaint received against unit. CMC decided to get inspection of the unit by SIT. No report received as yet.	SIT to inspect & report. Take up on 15.04.2008.		SIT to inspect & report by 28.05.2008.

