

Minutes of the 37th meeting of the Committee Constituted for Deciding the Consent under Orange Category, held on 25.01.2008 in the Conference Room of Chairman, DPCC.

The following persons attended the meeting on 25.01.2008:

1. Sh. J. K Dadoo, Chairman DPCC
2. Sh. K. Mahesh, Member Secretary, DPCC
3. Sh. S.K.Gupta ,Head Chemical Engineering Deptt. ,IIT Delhi
4. Sh. B. Kumar, SEE, DPCC
5. Sh. M. Dwarakanath, SSO, Deptt of Env., GNCTD
6. EEs CMC – I, II & III.
7. EE and AEEs of PGRC.
8. AEEs and JEE of CMC – I, II & III.

37th meeting of the Committee constituted for deciding the Consent (under Orange Category) was held on 25.01.2008.

Following decisions were taken in the said meeting:

Agenda Item No. 1- Case of Pacific Mall at Khyala and Splendor Forum Mall at Jasola

(i) Pacific Mall at Khyala:

MS, DPCC briefed the members of the Committee that the Pacific Mall applied for Consent to Establish on 24.05.2007. A letter was sent to the unit on 5.12.2007 to seek Environmental Clearance (EC) from the Ministry of Environment & Forests. The unit replied vide letter dated 10.12.2007 that they have applied for NOC for Environmental Clearance on 02.05.2007.

The Ministry of Environment & Forests wrote a letter dated 17.12.2007 to Secretary, Department of Environment with a copy marked to Member Secretary (DPCC) on 07.01.2008, wherein they asked the Secretary (Environment) to initiate necessary action under Environment (Protection) Act, 1986 against the violation by the unit. As the construction work was in progress before the issue of Environmental Clearance. Further, the minutes of the 51st meeting of the Expert Appraisal Committee for New Construction and Industrial Estates Projects held on 29th & 30th October, 2007 was downloaded from the website and with reference to the Pacific Mall, the details are as follows:-

“The project involves the construction of Commercial Complex on a plot area of 33,951 Sq. m. The total built up area proposed is 42,438.58 sq.m. (will have commercial building and shopping mall). The total water requirement proposed is 280 KLD (recycled/treated water 79 KLD). The capacity of STP proposed is 224 KLD. The solid waste generation will be 900 Kg./day. The power requirement proposed is 5981 KW. The total parking spaces proposed are for 1639 cars. The total cost of the project is Rs. 65.00 crores.

During the discussions, the following points emerged:

- *Documents of the project have not been circulated in time to the members of the Committee. Presentation of the project shall be made in the meeting in which the project is next included in the agenda*
- *The project proponents informed that the construction work was in progress. They were asked to **stop** the construction work, submit an undertaking not to execute works without obtaining environmental clearance and furnish photographs of the site from all four sides”.*

The inspection of the Pacific Mall wall undertaken by Member Secretary (DPCC) and Ms. Ajeeta D. Agrawal, (E.E.) on 14th January, 2008, and the following facts were observed:-

1. The construction is under progress. Upto plinth level has been constructed with reinforcement above plinth level also. They have started the construction in July'07 which is still continuing.
2. Corporate personnel informed that as the project is of DMRC and has to be completed before Commonwealth Games, there is an informal understanding with Ministry of Environment & Forests to start the construction before EC is accorded.
3. 20 toilets have been constructed for the work force of 250-300 workers. The waste water/sewage generated is discharged into Subhash Nagar Nallah, which is adjacent to the site.
4. First aid room does not exist. However, a first aid box has been provided.
5. An RO Plant has been installed for providing drinking water to workers and personnels.
6. No concrete plans to use fly-ash bricks was communicated. As informed, all the foundations are raft foundation and no bricks have been used till now.
7. Ready-mix concrete is not being used. The concrete is mixed on the site and used, as it is easy as per plant personnels.
8. The project proponent claims that they have obtained permission from CGWA (Central Ground Water Authority) for drawing ground water but no records were shown. They have promised to provide the same by 15th January, 2008.
9. Temporary connection of electricity has been provided by BSES letter is promised to be faxed to DPCC by 15th January, 2008.
10. The project proponent plans to use 70% of the outer glass walls in the malls.
11. No noise monitoring and ambient air monitoring has been undertaken during construction by the project proponent to measure the effect of construction on these two parameters. Prior to construction, it is informed to have been carried out.
12. Dual plumbing line is proposed.
13. The topsoil excavated has been disposed off as per the instructions of MCD and SHO. No top soil/very little soil was seen stored for landscaping and horticulture purpose at the site.
14. For storm water management, pumps are installed as per requirement (as informed by the project proponent) and it is pumped in Subhash Nagar Nallah.
15. Rainwater harvesting is proposed.

Since the Ministry of Env. & Forests, Government of India has taken a decision to stop the construction on this premises as indicated by the website (copy of which is placed on the file), and in view of the fact the MoE & F has asked DPCC to take action under EP Act, prosecution u/s 15 of Environment (Protection) Act, 1986 may be initiated immediately. Copy of such action may be sent to the Joint Secretary, MoE & F. Member Secretary will ensure the prosecution logistics are handled carefully and effectively.

(ii) Splendor Forum Mall at Jasola:

In view of the report filed by MS, DPCC on the M/s Splendor case, which was discussed in the Committee, the following decisions were taken:-

- (a) Either the Solicitor General or the Addl. Solicitor General may be hired by DPCC since it is open and shut case where directions for penal action have been issued by MoE&F to DPCC against the unit.
- (b) A conference may be arranged with the ASG on 28.01.2008 i.e. Monday for further necessary action.

Agenda Item No. 2- Review of 50 cases of Consent to Establish & 50 new cases of CTE as per chronology.

Due to paucity of time it was decided by the Committee to take up this agenda in the next CMC meeting to be held on 30.01.2008.

Agenda Item No.3- Cases of industries of WIA who have filed BG. 46 Nos.

The cases of units listed, at Sl. No. 11 and 43 were discussed, due to their lesser production capacities, and decisions were taken regarding bank guarantees. Decisions taken are tabulated and annexed as **Annexure – 1**.

The perusal of all these 46 cases, of this agenda, reveals that some decisions on consent / authorization are to be taken by CMC in these cases. It is obvious there would be many other cases of WIA where similar orders of CMC are to be taken. Therefore, an ATR of all WIA Cases taken by CMC since October, 2006 in all CMC meetings may be compiled and case files kept ready for separate stand alone CMC for these cases on 25th February, 2008. The following data may be prepared for the Agenda for each case:-

- (a) Whether inspection done. ?
- (b) If so whether deficiencies corrected?
- (c) Whether Bank Guarantee filed?
- (d) Any other decision of CMC whether complied?

Agenda Item No.4- Special Reference Cases.

The agenda was discussed by the Committee and decisions were taken in respect of all the cases. Decisions taken are annexed as **Annexure-2**.

Agenda Item No. 5-PGRC cases.

This agenda was discussed by the Committee and decisions were taken in respect of all the 11 cases. Decisions taken are annexed as **Annexure-3**.

Agenda Item No. 6 – CBI Reference cases. 13 Nos.

It was decided by the Committee to take up this agenda in the next CMC meeting to be held on 30.01.2008.

Agenda Item No. 7 – Review of ATR of decisions taken in the meeting held on 20.08.07 (6+6+22) cases. 34 Nos.

The agenda was discussed by the Committee and decisions were taken in respect of all the cases. Decisions taken are annexed as **Annexure- 4**.

Agenda Item No. 8 – Review of ATR of decisions taken in the meeting held on 21.08.07 [21+7] cases. 28 Nos.

The agenda was discussed by the Committee and decisions were taken in respect of all the cases. Decisions taken are annexed as **Annexure- 5**.

Agenda Item No. 9– 10 cases (Complaint) of WIA

This agenda was not discussed by the Committee in the absence of inspections by the Special Inspection Team. The Special Inspection Team to complete inspection and put up the cases on 25.02.2008 with inspection report.

Agenda Item No. 10– Representation from Rohtak Road Manufacturers Association

The minutes of the DDA meeting held on 15.01.2008 have been received where the matter was discussed and decided but does not figure in the minutes. MS, M. Dwarakanath, SSO & Mrs.Ajeeta, EE must write a joint letter to Commissioner (Planning), DDA to amend the minutes and issue the corrigendum.

Table Agenda: - 2 cases of PGRC which were not part of any of the agenda were taken up for discussion and decisions were taken. Decisions taken are tabulated and annexed as **Annexure – 6.**

In the course of the CMC meeting today, it was brought to the notice of the Committee that housing estates, commercial estates & hotels have also applied for Consent to Establish and in some cases their EIA clearance have been received. In view of the fact that such cases are coming from all the three CMC Cells, MS may get the complete list prepared on the same lines as Shopping Malls including the categories drawn for shopping malls. Special CMC will be held on 11.02.2008.

Meeting ended with thanks to the Chair.

The earlier decision ratified. Unit to file compliance report by 31.01.2008, failing which file should be processed in the normal course.

MS to call the concerned unit in the presence of CMC officials give him an ultimatum to install ETP by 15th March, 2008. He must correct all the deficiencies also and submit the compliance report by 15th March, 2008 and put up in CMC in the last week of March, 2008.

Since the unit has agreed to install the ETP, time given upto 29.02.2008 to do so. Inform unit accordingly immediately with a copy to LG Office.

Inspection of this complaint found 09 units operating of which only one had valid consent under Green Category. One of the remaining 08 units appear to be in green category since they are involved in trading category and may be issued a letter to file consent to establish before the green committee. The remaining units may be asked to file consent to establish under Orange Category within 15 days. In the notice to be issued the deficiencies noticed may be indicated and to be corrected within 15 days from the receipt of this notice.

Noise monitoring may be conducted at the boundary of the unit. Further action will be taken up on the basis of the monitoring.

On inspection 06 units were found to be non conforming area and their cases may be forwarded to concerned DC for appropriate action as per the Supreme Court order. The remaining 04 cases may be forwarded to COI as per the existing instructions.

Link up the DDA reply and put up in the next CMC meeting.

Forward the complaint to Commissioner of Industries as per the existing instructions.

The unit has not submitted the compliance report against the dead line of 31.12.2007. Issue a letter to him seeking his compliance by 31.01.2008 and put up the case on file.

Public hearing approved. Necessary action may be taken to complete the public hearing.

As decided in the meeting taken by CM with WIA Association, small unit with low turnover will have to be treated with lesser bank guarantee compare to the higher turnover unit. Accordingly, bank guarantee of 50,000 under each act was imposed on 14.01.2008 when similar cases were taken up. Since this unit also has production figure of about 2 tonnes / month as per affidavit. His old bank guarantee of One Lakh each may be returned and fresh bank guarantee of Rs. 50000 each may be taken simultaneously.

11. In this case the unit ha sought cancellation of consent to establish and return the bank guarantee since he propose to close the unit. He may be asked to file an affidavit for closing the unit and if he does so his old bank guarantee of Rs. One Lakh under each act may be returned and fresh Bank Guarantee of Rs. 50,000 valid for one year may be taken under each act to ensure that he does not dupe DPCC. This may be done simultaneously and inspection may be done within 01 year to ascertain the status of the unit and to bring before CMC for refusal of consent and return of Bank Guarantee.

The perusal of these 46 cases reveals that some decisions on consent / authorization are to be taken by CMC in these cases. It is obvious there would be many other cases of WIA where similar orders of CMC are to be taken. Therefore, an ATR of all WIA Cases taken by CMC since October, 2006 in all CMC meetings may be compiled and cases files kept ready for separate stand alone CMC for these cases on 25th February, 2008. The following data may be prepared for the Agenda for each case.

- (e) Whether inspection done.
- (f) If so whether deficiencies corrected.
- (g) Whether Bank Guarantee filed.
- (h) Any other decision of CMC whether complied.

Let the unit apply for consent to operate and authorization under HWM Rules. He may be informed that he has incorrectly applied for consent to establish second time. His application for consent to establish may be returned back and fee may be adjusted.

The unit may be asked to file an affidavit immediately so that his application may be considered in the next month CMC.

The unit has not applied for consent to establish and he may be asked to do so immediately. The unit has an old adequacy report and he should file a fresh adequacy report from one of the empanelled agencies within 45 days. he must also file the annual return under HWM Rules and photographs of display boards and containers.

Issue Consent to Establish.

Issue Consent to Establish. Restore water / electricity supply also. Similar cases where CMC had made incorrect decision should be brought together in the 1st week CMC of February, 2008 based on the minutes of the CMC decision of that day.

8. Let him file an affidavit and a Bank Guarantee of Rs. 75,000 each under all the three acts within 01 month and this case may be brought in the CMC of last week of February, 2008.

Issue Consent to Operate.

As per the order of the High Court the unit has filed an undertaking in the court and therefore the inspection of the said premises must be done immediately by the concerned CMC and the matter put up for decision of CMC by 30th January, 2008 or 1st week of February, 2008.

11. Since the matter involves exact status of the other units of the area, MS may write and speak to Commissioner (Planning), DDA. Case to be taken up in the CMC of 1st Week of February, 2008.
12. The unit has on affidavit claim the production 2-3 tonnes / day. As per the decision taken on there is no justification in reducing his Bank Guarantee. He may be asked file BG within 30 days.
13. Consent to Establish may be granted and within a month of the restoration of water / power, Special Inspection Team may undertake an inspection and file the report before CMC.

Agenda 7

1. The factual position of MPD-2021 may be sent to him along with the relevant extract of the MPD-2021.
2. No action.
3. Let the Appu Ghar file a factual report on whether Appu Ghar land is being vacated and provided to Hon'ble Supreme Court and Delhi Metro. Let the Fun & Food Village & Splash apply for Consent to Establish failing which necessary action will be taken.
4. Since the unit desires to close down and his water / power supply disconnected, his Bank Guarantee of Rs. One Lakh Only may be returned.

Lodhi : Case to be taken up in CMC meeting on 30.01.2008.

5. The unit has not filed a proper Bank Guarantee of Rs. One Lakh under all the three acts. He may be asked to file a fresh Bank Grantee valid upto 06.02.2010.

The unit may be asked to file all the documents for renewal of consent and authorization under HWM Rules within 01 month.

The unit has obtained consent to establish in the name of M/s V.N.G. Stamping on the same address. Therefore, the restoration of power / water in the name of Bhandari Bridge cannot be done.

S.No.	Name	Address	Activity	Decision on 25.01.2008
1	M/s Golden Iron & Steel	7/19, Kirti Nagar Indl. Area	Steel Forging	The unit has not submitted the compliance report against the dead line of 31.12.2007. Issue a letter to him seeking his compliance by 31.01.2008 and put up the case on file.
2	East Delhi Waste Processing Co. P. Ltd.	Core 4B, 4th Floor, India Habitat Centre, Lodhi Road, New Delhi-03	MSW processing at Gazipur	Public hearing approved. Necessary action may be taken to complete the public hearing.

S.No.	I.D.NO.	DATE	NAME OF UNIT	ADDRESS	INDUSTRIAL AREA	ACTIVITY	REMARKS	DECISION ON 21.8.07	ATR OF 21.8.07	DECISION ON 25.01.08
1	20622	8/2/2007	COMMERCIAL COMPLEX, JASOLA	PLOT NO. 10 & 11	Jasola	SHOPING MALL	Applied for consent to establish.	Inspection be carried out by the team consisting of Mrs. Ajeeta, EE and Sh. AN Singh, Scientist, Dept. of Env. Put up the case on 19.9.07	Already considered by CMC on 23.10.07. EC has been accorded by MoEF on 16.5.2007. An affidavit has been submitted wherein they have stated that they would comply with the conditions mentioned in EC. The case is being considered in CMC of malls.	To be taken up along with Shopping Malls.
2	21310	14/5/2007	GROUP HOUSING SOCIETY	B-E, GREATER KAILASH-II	Greater Kailash	SHOPING MALL	Applied for consent to establish.	Inspection be carried out by the team consisting of Mrs. Ajeeta, EE and Sh. AN Singh, Scientist, Dept. of Env. Put up the case on 19.9.07	Inspection done. Plot found vacant. Builtup area is 10733 sq mtr.	Since the unit will be creating a lot of household sewage, let him provide mini STP in the premises before his consent application is considered.

3	21689	6/6/2007	ARIHANT INDUSTRIES	C-53, PHASE-I	OKHLA INDUSTRIAL AREA		Applied for consent to operate for the activity of cold storage. Earlier, unit was engaged in mfg of ice.	Ask the unit to apply for consent to establish.	The case has already been considered by CMC in its meeting on 13.12.2007.	No action, as the case was already considered in the CMC meeting dated 13.12.2007.
4	20775	5/3/2007	BENTEX MOTOR CONTROL GEAR INDS	B-65, GATE NO -2,	NARAINA IND AREA, PH-2	MOTOR STARTERS & SWITCH GEARS WITH ELECTROPLATING	Renwal of consent is pending. Applicant has requested for the withdrawl of litigation and is aggrieved with the folow-up of case in the court since. He is suffering from heart problem & Sr. Citizens. As per information received from legal cell , the case is pending before NM Rohini District Court and scheduled for the hearing wrt pre charge evidence on 5/12/07. Decision on representation for the withdrawal for the case yet has not taken. Same has to be putup in review committee meeting scheduled to be held on 17/9/07.	Put up in the meeting to review of prosecution cases on 17.9.07.	Case already taken up on 26.12.2007. Minutes awaited.	Decision taken on 26.12.2007.

5	20783	3/6/2007	ESTATES TODAY PROPERTIES (P) LTD, HOTAL CITY PARK,	3/4, KP BLOCK, PITAMPUTA	DELHI	HOTEL	UNIT HAS APPLIED FOR RENEWAL OF CONSENT. REPRESENTATION RECEIVED THROUGH SECRETARY TO MINISTER (ENV) FOR DECIDING THE CONSENT IN NEXT MEETING. Obtained CTE on 23.12.2003 and operate on 29.1.2004.	Inspect and put up on 19.9.07.	Inspected	In view of the fact that the unit is using 20,000 lt/day water for cooling and 90,000 lt/day for processing and for agriculture and gardening 5,000 lt/day, he may be asked to treat the water to the extent that waste water is made reusable to maximum extent.
6	ATR WITH REPECT TO ELECTROMAGNETIC RADIATION BY CELL TOWERS							Put up on 19.9.07 with all communications.		No action by this Committee.
7	19673	3.11.06	SERVEL INDIA PVT. LTD.	D-6/1, PH-II,	OKHLA IND. AREA, DELHI	MANF. OF TELECOMMUNICATION CABLE	UNIT HAS APPLIED FOR RENEWAL OF CONSENT.	Inspection be carried to check the generation of HW.	Inpection carried out. Unit found generating HW without taking any measure.Unit has applied for authorization under hazardous waste on 5.112007.	Ask him to apply for Consent to Establish.

S.No.	I.D.NO.	DATE	NAME OF UNIT	ADDRESS	INDUSTRIAL AREA	ACTIVITY	REMARKS	DECISION ON 21.8.07	ATR of 21.8.07	Decision on 25.01.08
1	2223	20.12.04	M.K.Auto Industries	B-16/1, B-14, B-13/8, B-13/7, B-15/8	Jhilmil Industrial Area	Mfg. of Brake Shoes	Case of authorisation under HW Rules. Refused as per the decision of Committee(HW) in its meeting dated 28.12.06. Dir for u/s 5 of EPA for closure of the unit and disconnection of water and electricity supply. Unit submitted representation dated 25.7.07, to the effect that the unit has closed its operations wef Oct 2005. Applied for consent to establish, under green category, on 17.7.07, for the activity of corporate office, tool room & godown.	Since he has applied for consent to establish under green category and he does not require authorisation under HW Rules, let Green Committee decide the application.	CMC (Green) in its meeting held on 04.10.07 decided to grant consent to establish. Consent to establish granted. The unit has requested for restoration of electricity/water.	No action by this Committee.

2	2222	17.12.04	Bhandari Breaks Pvt. Ltd.	B-11/1-2	Jhilmil Industrial Area	Mfg. of Brake Shoes	Case of authorisation under HW Rules. Refused as per the decision of Committee(HW) in its meeting dated 28.12.06. Dir for u/s 5 of EPA for closure of the unit and disconnection of water and electricity supply. Unit submitted representation dated 25.7.07, to the effect that the unit has closed its operations wef Oct 2005. Applied for consent to establish, under green category, on 17.7.07, for the activity of light engg work(mfg of steel blank) in the name of V.N.G Stamping(Partner Vijay Bhandari).	Since he has applied for consent to establish under green category and he does not require authorisation under HW Rules, let Green Committee decide the application.	CMC (Green) in its meeting held on 04.10.07 decided to grant consent to establish. Consent to establish granted in the name of M/s VNG Stamping. The unit has requested for restoration of electricity/water.	The unit has obtained Consent to Establish in the name of M/s V.N.G. Stampings on the same address. Therefore, the restoration of power / water in the name of Bhandari Breaks Pvt. Ltd. cannot be done.
3	22293	11.07.07	Ess Kay International	D-1544	Narela Industrial Area	Grinding of masala/spices	As decided by the Committee in its meeting held on 04.07.07, Consent to establish was issued to the unit on 09.07.2007. Unit has applied for consent to operate and submitted representation on 11.07.07.	Consent granted.	Consent issued. No action pending.	No action.

4	668 (refused)	—	Anil Motor Works	BA-85, Phase-II	Mangolpuri Industrial Area	Repairing of vehicles	Case of authorisation under HW Rules. Refused as per the decision of Committee(HW) in its meeting dated 17.11.06. SCN u/s 5 of EPA for closure of the unit and disconnection of water and electricity supply as issued as decided in Committee in its meeting held on 13.02.07. No reply received in response to the SCN issued. Case was discussed in the Committes meeting dated 07.5.2007 and as decided directions u/s 5 of EP Act were issued for closure of the unit & for disconnection of electricity & water supply to the unit. Compliance report received from NDPL on 19.07.07. DPCC received a representation on 19.07.07 for revocation of closure directions and restoration of electricity supply.	Seek affidavit and ask for consent to establish application under Air and Water acts with in 15 days.	Letter Issued on 19.09.07. No reply received.	Issue reminder for Consent to Establish.
5	18874	24-07-06	Continental Device Indian Ltd	C-120	Naraina Industrial Area	Electronics Semi-Conductor Device	Applied for Renewal of Consent under Air & Water Act and Authorization under HWM Rules.	Consent and authorization under HWM Rules granted	Consent & Authorization issued. No action pending.	No action.

6	1056	10/2/2004	Atlas Adhesives (P)Ltd	A-93 ph-II	Maya Puri Industrial Area	Mfg of Adhesive	Case of the unit was again taken up by Committee held on 13-02-07 and had decided to issue letter for disconnection of Electricity and Water supply and cancellation of MCD licence. Accordingly letters were issued to concerned authorities for compliance. No reply received in response to the letters issued. Case was discussed in the Committee meeting dated 07-05-07 and it was decided to issue reminder letters for seeking compliance report from concerned authorities. Compliance report received from BSES on 10-07-07. Another unit M/s Magic Auto Industries operating in the same premises has applied for consent to operate along with application for authorization under HW Rules on 27/10/06. Consent to establish already granted to the unit on 15/09/06.	Letter to BSES conveying them our no objection to power supply in Magic Auto.	Letter issued.	No action.
7	22298	11/7/2007	K.K. Birla Acadamy, Vasant Kunj, Ph-II	508, Surya Kiran Building, N.D.	K. G. Marg, NC-SW	Museum/ Research Centre	Applied for Consent to Establish under Water and Air Act. EIA clearance accorded by MOE&F.	Consent to establish granted	Consent issued.	No action.

8			Anand Engineering Corporation	171-B, Gali No-8	Friends Colony Indl. Area	Ms. Wire Drawing Inculding pickling	Consent under air & water act is valid upto 30.11.07. Applied for renewal of authorisation under HW rules on 2.11.2006. Inspected by a team comprising of Joint Commissioner of indutries (CETP), Ex. En (DJB) and E.E(DPCC) on 8.6.07.	Inspect unit as soon as it applies for renewal and then CMC will consider both consent and authorisation.	No action pending at this stage. The unit has not applied for renewal of consent.	No action.
---	--	--	-------------------------------	------------------	---------------------------	-------------------------------------	---	---	---	------------

9			S & S Industries	1/424/33 B, Gali No, IB	Friends Colony Indl. Area	Printed Circuit Board with plating	Consent under air and water act was valid upto 22.02.07. Not applied for renewal of consent. Applied for authoriation under HW rules on 21.08.04. Inspected by a team comprising of Joint Commissioner of indutries (CETP), Ex. En ,DJB, and E.E,DPCC on 8.6.07 and it was found that ETP was not functioning and the effluent generated by the unit was being discharged into the Sewage Line instead of conveyance system. Recommended for closed of unit including disconnction of water & electricity supply.	Inspect and report in the CMC meeting on 18.9.2007 and also inform them to apply for renewal. Place the case in the next CMC meeting on 18.9.07.	Inspection done. Unit is having an ETP.Not having proper sludge drying beds.Hazardous waste of the unit was not found stored properly. Letter issued to apply for renewal of consent.The unit has applied for renewal of consent. In the effluent analysis submitted alongwith consent, report Temperature parameter is missing. Form 3 & 4 haven't been submitted alongwith Hazardous application.	The unit may be asked to file all the documents for renewal of Consent and authorization under HWM Rules within 01 month.
---	--	--	------------------	-------------------------	---------------------------	------------------------------------	---	--	---	---

10			Shri Rani Satti Finishing Works	1/424/33 B, Gali No, IB	Friends Colony Indl. Area	Dyeing & Bleaching of fabric	Applied for consent on 2.8.2002, letter issued on 26.02.2007 regarding expiry of consent fee and asked to submit the fresh application. Not applied for consent under air and water act. Applied for authorisation under HW rules on 9.02.05. Inspected by a team comprising of Joint Commissioner of industries (CETP), Ex. En ,DJB, and E.E,DPCC on 8.6.07 and it was found that ETP was not found working and all effluent being discharge directly into the Sewer line. The unit was also using coal for fuel purpose which is not permissible and the entire quantity of coal liying at the premises should immediatley be seized by the DPCC, hence stern action is recommended for immediate disconnect of water & electricity and should not be allowed to run.	Issue SCN u/s of 33(A) of Water Act, 1974 and u/s 31(A) of Air Act, 1981.Place the case in the next CMC meeting on 18.9.07.	SCN u/s of 33(A) of Water Act, 1974 and u/s 31(A) of Air Act, 1981 issued on 12.9.2007.Unit has replied vide its letters dated 18.9.2007 in which they have stated that activity of dyeing and bleaching has been closed and the plant and machinery w.r.t. dyeing and bleaching has also been shifted. It has been informed that Consent to Establish will be applied for the new activity.	Ask him to apply for Consent to Establish.
----	--	--	---------------------------------	-------------------------	---------------------------	------------------------------	--	--	---	---

11			Vikas Fittings	B- II/98,	Mohan Co - Operative Ind. Estate, N. Delhi - 44	Automobile repair workshop with out washing & painting	Application (ID No. 16023 dated 12.8.05) submitted for consent under green category.As the unit is HW generating unit, he has to apply for consent under Orange category. As number of such cases exists, before taking decision in the DPCC meeting on 26.7.07, issue a letter seeking proof of sale of Used Oil defined as HW to a CPCB registered recycler(s)	Let the unit apply for consent to establish under Orange category	Case was discused on 28.09.07 and it was decided to grant consent to establish. Consent issued.	No action.
12	21700	6/6/2007	Mellcon Engineer Pvt Ltd	B-297	Okhla Ind Area, Ph -1	Mfg. of compresed Air dryer	unit has applied for consent to operate (Renewal) under air and water act.	Ask him for an affidavit, why the unit has not applied for renewal for the last 2 years. Also an inspection be carried.	Letter dated 11.09.2007 issued to the unit asking for an affidavit. Inspection done unit is engaged in manufacturing of compressed air dryers and chilling plants and engaged in engineering works.Unit has responded vide letter dated 17.9.2007.	Ask the unit to apply for Consent to Establish.

13	570(HW)	19.1.2004	Security Systems	95	Patparganj Ind Area	Printing	Committe (HW) discussed the case, in its meeting dt 05.12.06,of the unit located at patparganj Ind Area and decided to refuse the application and SCN u/s 5 of EPA. ATR reviewed by the Committee on 13.2.07 and decided to disconnect electricity and water supply.	Issue revocation letter. Ask him to apply for consent to establish. Put up in CMC meeting on 28.8.07.	Consent and Authorization issued as per the decision taken in the CMC meeting on 28.8.2007. No action pending.	No action.
14	20809	8/3/2007	RESIDENTIAL COMPLEX	BLOCK-W, GREATER KAILASH-II		Residential Complex	No environmental Clearance. Built up area is 23281 square metres.	Ask the applicant to submit environmental clearance.	Letter issued .Unit has filed reply alongwith an affidavit that they have applied for EC in MoEF and will submit the same and has mentioned in the affidavit that they undertake to comply with the conditions that will be stipulated in EC.	MS to study the file carefully and to submit along with other Shopping Malls.
15	13401	15.04.2005	DT CITY CENTRE	SHALIMAR BAGH		SHOPPING MALL CUM MULTIPLEX,	Application dealt by EIA Cell and forwarded to min. of Env. & Foreset, Govt. of India, Letter issued to DLF asking them to apply for consent to establish.	Let the unit apply for consent to establish.	Taken up separately on 23.10.07. Has been discussed.	To be taken up along with Shopping Malls.

16	20623	8/2/2007	GALLERIA MALL	PLOT NO. 18, MAYUR VIHAR		SHOPPING MALL		Inspection by a team of Sh. AN Singh and Mrs. Ajeeta, EE. Put up on 18.9.07.	Taken up separately on 23.10.07. Has been discussed & accordingly being processed.	To be taken up along with Shopping Malls.
17	14311	03.06.2005	THE COURT YARD	PLOT NO. A-4, COMMERCIAL COMPLEX, SAKET		COMMERCIAL COMPLEX	Application dealt by EIA Cell and forwarded to min. of Env. & Forest, Govt. of India, Letter issued to DLF asking them to apply for consent to establish.	Let the unit apply for consent to establish.	Already considered by CMC on 23.10.07. EC has been accorded by MoEF on 15.1.2007. An affidavit has been submitted wherein they have stated that they would comply with the conditions stipulated in EC. The case has already been considered by CMC on 28.12.2007.	To be taken up along with Shopping Malls.

18	17191, 986	09.12.2005, 02.08.2002	HARI RAM	C-40/3,	WAZIRPUR INDL AREA	PICKLING	Inspection of the unit carried out on 07.08.2007. Representation recd from the owner & requested for reinspection of the unit as he was under medical treatment.	Case to be taken up in the meeting on 28.8.07.	Placed as an Agenda item No. 1.	Discussed in Agenda No. 3 today.
19	20331	02.01.2007	KUMAR INDUSTRIES	F-55, PACKET B, SECTOR-4	BAWANA INDL AREA	PLASTIC MOULDING & DIES	Requested for consent to establish.	Consent granted.	Consent issued. No action pending.	No action.
20	21608	31.05.2007	LAXMI OFFSET	32/3,	SHAZADA BAGH INDL AREA	OFFSET PRINTING	Consent refused. Closure directions u/s 5 of EP act issued on 18.05.07 as unit failed to apply for Authorisation under HW Rules. Unit has reapplied for consent & Authorisation on 31.05.07 & requested for revocation of directions.	Ask the unit to apply for consent to establish under Air and water acts with in 15 days.	Consent to establish issued on 12.09.07. No action pending.	No action.
21	23668	27.9.2007	Brij Mohan Ram Mohan	A-86/2	Wazirpur Ind Area	Pickling & Re-Rolling of SS sheet	Unit applied for consent to establish under orange category on 27.09.07 with ID No. 23668.	Ask the unit to apply for consent to establish	Unit applied for consent to establish under orange category on 27.09.07 with ID No. 23668.	Ask him to file a Bank Guarantee of Rs. One Lakh under each of three acts valid upto 06.02.2010 with in one month.

Sl. No	Name of the Unit	Address	Indl. Area	Decision Taken in the Meeting on 13.07.07	Action Taken Report	Decision Taken in the Meeting on 19.07.07	Action Taken Report/ Remarks	Decision Taken in the Meeting on 20.08.07	ATR of Decision Taken in the Meeting on 20.08.07	Decision Taken in the Meeting on 25.01.08
1	M/s Lucky Udyog,M/s Shanti Foils P. Ltd.	46, Phase-II	Badli Ind. Area	As 15 days of Court order expires on 17.07.07, case to be placed before committee in its next meeting on 18.07.07.	—	Inspect to verify the activity and status of the unit by the committee for Badli Indl. Area.	Unit inspected by Prof. Sree Krishnan Committee on 17.08.2007.	Put up in the Committee (CMC - Green) since activity of the unit i.e SS sheet cutting falls under green category.	Case was discussed by Green CMC in its meeting dated 04.10.07.	No action by this Committee.
2	M/s Shri Gauri Ganesh Dyeing & Printing Press,	46, Phase-II	Badli Ind. Area	As 15 days of Court order expires on 17.07.07, case to be placed before committee in its next meeting on 18.07.07.	—	Effective closure to M/s Shri Gauri Ganesh Dyeing & Printing Press.& Show Cause Notice to M/s Ashoka Steel Industries u/s 31 (A) of Air Act for not applying for consent to establish, for closure of the unit & for disconnection of electricity & water suppl	Letter issue to SDM for effective closure of M/s M/s Shri Gauri Ganesh Dyeing & Printing Press. Reply awaited.	Letter for cancellation of MCD license, if any in the name of the unit (M/s Shri Gauri Ganesh Dyeing & Printing Press,). Letter for disconnection of electricity and water supply in the name of the unit(M/s Shri Gauri Ganesh Dyeing & Printing Press),	Letters Issued Compliance received. Applied for CTE under Green category on 16.10.2007. Green CMC considered the case on 11.12.2007 and decided to get the inspection of the unit.	No action by this Committee.
3	M/s Mehran Plastic,	49, Phase-II	Badli Ind. Area	Ask for the application for consent to establish under the Air & Water Acts, without buffing activities within 15 days.	—	—	Letter issued. Reply awaited.	Put up before committee in the meeting on 18.9.07	Applied for consent to establish on 21.8.07	Issue Consent to Establish.

4	M/s Rameshwar & Co.	50,Phase-II	Badli Ind. Area	Let the committee for Badli Indl. Area inspect the unit and check & verify for the contents of the affidavit.	—	—	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	BG of one lakh rupees submitted by the unit forfeited for the deficiencies observed during the inspection on 19.7.07. Ask the unit to apply for Consent to establish under Air and Water acts and direct the unit to submit BG of total one lakh rupees.	Letters Issued Applied for consent to establish on 28.9.07	The unit has not filed a proper Bank Guarantee of Rs. One Lakh under all the three acts. He may be asked to file a fresh Bank Grantee valid upto 06.02.2010.
5	M/s Poddar Polymers,	69, Phase-II	Badli Ind. Area	Ask the unit to apply for consent to establish under the Air & Water Acts, within 15 days.	—	—	Letter issued. Reply awaited.	Put up before committee in the meeting on 18.9.07	Representation dt 22.8.07 submitted by the unit in response to our letter. Not applied for CTE.	Ask him apply for Consent to Establish.
6	M/s Maruti Industries,	83, Phase-II	Badli Ind. Area	Order of CMC confirmed (taken in the meeting on 28.06.2007 that “ No action at this point of time. Consent & Authorization application to be decided on merit in chronology)	—	—	—	Same as decided on 28.6.07. Ask the unit to apply for consent to establish under the Air and Water Acts within 15 days.	Letters Issued Applied for consent to establish on 14.9.07. Being discussed along with 13 CBI reference cases.	Take up with other CBI Cases.
7	M/s Eska Auto Industries,	83, Phase-II	Badli Ind. Area	Ask the unit to apply for consent to establish under the Air & Water Acts, within 15 days.	—	—	Letter issued. Reply awaited.	Put up before committee in the meeting on 18.9.07	Letters Issued Applied for consent to establish on 19.9.07.	Ask him to file a Bank Guarantee of Rs. One Lakh under Air Act valid up to 06.02.2010 within one month.

8	M/s Bajrang Bali Industries,	89, Phase-II	Badli Ind. Area	Prof. Sree Krishnan Committee for Badli Indl. Area to inspect and report.	—	—	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	Seek an affidavit from the unit reg the status of the unit wrt pickling activity.	Submitted an affidavit. Received letter from the Bank for return of original BG which is expired on 11.9.07.	Ask him to file fresh Bank Guarantee of Rs. One Lakh under each of the three Acts with in one month valid up to 06.02.2010.
9	M/s Paul Babuta & Co.,	M-9, Phase-I	Badli Ind. Area	Prof. Sree Krishnan Committee for Badli Indl. Area to inspect and report.	—	—	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	Ask the unit to apply for Consent to establish under Air and Water acts with in 15 days.	Letters Issued. No application for CTE received yet. Letter for release of BG received as Bg expired on 13.12.07.	Reminder for Consent to Establish and ask him to submit a fresh Bank Guarantee after renewal / revalidation of old BG valid up to 06.02.2010 with in one month.
10	M/s Ellora Plastics,	S-52, Phase-I	Badli Ind. Area	Prof. Sree Krishnan Committee for Badli Indl. Area to inspect and report.	—	—	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	Ask the unit to apply for Consent to establish under Air and Water acts with in 15 days ad also submit an affidavit reg improvement done as suggested by the inspecting team during earlier inspection on 25.4.07.	Letters Issued. Applied for consent to establish on 20.9.07. Affidavit also submitted.	Let the unit file an affidavit whether he is mfg. UF Resin or using premixed resin and to show the purchase records.
11	Kiran Industries,	2, Phase – II,	Badli Ind. Area	Ask for submission of Consent to Establish application under the Air & Water Acts, within 15 days.	—	—	Letter issued. Reply awaited.	Put up before Committee in the meeting on 18.9.07.	Applied for CTE on 19.10.2007.	Issue Consent to Establish.

12	A.K.G. Industries,	2, Phase – II,	Badli Ind. Area	Inspection by Prof. Sree Krishnan committee for Badli Indl. Area and report thereafter.	–	–	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of electricity and water supply in the name of the unit.	Letters Issued on 18.9.07. Compliance received from NDPL. Dir ® referred the case to respected EE. No reply from MCD.	To seek compliance from DJB & MCD.
13	Arihant Industries,	27, Phase – II	Badli Ind. Area	Inspection by Prof. Sree Krishnan committee for Badli Indl. Area and report thereafter.	–	–	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	Letter for cancellation of MCD license in the name of the unit (Ms Arihant Industries). Letter for disconnection of electricity and water supply in the name of the unit.(M/s Arihant Industries). SCN u/s 31(A) of Air Act for closure of the unit and for disconnection of electricity and water supply to the following units which are operating with out obtaining consent from DPCC. M/s Popular Plastics</s Shree Shyam Lightak Pvt. Ltd and M/s Plastic Injection Moulding Unit (owner Shri Ajay).	Letters Issued on 18.9.07. Compliance received from NDPL. Dir ® referred the case to respected EE. No reply from MCD.	To seek compliance from DJB & MCD.

14	Sai Aqua Industries,	S-53, Phase – I	Badli Ind. Area	Inspection by Prof. Sree Krishnan committee for Badli Indl. Area and report thereafter.	–	–	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of electricity and water supply in the name of the unit.	Letters Issued on 18.9.2007. Compliance received from NDPL. Dir ® referred the case to respected EE. No reply from MCD.	To seek compliance from DJB & MCD.
15	Polythene Tube Unit,	S-53, Phase – I	Badli Ind. Area	Inspection by Prof. Sree Krishnan committee for Badli Indl. Area and report thereafter.	–	–	Unit inspected by Prof. Sree Krishnan Committee on 19.07.2007, copy of report enclosed.	Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of electricity and water supply in the name of the unit.	Letters Issued on 18.9.2007. Compliance received from NDPL. Dir ® referred the case to respected EE. No reply from MCD.	To seek compliance from DJB & MCD.
16	Luxmi Industries,	45, Phase – II	Badli Ind. Area	Inspection by Prof. Sree Krishnan committee for Badli Indl. Area and report thereafter.	–	–	Unit inspected by Prof. Sree Krishnan Committee on 17.08.2007.	Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of electricity and water supply in the name of the unit.	Letters Issued on 18.9.2007. Compliance received from NDPL. Dir ® referred the case to respected EE. No reply from MCD.	To seek compliance from DJB & MCD.

17	Ankur Steel Rolling,	S-58, Phase – I	Badli Ind. Area	Inspection by Prof. Sree Krishnan committee for Badli Indl. Area and report thereafter.	–	–	Unit inspected by Prof. Sree Krishnan Committee on 17.08.2007.	Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of electricity and water supply in the name of the unit.	Letters Issued on 18.9.2007. Compliance received from NDPL. Dir ® referred the case to respected EE. No reply from MCD.	To seek compliance from DJB & MCD.
18	Jagriti,	S-58, Phase – I	Badli Ind. Area	Inspection by Prof. Sree Krishnan committee for Badli Indl. Area and report thereafter.	–	–	Unit inspected by Prof. Sree Krishnan Committee on 17.08.2007.	Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of electricity and water supply in the name of the unit.	Letters Issued on 18.9.2007. Compliance received from NDPL. Dir ® referred the case to respected EE. No reply from MCD.	To seek compliance from DJB & MCD.
19	Gig Industries,	89, Phase – II,	Badli Ind. Area	Letter to concerned SDM for effective closure of the unit.	–	–	Letter issued.	Seek compliane report from SDM. Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of water and electricity supply in the name of the unit.	Letters Issued on 18.9.2007. Compliance received from NDPL. Dir ® referred the case to respected EE. No reply from MCD.	To seek compliance from DJB & MCD.

20	Goodage Metal Industries,	83, Phase – II,	Badli Ind. Area	Letter to concerned SDM for effective closure of the unit.	–	–	Letter issued.	Seek compliane report from SDM. Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of water and electricity supply in the name of the unit.	Letters Issued on 18.9.2007. Compliance received from NDPL. Dir ® referred the case to respected EE. No reply from MCD.	To seek compliance from DJB & MCD.
21	Jogson Rubtech Pvt. Ltd.	S-57,Phase -I	Badli Ind. Area	MPD-2021 is clear about this activity of the unit as of prohibited category. Therefore issue directions to concerned SDM for effective closure of the unit.	–	–	Letter issued.	Seek compliane report from SDM.	Letters Issued on 18.9.2007. No compliance report received.	To seek compliance from SDM.
22	Ashoka Steel Industries	46, Phase II	Badli Ind. Area	As 15 days of Court Order expires on 17.07.07, put up before the committee in next meeting on 18.07.07.	Copy of orders inspected & certified by the DPCC Counsel in the case received from Legal Cell.	Show Cause Notice to M/s Ashoka Steel Industries u/s 31 (A) of Air Act for not applying for consent to establish for closure of the unit & for disconnection of electricity & water supply to the unit.	Show Cause Notice t u/s 31 (A) of Air Act issued to M/s Ashoka Steel Industries. Reply awaited. Unit inspected by Prof. Sree Krishnan Committee on 17.08.2007.	Put up before committee in the meeting on 18.9.07.	Applied for consent to establish under green category on 06.9.07. Submitted BG of Rs. 1 lakh. CMC (Green) decided to grant CTE on 11.12.2007 and the same was issued on 24.12.07.	No action by this Committee.

S. No.	I.D. NO.	DATE	NAME OF UNIT	ADDRESS	ACTIVITY	REMARKS	DECISION ON 20.8.07	ATR OF 20.08.2007	DECISION ON 25.01.08
1	20727	27.02.07	Charu Motors	B-31, Jhilmil Ind Area	Automobile service station with washing	Unit has applied for consent to Establish for automobile service station with washing	Consent to establish given, subject to proper disposal of waste oil through registered recyclers.	Consent issued. No action pending.	No action.
2	2252	03.01.05	Magnolia	D-36, Okhla Ind Area, Ph - 1	Readymade garments with washing	Case of authorisation under HW Rules. Refused as per the decision of Committee(HW) in its meeting dated 24.5.07. Dir for u/s 5 of EPA for closure of the unit and disconnection of water and electricity supply. Unit submitted applicaton for authorisation, photographs of display boards and leak proof containers alongwith affidavit. unit inspected. Not found in operation. ETP installed and found in operational condition. display board and leak proof container provided for HW waste.	Let the unit apply for Consent to establish.	As decided by CMC in its meeting held on 19.09.07, consent to establish issued.	No action.
3	14694	27.06.05	Ever Shine Print & Chemical Industries,	W-19, Ph-II, OIA	Mfg of enamel paint & dry distemper (without N.C.Paint)	Unit had applied for renewal of consent under orange category for the activity of manufacturing of enamel paint and dry distemper. (without N.C.paint) Application for authorization under HW Rules is pending.	Renewal of consent and authorisation granted	Consent & Authorization under HW issued.	No action.
4	19469	3.10.06	Galaxy Auto Mobile Pvt.Ltd,	B-23, OIA , Ph - I	Repairing, Servicing, Denting & Painting of Cars	Unit had applied for consent to operate under orange category for the activity for repairing, servicing, denting & painting of cars. Application for authorization under HW Rules is pending.	Consent to operate and authorisation under HW Rules given, subject to proper disposal of waste oil through registered recyclers.	Consent & Authorization under HW issued.	No action.

5	21452	22.05.07	Lodhi property Company Ltd. (Formerly Hotel Scopevista Ltd.)	Aman Lodhi Road	Redevelopment of old Lodhi Hotel	Unit has applied for consent to Establish for redevelopment of Old Lodhi Hotel.	To be inspected by Chairman, DPCC in view of directions of CS to do some sample inspections by all Secretaries.	Inspection carried out. Necessary pollution control systems under installation. Hotel expected to be commissioned by Feb. 2008. Letter issued for compliance of various statutes on 11.9.2007. Reply received. Letter dated 18.10.2007 issued to the hotel w.r.t. the issues left out in the reply given by the hotel. Reply to the letter dated 18.10.07 received with assurance and request to grant the consent to establish. EC from MoEF dated 26.11.2007 received along with another letter dated 26.11.2007, wherein MoEF has asked to initiate action against the unit as the project proponent had completed the construction work before issue of Environmental clearance. Letter to the Hotel has been issued to submit the compliance affidavit w.r.t. EC conditions.	Case to be taken up in CMC meeting on 30.01.2008.
6	22472	17.07.2007	Modern Metal Industrial Corporation	B-6/3, Jhilmil	Rubberised Cork Rings	Unit has applied for consent to Establish for manufacturing of rubberised cork rings.	Consent to establish granted with out vulcanisation.	Consent issued. No action pending.	No action.

S. No.	I.D. NO.	DATE	NAME OF UNIT	ADDRESS	INDUSTRIAL AREA	ACTIVITY	DECISION	ATR	DECISION OF 20.8.2007	ATR OF 20.8.2007	REMARKS	DECISION ON 25.01.08
1	17296	20/12/05	Indian Compressors Ltd. ,	OIA, 33/35,	Okhla Industrial Estate.	Mfg of Air & Gas Compresssors	Consent to operate for renewal is given. Intimation to be given to the unit that the unit is in negative list of MPD 2021 and must close within three years from the date of notification of MPD 2021 i.e 07.02.2007.	Consent issued.	***	No action pending.	After issuance of the consent , unit represented against the condition of closing down with 3 years as per provisons of MPD -2021.The unit has been informed through letter dated 02.11.2007 that Gas Compressors are at S.No. 39 of the negative list of MPD -2021. However the unit has submitted the representation again and requested to amend the condition.	The factual position of MPD-2021 may be sent to him along with the relevant extracts of the MPD-2021.

2	20137	11/12/2006	Asian Hotels Ltd	Hyatt Regency Delhi, Bhikaji Cama Place, Ring Road	South District	Hotel Industry	Consent to operate (Renewal) granted for three years from the date of application. If their treatment plants are as good as the results these may be treated as a model while checking other hotels.	Consent issued.	***	No action pending.	No action pending.	No action.
---	-------	------------	------------------	--	----------------	----------------	--	-----------------	-----	--------------------	--------------------	------------

3	22295	11/7/2007	Unitech Amusement Parks Ltd	Sec 10, Rohini, Delhi.	North West Dist	Amusement Park	Decision taken in this case is annexed as Annexure - I A.	Submitted compliance affidavit wrt consent to establish. Applied for consent to operate.	Inspection of the unit to verify the compliance status wrt conditions of consent to establish granted to the unit on 14.7.07, by the same team which inspected earlier. Inspection of all other 3 units to which notices have been issued as per decision taken on 13.7.07. Sample of waste water generated from these 3 units will also be lifted by the inspecting team. Put up all these cases before committee in the meeting on 18.9.07.	M/s Unitech Amusement Park was granted consent to operate in CMC meeting dated 28.9.07. Inspection of M/s Appu Ghar, M/s Fun & Food and M/s Splash conducted.	Appu Ghar applied for consent to establish on 09.10.2007 vide ID No.23838. Inspection of Fun-n-Food Village and Splash carried out.	Let the Appu Ghar file a factual report on whether Appu Ghar land is being vacated and provided to Hon'ble Supreme Court and Delhi Metro. Let the Fun & Food Village & Splash apply for Consent to Establish failing which necessary action will be taken.
---	-------	-----------	-----------------------------	------------------------	-----------------	----------------	---	--	---	---	---	--

4	—	—	Ruby Tuesday(A unit of Round the Clock Stores Ltd.	M - 48, Connaught Place, N. Delhi - 1	New Delhi Dist	Restaurant	Consent to operate can not be granted conditionally. Consent to operate requires proper inspection by DPCC. If the unit desires DPCC to consider its application for consent to operate, unit may withdraw all its cases and submit fresh application with all	Letter issued. Unit withdrew the case during hearing of appeal on 27/07/07. Orders awaited. Fresh application submitted on 14/08/07.	Inspection wrt the status of operation and number of seats.	Case was discussed in the meeting dated 27.09.07 and it was decided to seek bank guarantee of Rs. 1 lakh each under Air and Water Acts within 7 days. Letter issued. Unit complied with the same. File under submission in rotation.	Case discussed on 20.11.2007. Minutes awaited.	Since the unit desires to close down and his water / power supply disconnected, his Bank Guarantee of Rs. One Lakh only may be returned.
5	—	—	Mahavir Industries	D - 1558, Narela Ind. Area, Delhi.	Narela Ind. Area	Dal Mill	In view of VVIP reference case taken up by the Committee and Committee decided to grant consent to establish because there is nothing adverse found in this case.	Consent issued.	***	No action pending.		No action.

6	16083	16/8/2005	Devyani International P Ltd	58, Janpath, Connaught Place, N. Delhi	New Delhi Dist	Restaurant	As done in other cases, directions will be revoked temporarily for a period of 60 days during which he will apply for consent to operate along with all analysis reports. Inspection be done by DPCC officials ten days before the expiry of sixty day period.	Letter issued on 14/07/07.	To be put up on 18.9.07 with inspetion report.	Case was disscussed in the meeting dated 27.09.07 and it was decided to seek affidavit and bank guarantee of Rs. 1 lakh under Air Act within 7 days. Letter issued. Unit complied with the same. File under submission in rotation.	Case discussed on 20.11.2007. Minutes awaited.	Letter may be issued as per the decision taken on 20.11.2007.
---	-------	-----------	-----------------------------	--	----------------	------------	--	----------------------------	--	---	--	---

S.No.	Name	Address	Activity	Facts of the case	Decision on 25.01.2008
1	M/s Comman Wealth Games Village & others Projects	Near Akshardham Temple, Delhi	Games Village developed by DDA & other Projects developed by DDA & CPWD	The project has applied for NOC in terms of EIA Notification dated 7.7.04. As new EIA notification has come into force from 14.9.06, since SEAC & SEIAA are not constituted for NCT of Delhi, therefore, the said application was forwarded to MOE&F on 4.10.06 (copy placed at C-37). Further, copies of Environmental Clearance accorded to this project on 14.12.06 & amendments made thereto on 22.1.07, 29.3.07, 2.4.07 & 23.4.07 were also received from MOE&F. Subsequently, a D.O. letter was issued to Vice Chairman DDA on 13.11.07 requesting him to send compliance of the specific and general conditions imposed for construction and operation phase.However, no reply is received in this regard. Further, copies of Environmental clearance with regard to two more projects of M/s Squash & Badminton Stadium at Siri Fort and Table Tennis & Rugby Stadium at Yamuna Sport Complex developed by DDA and copies of ECs for five projects connected with Common Wealth Games developed by CPWD were received.	Reminder to Engineer Member, DDA by MS.
				Similar, D.O. letters for these projects were written on 13.11.07 to DDA & CPWD requesting them to send compliance of the specific and general conditions imposed for construction and operation phase. Only reply is received from DDA on 29.11.07 with regard to two projects of M/s Squash & Badminton Stadium at Siri Fort and Table Tennis & Rugby Stadium at Yamuna Sport Complex. As per reply it is submitted that development/ construction work at both the stadiums have not yet been started and it is confirmed that all the conditions imposed in the ECs shall be complied with as the same has been formed as part of the contract document and shall become mandatory for the construction agencies to adhere to comply with those requirements.No reply is received from DDA regarding Common Wealth Village and no reply is received for any of the five projects developed by CPWD.	

2	M/s Chansons Automotive	B-44, Keshopur Industrial Area, New Delhi	Servicing of vehicles including washing	A public complaint was received through L.G. office marked as TLC regarding running of workshop without installing ETP & obtaining consent from DPCC . Accordingly, the unit was inspected by DPCC officials on 10.09.2007 and it was observed that the unit is engaged in servicing of vehicles including washing. The unit was not having painting booth and no ETP was installed to treat the trade effluent generated from the process. The unit was also not complying with the provisions of HWM Rules w.r.t. waste oil generated by the unit.The unit was operating without obtaining consent under Air & Water Act and authorization under HWM Rules and even not applied for the same. As approved, closure directions u/s 31(A) of the Air Act, u/s 33 (A) of the Water Act and u/s 5 of EPA was issued on 01.10.2007. ATR was also sent to LG office on 15.11.07& 17.12.07.Compliance report received from NDPL on 01.11.2007 informing that the area does not pertain to NDPL area of supply and DJB vide it's letter dated 17.11.2007 informed that no water connection exit at M/s Chansons Automotive. Accordingly, a letter was issued to BSES on 14.12.2007 to disconnect the electricity/	Since the unit has agreed to install the ETP, time given upto 29.02.2008 to do so. Inform unit accordingly immediately with a copy to LG Office.
				power supply to the unit. Reminder letter was again issued to BSES & MCD on 17.12.2007 to sent the compliance report. Compliance report received from BSES on 31.12 .2007 that power supply of the unit has been disconnected on 28.12.2007.No compliance report is received from MCD therefore reminder letter was again issued to MCD on 10.01.2008. 03 representations have been received from the unit in the response to closure directions informing the following:- 1. The industrial activity i.e. servicing of vehicles including washing and painting section have been closed down. 2. The unit is under process to install ETP.	
				3. Approached to DPCC for filling consent to operate but it was told to file consent to establish application which was filed on 02.01.2008 (as per receipt enclosed). 4. It was also told to file application for authorization under HWM Rules. The unit has requested to withdraw the direction orders and revoke order against the disconnection of electricity of water supply.	
3	Complaint of Sh. R.C. Sethi,	B-1/B, MIG Flats , Mayapuri, New Delhi-64		A Public Complaint through E-mail has been received from Sh. R.C.Sethi regarding burning & removal of garden waste of Park A & B MIG Flats, Mayapuri. An inspection of the site was carried out by DPCC officials on 9.1.08 alongwith the complainant, it was observed that the MCD has removed the garden waste from the park recently, which was also confirmed by the complainant.However, burning sign were observed at some places of the park.	Action taken. Confirmed to CMC.

4	Complaint of Sh. Bansi Lal,	54, Naraina Indl. Area, Delhi	A Public Complaint through E mail has been received from Sh. Bansi Lal regarding misuse of premises by use of dangerous & toxic chemicals located at plot no. 54, Naraina Indl. Area, Delhi. As per the directions, a team of DPCC officials went to inspect the premises on 9.1.08, but there was no premises no. 54 in Ph-I & II of N.I.A., therefore the team contacted Association Office to locate the premises. It was reported by Sh. K.C. Kapoor that there are only two premises i.e. A-54, Ph-I & B-54 Ph-II in N.I.A.. The team inspected both the premises. The details of each are as given below: Premises no. A-54, Ph.-I:- one unit in the name and style of M/s A.N. Polymers Pvt. Ltd. was found in operation in the premises and engaged in job work of injection moulding (Body of water purifiers, and PVC mats). The unit has not provided adequate stack height and acoustic enclosure with the D.G. set of 120 KVA. The unit is operating without obtaining consent under Air & Water Act & has not applied for the same. As per the record, earlier, one unit namely M/s Krishna Industries has applied for consent to operate under orange category on 14.06.2005 for the activity of Plastic Product and Engg. Work which was refused on 29.09.2006. Premises no. B-54, Ph.-II:- The following units were found in operation in this premises. The brief of each unit is given below:- 1.M/s Ultra Thermlam & Graphics Pvt. Ltd.:- The unit is engaged in the activity of lamination of Plastic Film on Printing Paper. The unit has not provided adequate stack height and acoustic enclosure with the D.G. sets of 10 KVA. The unit is operating without obtaining consent under Air & Water Act and has not applied for the same. 2.M/s D.K. Printers:- The unit is engaged in the activity of Offset Printing. The unit has not provided adequate stack height and acoustic enclosure with the D.G. sets of 10 KVA. No steps have been taken to comply with the HWM Rules. The unit is operating without obtaining consent under Air & Water Act and authorization under HWM Rules and has not applied for the same. 3.M/s Sunshine Printers:- The unit is engaged in the activity of Offset Printing. No steps have been taken to comply with the HWM Rules. The unit is operating without obtaining consent under Air & Water Act and authorization under HWM Rules and has not applied for the same. 4. M/s Anand Press:- The unit is engaged in the activity of Offset Printing including Plate Making. The unit has not provided ETP to treat the trade effluent generated from the process. No steps have been taken to comply with the HWM Rules. The unit is operating without obtaining consent under Air & Water Act and authorization under HWM Rules and has not applied for the same.	Inspection of this complaint found 09 units operating of which only one had valid consent under Green Category. One of the remaining 08 units appear to be in green category since they are involved in trading activity and may be issued a letter to file Consent to Establish before the Green Committee. The remaining units may be asked to file Consent to Establish under Orange Category within 15 days. In the notice to be issued the deficiencies noticed may be indicated and to be corrected within 15 days from the receipt of this notice.
---	-----------------------------	-------------------------------	---	--

			5.M/s Screen Printing:- The unit is engaged in the activity of Screen Printing.No steps has been taken to comply with the HWM Rules.The unit is operating without obtaining consent under Air & Water Act and authorization under HWM Rules and has not applied for the same. 6.M/s Walia Soap Factory:- The premises was found locked. As reported by landlord the unit is engaged in repacking & trading of soap.The unit is operating without obtaining consent under Air & Water Act and authorization under HWM Rules and has not applied for the same. 7. M/s Sahara Furniture:- The premises was found locked. As reported by landlord the unit is engaged in trading of Steel Furniture. However, as reported machineries including powder coating plant were lying inside.The unit is operating without obtaining consent under Air & Water Act and has not applied for the same 8. M/s Rana Slate Works:-No industrial activity was observed.As reported by Prop.Sh. U.S.Rana, at present the unit is engaged only in trading activity. Consent under green category was issued to the unit on 31.08.06 which is valid upto 13.08.11 for the activity of mfg. & trading of wooden slates. It is also pertinent to mention here that some portion of the premises was found locked & it was reported by landlord that the same are being used as godown but failed to facilitate to inspect the premises as the keys are with the tenants/ occupiers.	
5	Complaint of Mrs.Chander kanta,	Mansa Ram Park, New Delhi-59	Two public complaints against noise pollutioin by a furniture factory located at C-45, Mansa Ram Park, Uttam Nagar, New Delhi - 59 were received on 24.09.2007 & 10.10.2007 from Mrs. Chander Kanta. The said complaints were forwarded to Industry Department on 13.11.2007 for necessary action in pursuance of Hon'ble S. C. order dated 07.05.2004.One more complaint was received from the complainant which was marked to Ms. Nigam, Env. Deptt.for inspection within a week. Accordingly the inspection was carried out by Ms Nigam on 24.08.2007 and reported that assembling of furniture like computer tables, almirahs , office tables, dressing tables etc. are assembled. It was also reported that iron pipes are also cut with the help of saw and assembled and jointed by means of welding & screwing. As observed, activity carried out by the unit does not fall under F-27/33 category. Three more complaints including one through Assistant Registrar of Hon'ble Supreme Court of India was received. Accordingly, the ATR was sent to Assistant Registrar on 04.01.2007 that the complaint has already been forwarded to Industry Department on 13.11.2007 for necessary action in pursuance of order of Hon'ble Supreme Court dated 07.05.2004. Now three morecomplaints have been received from the complainant.	Noise monitoring may be conducted at the boundary of the unit. Further action will be taken up on the basis of the monitoring.

6	Complaint against industrial units	Shiv Vihar Ward in Karawal Nagar Area		A Public Complaint was received from Sh.Sunil Rai,Chief Editor,Nazar Ki Nazar against air & water pollution from industrial units operating in Shiv Vihar ward in Karawal Nagar Area placed at C-1to3.As per directions, inspections were conducted by DPCC officials on 7.1.08 and total ten nos.of premisespecificly mentioned in the complaint were inspected. The activity carried out by six units namely 1.M/s Yogesh Pramod 2.M/s Vikas Gaur 3.M/s Ambey Dyeing 4.M/s Jai Pal Sharma 5. M/s Ashok Kumar Casting 6. M/s Sh. Bhagirath, falls under F-27/33 category & the activity carried out by rest of the four units namely1. M/s Ashok Kumar 2.M/s Kushal Pal Sing 3. M/s Prince Pentha Bhandar 4.M/s Deel Chand does not fall under F-27/33 category,It was also informed by the contacted persons that units namely 1.M/s M/s Ashok Kumar Casting 2.M/s Kushal Pal Sing 3. M/s Prince Pentha Bhandar 4.M/s Deel Chand 5.M/s Sh. Bhagirath are falling in the area identified for redevelopment of unplanned industrial areas(i,e, Karawal Nagar)as per MPD-2021. However, no documentary proof was shown.	On inspection, 06 units were found to be in non conforming area and their cases may be forwarded to concerned Dy. Commissioner for appropriate action as per the Hon'ble Supreme Court order. The remaining 04 cases may be forwarded to Commissioner of Industries as per the existing instructions.
7	Complaint against industrial units	Dilkhush Estate, G.T.Karnal Road, Azadpur		A Public Complaint was received against 3 units operating and creating pollution in Dilkhush Estate,G.T.Karnal Road Indstrial Area, Azadpur, New Delhi(placed at C-1). These units are engaged in activity of printing, manufacturing of colour pigments and lathe machine work at flate no. AGF-I, AB-4& AB-6 and CB-4 respectively.These units are operating in the community centre in GTK Road Industrial area. As per record, none of these units have applied for consent/ Authorization and only Groups A, Al, B are permitted in the Community Centre as per MPD-2021.Therefore, inspection may be carried out to decide conformity of these units with respect to the said area.	Link up the DDA reply and put up in the next CMC meeting.

8	Bhim Auto Works	Shop No.6, Ground Floor, Jai Durga Market/Vishal Market, Opposite Dhakka School, Kingsway Camp, Delhi-09	Bike/Scooter repairing Workshop with washing	A complaint was received against M/s Bhim Auto Works, Kingsway Camp, Delhi (placed at C-1) regarding water pollution by washing of Scooters and Bikes. An inspection was caarried out by the DPCC officials on 15/01/08 and it was observed that the unit is engaged in bikes/Scooter workshop with washing activity and is operating without installing ETP , thus generating untreated waste water. The unit has MCD license valid upto 31.03.08, but it is only for scooter repairing and not for washing activity . In addition to this, it was also found that approx. 10 lts, of waste oil generated per month was sold out to the local vendors.	Forward the complaint to Commissioner of Industries as per the existing instructions.
---	-----------------	--	--	---	---

S.No.	Name	Address	Facts of the case	Decision taken on 26.12.2007	Action Taken	Decision on 25.01.2008
1	Complaint of Sh.V.C. Jaiprakash	RZ-2687/29, Tuglakabad Extn., New Delhi-19	A public complainant of Sh. V.C. Jaiprakash was received through Chief Minister Office regarding pollution caused by generators in the premeases no 2817A & annexed building located in street no -32, Tuglkabad Extn. New Delhi-19. The premises were inspected by DPCC officials on 26.12.2007.During the inspection, total 11 units were found in operation out of which 10 nos. were having DG Sets of capacity 7.5 to 10 KVA without accoustic enclosures & without proper stack height. Out of 11 units inspected, 2 units were engaged in mfg. of corrugated Boxes including screen printing & were generating hazardous waste, one unit was engaged in mfg. of corrugated rolls and remaing 8 units were engaged in mfg. of Garments without Washing & Dyeing.	Let the case be reffered to Commisioner of Industries in pursuance of Hon'ble Supreme Court order dated 07.05.2004.	The complaint along with the inspection report of these units was forwarded to Commissioner of Industries on 21.01.2008 with a copy to complainant and C.M office.	Complinace be informed to CM Office.

S.No.	Name	Address	Acivity	Facts of the case	Decision taken on 09.10.07	Action Taken	Decision on 25.01.2008
1	M/s Mc Donald Restaurant	23, Central Market, West Punjabi Bagh Delhi-26	Restaurant	The unit was inspected w.r.t. a public complaint with regard to noise pollution due to exhaust at roof top. Accordingly, the unit was inspected by a team of PGRC officials on 16.08.2007. Following observations were made by the team -:The unit has installed refrigeration plant, duct of kitchen with ID fan and small water purification plant at roof top of the premises. However, adequate height of duct above roof top has not been provided.The unit has provided steel strainer followed by oil & grease trap. However as per RESDH policy the unit is required to install full fledged ETP.Adequate stack height and acoustic enclosure has been provided with the DG set of 140 KVA.The unit has not provided MCD & police license for Restaurant. As per the record the unit has not applied for consent to establish from DPCC. As per approval of competent authority, notices u/s31(A)of Air Act & 33(A) of Water Act issued on 18.09.2007. A letter is also issued on 18.09.2007 to MCD for taking necessary action against violations on conformity issue.	Unit is operating wihtout consent to establish and has air and water control system not in confirmity. The unit may be asked for apply for consent to establish, file a bank guarantee of Rs. one lakh under water and air act, correct all deficiencies and submit affidavit to that effect within one month. Relevant clearance from police and MCD for both ground floor and 1st floor where he is operating alongwith the application for consent to establish may be submitted.	Letters for Bank Guarantee and to apply for consent to establish with floorwise clearances from MCD & Police & for filing an affidavit for correction of deficiencies were issued on 06.11.2007. The unit has submitted reply only w.r.t. letter issued on 6.11.07 to apply for consent to establish. The unit has submitted it's reply on 26.11.2007 and informed that they have made changes and tried to provide adequate stack height of the duct. It has also mentioned in the letter that steel strainer followed by oil & grease trap has been provided as per DPCC circular dated 23.7.04. The unit has neither applied for consent to establish nor submitted bank guarantee , affidavit for correction of deficiencies & floorwise license from MCD & Police. Further, one more complaint has been received from the complainant. A letter has also been received from Delhi Police informing that the unit is having valid eating house licence upto 31.12.07. As decided in CMC meeting on 07.12.2007, " M.S. to inspect and report on 13.12.2007." However, minutes is still awaited.	MS to call the concerned unit in the presence of CMC officials and give him an ultimatum to install ETP by 15th March, 2008. He must correct all the deficiencies also and submit the compliance report by 15th March, 2008.Put up in CMC in the last week of March, 2008.

				Noise monitoring report received from DPCC lab. As per the noise monitoring report insertion loss is meeting the norms. However contribution of the unit is 0.8 dB(A).		Accordingly the unit was inspected on 22.12.2007 by M.S. & CMC-III officials. Unit is found in operation. It was observed that unit is having a seating capacity of 145 seats. The quantity of discharge is 12KLD. Oil & grease trap has been provided but the same was not found proper due to multiple inlets. Details of chemicals added in the first chamber of oil & grease trap not provided. The duct provided for the channelization of emissions of kitchen was having a temporary cover & height of the duct was not found enough. Back wash of water purifier plant is discharged into toilets.	
--	--	--	--	--	--	--	--

S.No.	Name	Address	Activity	Facts of the case	Decision on 27.09.07	Action taken Report	Decision on 25.01.2008
1	Daffodil Hotel	Tania farm Complex station village chattarpur Block N.D.110030	Restaurant & Banquet Hall	A public complaint received on 21.03.2007, marked as "TLC".Accordingly, the unit was inspected by a team of DPCC officials on 23.03.2007. Following observations were made by the team -:The unit is having a banquet hall, a party lawn, a resurgent and boarding facility. The unit is having 3 kitchen with the restaurant and 1 kitchen with banquet hall / party lawn. The unit has provided suction and ducting arrangement with only one kitchen. However adequate stack height has not been provided. No channelization system has been provided with rest of the kitchens. No ETP has been provided. D.G. set of 180 KVA has been placed in a acoustic enclosure. However one side of acoustic enclosure has not been treated acoustically and adequate stack has not been provided. It was reported that the unit is having license from MCD & Delhi Police but no documents were available. Opportunity of hearing was given to the unit on 29.05.2007 and it was assured by the representative of the unit that he will submit reply and progress within 2-3 days. But no reply has been received so far.	Issue SCN u/s 31 (A) of the Air Act and u/s 33 (A) of the Water Act	SCN u/s 31 (A) of the Air Act and u/s 33 (A) of the Water Act were issued on 17.10.2007. Subsequently, the unit replied on 30.10.2007 & 26.11.2007 in response to the notices on 30.10.2007 & 26.11.2007. The unit informed that (1) They have raised the stack height of the D.G. set & provided adequate number of hoods in the kitchen area and raised the height of the Chimney. (2) They have awarded the ETP plant work to M/s R.B.ENVIRO ENGINEERING and copy of the contract is enclosed with the reply. It was directed to extend the time till 31.12.2007 for completion of work of ETP and directed to put up in CMC for ratification. Further, another complaint from Bodo Rasler, "Sarna Farm", 21, Guushala Road, Satbari Village, was recieved on 27.11.2007 against the Noise Pollution from this unit and several other units in the area.	The earlier decision ratified. Unit to file compliance report by 31.01.2008, failing which file should be processed in the normal course.

SL. NO.	NAME	ADDRESS	ACTIVITY	EARLIER DECISION, IF ANY	REMARKS/ATR	Decision on 25.01.08
1	Deutsche Motoren Pvt. Ltd.	H-5/B-1, Mohan Co-operative Industrial Estate, Mathura Road, N.Delhi-44	Service Station		The unit was having a valid Consent to Establish till 09.11.2007. In the earlier consent application the unit had mentioned proposed date of commissioning as October 2006. The unit has applied for Consent to Establish again on 01.05.2007 wherein it has mentioned proposed date of commissioning as October 2007. The unit is hazardous waste generating.	Let the unit apply for Consent to Operate and authorization under HWM Rules. He may be informed that he has incorrectly applied for Consent to Establish second time. His application for Consent to Establish may be returned back and fee may be adjusted.
2	Capital cars Pvt. Ltd	Plot No. 1, Patpar Ganj Ind Area	Service Station	23.5.2007 As per MPD 2021 in plotted development of industrial use zone, groups permitted are "All industries except those prohibited and of Non- polluting and non-hazardous nature".Unit is located in non-indusrial area and this activity is not permitted . Consent to establish is refused . 27.9.2007 Repeat consent refusal order at registered office addres.	Refusal order issued again, at registered office addres, on 23.10.2007. Submitted representation dt 26.12.07 along with the fresh application for CTE dt 26.11.2007.	Issue Consent to Establish.
3	Charu Motors	A-69, Naraina Industrial Area, Phase-I, Delhi-28	Service Station	7.6.2007 - Consent to operate granted. HW authorization to be decided in HW Committee.	The unit had applied for authorization under HW Rules on 22.9.2006 but has not submitted the requisite affidavit along with.	The unit may be asked to file an affidavit immediately so that his application may be considered in the next month CMC.

4	Creative Art	Bawana Indl. Area		23.5.2007 As per MPD - 2021, in plotted development of industrial usse zone, groups permitted are "All industries except those prohibitted and of non-polluting and non hazardous nature". Consent to establish is refused. 27.9.2007 Disconnection of electricity & water supply and cancellation of MCD license in the name of the unit. 26.12.2007 Ask the unit to submit Bank Guarantee of Rs One Lakh, valid for one year under HWM Rules.	BG submitted by the unit.	Issue Consent to Establish. Restore water / electricity supply also. Similar cases where CMC had made incorrect decisions should be brought together in the CMC of in first week of February, 2008 based on the minutes of the CMC decisions of that day.
5	Cosmique Global	A-17, Naraina Ind Area, Ph-II, New Delhi - 28	Readymade garments with washing		Applied for renewal of consent on 06.02.2007. Also applied for renewal of authorisation under HW rules.	The unit has not applied for Consent to Establish and he may be asked to do so immediately. The unit has an old adequacy report and he should file a fresh adequacy report from one of the empanelled agencies within 45 days. He must also file the annual return under HWM Rules and photographs of display boards and containers.
6	Krish Automotors Pvt. Ltd	B-65/2, Wazirpur Ind Area	Automobile service station	26.12.2007 Consent to establish granted.Let him submit provisional technical adequacy report for considering application for consent to operate.	Applied for operate on 07.11.2007 (ID No. 24157). Submitted provisional technical adequacy report of ETP.	Issue Consent to Operate.

7	Hari Ram	C-40/3, wazirpur Ind Area, Delhi - 52	Pickling of SS Sheets	29.11.2007 The Hon’ble Court may be informed that the unit has not complied with the Court direction(s) and not submitted any application for consent or an affidavit as required by Court. Therefore, the order of CMC dated 17.09.2007 is confirmed. Inform the Court and petitioner accordingly. 09.01.2008 ALO to check the file of the case in Hon'ble High Court, whether the unit has filed an affidavit or not.	Letter issued on 20.12.2007 as per the decision of CMC dt 29.11.2007. Submitted an affidavit on 28.12.07 to the effect that the unit shall not carry out any activity till the consent is granted. Applied for consent to establish on 31.12.2007 with ID No. 24620 and renewal of auth under HW Rules. ALO informed that the unit has filed an affidavit/undertaking before the Court	As per the order of Hon'ble High Court the unit has filed an undertaking in the Court and therefore the inspection of the said premises must be done immediately by the concerned CMC and the matter be put up for decision of CMC on 30th January, 2008 or 1st week of February, 2008.
8	R.J. Enterprises	A-112, WAZIRPUR IND AREA, DELHI – 52		28.9.2007 The CMC officials are squarely responsible for non compliance of the CMC decision dated 28.9.2007. MS will take a written explanation by 3rd December 2007 and submit on file. The order of CMC dated 28.09.2007 reconfirmed today.	Unit submitted representation requesting for revocation of directions.	Let him file an affidavit and a Bank Guarantee of Rs. 75,000 each under all the three acts, valid up to 06.02.2010, within 01 month and this case may be brought in the CMC of last week of February, 2008.
9	Synergy Bio synthesis	E-2 , Udyog Nagar Industrial Area, Delhi-41	Manufacturing of Candles	20.11.2007 The unit has applied for Consent to Establish. Although the process of candle making is a household activity, the unit has a gas based bhatti and therefore, considered in 'Orange' category.	Explanation of EE was sought. Consent application of the unit is to be decided.	Issue Consent to Establish.
10	Delhi Gymkana Club Ltd	2. Safdarjung Road, New Delhi	Sports and recreation club		Consent o establish was issued to the unit on 02.11.2007. Consent to operate dt 26.4.2007 to be decided.	Case to be taken up in next month CMC.

11	Representation from Sudhir Kumar Jain	PP-42, Gali No. 10, Anand Parbat Ind Area	Food grade ink for pharma printers and trading of paint, thinner and Al foil	The unit was sealed by the SDM being in F-27/33 category of activities. Subsequently the Gali No. 10 of APIA was inspected and letters were issued to the units as per the decision taken by CMC on 11.9.2007. Four SCNs returned undelivered and were again sent through registered AD as per CMC decision dt 27.9.2007.	Further decision on the case to be taken.	Since the matter involves exact status of the other units of the area, MS may write and speak to Commissioner (Planning), DDA. Case to be taken up in the CMC of 1st Week of February, 2008.
12	Rishab Steel	C-59/2, Wazirpur Ind Area	Pickling of SS Sheets	14.01.2008 The unit has agreed to file the Bank Guarantee but wants one month time. Perusal of his turnover data in view of the meeting of Wazirpur Industrial Association with Hon'ble CM on 10.01.2008, shows that he is producing 2 to 3 tonnes per day which is equivalent to revenue of Rs. 80,000 to One Lakh per day. In view of the above, the Bank Guarantee amount and validity will remain the same. But he is granted one month time to file the Bank Guarantee. The unit as directed has filed the application for consent to establish.	Submitted representation on 16.1.2008 requesting for CTE and reduction of BG amount.	The unit has on affidavit claimed the production of 2-3 tonnes / day. As per the decision taken in CMC meeting held on 14.01.2008 there is no justification in reducing his Bank Guarantee. He may be asked to file Bank Guarantee within 30 days.
13	Gaurav Steels	D-25, SMA Ind Area, Delhi-33	Pickling of SS Sheets	29.11.2007 Inspection was done by the special team. Deficiencies found during the said inspection may be sent to the petitioner for correction. Unit be asked to submit Bank Guarantee of 1 lakh rupees each under three acts along with an affidavit indicating that the deficiencies have been corrected, by 15th December, 2007.	Unit submitted the BG of Rs. 3 lakhs to DPCC. Applied for CTE and Auth under HW Rules.	Consent to Establish may be granted and within a month of the restoration of water / power, Special Inspection Team may undertake an inspection and file the report before CMC.
14	Signet Corporation	A-83, Okhla Ind Area, Phase - 1	Readymade garments with washing	13.12.2007 Ask him to apply for Consent to Establish under Orange category because his earlier consent under the Green category cannot be renewed for the Orange category.	Unit applied for renewal of consent on 8.5.2006. Not obtained consent to establish at this address. Applied for authorisation under HW rules on 8.5.06.	Case to be taken up in next month CMC.

SL.NO.	CURRENT STATUS	NAME	ADDRESS	ACTIVITY	Production Capacity (tonne / per day)	Consent Status	Authorization Status	Remarks	Decision on 25.01.2008
1	2 LAKHS SUBMITTED ON 13.4.2007	GRAPHIC INDUSTRIES	C-8A	METAL PRINTING & LABELS INCULDING WASHING, CLEANING AND ANODIZING		Applied for CTE on 28/8/2007 Vide I.D No. 23307		Applicant represented on 10.01.2008 that we are unable to go ahead for further formalities and decided not to do mfg. activity in our unit. We inform you to cancel & withdraw our application for consent to establish. Applicant has also requested to release the Bank Guarantee of Rs. 2 Lakhs.	In this case the unit has sought cancellation of Consent to Establish and return of bank guarantee since he proposes to close the unit. He may be asked to file an affidavit for closing the unit and if he does so his old bank guarantee of Rs. One Lakh under each Act may be returned and fresh Bank Guarantee of Rs. 50,000 valid for one year may be taken under each Act to ensure that he does not dupe DPCC. This may be done simultaneously and inspection may be done within 01 year to ascertain the status of the unit and to bring before CMC for refusal of consent and return of Bank Guarantee.
2	3 LAKHS SUBMITTED ON 19.11.2007	Sparton Industries	A-90/4,Group ,Wazirpur Indl. Area, Delhi - 52	Sanitary fittings (including electroplating and buffing)	2000 Kg/month as per affidavit.	Applied for CTE on 30.10.2007 vide ID No. 24063	Applied for renewal of auth on 02.11.2007 vide ID no. 4407.	Decided to restore electricity in CMC meeting dated 16.11.2007.	As decided in the meeting taken by Hon'ble Chief Minister with Wazirpur Industrial Area Association, small units with low turnover will have to be treated with lesser Bank Guarantee compared to the higher turnover units. Accordingly, Bank Guarantee of Rs.50,000 under each act was imposed on 14.01.2008 when similar cases were taken up. Since this unit also has production figures of about 2 tonnes / month as per affidavit, his old Bank Guarantee received may be returned and fresh bank guarantee of Rs. 50000/- each may be taken simultaneously.