

Minutes of the 41st meeting of the Committee Constituted for Deciding the Consent under Orange Category, held on 26.02.2008 in the Conference Room of Chairman, DPCC.

The following persons attended the meeting on 26.02.2008:

1. Sh. J. K Dadoo, Chairman DPCC
2. Sh. K. Mahesh, Member Secretary, DPCC
3. Sh. S.K.Gupta, Head Chemical Engineering Deptt. ,IIT Delhi
4. Sh. B. Kumar, SEE, DPCC
5. Sh. M. Dwarkanath, SSO, Deptt of Env., GNCTD
6. EEs CMC – II .
7. AEE, CMC II .

Following decisions were taken in the said meeting:-

Agenda Item No. 1- Special reference cases

Due to paucity of time, this agenda was not taken up and it was decided to take up the same in the meeting to be held on 29.02.2008.

Agenda Item No. 2- Cases of Wazirpur Industrial Area .

Decisions taken wrt 105 cases, wherein SCNs were issued, are annexed as **Annexure – 1(1)**. Decisions taken in 73 other cases of WIA are annexed as **Annexure – 1(2)**.

It was decided that, all the cases reviewed in this meeting will be reviewed again on 28.03.2008 exclusively pertaining to WIA. All units must be directed to ensure that their units are linked to the conveyance system leading to CETP. This must be confirmed through an affidavit. 7 more cases pertaining to WIA were brought to the notice of Committee members. Due to paucity of time, it was decided to take up these cases in the meeting on 29.02.2008.

Agenda Item No.3- Complaint cases of Friends Colony Ind Area

The Committee decided to take up this agenda in the meeting scheduled to be held on 29.02.2008.

Meeting ended with thanks to the Chair.

Sl. No	Name of Industry / Unit	Address	Activity	Inspection by SIT or not	Production Figure	Status of BG	CTE status	Status of consent	Status of authorization	Remarks	Decision on 26.02.2008
1	Ambica Steels	B10/9,Group, Wazirpur Industrial Area	Pickling	Inspection by SIT on 01.09.2007	40 tonnes / month (as per inspection report)	BG Rupees Three Lakh submitted on 03.12.2007..	Applied CTE on 19.11.2007 vide I.D. No. 24246.	Applied CTO on 31.03.2006 vide I.D. No. 17987.	Applied on 31.03.2006 vide I.D. No. 2613.	CMC decided on 12.10.2007 for CTE & BG of Rs. 3 Lakh. Reply along with affidavit received on 26.11.2007. BG submitted on 03.12.2007.	Unit to install ETP & ECS before granting the Consent to Establish and to file affidavit that the same have been installed and are in proper operational condition.
2	Him Giri Cars Pvt. Ltd	B-99, Wazirpur Industrial Area	Sales Service And Spares	Inspected by SIT on 01.09.2007.	30 cars (as per inspection report)	BG of Rs. Two Lakh submitted on 22.11.2007	CTE on 22.11.2007 vide I.D. No. 24289.	CTO on 14.03.2005 vide I.D. No. 12976.	Not applied.	CMC decided on 12.10.2007 for CTE, BG of Rs. Two Lakh only & SCN and affidavit for correcting the deficiencies. Reply, affidavit, CTE and BG submitted.	Bank Guarantee to be made applicable till 06 February, 2010. Inform unit accordingly.
3	Jai Shree Sheyam Enterprises	A-123	Pickling & Re-Rolling of SS sheets.	Inspected by SIT on 10.07.2007.	750 tonnes /year (as per affidavit)	BG of Rupees One Lakh submitted.	CTE on 29.10.2007 vide I.D. No. 24049.	CTO on 02.08.2002 vide I.D. no. 5456 & 15.05.2007 vide I.D. No. 21331.	Applied for renewal on 04.08.2006 vide I.D. No. 3129.	CMC decided on 17.09.2007 for CTE, BG and affidavit for correcting the deficiencies observed during the inspection. Reply along with an affidavit on 29.10.2007.	Bank Guarantee to be made applicable till 06 February, 2010. Inform unit accordingly.
4	M.M. Bros Merry Maker Banquet Hall	C-91/4, Wazirpur Industrial Area	Banquet Hall	Inspected by SIT on 01.09.2007.	150 Seats (as per inspection report)	BG of Rs. One Lakh under HWM Rules on 23.11.2007.	CTE on 27.11.2007 vide I.D. No. 24335.	CTO(R) on 31.08.2005 vide I.D. No. 16247.	Applied on 15.11.2006 vide I.D. No. 1092.	CMC decided on 12.10.2007 to seek CTE, affidavit w.r.t. rectifying the deficiencies and BG of Rs. One Lakh under HWM Rules. BG submitted on 23.11.2007.	Bank Guarantee to be made applicable till 06 February, 2010. Inform unit accordingly.
5	R.K.Metal Industries	A-99/3, Wazirpur Industrial Area	Mfg of Copper & Brass Sheet with casting & washing	Inspected fby SIT on 30.08.2007.	150 Kg (as per inspection report)	BG of Rs. Two Lakh submitted on 07.12.2007	CTE on 03.12.2007 vide I.D. No. 24377.	CTO obtained on 07.08.2000. Valid upto 24.07.2003. CTO(R) on 12.10.2006 vide I.D. No. 19553.	Applied for renewal of authorization on 12.07.2006 vide I.D. No. 2759.	CMC decided on 12.10.2007 to issue SCNs for submission of affidavit w.r.t. rectify the deficiencies found during the inspection, BG & CTE. Reply along with affidavit received on 29.11.2007 & informed that they have rectified the deficiencies. BG submitted & CTE applied.	Bank Guarantee to be made applicable till 06 February, 2010. Inform unit accordingly.
6	Ram Steel	C-13(Backside)	Annealing, Re-Rolling & Pickling of SS Sheets.	Inspected by SIT on 07.07.2007.	1 tonne (as per inspection report)	BG submitted on 20.12.2007	CTE on 12.10.2007 vide I.D. No. 23898.	CTO on 30.12.2004 vide I.D. No. 12379.	Applied on 30.10.2004 & 02.08.2006 vide I.D. No. 2251 & 3079.	CMC decided on 17.09.2007 to apply for CTE & rectify the deficiencies. CMC decided on 23.10.2007 to file an BG of Rs. One Lakh each under three acts. Reply along with affidavit received on 11.10.2007 & stated that deficiencies observed during the inspection have been rectified.	Inspection to be done by SIT.

7	Sh. Shree Venkateshwar Enterprises	Shed no, 54 DSIDC, Wazirpur Industrial Area	S.S. Utensils (Pressing & Buffing)	Inspected by SIT on 03.04.2007.		BG submitted on 21.01.2007	Applied for CTE on 19.11.2007 vide I.D. No. 24249	Not applied.	Not applicable	CMC decided on 12.10.2007 to seek CTE, SCN for correction the deficiencies and BG of Rs. One Lakh under Air Act. Reply received. CMC meeting dt 14.01.08 decided to reduce BG from 1 lakh to Rs. 50,000/-.	Unit be asked to submit affidavit to the effect that the deficiencies observed during inspection have been rectified.
8	Sh. Varun Fabricators	Shed no.80, DSIDC, Wazirpur Industrial Area	S.S. Utensils (Pressing & Buffing)	Inspected by SIT on 03.04.2007.	5 tonnes/month utensils. No pickling	BG submitted on 19.11.2007.	CTE on 19.11.2007 vide I.D. No. 24247.	CTE on 19.11.2007 vide I.D. No. 24247.	Not applicable	CMC decided on 12.10.2007 to seek CTE, SCN for correction the deficiencies and BG of Rs. One Lakh under Air Act. Reply along with affidavit received on 27.12.2007 along with affidavit & stated that deficiencies have been rectified.	Let the unit complete installation of dust collection system with buffing activity and file an affidavit.
9	Shree Krishna Industries	A-101/1, Wazirpur Industrial Area	Pickling & Cold Re rolling of SS Sheets.	Inspected by SIT on 30.08.2007	2 tonnes (as per inspection report)	BG submitted on 12.12.2007.	CTE on 19.11.2007 vide I.D. No. 24248.	CTO on 24.07.2006 vide I.D. No. 18889	Applied on 25.07.2006 vide I.D. No. 2926.	CMC decided on 12.10.2007 to seek CTE, SCN for correct deficiencies observed during inspection, file an affidavit and BG of Rs. Onke Lakh. Reply along with affidavit received on 20.11.2007 & informed that that deficiencies have been rectified.	Inspection to be done by SIT.
10	National Industries India	A - 102/2, Wazirpur Indl. Area, Delhi - 52	Annealing, Re-rolling & Pickling	Inspected by SIT on 23.03.2007.	1 tonne (as per inspection report)	BG of Rupees Three Lakh filed on 11.02.2008.	CTO(R) obtained. valid upto 25.07.2008.	CTO(R) obtained. valid upto 25.07.2008.	Applied for renewal for authorization on 02.08.2006 vide I.D. No. 3083.	CMC decided for SCN on 04.07.2007. Reply along with photographs received on 20.08.2007 with the statement that all deficiencies have been rectified. CMC decided on 16.11.2007 while review in distrct court cases and sought BG of Rs. 03 Lakh for withdrawal of court case, BG submitted.	Unit be asked to submit affidavit to the effect that the deficiencies observed during inspection have been rectified.
11	Rameshwar Foods	A-94/4, Wazirpur Industrial Area	Mfg of Sweets& Namkeen	Inspection by SIT on 25.08.2007.	500 Kg (as per inspection report)	BG of Rs. 50,000 submitted.	CTO(R) obtained. Valid upto 25.07.2008.	CTO(R) obtained. Valid upto 25.07.2008.	Not applicable	CMC decided on 28.09.2007 for periodical cleaning of Oil & Grease Trap, BG of Rs. 50000 under Water Act. BG submitted.	Unit be asked to submit affidavit to the effect that the deficiencies observed during inspection have been rectified.
12	Pawa International Pvt. Ltd.	C-93, Wazirpur Industrial Area	Service Station	Inspected by SIT on 23.08.2007	14-17 cars (as per inspection report)	Not yet submitted	CTE obtained on 08.10.2003. Valid upto 06.10.2004. CTO on 25.02.2005 vide I.D. No. 12788.	CTE obtained on 08.10.2003. Valid upto 06.10.2004. CTO on 25.02.2005 vide I.D. No. 12788.	Applied on 25.02.2005.	CMC decided on 28.09.2007 to ask BG of Rupees One Lakh & an affidavit stating that he has corrected all the deficiencies. No reply received. CMC decided on 14.01.2008 to reduce the BG from One Lakh to Rs. Seventy Five Thousand under Water Act & HWM Rules. Reply awaited.	To take up on 28.03.2008.

13	Deep (India) Pvt. Ltd.	B- 72/4, Wazirpur Indl. Area, Delhi - 52	Service Station	Inspected by SIT on 19.03.2007.	30 cars (as per inspection report)	Not sought	CTE obtained on 26.08.2004. Valid upto 27.06.2005. CTO on 23.03.2005.	CTE obtained on 26.08.2004. Valid upto 27.06.2005. CTO on 23.03.2005.	Applied on 28.03.2005 vide I.D. No. 2336.	SCN decided by CMC on 04.07.2007. Reply received on 16.08.2007 & stated that observed discrepancies have been corrected.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
14	Harihant Steel	C-10/2	Pickling of SS Sheets	Inspected by SIT on 07.08.2007	2 tonnes per day	Not sought	Obtained CTE on 21.9.05 valid up to 20.9.2006	CTO on 03.05.2007 vide I.D. No. 21207.	Applied on 03.5.07 with ID No. 1280	CMC decided on 17.09.2007 to issue SCN for deficiencies observed during the inspection. Reply received on 29.10.2007 & stated that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
15	Parag Metal Udyog	C-36/2, Wazirpur Indl. Area, Delhi - 52	Pickling , Annealing and Cold Re-Rolling of S.S.Sheets	Inspected by SIT on 09.06.2007	4 tonnes/day (as per inspection report)	Not sought	CTE obtained on 09.06.2003.	CTO on 18.07.2007 vide I.D. No. 22500.	Applied for renewal of authorization on 18.09.2006 vide I.D. No. 3617.	CMC decided on 05.07.2007 to SCNs for deficiencies observed during the inspection. Reply along with received on 30.08.2007 along with affidavit & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010.
16	U-like Exports	C-34	Pickling, Annealing & Re-Rolling of SS Sheets and mfg. of SS utensils (w/o buffing)	Inspected by SIT on 23.08.2007.	0.5 tonne (as per affidavit)	Not sought	CTE obtained on 29.09.2005.	CTE obtained on 29.09.2005. CTO on 27.06.2006 vide I.D. No. 18619.	Applied on 04.05.2007 vide I.D. No. 4284.	CMC decided on 28.09.2007 to issue SCN for deficiencies observed during the inspection. Reply along with affidavit received & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010.
17	Dr.Jagdish Lal Sethi	A-95/1	Aeralyic Dental Powder	Inspected by SIT on 30.08.2007.	3 tonnes / month (as per inspection report)	Not sought	CTO obtained vide consent order no. 15714. Valid upto 25.09.2008.	CTO obtained vide consent order no. 15714. Valid upto 25.09.2008.	Applied for renewal on 29.08.2006 vide I.D.No. 3479.	CMC decided on 28.09.2007 to issue SCN for refusal of authorization & u/s 5 of EP Act. Reply received on 16.11.2007 & stated that deficiencies observed during the inspection has been rectified.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Water Act & HWM Rules valid upto 06.02.2010.
18	Super Dental Product	A-95/1	Aeralyic Dental Teeth	Inspected by SIT on 30.08.2007.	—	Not sought	CTO obtained on 12.09.2006 vide consent order no. 16799. Valid upto 08.07.2008	CTO obtained on 12.09.2006 vide consent order no. 16799. Valid upto 08.07.2008	Not applicable	CMC decided on 28.09.2007 to file an affidavit confirming of correction of deficiencies. Reply along with affidavit received on 16.11.2007.	DPCC has asked for channelization of fumes vide letter dated 02.11.2007. Unit has not filed an affidavit regarding installation of channelization system. Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand under Air Act valid upto 06.02.2010.

19	Shalimar Motors	C-91/9, Wazirpur Industrial Area	Service Station	SIT insp on 23.8.07	4 cars per day	Not yet submitted	Consent obtained two times	CTO (Renewal) valid up to 11.01.07 CTO (Renewal) applied on 20.3.07	Applied for renewal of auth on 06.11.06	CMC meeting dt 14.01.08 decided to reduce BG from 1 lakh to Rs. 50,000/- under Water and HW Rules. Letter issued on 05.02.08 giving 30 days time. BG not yet submitted	To take up on 28.03.2008.
21	Benlon (India) Ltd.	A- 68, Group, Wazirpur Indl. Area, Delhi - 52	Dyeing of synthetic yarns	Inspected by SIT on 12.04.2007.	1 tonnes (as per affidavit)	Not sought	Consent obtained two times	CTO(R) obtained on 15.05.2006. Valid upto 30.04.2009.	Applied for renewal of authorization on 07.08.2006 vide I.D. No. 3183..	CMC decided on 04.07.2007 to issue SCN for refusal of authorizat on for retifying the deficiencies found during the inspecton. Reply received on 17.08.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
22	Delhi Job Works	B-6, Group, Wazirpur Indl. Area, Delhi - 52	Pickling and cold Re - Rolling of S.S.Sheets	Inspected by SIT on 12.06.2007.	3.5 tonne (as per inspection report)	Not sought	CTO(R) obtained on 14.06.2006. Valid upto 24.08.2008.	CTO(R) obtained on 14.06.2006. Valid upto 24.08.2008.	Applied for renewal of authorization on 26.07.2006 vide I.D. No. 2952.	CMC decided on 05.07.2007 to issue SCN to rectify the deficiencies found during the inspecton. Reply received on 03.08.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
23	G. S. Enterprises	A-74/2, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Inspected by SIT on 23.03.2007.	800 kg/day as per I/R	Not sought	CT(R) obtained on 28.07.2006 (valid upto 13.06.2009)	CT(R) obtained on 28.07.2006 (valid upto 13.06.2009)	Applied on 02.08.2006	CMC decided on 04.07.2007 to issue SCN for rectify the deficiencies observed during the inspection. Reply received on 22.08.2007 & informed that deficiencies have been rectified.CTO (Renewal) is valid up to 13.6.2009.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
24	Ganga Industries	A-113, Group, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	Inspected by SIT on 07.06.2007.	400 Kg (as per inspection report)	Not sought	CTO(R) obtained. Valid upto 08.08.2008.	CTO(R) obtained. Valid upto 08.08.2008.	Applied for renewal for authorization on 09.08.2006 vide I.D. No. 3243.	CMC decided on 05.07.2007 to issue SCNs to rectify the deficiencies found during the inspection. Reply along with photographs received on 30.08.2007 & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
25	Ganpati Steels	A-47	Re-Rolling and Pickling of SS Sheets.	Inspected by SIT on 16.07.2007.	2-2.5 tonnes (as per inspection report)	Not sought	Consent obtained two times	CTO(R) obtained. Valid upto 14.06.2009.	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3071.	CMC decided on 17.09.2007 to ask an affdiavit w.r.t. certain leakage from the filter press. Reply along with affidavit received on 19.10.2007 & informed that they have rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010.

26	Hem Chand Nand Lal.	B-76, Wazirpur Indl. Area, Delhi - 52	Re-rolling, annealing & Pickling	Inspected by SIT on 19.03.2007.	1 tonne (as per inspection report)	—	CTO(R) obtained on 17.04.2006 (valid upto 19.03.2009)	CTO(R) obtained on 17.04.2006 (valid upto 19.03.2009)	Applied for renewal of authorization on 24.08.2006 vide I.D. No. 3444.	CMC decided on 04.07.2007 to issue SCN for rectifying the deficiencies observed during the inspection. Reply along with photographs received on 20.08.2007 & stated that deficiencies observed during the inspection have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
27	J.N. Steel	A-111/1, Wazirpur Indl. Area, Delhi - 52	Pickling , Annealing and Cold Re-Rolling of S.S.Sheets	Inspected by SIT on 09.06.2007	5 tonnes (as per inspection report)	Not sought	CTO (R) obtained on 19.06.2006 vide consent order no. 15667. Valid upto 30.09.2008.	CTO (R) obtained on 19.06.2006 vide consent order no. 15667. Valid upto 30.09.2008.	Applied for renewal of authorization on 09.08.2006 vide I.D. No. 3244.	CMC decided on 05.07.2007 to SCNs for deficiencies observed during the inspection. Reply received on 30.08.2007 & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
28	Malhotra Industries	B - 20, Wazirpur Indl. Area, Delhi - 52	Rolling and pickling	Inspected by SIT on 06.04.2007.	7-8 tonnes / month (as per inspection report)	Not sought	CTO(R) obtained on 28.07.2006 (valid upto 02.07.2009).	CTO(R) obtained on 28.07.2006 (valid upto 02.07.2009).	Applied for renewal for authorization on 26.10.2006 vide I.D. No. 3969.	CMC decided on 04.07.2007 to issue SCNs for rectifying the deficiencies found during the inspection. Reply received on 20.08.2007 & informed that they have rectified / improved the deficiencies and also requested to withdraw the notices.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
29	Pradeep Industries	A-31	Annealing, Re-Rolling and Pickling of SS Sheets.	Inspected on 16.07.2007	1.5 tonnes (as per affidavit)	Not sought	CTO(R) obtained on 19.06.2006 (valid upto 01.08.2008).	CTO(R) obtained on 19.06.2006 (valid upto 01.08.2008).	Applied for renewal of authorization on 26.07.2006 vide I.D. No. 2945.	CMC decided on 17.09.2007 to issue SCN for deficiencies observed during the inspection. Reply received on 15.10.2007 & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
30	Rajasthan Knitting Mills	A-51, Wazirpur Indl. Area, Delhi - 52	Dyeing, Bleaching ,Knitting and processing of hosiery clothes	Inspected by SIT on 31.05.2007.	550 Kg/day of hosiery dyeing	Not sought	Consent (Renewal) obtained. Valid upto 14.06.2009.	Consent (Renewal) obtained. Valid upto 14.06.2009.	Applied for renewal for authorizatoin on 18.08.2006 vide I.D. No. 3325.	CMC decided on 05.07.2007 to issue SCN for correcting the deficiencies observed during the inspection. Reply received on 24.08.2007 and informed to have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
31	Shree Krishna Metal Industries	B-22/2, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	Inspected by SIT on 08.06.2007.	1 tonnes (as per inspection report)	Not sought	CTO (R) obtained. Valid upto 25.07.2008.	CTO (R) obtained. Valid upto 25.07.2008.	Applied for renewal for authorization on 26.07.2006 vide I.D. No. 2951.	CMC decided on 05.07.2007 to issue SCNs to rectify the deficiencies found during the inspection. Reply along with affidavit received on 30.08.2007 & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010.

32	Shri Ram Industries	A-132, Group, Wazirpur Indl. Area, Delhi - 52	Re-rolling and pickling of SS sheets	Inspected by SIT on 31.05.2007.	1 T/day as per affidavit	Not sought	Consent(R) obtained. Valid upto 31.07.2008.	Consent(R) obtained. Valid upto 31.07.2008.	Applied for renewal for authorizatoion on 28.07.2006 vide I.D. No. 3000.	CMC decided on 05.07.2007 to issue SCN for correcting the deficiencies observed during the inspection. Reply received on 27.08.2007 and informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
20	Speculum Finish	Shed no. 20 (DSIDC Sheds), Wazirpur Indl. Area, Delhi - 52	Electroplating	Inspected by SIT on 03.04.2007.	13000-15000 pieces (as per HWM affidavit)	Not sought	Consent obtained two times	CTO (R) obtained vide consent order no. 11749. Valid upto 18.03..2007.	Applied for renewal for authorization on 05.09.2006 vide I.D. No. 3540.	CMC decided on 04.07.2007 to issue SCN for applying renewal of consent. Reply received on 24.08.2007 & informed that filing of renewal application is under process e.g. effluent analysis report & other related reports are being collected.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
33	Vikas Enterprises	Shed no. 43 (DSIDC Sheds), Wazirpur Indl. Area, Delhi - 52	Rolling & Pickling	Inspected by SIT on 31.03.2007.	12-15 tonnes / month (as per inspection report)	Not sought	CTO(R) obtained on 29.11.2005. Valid upto 20.06.2008.	CTO(R) obtained on 29.11.2005. Valid upto 20.06.2008.	Applied for renewal for authorization on 21.08.2006 vide I.D. No. 3400.	CMC decided on 04.07.2007 to issue SCNs to rectify the deficiencies found during the inspection. Reply received on 20.08.2007 & informed that they have rectified all the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousands each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
34	Precision Castings & Components	B-69/1, Wazirpur Indl. Area, Delhi - 52	Manufacturing of Piston rings (Engineering activity)	Inspected by SIT on 29.05.2007.	5000 Pcs/day	Not sought	Consent (Renewal) obtained on 19.06.2006 under Green cat (valid upto 06.05.2010)	Consent (Renewal) obtained on 19.06.2006 under Green cat (valid upto 06.05.2010)	Applied for renewal of authorization on 13.11.2006 vide I.D. No. 4052.	CMC decided on 05.07.2007 to issue SCNs for deficiencies observed during the inspection. Reply received on 03.08.2007 & informed that the deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh under HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Unit be asked to apply for Consent to Establish under Orange category.
35	Sh. Balak Ram. Sh. Suresh. Sh. Islam, Sh. Ram Bils	Shed no.101, DSIDC, Wazirpur Industrial Area	Buffing	Inspected by SIT on 31.03.2007.	Units closed	Not submitted stating that tenants vacated the premises.	CTE on 21.11.2007 vide I.D.No. 24276 (Suresh), CTE on 21.11.2007 vide I.D.No. 24277 (Balak Ram) & CTE on 21.11.2007 vide I.D.No. 24278 (Ram Bilas)		Not applicable	CMC decided on 12.10.2007 to seek CTE, SCN for correction the deficiencies through affidavit and BG of Rs. One Lakh under Air Act. Owner of the premisies has submitted an affidavit & informed that all the three tenans vacated the premises. CMC decided on 26.12.2007 to inspect by SIT.	SIT report by next week.

36	Sohal Motor works	B-24, Wazirpur Industrial Area	Pickling, Annealing & Re-Rolling of SS Sheets	Inspected by SIT on 30.08.2007.	40 tonnes / month (as per affidavit)	Not submitted stating that they have stopped pickling activity..	CTE on 16.10.2007 vide I.D. No. 23924.	CTO on 05.10.2004 vide I.D. No. 11819.	Applied for renewal on 11.08.2006 vide I.D. No 3286.	CMC decided on 12.10.2007 to seek CTE, letter for correction the deficiencies observed during the inspection through an affidavit and BG of Rs. One Lakh under each of three acts. Reply received on 31.12.2007 & informed that they have closed pickling activity and requested to close the file. CMC decided on 14.01.2008 to inspect by SIT to check whether unit is closed or not. No report received.	SIT report by next week.
37	Goyal Steel Industries	A-35	Annealing, Re-Rolling & Pickling of SS Sheets.	Inspected by SIT on 16.07.2007	Found pickling closed. 2 - 3 tonnes/day	Not sought	CTE on 27.10.2007 vide I.D. No. 23980.	CTO refused on 17.05.2004 vide refusal no. 228.	Applied on 08.07.2004.	CMC decided on 17.09.2007 to ask CTE. CTE applied on 27.10.07	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
38	Jain & Company	A-95/4, Wazirpur Industrial Area	M.S. Wire drawing with Pickling	Inspected by SIT on 30.08.2007.	3 tonnes (as per adequacy report)	Not sought	CTE on 19.12.2007 vide I.D. No. 24545.	CTO on 29.10.2004 vide I.D. No. 12032	Applied for renewal on 12.07.2006 vide I.D. No. 2756.	CMC decided on 17.09.2007 to issue SCN for deficiencies observed during the inspection. Reply alongwith photographs received on 07.01.2008 & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
39	Kesho Ram Industries	A-100/6	Re-Rolling & Pickling of SS Sheets.	Inspected by SIT on 10.07.2007.	1 tonne (as per inspection report)	Not sought	CTE on 23.10.2007 vide I.D. No. 24008.	CTO obtained on 18.12.2000. Valid upto 12.12.2003. CTO (R) on 15.03.2005 vide I.D. No. 12998.	Applied for renewal on 26.07.2006 vide I.D. No. 2944.	CMC decided on 17.09.2007 to issue SCNs for rectifying the deficiencies observed during the inspection. Reply along with affidavit & photographs received on 23.10.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010.
40	Laxmi Industries	A-97/4	Pickling, Annealing & Re-Rolling of SS Sheets	Inspected by SIT on 13.11.2007.	500-600 Kg (as per inspection report)	Not sought	CTE on 08.11.2007 vide I.D. No. 24179.	CTO on 09.08.2004 vide I.D. No. 11276.	Not applicable	CMC decided on 28.09.2007 to CTE. & inspect the SIT. Applied for CTE.	Unit be asked to install ETP & submit adequacy report. Also, unit be asked to submit Bank Guarantee of Rupees Seventy Fivie Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010.

41	Maruti Industries	B-70/2	SS utensils with buffing	Inspected by SIT on 20.03.2007 & 12.11.2007	2 tonnes / month (as per inspection report)	Not sought	Consent to Estalish received on 26.09.2007 vide I.D. No. 23652.	Refused on 09.02.2007. CTO on 03.01.2007 vide I.D. No. 20345	Not applicable	CMC decided on 29.01.2007 to refuse the consent and directions for disconneciton of power / water supply. Reply received. CMC decided on 05.07.2007 to revoke temporarily for 60 days. No reply received.	SIT to inspect and report.
42	Narender Industries	C-58/4	Annealing, Re-Rolling & Pickling of SS Sheets.	Inspected by SIT on 17.07.2007.	01 tonne/day (as per inspection report)	Not sought	CTE on 24.10.2007 vide I.D. No. 24015.	CTO on 05.09.2005 vide I.D. No. 16279.	Applied for renewal of authorization on 22.08.2006 vide I.D. No. 3405.	CMC decided on 17.09.2007 to ask CTE and do the necessary improvements suggested by the inspecting team during the inspeciton. Reply along with CTE & an affidavit for improvement suggested by inspecting team received on 24.10.2007	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010
43	Pooja Enterprises	D-26	Re-Rolling & Pickling of SS Sheets.	Inspection by SIT on 17.07.2007	2-3 tonnes (as per affidavit)	Not sought	Applied for CTE on 22.10.2007 vide I.D. No. 23993.	Applied for CTO on 01.08.2002, 25.06.2004 & 20.08.2007.	Applied for renewal of authorization on 01.08.2006 vide I.D. No. 3028.	CMC decided on 17.09.2007 for CTE and submit an affidavit to get connect the individual connection to the conveyance system of CETP. Reply along with affidavit received on 19.11.2007	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
44	Prem Electroplating	B-28/5	Electroplating & Buffing	Inspected by SIT on 23.03.2007.	Job Work 1500 Kg/month as per affidavit	Not sought	Consent to Estalish received on 05.10.2007 vide I.D. No. 23769.	Consent to Estalish received on 05.10.2007 vide I.D. No. 23769.	Applied for renewal on 28.7.06 vide ID No. 2984. Refused.	Directions issued on 09.02.2007. Representation received for revocation on 06.06.2007. CMC decided for temporary revocation on 05.07.2007. Temporary revocation issued on 08.08.2007. Unit has submitted its reply on 08.10.2007 for permanent revocation. SIT inspected on 13.11.07 and found unit closed. Consent to Estalish along with fresh test report received on 05.10.2007 vide I.D. No. 23769.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
45	R.D. Steel	C-58/2	Re-Rolling & Pickling of SS Sheets.	Inspected by SIT on 17.07.2007.	10 tonnes / monthy (as per inspection report)	Not sought	CTE on 24.10.2007 vide I.D. No. 24014.	CTO on 28.03.2005 vide I.D.No. 13233.	Applied on 15.09.2007 vide I.D. No. 2490	CMC decided on 17.09.2007 to seek CTE & letter for rectify the minor deficiencies found during the inspection. Reply alongwith affidavit on 24.10.2007 & informed that they have rectified the deficiencies. CTE applied on 240414.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010
46	Richi Rich Restaurant (P) Ltd.	A - 7	Restaurant Cum Banquet Hall	Inspected by SIT on 18.08.2007.	65 Seats (as per inspection report)	Not sought	CTE on 08.10.2007 vide I.D. No. 24178.	CTO on 19.07.2002 vide I.D. 3288.	Applied on 08.11.2007 vide I.D. No. 4415.	CMC decided on 17.09.2007 to issue SCNs to rectify the deficiencies & CTE. Reply along with affidavit received on 06.11.2007 & stated that deficiencies observed during the inspection have been rectified.	Unit will install ETP & submit adequacy report. Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. Also, unit be asked to submit an affidavit.

47	Uttam Steel Alloy (P)Ltd.	C-14, Wazirpur Industrial Area	Pickling, Annealing & Re-Rolling of SS Sheets	Inspected by SIT on 23.08.2007	3 tonnes (as per affidavit)	Not sought	CTE on 07.11.2007 vide I.D. No. 24163.	CTO on 29.11.2006 vide I.D. No. 19996.	Applied on 17.07.2007 vide I.D. No. 4333.	CMC decided on 28.09.2007 to ask CTE. CTE applied on 07.11.2007.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
48	RCI industries & Technologies Ltd.UNIT ALL HEAVENS.	B-97	Resturant & Bar	Inspected by SIT on 01.09.2007	200 Seats (as per inspection report)	Not submitted.	Not applied.	Applied for CTO on 14.08.2002.	Not applicable	CMC decided on 28.09.2007 for submission of BG of Rs. One Lakh each under Water & Air Acts, CTE and affidavit for correcting the deficiencies observed during the inspection. Unit has submitted reply along with affidavit on 16.11.2007.	Unit be asked to submit BG of Rs. One Lakh each under Water & Air Acts, CTE and affidavit for correcting the deficiencies observed during the inspection.
49	Sh. Abdul Rasheed	Shed no.100, DSIDC, Wazirpur Industrial Area	Buffing and Buffing Machines Installed	Inspected by SIT on 31.03.2007.	Not mentioned.	Not submitted.	Not applied.	Not applied.	Not applicable	CMC decided on 12.10.2007 to seek CTE, SCN for correction the deficiencies and BG of Rs. One Lakh under Air Act. No reply received. CMC decided on 14.01.2007 to get inspection by SIT.	SIT to inspect and report next week.
50	Sh. Mohammad, Sh. Noshad, Sh. Lekraj (M/s Pratap Metals)	A-136, Wazirpur Industrial Area	Buffing	Inspected by SIT on 06.04.2007.	Not mentioned.	Not submitted.	Not applied/obtained	Not applied.	Not applicable	CMC decided on 12.10.2007 to seek CTE, SCN for correction the deficiencies and BG of Rs. One Lakh under Air Act. Letter returned back undelievered. CMC decided on 14.01.2008 to get inspection by SIT.	SIT to inspect and report next week.
51	Sh. Shajid and Sh. Aslam	A-103/6, Wazirpur Industrial Area	Steel Polish	Inspected by SIT on 06.04.2007.	Not mentioned.	Not submitted.	Not applied/obtained	Not applied.	Not applicable	CMC decided on 12.10.2007 to seek CTE, affidavit w.r.t. correction the deficiencies and BG of Rs. One Lakh under Air Act. Letter returned back undelievered. Case discussed in CMC on 14.01.08 and decided ti get inspection by SIT	SIT to inspect and report next week.
52	Sh. Vijay Kumar Goel	A-104, Wazirpur Industrial Area	Buffing	Inspected by SIT on 06.04.2007.	Not mentioned.	Not submitted.	Not applied/obtained	Not applied.	Not applicable	CMC decided on 12.10.2007 & 14.01.2008 to seek CTE, affidavit w.r.t. correction the deficiencies and BG of Rs. One Lakh under Air Act. No reply received. Decided inspection by SIT in CMC meet dt 14.01.08	SIT to inspect and report next week.
53	Jai Mata Metal Treatment	A-74(Ground Floor), Wazirpur Industrial Area	Heat Treatment	Inspected by SIT on 25.08.2007.	500 Kg (as per raw material list)	Not sought	Not applied.	CTO on 30.12.2005 vide I.D.No. 17412.	Applied on 28.11.2005 vide I.D. No. 2559.	CMC decided on 28.09.2007 to seek CTE, and issue SCN for rectify the deficiencies found during the inspection. Reply received on 20.11.2007 & informed that they have rectified the deficiencies. CTE not applied.	Unit be asked to submit BG of Rs. Seventy Five Thousand each under Air, Water & HWM Rules, CTE and affidavit for correcting the deficiencies observed during the inspection.

54	Lakshmai Milk Testing Machinery co.	A-90, Group, Wazirpur Industrial Area	Mfg of Dairy Equipments (Milk Canes) with Anodizing.	Inspected by SIT on 30.08.2007	Plot found vacant.	Not sought	Not applied/obtained	CTO(R) on 31.08.2005 vide I.D. No. 16242.	Applied for renewal on 02.08.2006 vide I.D. No. 3074.	CMC decided on 12.10.2007 to ask CTE. Neither applied or nor any reply received.	Disconnection of power / water supply & cancellation of MCD license.
55	Sh. Ravi (M/s Dayal Industries)	Shed no, 63, DSIDC, Wazirpur Industrial Area	Buffing	Inspected by SIT on 03.04.2007.	8 tonnes / month (as per inspection report)	Unit claims BG is not required as there is no buffing activity.	Not applied/obtained	Not applied.	Not applicable	CMC decided on 12.10.2007 to seek CTE, affidavit w.r.t. correction the deficiencies and BG of Rs. One Lakh under Air Act. Reply along with an affidavit received on 16.11.2007 & stated that there is no activity of buffing of S.S. Sheets at prsent and no air pollution. CMC decided on 14.01.2008 to seek CTE & inspection by SIT. Letter issued on 05.02.2008 and the same is returned back undelievered. No report received from SIT.	SIT to inspect and report.
56	Trilok Chand & Sons	A-98, Wazirpur Indl. Area, Delhi - 52	Mfg. of Hinges (MS & SS) without pickling	Inspected by SIT on 12.06.2007.	6000 Pcs/day	Not sought	CTE not applied/obtained.	Applied for Green renewal on 21.7.2005	Not applicable	CMC on 05.7.07 decided to seek affidavit for installation of accoustic enclosure and stack height with in two months. Unit submitted affidavit for removal of DG set on 06.9.07	Shift to Green Committee.
57	Shiva Steels	A-102/6, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Inspected by SIT on 11.09.2007	450 Kg (as per affidavit)	Not submitted. Submitted representation expressing inability to submit such amount.	Not applied/obtained	CTO on 03.07.2007 vide I.D. No. 22132.	Applied for renewal for authorization on 02.08.2006 vide I.D. No. 3081.	CMC decided on 07.12.2007 to file an affidavit after correcting all deficiencies and submit BG of Rs. One Lakh under each of the three acts. Letter issued. BG yet to be submitted.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.
58	Jaquar Co. Ltd (Unit -2)	A - 6	Bathroom Fittings (Including Casting , Electroplating & Buffing)	18.8.07	65000 Pcs/month	Not sought	Not applied/obtained	CTO valid up to 24.1.2006. Applied for renewal on 10.01.06	Applied for renewal on 05.7.2006 vide I.D. No. 2729.	CMC decided on 17.09.2007 to issue SCNs for rectifying the deficiencies observed during the inspection. Reply along with affidavit & photographs received on 24.10.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. Ask the unit to apply for Consent to Establish.
59	Laxmi Narain Steel Rollers	B-32/2, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	Inspected by SIT on 08.06.2007.	03 tonnes / month (as per HWM application)	Not sought	Not applied/obtained	CTO on 11.05.2004 vide I.D. No. 10524.	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3076.	CMC decided on 05.07.2007 to SCNs for deficiencies observed during the inspection. Reply along with photographs & affidavit received on 27.08.2007 & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. Ask the unit to apply for CTE and submit adequacy report of ETP.

60	Mohan's Leela Banquet	A-8/3	Banquet Hall	Inspected by SIT on 18.08.2007	20 days / month (as per inspection report)	Not sought	Not applied/obtained	CTO on 26.07.2002 vide I.D. No. 5473. Unit has deposited three years fee on 21.08.2006 as sought by DPCC in continuation of earlier CTO application dated 26.07.2002.	Applied for renewal on 31.10.2005 vide I.D. No. 2524.	CMC decided on 17.09.2007 to issue SCNs for rectifying the deficiencies observed during the inspection. Reply along with affidavit & photographs received on 30.10.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. Ask the unit to apply for CTE.
61	Arora Steel	C- 7/2 (Backside portion),Wazirpur Indl. Area, Delhi - 52	Pickling of SS sheets	Inspected by SIT on 17.05.2007	2-3 tonnes (as per inspection report)	Not sought	Not applied/obtained	CTO on 04.10.2005 vide I.D. No. 16649.	Applied on 04.10.2005 & 01.08.2006 vide I.D. No. 2505 & 3029 respectively.	CMC decided on 04.07.2007 to issue SCNs for rectifying the deficiencies observed during the inspection. Reply received, with out affidavit, on 20.08.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
62	Durga Industries	A-99/4	Re-Rolling and Pickling of SS Sheets.	Inspected by SIT on 10.07.2007.	800 Kg (as per affidavit)	Not sought	Not applied/obtained	CTO(R) on 12.08.2005 vide I.D. No. 16044.	Applied for renewal of authorization on 26.07.2006 vide I.D. No. 2949.	CMC decided on 17.09.2007 to file an affidavit to the effect that necessary action has been taken as suggested by the inspecting team. If such an affidavit is filed, CTO & authorization are granted. Reply along with affidavit on 15.10.2007 & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. Ask the unit to apply for CTE.
63	Gupta Iron & Steel Company	A-95 /1A, Wazirpur Indl. Area, Delhi - 52	Pickling, & Re-Rolling of S.S.Sheets (Annealing furnace defunct).	Inspected by SIT on 14.04.2007.	40 tonnes / month (as per affidavit)	Not sought	Not applied/obtained	Applied for CTO three times. Last CTO on 04.06.2007 vide I.D. No. 21658.	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3321.	CMC decided on 04.07.2007 to issue SCN for deficiencies observed during the inspection. Reply received, with out affidavit, on 20.08.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.

64	Jay Kay Enterprises	A-127	Pickling, Annealing & Re-Rolling of SS Sheets	Inspected by SIT on 10.07.2007.	3 tonnes (as per inspection report)	Not sought	Not applied/obtained	CTO on 29.06.2005 vide I.D. No. 14796.	Applied for renewal on 23.08.2006 vide I.D. No. 3428.	CMC decided on 17.09.2007 to seek an affidavit w.r.f. deficiencies observed during the inspection. If such an affidavit is filed, CTO & authorization may be granted. Reply along with affidavit on 22.10.2007 & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. Ask the unit to apply for CTE.
65	Singhal Steel Udyog	C-12/1	Re-Rolling & Pickling of SS Sheets.	Inspected by SIT on 07.07.2007.	2 tonnes (as per inspection report)	Not sought	Not applied/obtained	CTO obtained. Valid upto 03.06.2007. CTO(R) on 01.06.2007 vide I.D. No. 21627.	Applied for renewal of authorization on 18.08.2006 for 3331.	CMC decided on 17.09.2007 to submit an affidavit to the effect let the house keeping has been imporved. If such an affidavit is filed, CTO & authorization be granted. Reply along with affidavit received on 10.10.2007.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. Ask the unit to apply for CTE.
66	Aggarwal Industries	A-95/5, Wazirpur Indl. Area, Delhi - 52	Annealing, Cold Re-Rolling and Pickling of S.S.Sheets	Inspected by SIT on 02.06.2007	3 tonnes /day as per affidavit	Not sought	Not applied/obtained	CTO obtained valid up to 02.12.06 CTO(R) on 27.02.2007 vide I.D. No. 20735.	Applied for renewal of authorization on 03.10.2006 vide I.D. No. 3750.	CMC decided on 05.07.2007 to issue SCNs to rectify the deficiencies found during the inspection. Reply along with photographs received on 31.08.2007 & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
77	Anand Electro Engineering	B-67/1, Wazirpur Indl. Area, Delhi - 52	Electroplating (Job work) with buffing.	Inspected by SIT on 26.05.2007.	200 Kg/day (as per inspection report)	Not sought	Not applied/obtained	CTO on 26.04.2005 vide I.D. No. 13747.	Applied on 12.04.2005 & 11.08.2006 vide I.D. No. 2378 & 3287 respectively.	CMC decided on 05.07.2007 to issue SCN for rectifying the deficiencies observed during the inspection. Reply received on 30.08.2007 & informed that the deficiencies have been rectified.Dyeing unit closed and submitted an affidavit.	SIT to inspect and report.
67	Deepak Industries	A-83/5, Wazirpur Indl. Area, Delhi - 52	Annealing & Pickling of S.S.Sheets	Inspected by SIT on 11.05.2007.	1 tonne (as per affidavit)	Not sought	Not applied/obtained	CTO on 15.7.2002 and again 26.07.2005 vide I.D. No. 15691.	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3060.	CMC decided on 04.07.2007 to issue SCNs for rectifying the deficiencies observed during the inspection. Reply received, with out affidavit, on 20.08.2007 along with photographs & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.

68	Essco Sanitations	C-58/1, Wazirpur Indl. Area, Delhi - 52	Electroplating & Buffing(Manufacturing of bathroom fittings involving electroplating,buffing & grinding)	Inspected by SIT on 15.05.2007	2000 pieces (as per applicaton form)	Not sought	Not applied/obtained	CTO(R) on 19.07.2005 vide I.D. No. 15264.	Applied for renewal of authorization on 05.07.2006 vide I.D. No. 2730.	CMC decided on 04.07.2007 to issue SCNs for rectifying the deficiencies observed during the inspection. Reply along with photographs received on 20.08.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
69	Golden Steel Industry	A-103/3, Wazirpur Indl. Area, Delhi - 52	Annealing, hot-rolling and pickling	Inspected by SIT on 06.04.2007.	5-6 tonnes (as per inspection report)	Not sought	Not applied/obtained	CTO(R) on 263.07.2005 vide I.D. No. 15680.	Applied for renewal of authorization on 26.09.2006 vide I.D. No. 3695.	CMC decided on 04.07.2007 to issue SCNs for correcting the deficiencies found during the inspeciton. Reply along with photographs received on 21.08.2007 & informed that they have rectified the same.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
70	Multi Products Industries	A-97 / 5, Wazirpur Indl. Area, Delhi - 52	Surgical and Hospital wares (including anodizing and buffing)	Inspected by SIT on 14.04.2007.	500 pieces per day (as per raw material list)	Not sought	Not applied/obtained	CTO(R) on 22.07.2005 vide I.D. No. 15475.	Applied for renewal of authorization on 17.10.2006 vide I.D. No. 3921.	CMC decided on 04.07.2007 to issue SCNs to rectify the deficiencies. Reply along with photographs received on 20.08.2007 & informed that they have rectified the same.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
71	Naresh Industries	A-52, Group, Wazirpur Indl. Area, Delhi - 52	Dyeing and bleaching of cotton fabrics.	Inspected by SIT on 07.06.2007.	300 Kg (as per affidavit)	Not sought	Not applied/obtained	CTO(R) on 20.03.2006 vide I.D. No. 17926.	Applied for renewal of authorization on 09.08.2006 vide I.D. No. 3249.	CMC decided on 05.07.2007 to issue SCNs to rectify the deficiencies found during the inspection. Reply along with photographs received on 03.08.2007 & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.

72	R.K. Steel	A-12, Group, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	Inspected by SIT on 07.06.2007.	400 Kg/day (as per lsit of raw material)	Not sought	Not applied/obtained	CTO on 09.09.2004 vide I.D. No. 11588.	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3059.	CMC decided on 05.07.2007 to issue SCNs to rectify the deficiencies found during the inspection. Reply received on 30.08.2007 along with photos & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
78	Satvir Jain	A-134	Pickling of SS Sheets	Inspected by SIT on 10.07.2007.	2-2.5 tonnes (as per inspection report)	Not sought	Not submitted.	CTO on 30.12.2004 vide I.D. No. 12378.	Applied for renewal on 18.08.2006 vide I.D. No. 3373.	CMC decided on 17.09.2007 to seek apply for CTE with proper porject repuort of all the repair work still to be done. Reply along with an affidavit received on 03.12.2007 & stated that they have closed the activity and left the premises.	SIT to inspect and report.
73	Shree Balaji	A-88, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Inspected by SIT on 23.03.2007.	1 tonne / month (as per inspection report)	Not sought	Not applied/obtained	CTO obtained (expired on 08.09.2007).	Applied for renewal for authorization on 02.08.2006 vide I.D. No. 3082.	CMC decided on 04.07.2007 to issue SCNs for rectification of deficiencies observed during the inspection. Reply received on 20.08.2007 along with photos & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
74	Shri Shyam Steels	A-113/1	Re-Rolling & Pickling of SS Sheets.	Inspected by SIT on 10.07.2007.	1.5-2 tonnes (as per inspection report)	Not sought	Not applied/obtained	CTO on 21.03.2005 vide I.D. No. 13116.	Applied for renewal on 18.08.2006 vide I.D. No. 3358.	CMC decided on 17.09.2007 to issue SCNs for rectifying the deficiencies observed during the inspection. Reply along with photographs received on 10.10.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
75	Sidhartha Industries	B-31, Group ,Wazirpur Indl. Area, Delhi - 52	Re- Rolling & Pickling	Inspected by SIT on 28.04.2007.	1.5 tonnes (as per inspection report)	Not sought	Not applied/obtained	CTO obtained on 22.03.2004. Valid upto 01.08.2005. CTO(R) on 25.07.2005 vide I.D. No. 15574.	Applied for renewal of authorization on 17.10.2006 vide I.D. No. 3927.	CMC decided on 04.07.2007 to issue SCN for deficiencies observed during the inspection. Reply along with photographs received on 20.08.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.

76	Wesco Auto Products (I) Pvt. Ltd.	B-72, Wazirpur Indl. Area, Delhi - 52	Auto electrical switches for tractors involving electroplating.	Inspected by SIT on 19.03.2007.	100 pieces (as per adequacy report)	Not sought	Not applied/obtained	CTO on 28.09.2004 vide I.D. No. 11748.	Applied for renewal of authorization on 25.07.2006 vide I.D. No. 2925.	CMC decided on 04.07.2007 to issue SCNs for rectify the deficiencies observed during the inspection. Reply along the photographs received on 20.08.2007 & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
79	Apex International,	B-69/1, Wazirpur Indl. Area, Delhi - 52	Manufacturing of piston rings (involving electroplating, grinding phosphating and buffing)	Inspected by SIT on 29.05.2007.	200 Kg (as per inspection report)	Not sought	Not applied/obtained	CTO obtained. Valid upto 30.09.2007. CTO(R) on 01.03.2007 vide I.D. No. 20760.	Applied for renewal of authorization on 27.10.2006 vide I.D. No. 3986.	CMC decided on 05.07.2007 to issue SCNs for deficiencies observed during the inspection. Reply received on 03.08.2007 & informed that the deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
80	Bhawani Industries	B-62/1, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Inspected by SIT on 26.03.2007.	2 tonnes (as per inspection report)	Not sought	Not applied/obtained	CTO obtained vide consent no. 11747. Valid upto 13.08.2008.	Applied for renewal for authorization on 28.07.2006 vide I.D. No. 2995.	CMC decided on 04.07.2007 to issue SCNs for rectification of deficiencies observed during the inspection. Reply received on 20.08.2007 & informed that deficiencies have been improved.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
81	Bright Electroplating Industries	C-5/2,	Electroplating	Inspected by SIT on 07.07.2007.	Job work	Not sought	Not applied/obtained	CTO(R) on 16.04.2004 vide I.D. No. 10329.	Applied for renewal of authorization on 17.10.2006 for 3924.	CMC decided on 17.09.2007 for CTO(R) & SCN u/s 5 for rectify the deficiencies found during the inspection. Reply received on 16.10.2007. CMC decided on 24.10.2007 to seek CTO(R) along with a fresh adequacy report of ETP. Reply received on 20.12.2007 to deposit fee for Shriram Institute for Industrial Research for adequacy report.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to submit adequacy report of ETP.
82	Celebration Banquet	A-16/3, Wazirpur Industrial Area	Banquet Hall	Inspected by SIT on 23.05.2008	125 days / year (as per inspection report)	Not sought	Not applied/obtained	CTO on 02.05.2005 vide I.D. No. 13856.	Applied on 04.05.2005 & 17.10.2006 vide I.D.No. 2398 & 3913 respectively.	CMC decided on 28.09.2007 to issue SCN/notice to rectify the deficiencies found during the inspection. Reply received on 14.11.2007.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.

83	Continental Car Scanning Centre	B- 72/4, Wazirpur Indl. Area, Delhi - 52	Service Station	Inspected by SIT on 19.03.2007.	3-4 cars (as per inspection report)	Not sought	Not applied/obtained	CTO(R) on 18.04.2007 vide I.D. No. 21059.	Applied for renewal of authorization on 01.08.2006 vide I.D. No. 3032.	CMC decided on 04.07.2007 to issue to issue SCN for rectify the deficiencies observed during the inspection. Reply received on 20.08.2007 & informed that washing activity discontinued.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that HWM Rules are being complied. Ask the unit to apply for CTE.
84	Cooper Pharma	B-59, Wazirpur Indl. Area, Delhi - 52	Pharmaceutical (formulations)	Inspected by SIT on 26.03.2007.	300 Kg/day as per affidavit	Not sought	Not applied/obtained	CTO obtained valid up to 25.7.05. CTO(R) on 25.07.2005 vide I.D. No. 15659.	Applied for renewal for authorization on 18.12.2006 vide I.D. No. 4171.	CMC decided on 04.07.2007 to issue SCNs to rectify the deficiencies. Reply received on 23.08.2007 & informed that they have rectified the same.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
85	Goodwill Industries	C-44, Wazirpur Indl. Area, Delhi - 52	Annealing & Pickling	Inspected by SIT on 31.03.2007.	15-20 tonnes / month (as per inspection report)	Not sought	Not applied/obtained	CTO obtained on 07.04.2005. Valid upto 30.09.2005. CTO (R) on 07.12.2006 vide I.D. No. 20117.	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3368.	CMC decided on 04.07.2007 to issue SCNs to rectify the deficiencies found during the inspection. Reply received on 22.08.2007 & informed that they have rectified all the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
86	Guru Faquir Metal Udyog	C-37, Wazirpur Indl. Area, Delhi - 52	Pickling , Annealing and Cold Re-Rolling of S.S.Sheets	Inspected by SIT on 09.06.2007.	1 tonne (as per affidavit)	Not sought	Not applied/obtained	CTO on 25.08.2006 vide I.D. No. 19135.	Applied on 25.08.2006 vide I.D. No. 3453.	CMC decided on 05.07.2007 to issue SCNs for deficiencies observed during the inspection. Reply received on 30.08.2007 & stated that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
87	Guru Prem Industries	A-101, Wazirpur Indl. Area, Delhi - 52	Pickling , Annealing and cold Re-Rolling of S.S.Sheets	Inspected by SIT on 14.06.2007.	4 tonnes (as per inspection report)	Not sought	Not applied/obtained	CTO on 08.04.2005 vide I.D. No. 13493.	Applied on 08.04.2005 vide I.D. No. 2381.	CMC decided on 05.07.2007 to issue SCNs to rectify the deficiencies. Reply received on 30.08.2007 and informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.

88	Jain Steel	B-14, Group, Wazirpur Indl. Area, Delhi - 52	Pickling and cold Re - Rolling of S.S.Sheets	Inspected by SIT on 12.06.2007	01 tonne (as per affidavit)	Not sought	CTE not applied/obtained.	CTO on 07.02.2005 vide I.D. No. 12572.	Applied for renewal of authorization on 24.08.2006 vide I.D. No. 3443	CMC decided on 05.07.2007 to issue SCNs for deficiencies found during the inspection. Reply received on 27.08.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
89	Kamal Steel Industries	C-37/2, Wazirpur Indl. Area, Delhi - 52	Annealing of S.S.Sheets	Inspected by SIT on 09.06.2007.	1.5-2 tonnes (as per affidavit)	Not sought	CTE not applied/obtained.	CTO obtained on 01.09.2003. Valid upto 01.08.2005. CTO(R) on 01.06.2007 vide I.D. No. 21630.	Applied on 21.03.2005 & 27.10.2006 vide I.D. No. 2354 & 3974 respectively.	CMC decided on 05.07.2007 to issue notices for deficiencies observed during the inspection. Reply received on 30.08.2007 & stated that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
90	Mahavir Steel Industries	B-68/1, Wazirpur Indl. Area, Delhi - 52	Re-rolling and pickling of SS sheets	Inspected by SIT on 29.05.2007.	2 tonnes (as per inspection report)	Not sought	Not applied/obtained	CTO on 24.03.2005 vide I.D. No. 13193.	Applied on 24.03.2005 vide I.D. No. 2364.	CMC decided on 05.07.2007 to issue SCNs for deficiencies found during the inspection. Reply received on 05.08.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
91	Moonlight Steel Industries	A-99/1, Wazirpur Indl. Area, Delhi - 52	Pickling and Re-Rolling on MS Sheets	Inspected by SIT on 12.06.2007.	250 Kg (as per adequacy report)	Not sought	CTE not applied/obtained.	CTO(R) on 21.07.2005 vide I.D. No. 15369.	Applied for renewal of authorization on 10.08.2006 vide I.D. No. 3264.	CMC decided on 05.07.2007 to issue SCN to rectify the deficiencies found during the inspection. Reply received on 30.08.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
92	Onkar Steel	B-67/1, Wazirpur Indl. Area, Delhi - 52	Annealing, Cold Re-Rolling and Pickling of S.S.Sheets	Inspected by SIT on 26.05.2007.	1.5 tonnes (as per inspection report)	Not sought	Not applied/obtained	CTO(R) on 25.07.2005 vide I.D. No. 15597.	Applied for renewal of authorization on 01.08.2006 vide I.D. No. 3033.	CMC decided on 05.07.2007 to issue SCN for rectifying the deficiencies observed during the inspection. Reply received on 30.08.2007 & informed that the deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.

93	Premier Industries	B-62 (Backside), Wazirpur Indl. Area, Delhi - 52	Pickling of SS sheets	Inspected by SIT on 26.05.2007	2 tonnes (as per inspection report)	Not sought	Not applied/obtained	CTO obtained. Valid upto 27.06.2007.	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3072.	CMC decided on 05.07.2007 to issue SCNs for rectify the deficiencies. Reply received on 05.09.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
94	Rafik Kitchen Accessories (previously as Rafiq Electroplating),	C- 60/5, Wazirpur Indl. Area, Delhi - 52	Electroplating (Job work of Ni- Cr plating) and buffing.	Inspected by SIT on 17.05.2007	4000 Kg / month (as per affidavit)	Not sought	Not applied/obtained	CTO on 17.05.2007 vide I.D. No. 21382.	Appied on 17.05.2007 vide I.D. No. 4289.	CMC decided on 04.07.2007 to issue SCNs for rectifying the deficiencies observed during the inspection. Reply received, with out affidavit, on 20.08.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
95	Raunaq Motors	B-89, Wazirpur Indl. Area, Delhi - 52	Service Station	Inspected by SIT on 15.05.2007	10 cars (as per AR)	Not sought	Not applied/obtained	CTO obtained 10.06.2003. Valid upto 23.07.2005. CTO(R) on 18.07.2005 vide I.D. No. 15198.	Applied for renewal of authorization on 07.08.2006 vide I.D. No. 3177.	CMC decided on 04.07.2007 to issue SCNs for rectifying the deficiencies observed during the inspection. Reply received on 20.08.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
96	S.V. Industries	A-59, Group , Wazirpur Indl. Area, Delhi - 52	Pickling, & Re-Rolling of S.S.Sheets	Inspected by SIT on 25.08.2006.	2-3 tonnes (as per affidavit)	Not sought	Not applied/obtained	CTO on 25.08.2006 vide I.D. No. 19141.	Applied for renewal of authorization on 10.08.2006 vide I.D. No. 3261.	CMC decided on 04.07.2007 to issue SCNs for rectify the deficiencies observed during the inspection. Reply received on 20.08.2007 & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
97	Saraswati Traders	A-96/2, Wazirpur Indl. Area, Delhi - 52	Annealing, Re-Rolling & Pickling of S.S.Sheets	Inspected by SIT on 14.04.2007.	40 tonnes / month (as per affidavit)	Not sought	Not applied/obtained	CTO obtained. Valid upto 01.07.2007.	Applied for renewal of authorization on 24.08.2006 vide I.D. No. 3432.	CMC decided on 04.07.2007 to issue SCNs to rectify the deficiencies. Reply received on 20.08.2007 & informed that they have rectified the same.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.

98	Shri Luxmi Industries	A-39, Wazirpur Indl. Area, Delhi - 52	Cold Re-Rolling and Pickling of S.S.Sheets	Inspected by SIT on 29.05.2007.	2.25 tonnes (as per inspection report)	Not sought	Not applied/obtained	CTO on 10.11.2004 vide I.D. No. 12099.	Applied for renewal of authorization on 10.08.2006 vide I.D. No. 3260.	CMC decided on 05.07.2007 to issue SCN for correcting the deficiencies observed during the inspection. Reply received on 30.08.2007 and informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
99	Singhal Udyog	B- 70, Wazirpur Indl. Area, Delhi - 52	Annealing, re-rolling & Pickling.	Inspected by SIT on 20.03.2007.	10-15 tonnes / month (as per inspection report)	Not sought	Not applied/obtained	CTO obtained. Valid upto 01.08.2005. CTO(R) on 25.07.2005 vide I.D. No. 15584.	Applied for renewal of authorization on 14.07.2006 vide I.D. No. 2811.	CMC decided on 04.07.2007 to issue SCN for rectify the deficiencies observed during the inspection. Reply received on 20.08.2007 & informed that deficiencies have been rectified.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
100	Tirupati Metal	B-8, Group, Wazirpur Indl. Area, Delhi - 52	Pickling , Annealing and Cold Re-Rolling of S.S.Sheets	Inspected by SIT on 12.06.2007.	2.5 tonnes (as per inspection report)	Not sought	CTE not applied/obtained.	CTO on 20.12.2006 vide I.D. No. 20238 along with condonation fee for 10 years.	Appied on 20.12.2006 vide I.D. No. 4176.	CMC decided on 05.07.2007 to issue SCNs for deficiencies found during the inspection. Reply received, with out affidavit, on 03.08.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
101	U.S. Enterprises	B-72/3, Wazirpur Indl. Area, Delhi - 52	Electroplating (job work) with buffing	Inspected by SIT on 29.05.2007.	1500 parts (as per inspection report)	Not sought	Not applied/obtained	CTO obtained. Valid upto 22.08.2007. CTO(R) on 22.08.2007 vide I.D. No. 23224.	Authorization obtained. Valid upto 30.07.2008.	CMC decided on 05.07.2007 to issue SCNs for deficiencies found during the inspection. Reply received on 31.08.2007 & informed that they have rectified the deficiencies.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
102	Vijay Enterprises	A-15, Group, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets Pickling stopped as per SIT	Inspected by SIT on 07.06.2007. Pickling stopped.	2 - 3T/day as per mfg process.	Not sought	Not applied/obtained	CTO on 24.02.2006 vide I.D. No. 17833	Applied for renewal for authorization on 07.08.2006 vide I.D. No. 3178. Not applicable as pickling stopped.	CMC decided on 05.07.2007 to issue SCN why the unit is operating without consent.Unit submitted its reply on 05.9.07 stating that they have applied for CTO on 24.2.06 vide ID No. 17833 and pickling activity stopped.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.

103	Prime Industries	C-44, Wazirpur Indl. Area, Delhi - 52	Annealing & Pickling	Inspected by SIT on 31.03.2007.	15-20 tonnes / month (as per inspection report)	Not sought	Not applied/obtained	CTO on 02.08.2002 vide I.D. No. 3170. CTO (R) on 19.01.2007 vide I.D. No. 24241.	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3371.	CMC decided on 04.07.2007 to apply for renewal of consent. Applied for renewal.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
104	Subash Goel	B-29/2 (Back Side), Wazirpur Indl. Area, Delhi - 52	Pickling of S.S.Sheets	Inspected by SIT on 08.06.2007.	300 MT/annum as per affidavit	Not sought	Not applied/obtained	CTO(R) on 23.08.2007 vide I.D. No. 23236.	Applied for renewal for authorization on 15.09.2006 vide I.D. No. 3591.	CMC decided on 05.07.2007 to issue SCN for applying renewal of consent. Applied for renewal on 23.8.07.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.
105	Sh. Bhupinder(M/s Jain Steel Udyog)	Shed no, 71 DSIDC, Wazirpur Industrial Area	Steel Untenslis	Inspected by SIT on 03.04.2007.	Not mentioned.	Unit claims BG is not required as there is no buffing activity.	Not applied/obtained	CTO(R) under Green Category on 13.06.2005 vide I.D.No. 14442.	Not applicable	CMC decided on 12.10.2007 to seek CTE, affidavit w.r.t. correction the deficiencies and BG of Rs. One Lakh under Air Act. Reply along with an affidavit received on 16.11.2007 & stated that there is no activity of buffing of S.S. Sheets at present and no air pollution. CMC decided on 14.01.2008 to seek CTE & inspect by SIT. No report received from SIT.	SIT to inspect and report.

Sl. No	Name of Industry / Unit	Address	Activity	Inspection by SIT or not	Production figure	BG Submitted	CTE status	Consent Status	Status of authorization	REMARKS	Decision on 26.02.2008
1	Arihant Industries C- 60/1, Wazirpur Indl. Area, Delhi - 52	A- 101/1A, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Inspected by SIT on 23.03.2007.	800-900 Kg/day (as per inspection report)	BG of Rs. Three Lakh submitted on 28.09.2007.	CTE on 01.01.2008 vide I.D. No. 24631.	CTO on 06.08.2007.	06.08.2007.	CMC decided on 04.07.2007 to refuse consent / authorization and issue directions for disconnection of power / water supply. Reply along with photographs received on 17.08.2007. Unit has approached to Hon'ble High Court. Unit has submitted BG on 20.11.2007. CMC again decided on 29.11.2007 to ask CTE.	Consent to Establish & authorization granted. Revoke the directions and restore the power / water supply.
2	Gupta Enterprises	B-47/2, Group	Annealing, Re-Rolling & Pickling of SS Sheets.	Inspected by SIT on 17.07.2007.	01 tonne (as per inspection report)	BG submitted on 21.11.2007	CTE on 21.11.2007 vide I.D. No. 24275.	CTO was valid up to 30.9.2005. CTO(R) 28.09.2007.	Applied for authorization on 26.07.2006 vide I.D. No. 2948.	CMC decided on 17.09.2007 to refuse consent /authorization and directions for disconnection of power / water supply. Unit has approached to Hon'ble High Court. CMC decided on 24.10.2007 & 14.11.2007 to seek application for CTE. CMC decided on 29.11.2007 to submit an affidavit w.r.t. correct the deficiency. BG submitted on 27.12.2007	Unit may be asked to submit an affidavit w.r.t. correction of the deficiency observed during inspection.
3	Rana Motors Pvt. Ltd.	A-3	Service Station	Inspected by SIT on 18.08.2007	25-30 cars (as per inspection report)	BG of Rs. Three Lakh submitted on 22.11.2007	CTE on 15.01.2008 vide I.D. No. 24752.	CTO refused on 09.10.2007. CTO on 24.08.2006 vide I.D. No. 19123.	Refused on 09.10.2007. Applied on 23.01.2008 vide I.D. No. 4469.	CMC decided on 17.09.2007 to refuse the consent / authorization. Directons for disconneciton of power / water supply. Reply received on 22.10.2007 & informed that they have rectified the deficiencies found during the inspection. CMC decided again on 20.11.2007 to submit BG of Rs. Three Lakh. BG submitted.	Unit be asked to submit revalidated Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. If he files BG , Consent to Establish & authorization granted. Revoke the directions and restore the power / water supply.
4	Sahil Mohit & Co. B-85, Wazirpur Indl.Area, Delhi - 52	B-85, Wazirpur Indl.Area, Delhi - 52	Re-rolling & Pickling	Inspected by SIT on 20.03.2007.	10 tonnes / month (as per inspection report)	BG of Rs. Three Lakh submitted on 24.12.2007	CTE on 13.2.2008 with ID No. 24929	CTO on 09.11.2004 vide I.D. No. 12091.	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3365.	CMC decided on 04.07.2007 to refuse the consent / authorization and issue directions for disconnection of power / water supply. Unit has approached to Hon'ble High Court. Court directed to convert to SCN. Reinspection on 08.09.2007. CMC decided on 10.09.2007 to ask BG of Rs. Three Lakh. BG submitted.	Unit may be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future.
5	Scorpion Iron Steel Pvt. Ltd.	A- 135, Wazirpur Indl. Area, Delhi - 52	Manufacturing of utensils involving Buffing	Inspected by SIT on 13.09.2007	2 tonnes / day (as per affidavit)	BG submitted on 26.09.2007.	CTE on 17.09.2007 vide I.D. No. 23528.	CTO revoked on 09.08.2007	Not applicable	CMC decided on 04.07.2007 to refuse the consent and directions for disconneciton of power / water supply. CMC decided on 11.09.2007 to ask CTE. CMC decided on 19.09.2007, unit to install ECS & confirm through an affidavit and also ask BG of Rs. One Lakh under Air Act. BG submitted on 26.09.2007. Unit has submitted AR on 28.12.2007	Consent to Establish granted. Revoke the directions and restore the power / water supply.

6	Shiv Shakti Industries	A-84/1, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	Inspected by SIT on 11.05.2007.	1 T/Day as per affidavit.	BG of Rs. Three Lakh submitted on 23.10.2007.	CTE on 07.01.2008 vide I.D. No. 24690.	CTO(R) applied on 12.10.2006	Applied for renewal on 28.7.2006	CMC decided on 04.07.2007 to refuse the consent / authorization. Directions w.r.t. disconnection of electricity / water supply. Reply along with photographs received on 17.08.2007 & informed that they have rectified the deficiencies. CMC decided on 10.09.2007 to seek BG of Rs. Three Lakh. BG submitted on 23.10.2007. CMC again decided on 29.11.2007 to seek CTE. CTE submitted.	Consent to Establish & authorization granted. Revoke the directions and restore the power / water supply.
7	Shri Sai Enterprises	B-27/2, Group		Inspected by SIT on 17.07.2007	1 Tonne/day as per affidavit.	BG of Rs. Three Lakh submitted on 31.12.2007.	CTE on 07.11.07	CTO (Re) applied on 05.10.2007 vide ID No. 23785	Revocation of authorization on 01.10.2007	CMC decided on 17.09.2007 to revoke the consent / authorization and directions for disconnection of power / water supply. Unit has approached to Hon'ble High Court. CMC decided on 24.10.2007 to seek BG of Rs. Three Lakh. BG submitted on 31.12.2007. Reply along with affidavit & photographs and informed that they have rectified the deficiencies.	Consent to Establish granted. Revoke the directions and restore the power / water supply.
8	Avtar Refrigeraton Industries C-57/1, Wazirpur Indl. Area, Delhi - 52	C-57/1, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	Inspected by SIT on 13.11.2007. Found OK.	2-3 tonne (as per inspection report)	BG of Rs. Three Lakh submitted on 03.01.2008	CTE obtained on 05.01.2004. Valid upto 05.01.2005. CTO refused on 07.08.2007 vide refusal no. 1646..	CTE obtained on 05.01.2004. Valid upto 05.01.2005. CTO refused on 07.08.2007 vide refusal no. 1646..	Refused on 07.08.2007.	4.7.2007 Closure under three acts. 10.9.2007 Deficiencies found in the pre court inspection not found rectified as per norms in the post court order inspection and, therefore, Committee felt that the unit shall remain closed. 14.11.2007 The fresh inspection carried out by the inspection team shows ECS and ETP found installed and complying with HW rules. In view of the above, unit may be asked to file bank guarantee, of rupees one lakh , under each of Water Act, Air Act and HW Rules, valid upto 6.2.2010. If he does so, consent under Water & Air Acts and authorisation under Hazardous Waste rules may be granted. BG submitted on 03.01.2008	Consent to Establish & authorization granted. Revoke the directions and restore the power / water supply.
9	Parmod Steel	C-54, GateNo.5,Wazirpur Indl. Area, Delhi - 52	Pickling and Cold Re Rolling of S.S.Sheets	Inspected by SIT on 11.5.07	1 tons (as per inspection report)	Submitted on 25.02.2008	Obtained CTE on 21.9.2005 valid up to 20.9.06	CTO applied on 20.12.2006	Applied for auth on 20.12.06 with ID No. 4178.	CMC decided on 04.07.2007 to refuse consent / authorization and directions for disconnection of power / water supply. Unit has approached to Hon'ble High Court. Court converted closure in to SCN. BG of 3 lakhs sought. Unit again approached Ho'ble HC. CMC meeting dt 29.11.07 increased BG from 3 lakhs to 6 lakhs. CMC meet dt 14.1.08 reduced BG to 3 lakhs in view of meeting with CM and WIA.Letter for BG sent on 05.2.08.	Unit may be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future.

										05.2.08.	
10	Brij Mohan Ram Mohan A-86/2, WAZIRPUR IND AREA	A-86/2	Pickling & Re-Rolling of SS sheet	Inspected by SIT on 28.04.2007	1 tonne/day (as per inspection report)	Not yet submitted.	CTE on 27.09.2007 vide I.D. No. 23668.	CTO obtained. Valid upto 30.09.2008. Revoked on 09.2.07	Refused on 09.02.2007	CMC decided on 21.08.2007 to seek CTE. CMC decided on 25.01.2008 to file a BG of Rs. One Lakh under each of three acts. Letter issued on 15.2.08. BG not yet submitted. CTE applied.	To take up on 28.03.2008.
11	Dham Dyeing & Bleaching Mills B-63/2, Wazirpur Indl. Area, Delhi - 52	B-63/2, Wazirpur Indl. Area, Delhi - 52	Dyeing , Bleaching and processing of hosiery fabrics	Inspected by SIT on 05.07.2007 & 12.11.2007.	400 Kg (as per inspection report)	Not yet submitted.	CTE on 18.09.2007 vide I.D. No. 23543.	CTO refused on 13.9.07	Auth refused on 13.9.07	CMC decided on 05.07.2007 to refuse the consent / authorization and issue directions for disconnection of electricity / water supply. Unit has approached to High Court. Unit to file undertaking.CMC decided on 11.09.2007. CMC decided on 14.01.2008 to reduce BG of Rs. Three Lakh to Rs. One Lakh & Fifty Thousand only.Letter for BG sent on 05.02.08. Not yet submitted.	To take up on 28.03.2008.
12	R.J. Enterprises	A-112, Wazirpur Indl. Area, Delhi - 52	Pickling and Cold Re-Rolling of S.S Sheets	Inspected by SIT on 09.06.2007	750 kg/day as per affidavit.	Submitted on 25.02.2008	CTE on 14.12.2007 vide I.D. No 24493	CTO dt 03.10.06 refused on 18.08.2007 vide refusal no. 1667.	Refused on 18.08.2007.	CMC decided on 05.07.2007 to refuse the consent / authorization and directions for disconnection of power / water supply. Unit has approached to Hon'ble High Court. CMC decided on 25.01.2008 to file an affidavit and a BG of Rs. 75000 each under all the three acts. Letter issued on 01.02.08. No BG submitted yet.	Consent to Establish granted. Revoke the directions and restore the power / water supply.
13	Rishabh Steel	C-59/2	Pickling of SS Sheets	Inspected by SIT on 17.07.2007	2.0-2.5 tonnes (as per inspection report)	Not yet submitted.	CTE on 22.10.2007 vide I.D. No. 23992.		Applied on 08.11.2007 vide I.D. No. 4416.	CMC decided on 29.11.2007 to seek a BG of Rs. One Lakh under each of the three acts and affidavit after rectifying the deficiencies observed during the inspection. Reply along with affidavit on 14.12.2007. CMC decided on 25.01.2008 that a letter may be issued w.r.t. there is no justification in reducing his BG. Letter issued for BG on 18.02.08. BG not yet submitted.	To take up on 28.03.2008.

14	S. K. Steels	B-58, Group, Wazirpur Indl. Area, Delhi - 52	Pickling	Inspected by SIT on 26.03.2007	30 tonnes / month (as per inspection report)	Submitted on 25.02.2008	CTE on 31.12.2007 vide I.D. No. 24612.	CTO applied on 16.3.2005 vide ID No. 13018.	Applied on 29.8.06 for renewal.	CMC decided on 04.07.2007 to refuse consent / authorization and issue directions for disconnection of power / water supply. Reply received on 24.08.2007. HC converted closure in to SCNs.CMC decided on 10.09.2007 to seek BG of Rs. Three Lakh. Unit has approached to Hon'ble High Court. Reply received on 05.10.2007 with request to reduce the BG & consider the case sympathetically. CMC decided again on 14.01.2008 to seek BG of Rs. Three Lakh. Letter issued for Bg on 05.02.2008	Unit may be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future.
15	Swaroop Industries	B-9, Group, Wazirpur Indl. Area, Delhi - 52	Pickling of S.S.Sheets	Inspected by SIT on 08.6.2007 and 13.11.2007.		Not yet submitted.	CTE on 21.09.2007 vide I.D. No. 23597.	–	Applied on 04.02.2005 vide I.D. No. 2306.	CMC meet dt 05.7.07 decide to issue refuse consne tand closure directions. Unit approached HC and filed undertaking not to carry out industrial activity.CMC decided on 29.11.2007 to file a BG of Rs. One Lakh under both the acts and affidavit for connrection of deficicnes found durbng the inspection.Unit submitted letter seeking validity of BG. Letter issued on 04.2.08	To take up on 28.03.2008.
16	A.V. Metal A-72/2, Wazirpur Indl. Area, Delhi - 52	A-72/2, Wazirpur Indl. Area, Delhi - 52	Re-rolling and pickling of SS sheets	Inspected by SIT on 02.06.2007and again on 16.7.07.	8 MT/month	Not sought	CTE on 13.11.2007 vide ID No. 24193	–	–	Closure directions issued. CMC decided to file SLP before Hon'ble Supreme Court challenging the order of Double Bench of HC. SLP filed and the same is to be listed, as per the information from Legal Cell.	To take up on 28.03.2008.

17	Ajit Nath Alloys (P) Ltd.	C- 60/1, Wazirpur Indl. Area, Delhi - 52	Manufacturing of SS utensils (including buffing)	Inspected by SIT on 17.05.2007 & 13.11.2007	250-300 Kg (as per inspection report)	Not sought	CTE on 13.08.2007 vide I.D.No. 23112 under Orange category. CTE under Green category on 21.9.07		Not applicable	CMC decided on 14.01.2008 that "The unit was asked to file a Bank Guarantee of Rupees One Lakh to cover the possibility of buffing along with circle cutting, since the unit was earlier involved in buffing also. The advocate of the unit has filed an application saying that the consent application of the unit should have been disposed of within 8 weeks. The unit should have responded to our notice dated 18.12.2007. Instead the advocate is insisting on clearance of the application within 8 weeks, without touching on notice which was issued on 18.12.2007 by speed post and has not been returned back to the office. In view of the fact that the unit is producing about one tonne per day of S.S. Utensils & S.S. Sheets, the earlier order of 18.12.2007 may be dispatched both to the unit and the advocate by Special Messenger by tomorrow i.e. on 15.01.2008. The special inspection team may also visit the premises on priority to confirm whether they are doing buffing activity or not." Reply received on 22.01.2008 expressing inability to submit BG.	SIT to inspect and report.
18	Baba Steels A- 14 (Backside), Wazirpur Indl. Area, Delhi - 52	A- 14 (Backside), Wazirpur Indl. Area, Delhi - 52	Pickling (unit found closed & locked from outside .Unit non operational)	Inspected by SIT on 18.05.2007.	Not Mentioned	Not sought	CTE on 28.11.07 vide ID No. 24342	CTO refused on 18.08.2007 vide refusal no. 1659.	Applied for renewal on 18.08.2006 vide I.D. No. 3351.	CMC decided on 05.07.2007 to refuse the consent / authorization and issued directions for disconnection of power / water supply. Reply received & requested to restore the electricity supply. CMC decided on 24.10.2007 to restore the power / water supply. CMC decided on 20.11.2007 to apply CTE.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010.

19	Bhalla Hosiery Factory B-40, Group, Wazirpur Indl. Area, Delhi - 52	B-40, Group, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Inspected by SIT on 28.04.2007 & 13.11.2007.	S.S Sheet (as per inspection report)	-	CTE on 18.09.2007 vide I.D. No. 23542.	CTO refused on 09.08.2007 vide refusal no. 1655. CTO on 21.08.2007 vide I.D. No. 23212.	-	CMC decided on 04.07.2007 to refuse the consent and issue the directions for disconnection of power / water supply. Unit has approached to Hon'ble High Court. CMC again decided on 10.09.2007 that unit shall remain closed, as he has not applied for requisite approval under the reeleavnat laws, as directed by the Hon'ble Court. Again CMC decided on 09.10.2007 to inspected by SIT and CTE. Inspected on 13.11.2007. CMC decided on 29.11.2007 to inform the unit about deficiencies found during the inspection and file an affidavit and BG of RS. One Lakh under each acts / rules. Reply along with affidavit received on 27.12.2007 & 31.12.2007 respectively & requested to withdraw the demand of BG and treat CTE as null and void as they do not do the applied activity.CMC meet dt 14.1.08 decided to get the unit inspected by SIT. CMC meeting dt 18.2.08 decided to refuse CTE as the activity is in negative list of MPD 2021.	SIT to inspect and report.
20	Gee Aar Industries A-9/3	A-9/3	Mfg A cotton thread, Mercerizing, and Bleaching.	Inspected by SIT on 01.09.2007.	400-450 Kg (as per inspection report)	Not sought	CTE on 28.12.2007 vide I.D. No. 24606.	CTO refused on 30.11.2007	Refused on 30.11.2007	CMC decided on 28.9.2007 Applied for consent to operate on 23.3.05 and for renewal of authorisation on 07.8.06. Not applied/obtained consent to establish in the past. It is surprising that the unit was given authorisation under HW Rules, with out any consent being given. Inspection team recommends refusal of consent and authorisation and directions for closure u/s 33(A) of Water Act, u/s 31(A) of Air Act and u/s 5 of EP Act invoking emergency clauses under various Acts/Rules. Committee concurs with the recommendation of the inspection team and orders the same. No reply received.	Seek compliance from NDPL/DJB.
21	Hari Ram	C-40/3	Pickling of SS Sheets	Inspected by SIT on 07.08.2007 & by CMC 28.01.2008.	500-600 Kg / day (as per affidavit)	Not yet submitted.	CTE on 31.12.2007 vide I.D. No. 24620.	CTO refused on 09.12.2005.	Applied for renewal on 18.08.2006 vide I.D. No. 3367.	CMC decided on 17.09.2007 to refuse the consent / authorization. Directons for disconneciton of power / water supply. Unit has approached to Hon'ble High Court. Court directed to file undertaking not to carry out activity. CMC decided on 29.11.2007 to confirm the closure order. CMC decided on 25.01.2008 to inspect. Inspected and found OK. CMC decided on 30.01.2008 to ask BG of Rs. Three Lakh. Letter issued on 30.01.2008. Yet to submit BG.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. .

22	Hariom Industries	C- 60/3, Wazirpur Indl. Area, Delhi - 52	Manufacturing of SS utensils (involving buffing)	Inspected	200 Pcs per day as per affidavit	Not sought	CTE on 20.9.2007 vide ID No. 23580	Only CTE applied	Not applicable	CMC meeting dt 09.10.07 decided to seek affidavit regarding the status of the unit and once the same is done the CTE application will be dealt. Affidavit submitted.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand under Air Act valid upto 06.02.2010 and also submit an affidavit to the effect that he will comply with the provisions of Air Act in future. .
23	Parasmani Steel Job Works	B-33/3, Group, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Inspected by SIT on 28.04.2007.	1 tonne/day (as per inspection report)	Not Sought	CTE on 11.09.2007 vide I.D. No. 23462.			CMC decided on 04.07.2007 to issue directions for disconnection the power / water supply. Reply received on 17.08.2007 & informed that they have rectified the deficiencies found during the inspection and requested to withdraw the directions.HC converted closure in to SCNs. CMC decided on 10.9.07 & 29.11.2007 that "unit will remain closed". Letter issued on 12.9.07.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also submit adequacy report & effluent analysis report fo ETP and an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. .
24	Shakti Industries	C-9/4,	Re-Rolling and Pickling of SS Sheets.	Inspected by SIT on 07.07.2007.	300 Kg (as per inspection report)	Not Sought	CTE on 14.12.07	CTO valid up to 01.8.05. Applied for CTO(R) on 08.10.2007 vide I.D. No. 23808.	—	CMC decided on 29.11.2007 that to seek CTE. Reply received on 24.12.2007 & informed that they have applied for CTE.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also submit an affidavit to the effect that he will comply with the provisions of Air Act in future. ..
25	Vishal Industries	C-55/1, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	Inspected by SIT on 11.05.2007.	2.5 Tonnes per month	Not Sought	CTE on 10.09.2007 vide I.D. No. 23442.	CTO refused on 20.07.2007 vide I.D. No. 22638.		CMC decided on 04.07.2007 to issue directions for disconnection of power / water supply. CMC decided on 09.10.2007 to file an affidavit whether his individual connection to the conveyance system has been established. In this regard, unit has submitted a letter along with photographs & affidavit on 07.01.2008 & requested to grant the CTE.Affidavit filed wrt connection to conveyance system of CETP.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. ..
26	Goyal Enterprises	B-7, Group	Pickling & Re-Rolling of SS sheet	Inspected by SIT on 07.09.2007.	1 tonne (as per inspection report)	BG of Rs. Three Lakh submitted on 24.10.2007.	CTO(R) obtained. Valid upto 11.08.2008.	CTO(R) obtained. Valid upto 11.08.2008.	Applied for renewal of authorization on 26.07.2006 vide I.D No. 2943	CMC decided on 10.09.2007 BG will be revalidated till 06.02.2010 when as per MDP-2021 the unit has to close down. Revalidated BG submitted on 04.10.2007.	Revalidated Bank Guarantee valid upto 06.02.2010 to be sought.

27	Hari Ram Babu Lal	B-63	Pickling , Annealing & Re- Rolling of SS sheet	Inspected by SIT on 07.09.2007.	20 tonnes (as per inspection report)	BG of Rupees Two Lakh submitted on 29.10.2007	Not applied/obtained	CTO(R) obtained. Valid upto 01.08.2008. CTO on 04.10.2006 vide I.D. No. 19489.	Applied on 04.10.2006 vide I.D. No. 3759	CMC decided on 11.9.2007 "This bank Guarantee will be revalidated till 06.02.2010 when as per MPD 2021, the unit has to close down. The unit will be inspected by the DPCC every year, and if any deficiency is found in the functioning of ETP, ECS and compliance of HW Rules, the unit will be issued immediate closure orders. The BG will be forfeited and power, water and MCD license will be disconnected/cancelled". Reply along with BG of Rs. Two Lakh instead of Rs. Three Lakh received on 29.10.2007 & requested DPCC "Please do correct the records, delte the figure 3 lakhs"..	Unit be asked to submit an affidavit affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.
28	S.K. Enterprises	A-126/1	Pickling, Annealing & Re- Rolling of SS sheet	Inspected by SIT on 12.04.2007.	2.5 tonnes (as per inspection report)	BG submitted on 08.10.2007	Not applied/obtained	CTO (Renewal) obtained. Valid upto 26.7.2008.	Applied for renewal of authorization on 03.08.2006 vide I.D. No. 3110.	CMC decided on 29.01.2007 to issue a letter for revalidation of BG. Letter issued on 18.09.2007. Revalidated BG submitted.	Revalidated Bank Guaranteee valid upto 06.02.2010 to be sought.
29	Parkash Re-Rolling Works	A-131, Group, Wazirpur Indl. Area, Delhi - 52	Re-rolling and pickling of SS sheets	Inspected by SIT on 31.05.2007	2.5 tonnes (as per inspection report)	Not Sought	Not yet applied	CTO refused on 18.08.2007 vide refusal no. 1661..	Refused on 18.08.2007	CMC decided on 05.07.2007 to refuse consent / authorization and directions for disconnection of power / water supply. Unit has approached to Hon'ble High Court. Court ordered to submit undertaking not to carry out production. Reply along with affidavit received on 10.09.2007 & informed that he will not carry out any indsutrial activity till granting the consent. CMC again decided on 11.09.2007 "unit to remain closed". CMC meet dt 29.11.07 decided to seek CTE application.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.
30	Prem Dyeing	A- 13, Wazirpur Indl. Area, Delhi - 52	Dyeing (Premises found closed, unit not operating)	Inspected by SIT on 18.05.2007.	Not Mentioned	unit closed	Not applied/obtained	CTO(R) on 09.04.2007 vide I.D. No. 21011.		Unit filed affidavit wrt closure on 10.8.06. SIT inspection dt 18.5.07 found unit closed. CMC decided on 07.06.2007 to issue a letter for removal of plant & machiner and apply afresh for CTE.	Disconnection of power / water supply & cancellaton of MCD license.

31	Bhagwati Steels B-28/4, WIA	B-28/4	Pickling, Annealing & Re-Rolling of SS sheet	Inspected by SIT on 07.09.2007	500 Kg/day (as per inspection report)	Revalidated BG of Rs. Three Lakh submitted on 19.03.2007	Not applied/obtained	CTO on 25.07.2005.	Renewal of authorization on 12.07.2006 vide I.D. No. 2758.	CMC decided on 11.9.2007 "This bank Guarantee will be revalidated till 06.02.2010 when as per MPD 2021, the unit has to close down. The unit will be inspected by the DPCC every year, and if any deficiency is found in the functioning of ETP, ECS and compliance of HW Rules, the unit will be issued immediate closure orders. The BG will be forfeited and power, water and MCD license will be disconnected/cancelled". Revalidated BG submitted.	Unit be asked to submit an affidavit affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.
32	Ganpati Rolling Mill A-98/6, Wazirpur Ind Area	A-98/6	Pickling & Re- Rolling of SS sheet	Inspected by SIT on 07.09.2007	2-3 tonne (as per inspection report)	Revalidated BG of Rs. Three Lakh submitted on 29.10.2007	Not applied/obtained	CTO(R) on 16.05.2007 vide I.D. No. 21335	Applied for renewal of authorization on 18.08.2006 vide I.D No. 3353	CMC decided on 11.9.2007 "This bank Guarantee will be revalidated till 06.02.2010 when as per MPD 2021, the unit has to close down. The unit will be inspected by the DPCC every year, and if any deficiency is found in the functioning of ETP, ECS and compliance of HW Rules, the unit will be issued immediate closure orders. The BG will be forfeited and power, water and MCD license will be disconnected/cancelled". Revalided BG submitted on 29.10.2007.	Revalidated Bank Guaranteee valid upto 06.02.2010 to be sought. Unit be asked to submit an affidavit affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.
33	Kusum Steel Co.	C-57, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Inspected by SIT on 26.03.2007.	4-5 tonne (as per inspection)	BG of Rs. Three Lakh submitted on 23.08.2007	Not applied/obtained	CTO on 11.01.2005 vide I.D. No. 12421.	Applied for renewal of authorization on 11.01.2005 vide I.D. No. 2265.	CMC decided on 04.07.2007 to submit BG of Rs. Three Lakh w.r.t. operation of ETP, ECS & compliance with HW Rules. Reply along with affidavit & BG submitted on 23.08.2007.	Revalidated Bank Guaranteee valid upto 06.02.2010 to be sought. Unit be asked to submit an affidavit affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.
34	Metal Fabricators	A-85/3	Pickling, Annealing & Re- Rolling of SS sheet	Inspected by SIT on 07.09.2007	30 tonnes / month (as per inspection report)	Revalidated BG submitted on 29.10.2007	Not applied/obtained	CTO on 24.01.2005 vide I.D. No. 12494	Applied on 20.09.2006 vide I.D. No. 3637	CMC decided on 11.9.2007 that This bank Guarantee will be revalidated till 06.02.2010 when as per MPD 2021, the unit has to close down. The unit will be inspected by the DPCC every year, and if any deficiency is found in the functioning of ETP, ECS and compliance of HW Rules, the unit will be issued immediate closure orders. The BG will be forfeited and power, water and MCD license will be disconnected/cancelled. Revalidated BG submitted on 29.10.2007.	Unit be asked to submit an affidavit affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.

35	Mitul Industries	A-124	Pickling, Annealing & Re-Rolling of SS sheet	Inspected by SIT on 12.04.2007 & 10.07.2007.	1.5 tonnes (as per affidavit)	Extension letter for BG submitted on 01.10.2007.	Not applied/obtained	CTO(R) on 01.08.2005 vide I.D. No. 15868.	Applied for renewal of authorization on 09.12.2006 vide I.D. No. 3248.	CMC decided on 29.01.2007 to submit BG of Rs. Three Lakh and take corrective measures regarding discharging the treated effluent into sewerage system of the industrial area or other suitable system for carrying effluent so that there is no open discharge of effluent on the land or into open drain. CMC decided on 28.8.2007 since the unit is engaged in pickling of SS sheets, Bank Guarantee submitted by the unit be revalidated for another six months and on this ground / on this condition Consent under the Air & Water Acts granted & Authorization under the HW Rules granted. Consent under the Air and Water Acts and Authorisation under HW Rules to be issued after the revalidation of the Bank Guarantee. Inspection report of the Committee for Wazirpur Industrial Area, accepted by the Committee and as recommended by the said Committee issue letter to MCD for the removal of the material stored by the unit outside of the premises. Reply received on 01.10.2007	Revalidated Bank Guarantee valid upto 06.02.2010 to be sought. Unit be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.
36	Pooja Rolling Mills	A-90/1, Group	Pickling & Re-Rolling of SS sheet	Inspected by SIT on 11.09.2007	1-1.25 tonne (as per inspection report)	Revalided BG of Rs. Three Lakh submitted on 29.10.2007	Not applied/obtained	CTO(R) on 30.01.2006 vide I.D. No. 17616.	Applied for renewal of authorization on 01.08.2006 vide I.D. No. 3030.	CMC decided on 10.9.07 "This bank Guarantee will be revalidated till 06.02.2010 when as per MPD 2021, the unit has to close down. The unit will be inspected by the DPCC every year, and if any deficiency is found in the functioning of ETP, ECS and compliance of HW Rules, the unit will be issued immediate closure orders. The BG will be forfeited and power, water and MCD license will be disconnected/cancelled". Reply along with revalidated BG of Rs. Three Lakh only received on 29.10.2007.	Unit be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.
37	Rahul Udyog	A- 96 / 1A, Wazirpur Indl. Area, Delhi - 52	Annealing, Re-Rolling & Pickling of S.S.Sheets	Inspected by SIT on 14.04.2007	2-2.5 tonnes (as per inspection report)	BG of Rs. Three Lakh submitted on 15.10.2007.	Not applied/obtained	CTO applied on 29.3.2005 vide ID No. 13253	Applied on 28.03.2005 vide I.D. No. 2367.	CMC decided on 04.07.2007 to refuse the consent / authorization and directions for disconnection of power / water supply. HC converted closure in to SCNs. Reply received on 26.09.2007. CMC decided on 29.11.2007 to seek CTE. Neither CTE applied or any reply received.	Unit be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.

38	Raj Overseas	C- 60/1, Wazirpur Indl. Area, Delhi - 52	Annealing , re-rolling and pickling of SS sheets and manufacturing of utensils (including buffing)	Inspected by SIT on 17.05.2007	3 tonnes/day (as per affidavit)	BG of Rs. Three Lakh submitted on 31.12.2007.	Not applied/obtained	CTO on 01.06.2007.	Applied on 01.06.2007	CMC decided on 04.07.2007 to refuse the consent / authorization. Unit approached the Hon'ble High Court. Court ordered to consider closure as SCN. CMC decided on 29.11.2007 to extend the time of BG.BG submitted.	Unit be asked to submit an affidavit affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.
39	Satish Kumar	B-70/2	Annealing of SS sheet	Inspected by SIT on 07.09.2007.	150 tonnes / month (as per raw material list) 60 sqm(plot area)	Revalidated BG of Rs. 50,000 submitted.	Not applied/obtained	CTO on 31.01.2006 vide I.D. No. 17629.	Not applicable	CMC decided on 11.9.07 "The Committee felt that Bank Guarantee of Rs. 3 lakhs shall be furnished by the unit with in 15 days and this BG will be applicable till 06.02.2010. The unit will be inspected by the DPCC every year, and if any deficiency is found, the unit will be issued immediate closure orders. The BG will be forfeited and power, water and MCD license will be disconnected/cancelled". Reply received revalidated BG of Rs. 50,000 & asked DPCC to check the records.	Unit be asked to submit an additional Bank Guarantee of Rupees Fifty Thousand under Air Act valid upto 06.02.2010. Also Unit be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act in future. Ask the unit to apply for CTE.
40	Shriram Rolling Mill	A-93/14	Pickling & Re-Rolling of SS sheet	Inspected by SIT on 07.09.2007.	2-3 tonne (as per inspection report)	Revalidated BG of Rs. Three Lakh submitted on 29.10.2007	Not applied/obtained	CTO on 01.06.2006 vide I.D. No. 18355	Applied on 01.06.2007 vide I.D. No. 2655.	CMC decided on 11.9.07 that the bank Guarantee will be revalidated till 06.02.2010 when as per MPD 2021, the unit has to close down. The unit will be inspected by the DPCC every year, and if any deficiency is found in the functioning of ETP, ECS and compliance of HW Rules, the unit will be issued immediate closure orders. The BG will be forfeited and power, water and MCD license will be disconnected/cancelled. Revalidated BG of Rs. Three Lakh upto 06.02.2010 received on 29.10.2007.	Unit be asked to submit an affidavit affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.
41	Vinayak Industires	C-36/1	Re- Rolling & Pickling of SS sheet	Inspected by SIT on 07.09.2007.	375 - 500 kg/day	BG of Rs. Three Lakh subitted 29.10.2007.	Not applied/obtained	CTO applied on 02.8.02 and 25.6.04 CTO valid up to 24.6.07. CTO(R) on 11.06.2007 vide I.D. No. 21775.	Applied on 23.12.2003 & 25.04.2005 vide I.D. No. 192 & 2387 respectively.	CMC decided on 11.9.07 that the bank Guarantee will be revalidated till 06.02.2010 when as per MPD 2021, the unit has to close down. The unit will be inspected by the DPCC every year, and if any deficiency is found in the functioning of ETP, ECS and compliance of HW Rules, the unit will be issued immediate closure orders. The BG will be forfeited and power, water and MCD license will be disconnected/cancelled.	Unit be asked to submit an affidavit affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.

42	Rajkumar Hosiery	A-128, Group, Wazirpur Indl. Area, Delhi - 52	Dyeing , Bleaching and processing of hosiery clothes	Inspected by SIT on 31.05.2007	300 Kg (as per inspection report)	Not submitted.	Not applied/obtained	CTO applied on 26.7.02 CTO renewal applied on 30.9.05	Applied for renewal on 02.8.06 vide Id No.3077	CMC decided on 05.07.2007 to refuse the consent / authorization. Directions w.r.t. disconnection of electricity / water supply. HC converted closure in to SCNs.Reply received on 28.08.2007 & informed that they have rectified the deficiencies. Reply along with affdavit received on 09.01.2008 & informed that they have closed down the dyeing activity. They have requested to expemt of BG. CMC decided on 14.01.2008 to reduce BG of Rs. Three Lakhs to Rs. One Lakh & Fifty Thousand only.	To take up on 28.03.2008.
43	Sh. Gaurav(Proprietor of pickling unit)	C-55/1 (back side portion),Wazirpur Indl. Area, Delhi - 52	Pickling of S.S.Sheets	Inspected by SIT on 11.05.2007	Not Mentioned	Not yet submitted.	Not applied/obtained	CTO applied.	Not applied.	CMC decided on 04.07.2007 to refuse the consent & direcitons for disconnection of power / water supply. Unit has approched to Hon'ble High Court. Court directed that order converted to SCNs. CMC decided on 10.09.2007 to ask BG of Rs. 3 Lakh. CMC decided on 14.01.2008 to reduce the BG of Rs. 6 Lakh as earlier decied in CMC dated 29.11.2007 to Rs. 3 Lakh. Letter issued on 05.02.2008. BG not submitted.	To take up on 28.03.2008.
44	A.N. Steel Industries A-95, Wazirpur Indl. Area, Delhi - 52	A-95, Wazirpur Indl. Area, Delhi - 52	Re-Rolling of S.S.Sheets(Pickling stopped)	Inspected by SIT on 02.06.2007.	15 tonnes / month (as per inspection report)	Not sought	Not applied/obtained	Refused on 31.07.2006		CMC decided on 05.07.2007 to issue directions for disconnection of electricity / water supply as deficiencies were observed during the inspection.Electricity disconnection compliance received from NDPL on 17.9.2007.	To seek compliance from DJB.
45	Abhinandan Steel A-124, II & III floor,Wazirpur Indl. Area, Delhi - 52	A-124, II & III floor,Wazirpur Indl. Area, Delhi - 52	Manufacturing of steel utensils (involving buffing)	Inspected by SIT on 12.04.2007	200-300 kg/day (as per inspection report)	Not sought	Not applied/obtained	CTO revoked on 09.08.2007 vide revocation no. 1651.	Not applicable	CMC decided on 04.07.2007 to revoked the consent. Directons issued for disconnecction of water / power supply. Reply received on 21.08.2007 along copy of affidavit that there is no buffing activity and requested to withdraw the directions. NDPL reported diferrent unit exists. Unit submitted representation dt 21.8.07 along with the copy of rent agreement and affidavit.	SIT to inspect and report about the existence of buffing activity.

46	Jain Udyog	B-41, Group, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Inspected by SIT on 28.04.2007.	Not Mentioned	Not sought	CTE refused on 29.11.07	CTE refused on 29.11.07	Not applied.	CMC decided on 04.07.2007 to issue directions for disconnection of power / water supply. Reply received on 21.08.2007 & informed that they have rectified the deficiencies observed during the inspection. Unit has approached High Court. CMC decided on 09.10.2007 to confirm the closure directions issued on 09.08.2007 and CTE is refused. Submitted representation dt 15.10.07 regarding non operation of the unit during inspection. NDPL informed that unit with different name exists at site.	Seek compliance from NDPL for disconnection of power supply in the name of the unit.
47	Laxmi Chand Hosiery Factory	A-97 / 2, Wazirpur Indl. Area, Delhi - 52	Buffing on S.S.Utensils(knitting of socks is also being carried out)	Inspected by SIT on 14.04.2007 and by Sh. Anwar Ali on 11.12.07	—	Not Sought	Not applied/obtained	CTO on 25.07.2007 vide I.D. No. 22799 under Green Category.	—	Unit has approached Hon'ble High Court. CMC decided on 26.12.2007 that "Court order received. Writ dismissed as withdrawn." Inspection dt 11.12.07 found no orange activity. Applied for Green CTO on 25.7.07	SIT to inspect to verify the activity being carried out.
48	Laxmi Rolling Mills	A-90/3, Group	Pickling & Re-Rolling of SS sheet	Inspected by SIT on 11.09.2007	2-3 tonne (as per inspection report)	Revalided BG submitted on 29.10.2007	Not applied/obtained	CTO on 12.03.2003 vide I.D. No. 7956. Unit deposite the fee for further three years on 17.08.2006 as sought by DPCC.	Applied for renewal of authorization on 07.08.2006 vide I.D. No. 3179.	CMC decided on 11.9.2007 that This bank Guarantee will be revalidated till 06.02.2010 when as per MPD 2021, the unit has to close down. The unit will be inspected by the DPCC every year, and if any deficiency is found in the functioning of ETP, ECS and compliance of HW Rules, the unit will be issued immediate closure orders. The BG will be forfeited and power, water and MCD license will be disconnected/cancelled. Revalidated BG submitted on 29.10.2007.	Unit be asked to submit an affidavit affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.
49	Mittal Dyeing and Processing Mills	A-94/1, Wazirpur Indl. Area, Delhi - 52	Dyeing , Bleaching and processing of hosiery clothes	Inspected by SIT on 02.06.2007.	1000 Kg (as per inspection report)	Not yet submitted.	Not applied/obtained	CTO valid up to 28.11.2003 CTO(R) applied on 22.3.2005	Applied for renewal on 01.08.2006 vide I.D. No. 3027.	CMC decided on 05.07.2007 to refuse the consent / authorization and issue directions for disconnection of electricity / water supply. Unit has approached to High Court. HC converted closure in to SCNs.CMC decided on 11.09.2007. CMC decided on 09.10.2007 to seek BG of Rs. One Lakh. CMC decided on 29.11.2007 to seek CTE & BG. CMC also decided on 14.01.2008 to reduce BG of Rs. Three Lakh to Rs. One Lakh & Fifty Thousand only.Letter issued on 05.2.08 for BG.	To take up on 28.03.2008.

50	Rafiq Electroplating	C- 59/2, Wazirpur Indl. Area, Delhi - 52	Unit shifted.(Premises found vacant.)	Inspected by SIT on 17.05.2007.	Not Mentioned	Not sought	Not applied/obtained	CTO refused on 07.08.2007 vide refusal no. 1643.	Refused on 07.08.2007.	CMC decided on 04.07.2007 to refuse the consent / authorization and letter for disconnection of power / water supply as unit shifted and premises found vacant during the inspection.NDPL informed disconnection of electricity. DJB informed no water connection.	To seek compliance from MCD.
51	Sh. Paras and Sh. Mohd. Latif & (M/s Krishna Metal Industries)	A-40, Wazirpur Industrial Area	Steel Rolling Annealing Re - Rolling & Pickling	Inspected by SIT on 06.04.2007	10-15 Kg/month (as per inspection report)	Not Sought	Not applied/obtained	CTO obtained. Expired on 02.12.2007.	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3355.	CMC decided on 12.10.2007 to ask CTE from Paras. Letter issued on 07.11.2007 and the same was returned back undelivered. Krishna Metal was having valid consent up to 02.12.07. CTE not obtained.	SIT to inspect Sh. Paras & Sh. Mohd. Latif and report. Ask M/s Krishna Metal to apply for Consent to Establish.
52	Shiv Industires	B-7 (Back side), Group, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets (Presently unit is not in operation)	Inspected by SIT on 12.06.2007.	1 tonne (as per affidavit)	Not Sought	Not applied/obtained	CTO was valid up to 06.6.07. CTO(R) on 11.07.2007 vide I.D. No. 22316.	Applied for renewal of authorization on 09.08.2006 vide I.D. No. 3245.	CMC decided on 5.7.07 that "Directions for closure of the unit and for disconnection of electricity & water supply to the unit since there is no consent under the Air & Water Acts. Refusal of the Authorization under the HW Rules on account of the deficiencies". Unit has approached Hon'ble High Court. CMC again decided on 29.11.2007 to seek compliance report on the directions of Hon'ble High Court.Unit submitted reply.	To seek compliance of disconnection against this name. SIT to inspect and report about all the units operating in the premises.
53	Shree Krishna Enterprises	Shed no. 75 (DSIDC Sheds),Wazirpur Indl. Area, Delhi - 52	Rolling. Pickling proposed.	Inspected by SIT on 31.03.2007.	15-20 tonnes / month (as per affidavit)	Not Sought	Not applied/obtained	Refused on 09.08.2007 vide refusal no. 1659.	Refused on 09.08.2007.	CMC decided on 04.07.2007 to refuse the consent / authorization. SCN why the unit had not applied for CTE for pickling activity. Reply received on 20.08.2007 & informed that they have improved the deficiencies & requested to withdraw the SCN.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.
54	Vardhman Impex	A-38, Wazirpur Indl. Area, Delhi - 52	Re-rolling and pickling of SS sheets	Inspected by SIT on 29.05.2007	3 tonnes (as per inspection report)	Not Sought	Not applied/obtained	CTO refused on 18.08.2007 vide refusal no. 1660.	—	CMC decided on 05.07.2007 to refuse the consent and issue the directions for disconnection of power / water supply. Reply along with affidavit received on 23.08.2007 & informed that they have closed down the pickling activity and doing only cold re-rolling of S.S. Sheets & process of applying the consent and also requested to revoke the direcitons.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. Ask the unit to apply for CTE. SIT to inspect and report.

55	Vardhman Metal	B-50, Group	Pickling	Inspected by SIT on 17.07.2007	4 T/day as per adequacy report	Not Sought	Not applied/obtained	CTO on 21.07.2004 vide I.D. No. 11088.	Applied on 29.08.2007 vide I.D. No. 3426.	CMC decided on 17.09.2007 to issue a letter for disconnection of power / water supply as unit is closed down. Reply received on 05.10.2007 requesting to withdraw the directions. Unit approached to Hon'ble High Court. Court ordered to submit undertaking to not to operate. CMC decided again on 07.12.2007 to seek CTE.	SIT to inspect and report.
56	Vijay Industries	B-71, Wazirpur Indl. Area, Delhi - 52	Annealing & Pickling	Inspected by SIT on 20.03.2007	—	Not yet submitted.	Not applied/obtained	CTO applied on 02.5.2005.	Applied on 27.4.05 vide ID No. 2390	CMC decided on 04.07.2007 to refuse the consent / authorization. Directions w.r.t. disconnection of electricity / water supply. Converted closure in to SCNs.Reply received on 17.08.2007 & informed that they have rectified the deficiencies. Unit has also approved to Hon'ble High Court. CMC decided on 14.01.2008 to reduce the BG of Rs. Six Lakh to Rs. Three Lakh.Letter sent for BG on 04.02.08. BG not yet submitted.	To take up on 28.03.2008.
57	W.C. Steel	B-70/2	Pickling of SS sheet	Inspected by SIT on 03.10.06 and by CMC on 14.12.2006	1.5 Tonnes per ady as per List of raw materials	Not Sought	Not applied/obtained	CTO refused on 19.09.2007	Refused on 19.09.2007	CMC decided on 28.8.2007 "Consent under the Air & Water Acts Refused. Authorisation under HW Rules Refused". Electricity disconnected. Unit requesting for restoration of electricity.	Seek compliance.
58	R. K. Hosiery A-69, Group, Wazirpur Indl. Area, Delhi - 52	A-69, Group, Wazirpur Indl. Area, Delhi - 52	Dyeing and bleaching of cotton hosiery fabric.	Inspected by SIT on 12.04.2007.	Not Mentioned	Not sought	CTE under Green Category on 14.12.2007 vide I.D. No. 24494.	CTO (R) obtained. Valid upto 29.11.2007	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3067.	CMC decided on 04.07.2007 to revoked the consent & refuse the authorization and directions for disconnection of electricity & water supply supply. Unit approched High Court. HC converted closure into SCNs. CMC again decided on 10.09.2007 as dyeing & bleaching closed so unit be asked to apply for CTE for changed activity. CTE applied.	SIT to inspect to verify the closure of polluting activity.

59	R.N. Gupta & Co.	A-125	Pickling & Annealing of SS sheet	Inspected by SIT on 04.05.2007.	30 tonnes / month (as per inspection report)	Not sought	CTE under Green category on 17.1.08 vide ID No. 24773.	CTO refused on 08.01.2007 vide refusal no. 1578.	Refused on 05.01.2007.	CMC decided on 5.7.2007 that "Directions to concerned SDM for effective closure of the unit since despite the directions issued by DPCC, for closure of the unit, the unit is operating defying the directions and the unit is habitual offender and willfull defaulter .Concerned SDM be asked to ensure effective closure of the unit & to confirm to DPCC within 3 weeks. Member Secretary,DPCC, will also write to concerned Deputy Commissioner in this regard. This matter be brought in the meeting of Committee in August 2007". Unit has approchaed to Hon'ble High Court. Unit has also submitted an affidavit 07.01.2008 stated that they have stopping pickling, annealing and re-rolling of S.S. Sheets and removed all the machinery related to this activity and requested to revoke the directions.	No action by this Committee.
60	Bhagwati Industries A-101/5, Wazirpur Indl. Area, Delhi - 52	A-101/5, Wazirpur Indl. Area, Delhi - 52	unit closed	Inspected by SIT on 14.06.2007.	Not Mentioned	unit closed	unit closed	—	—	CMC decided on 05.07.2007 to issue a letter for disconnection of electricity / water supply. No compliance received.	To seek compliance from NDPL/DJB.
61	Durga Industries A-100/2, Wazirpur Indl. Area, Delhi - 52	A-100/2, Wazirpur Indl. Area, Delhi - 52	unit closed	Inspected by SIT on 14.06.2007.	Not Mentioned	unit closed	unit closed	—	—	CMC decided on 05.07.2007 to issue a letter for disconnection of electricity / water supply. SIT found unit closed. NDPL reported diferrent unit.	SIT to inspect new unit at the site.
62	Ganesh A-79, Group, Wazirpur Indl. Area, Delhi - 52	A-79, Group, Wazirpur Indl. Area, Delhi - 52	Unit Closed	Inspected by SIT on 14.06.2007.	Unit closed.	unit closed	unit closed	—	—	CMC decided on 05.07.2007 to issue a letter for disconnection of electricity / water supply. No compliance received.	To seek compliance from NDPL/DJB.
63	Ganpati Industries B-27/2, Group,Wazirpur Ind Area	B-27/2, Group	Unit does not exist.	Inspected by SIT on 17.07.2007	Unit does not exist.	Not sought	Unit does not exist.	Unit does not exist.	Unit does not exist.	CMC decided on 17.9.2007 Inspecting team found no such unit. Issue letter for disconnection of water and electricity supply and cancellation of MCD license. NDPL informed that unit does not exist.	No action.

64	K.C. Steel	B-31, Group, Wazirpur Indl. Area, Delhi - 52	Buffing on S.S. Utensils.	Inspected by SIT on 28.04.2007.	200 Kg (as per inspection report)	Not sought	Premises vacant.	Revocation of consent on 09.08.2007.	Not applicable	CMC decided on 04.7.07 "Consent under the Air and Water Acts Revoked. Directions u/s 31(A) of Air Act (invoking rule 20A(6)) for closure of the unit and for disconnection of electricity and water supply to the unit. Letter for cancellation of MCD license in the name of the unit". Reply along with photographs & affidavit received on 05.09.2007 & informed that premises have been vacated. NDPL reported on 22.10.2007 that electricity disconnected.	To seek compliance from MCD.
65	Kirti Industries	A-100/1, Wazirpur Indl. Area, Delhi - 52	unit closed	Inspected by SIT on 14.06.2007.	Not Mentioned	unit closed	Unit found closed by SIT	Unit found closed by SIT	—	CMC decided on 05.07.2007 to issue a letter for disconnection of electricity / water supply. No compliance report received.	SIT to inspect two new units & report.
66	Manoj Steel Industries	B-5, Group, WIA, Delhi	unit closed and shifted.	Inspected by SIT on 08.06.2007.	Not Mentioned	unit closed	unit closed and shifted.	—	—	CMC decided on 05.07.2007 to issue a letter for disconnection of electricity / water supply. NDPL reported different unit at site.	To seek compliance from NDPL/DJB.
67	Om Steel Rolling Works	A-96/10, Wazirpur Indl. Area, Delhi - 52	No Indl Activity observed(Premises is being used for godown & One Transport Company exists)	Inspected by SIT on 02.06.2007.	Activity Observed (as per Inspection Report)	—		CTO refused on 18.08.2007 vide refusal no. 16640.		CMC decided on 05.07.2007 to refuse the consent and issue the letter for disconnection of power / water supply in the name of unit as the unit found closed during the inspection. No compliance received.	To seek compliance from NDPL/DJB.
68	Rajinder	C- 60/2 (Backside portion), Wazirpur Indl. Area, Delhi - 52	Manufacturing of Hinges (including pickling activity)	Inspected by SIT on 17.05.2007.	Unit does not exist.	Unit does not exist.	Unit does not exist.	Unit does not exist.	Unit does not exist.	CMC decided on 4.7.07 "Rajinder stands closed. Consent under the Air and Water Acts & Authorization under the HW Rules Refused if applied. Letter for cancellation of MCD license in the name of the unit. Letter for disconnection of electricity & water supply in the name of the unit. For other units reported in the said premises check for the consent status". Representation received on 21.08.2007 from M/s Jeewan Threads who have applied for consent under Green Category and informed that M/s Rajinder has already been closed by tenant in the month of December, 2006.	SIT to inspect and report about the operational status of Sh. Rajinder in the premises.

69	Sobti Associates B-78, Wazirpur Indl. Area, Delhi - 52	B-78, Wazirpur Indl. Area, Delhi - 52	Pickling (unit found closed / site found vacant)	Inspected by SIT on 19.03.2007.	Unit closed.	Not sought	Unit closed.	CTO refused on 06.08.2007 vide I.D. No. 1638	Unit closed.	CMC decided on 04.07.2007 to refuse the consent / authorization. Letter for disconneciton power / water supply. Unit has approached to Hon'ble High Court. CMC again decided on 12.10.2007 "No. action. If no unit is operating there, please take an affidavit to this effect". Affidavit not submitted.	SIT to inspect and report.
70	Sun Flower Steel Industries	A-81/1, Wazirpur Indl. Area, Delhi - 52	Unit closed & shifted.No Indl Activity observed. Premises found vacant	Inspected by SIT on 02.06.2007.	Not Mentioned	unit closed	Unit closed	—	—	CMC decided on 05.07.2007 to issue a letter for disconnection of electricity / water supply. NDPL reported diferrent unit at site.	SIT to inspect new unit at the site.
71	Swastik Enterprises	B-63, Wazirpur Indl. Area, Delhi - 52	Pickling of SS sheets (Unit found closed, Pickling not found at site)	Inspected by SIT on 26.05.2007.	Not Mentioned	unit closed	Unit closed	—	—	CMC decided on 05.07.2007 to issue a letter for disconnection of electricity / water supply. NDPL reported no firm exists.	No action.
72	Sh. Charat / Sadanand (Proprietor of pickling unit)	C-55/1 (front portion),Wazirpur Indl. Area, Delhi - 52	Pickling of S.S.Sheets	Inspected by SIT on 11.05.2007.		—	—	—		CMC decided on 04.07.2007 to issue directions for disconnection of power / water supply. No reply received.NDPL informed that unit with diferrent name exists.DJB informed no water connection exists.	SIT to inspect new unit at the site.
73	Sterling Auto Engineering	B-69/1, Wazirpur Indl. Area, Delhi - 52	Manufacturing of piston rings (involving electroplating, grinding and buffing)	Inspected by SIT on 29.05.2007.	Piston Rings (as per Inspection Report)	Not Sought	—	—		CMC decided on 05.07.2007 to issue directions for disconnection of electricity / water supply as deficiencies were observed during the inspection. Reply received on 03.08.2007 & informed that they have rectified / improved the deficiencies and also requested to withdraw the directions. NDPL confirmed disconnection of electricity on 05.10.07. Unit filed writ before Hon'ble HC. Next date of hearing is 19.03. 2008. No notice received from Hon'ble HC.	To seek compliance from DJB.