

Minutes of the 47th meeting of the Committee Constituted for Deciding the Consent under Orange Category, held on 28.03.2008 in the Conference Room of Chairman, DPCC.

The following persons attended the meeting on 28.03.2008:

1. Sh. J. K Dadoo, Chairman DPCC
2. Sh. K. Mahesh, Member Secretary, DPCC
3. Sh. S.K.Gupta, Head Chemical Engineering Deptt. ,IIT Delhi
4. Sh. B. Kumar, SEE, DPCC
5. Sh. M. Dwarakanth, SSO, Dept. of Env,. GNCTD.
6. Env. Engineers (CMC I & II)
7. AEEs (CMC I & II)

Following decisions were taken in the said meeting:-

Due to paucity of time, cases of PGRc, Special reference cases, MSW and Planning Cell were deferred for CMC on 03.4.2008 along with left over case of CMC on 25.3.2008.

Agenda Item No. 1- Review of ATR of decisions taken wrt WIA cases in the CMC meeting dated 26.02.2008

In the CMC meeting of MSW, it was recorded that the NDPL will be called for a meeting to explore the possibility of disconnecting electricity supply between 10.00 PM and 6.00 AM to ensure that highly polluting work is not carried out by unscrupulous elements in WIA. MS to talk to General Manger, NDPL and fix up a meeting next week.

Agenda No. 1 was discussed in detail by the Committee and the decisions taken are annexed as **Annexures 1, 2 and 3**. As the next CMC meeting on WIA cases is scheduled for 15.4.2008, the Committee has decided to issue letters immediately without waiting for the minutes based on the discussions and decisions taken today.

Agenda Item No.2- Personal hearing of DLF Court Yard, Saket, Upaj Buildcon, Shanti Niketan Buildwell, M/s YMC Buildmore Pvt Ltd

M/s YMC Buildmore Pvt Ltd:- A formal letter drafted on the detailed lines as in the first case be issued to the unit on 31.03.2008 giving 15 days time and quoting the relevant rules under which the time is being granted for their response.

M/s Shanti Niketan Buildwell:- The unit represented that it had paid a penalty to DDA for violation of building plan sanctioned, to the tune of Rs. 1.17 Crores.

Therefore, the unit pleads that while it is ready to submit Bank Guarantee of 0.5 % of the total project cost, as indicated in its letter dated 25.03.2008, within 30 days, it may be exempted from the double fine or double jeopardy from the DPCC. The Committee deliberated on this issue and felt that the Bank Guarantee of 0.5 % of the project cost should be paid by the unit by 03.4.2008, a notional cash penalty should also be imposed since the violation under the Air & Water Acts has also taken place.

In view of the above, 0.05 % of the project cost, which comes to Rs. 10 lakhs, may be imposed as a cash penalty since he has already paid Rs. 1.17 Crores as penalty to DDA. He must deposit both the cash penalty and the Bank Guarantee by 3rd April, 2008. The unit gave a letter confirming this and if it does so by 3rd April, 2008, Consent to Establish may be granted to the unit, at the same time.

M/s DLF Court Yard, Saket :- Despite clear assurance on 25.03.2008 that DLF will file written submissions by 28.03.2008, the unit has failed to do so. Under these circumstances, the Committee has no option but to issue a detailed letter on the lines of the first unit stipulating a cash penalty of 0.1 % of the total project cost i.e. Rs. 35 Lakh and a Bank Guarantee of Rs. 3.15 Crores, the total covering 1 % of the total project cost as was done in similar cases. This letter must be issued to the unit by 31.03.2008 giving 15 days time quoting the rules under which same is stipulated. Copy may be sent to Addl. Secretary, MOEF, BSES & DJB.

M/s Upaj Buildcon:- The unit started construction in 2007 and received the Environmental Clearance in October, 2007. By that time, they had constructed three floor basement out of the total projected covered area of 21,000 sq.mts. MOEF has asked DPCC to take action under EP Act for the violations made by the unit.

The unit pleaded that it had already deposited a cash penalty of RS. 28 Lakhs for violation of building plan sanctions by DDA, which is approximately 0.5 % of the total project cost that the Committee has levied for similar environmental violations.

In view of the above, the unit is willing to deposit a cash penalty of Rupees Five Lakhs and a Bank Guarantee of Rupees Twenty Five Lakhs (0.5 % of project cost) by 3rd April, 2008. If the unit submits concrete proof of having submitted a cash penalty of Rs. 28 Lakhs to DDA, and files the cash penalty and Bank Guarantee as stated above, which is similar to the case of YMC Buildmore Pvt Ltd,

the case may be brought in CMC on 03.04.2008 for issuing Consent to Establish. The unit has given a letter to this effect which may be kept on record.

M/s Parasvnath Developers Ltd. for construction of Commercial Complex at Azadpur Metro Station: - This case was taken up today because the unit has made a detailed representation which was received today. Sh. B. Kumar, SEE was asked to study this case thoroughly and he is also ready to explain all the issues. From the record the following facts are clear:-

- (a) That the station is being constructed on plot 'A' and the commercial complex on plot 'B' which has a land area of about 30,000 sqm.
- (b) M/s Parasvnath Developer Ltd. is going to develop plot 'B' also as per the Concession agreement filed by the unit.
- (c) MOEF during its interim inspection has found construction activity in plot 'B' also and has asked DPCC to take action under the EP Act.
- (d) Plot 'B' for commercial complex requires change in land use as indicated in the documents filed by the unit. Therefore, if the unit has started construction on plot 'B' it has not only violated the EIA norms, it has also gone ahead without required change in land use as it appears from the record.
- (e) The unit has applied to DPCC for Consent to Establish, at Plot 'B' for commercial complex, at a total cost of Rs. 199 Crores.

In view of the above, it is clear that the unit needs three clearances: EIA, land use change & Consent under Air Act & Water Act. At present, he has none. To be able to call him for personal hearing next time and confront with facts on the ground it appears necessary that MS, SEE, & the concerned EE inspect the premises and file a report to CMC by mid April, 2008. In the meantime, a notice may be issued to the unit to file both the Environmental Clearance and change in land use as is required from the record submitted by the unit.

Since DMRC is building several stations in Delhi, we may write to Director Project, DMRC and seek a list of such cases where commercial complexes requiring EIA clearance and requiring consent under Air & Water Acts so that these cases can be considered by the Committee.

Agenda Item No.5- Representation by Wazirpur Industries Joint Action Committee regarding action against Wazirpur Industrial Area CETP Society.

This agenda was already discussed and decided to send them an appropriate reply.

Agenda Item No.6- Representation of Md. Iqar of Delhi Pradesh Congress Committee forwarded by Office of CM regarding non issuance of consents in 17 new Indl. Areas.

After discussions on the issue, it was decided that SEE will prepare a proper note for submission to CM.

Agenda Item No.3- Special reference cases.

Agenda Item No. 4- PGRC Cases

Agenda Item No. 7- Pollution problem due to Cell Phone Towers

Meeting ended with thanks to the Chair.

Sl. No	Name of Industry / Unit	Address	Activity	Status of BG	CTE status	Status of consent	Status of authorization	Decision on 26.02.2008	ATR FOR 28.3.2008	Decision on 28.3.2008
1	Ambica Steels	B10/9, Group, Wazirpur Industrial Area	Pickling	BG Rupees Three Lakh submitted on 03.12.2007..	Applied CTE on 19.11.2007 vide I.D. No. 24246.	Applied CTO on 31.03.2006 vide I.D. No. 17987.	Applied on 31.03.2006 vide I.D. No. 2613.	Unit to install ETP & ECS before granting the Consent to Establish and to file affidavit that the same have been installed and are in proper operational condition.	Unit has submitted its reply on 11.03.2008 along with an affidavit stating that they have installed ETP & ECS and adequate measures to control water / air pollution and HWM shall also be maintained in future and also informed that unit has been connected to conveyance system leading to WIA CETP.	SIT to inspect & report. Take up on 15.04.2008.
2	Him Giri Cars Pvt. Ltd	B-99, Wazirpur Industrial Area	Sales Service And Spares	BG of Rs. Two Lakh submitted on 22.11.2007	CTE on 22.11.2007 vide I.D. No. 24289.	CTO on 14.03.2005 vide I.D. No. 12976.	Not applied.	Bank Guarantee to be made applicable till 06 February, 2010. Inform unit accordingly.	Unit has submitted its reply along with an affidavit on 26.03.2008 & informed that they have rectified all the deficiencies found during the inspection and unit has been connected to conveyance system laid down by DJB, leading to WIA CETP. However, revalidated BG not submitted.	Take up in CMC on 15 April, 2008.

3	Jai Shree Sheyam Enterprises	A-123	Pickling & Re-Rolling of SS sheets.	BG of Rupees One Lakh submitted.	CTE on 29.10.2007 vide I.D. No. 24049.	CTO on 02.08.2002 vide I.D. no. 5456 & 15.05.2007 vide I.D. No. 21331.	Applied for renewal on 04.08.2006 vide I.D. No. 3129.	Bank Guarantee to be made applicable till 06 February, 2010. Inform unit accordingly.	Unit has submitted its reply along with letter for revalidated BG valid upto 06.02.2010 and an affidavit stating that they will comply with the provisions of Air Act, Water Act & HWM Rules in future and also informed that unit has been connected to conveyance system leading to WIA CETP.	Since the earlier inspection found ETP & ECS partly operational and since the unit has not confirmed whether ETP & ECS are fully operational now, an inspection may be done by SIT for finding out whether ETP & ECS fully operational.
4	M.M. Bros Merry Maker Banquet Hall	C-91/4, Wazirpur Industrial Area	Banquet Hall	BG of Rs. One Lakh under HWM Rules on 23.11.2007.	CTE on 27.11.2007 vide I.D. No. 24335.	CTO(R) on 31.08.2005 vide I.D. No. 16247.	Applied on 15.11.2006 vide I.D. No. 1092.	Bank Guarantee to be made applicable till 06 February, 2010. Inform unit accordingly.	Unit has submitted Bank Guarantee of Rs. One Lakh under HWM Rules on 14.03.2008 valid upto 06.02.2010. A letter was also received from Canara Bank w.r.t. revalidation of BG.	Consent to Establish granted.
5	R.K.Metal Industries	A-99/3, Wazirpur Industrial Area	Mfg of Copper & Brass Sheet with casting & washing	BG of Rs. Two Lakh submitted on 07.12.2007 and alos revalidated up to 06.02.2010.	CTE on 03.12.2007 vide I.D. No. 24377.	CTO obtained on 07.08.2000. Valid upto 24.07.2003. CTO(R) on 12.10.2006 vide I.D. No. 19553.	Applied for renewal of authorization on 12.07.2006 vide I.D. No. 2759.	Bank Guarantee to be made applicable till 06 February, 2010. Inform unit accordingly.	Unit has submitted BG valid upto 06.02.2010 and affidavit w.r.t. unit has been connected to conveyance system leading to WIA CETP.	Consent to Establish granted.
6	Ram Steel	C-13(Backside)	Annealing, Re-Rolling & Pickling of SS Sheets.	BG submitted on 20.12.2007	CTE on 12.10.2007 vide I.D. No. 23898.	CTO on 30.12.2004 vide I.D. No. 12379.	Applied on 30.10.2004 & 02.08.2006 vide I.D. No. 2251 & 3079.	Inspection to be done by SIT.		Report of SIT positively by 15.04.2008.

7	Sh. Shree Venkateshwar Enterprises	Shed no, 54 DSIDC, Wazirpur Industrial Area	S.S. Utensils (Pressing & Buffing)	BG submitted on 21.01.2007	Applied for CTE on 19.11.2007 vide I.D. No. 24249	Not applied.	Not applicable	Unit be asked to submit affidavit to the effect that the deficiencies observed during inspection have been rectified.	No reply received.	Issue reminder immediately to file an affidavit, to the effect that the deficiencies observed during inspection have been rectified, by 15.04.2008.
8	Sh. Varun Fabricators	Shed no.80, DSIDC, Wazirpur Industrial Area	S.S. Utensils (Pressing & Buffing)	BG submitted on 19.11.2007.	CTE on 19.11.2007 vide I.D. No. 24247.	CTE on 19.11.2007 vide I.D. No. 24247.	Not applicable	Let the unit complete installation of dust collection system with buffing activity and file an affidavit.	Submitted letter and affidavit wrt installation of dust collector.hotographs also submitted. Issue of conveyance system does not arise.	Consent to Establish granted.
9	Shree Krishna Industries	A-101/1, Wazirpur Industrial Area	Pickling & Cold Re rolling of SS Sheets.	BG submitted on 12.12.2007.	CTE on 19.11.2007 vide I.D. No. 24248.	CTO on 24.07.2006 vide I.D. No. 18889	Applied on 25.07.2006 vide I.D. No. 2926.	Inspection to be done by SIT.		Inspection report of SIT records that ETP should be protected from ageing especially chemical dosing tank and pipe fitting. Let the unit confirm that it will comply with this condition. Take up on 15.04.2008.
10	National Industries India	A - 102/2,Wazirpur Indl. Area, Delhi - 52	Annealing, Re-rolling & Pickling	BG of Rupees Three Lakh filed on 11.02.2008.	CTO(R) obtained. valid upto 25.07.2008.	CTO(R) obtained. valid upto 25.07.2008.	Applied for renewal for authorization on 02.08.2006 vide I.D. No. 3083.	Unit be asked to submit affidavit to the effect that the deficiencies observed during inspection have been rectified.	Unit has submitted its reply on 14.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has already been connected to	In view of several deficiencies noted during last inspection, SIT to inspect and report by 15.04.2008.

									conveyance system laid down by DJB, leading to WIA CETP. A copy of BG was received from UBI on 18.02.2008.	
11	Rameshwar Foods	A-94/4, Wazirpur Industrial Area	Mfg of Sweets& Namkeen	BG of Rs. 50,000 submitted.	CTO(R) obtained. Valid upto 25.07.2008.	CTO(R) obtained. Valid upto 25.07.2008.	Not applicable	Unit be asked to submit affidavit to the effect that the deficiencies observed during inspection have been rectified.	No reply received.	Issue reminder immediately to file an affidavit, to the effect that the deficiencies observed during inspection have been rectified, by 15.04.2008.
12	Pawa International Pvt. Ltd.	C-93, Wazirpur Industrial Area	Service Station	Not yet submitted	CTE obtained on 08.10.2003. Valid upto 06.10.2004. CTO on 25.02.2005 vide I.D. No. 12788.	CTE obtained on 08.10.2003. Valid upto 06.10.2004. CTO on 25.02.2005 vide I.D. No. 12788.	Applied on 25.02.2005.	To take up on 28.03.2008.	BG of Rs. 1.5 lakhs not yet submitted	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
13	Deep (India) Pvt. Ltd.	B- 72/4, Wazirpur Indl. Area, Delhi - 52	Service Station	Submitted 3 lakhs valid up to 06.02.2010	CTE obtained on 26.08.2004. Valid upto 27.06.2005. CTO on 23.03.2005.	CTE obtained on 26.08.2004. Valid upto 27.06.2005. CTO on 23.03.2005.	Applied on 28.03.2005 vide I.D. No. 2336.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have	Unit submitted BG of three lakhs valid up to 06.02.2010 and submitted affidavit wrt the correction of deficiencies observed during the inspection and connection to the conveyanace system.	In view of several deficiencies noted during last inspection, SIT to inspect and report by 15.04.2008.

								been rectified.		
14	Harihant Steel	C-10/2	Pickling of SS Sheets	Not submitted	Obtained CTE on 21.9.05 valid up to 20.9.2006	CTO on 03.05.2007 vide I.D. No. 21207.	Applied on 03.5.07 with ID No. 1280	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	Unit has submitted its reply on 18.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has been connected to conveyance system leading to CETP. Unit has also requested to give 120 days time for submission of BG as they are facing very crucial / struggling period.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
15	Parag Metal Udyog	C-36/2, Wazirpur Indl. Area, Delhi - 52	Pickling , Annealing and Cold Re-Rolling of S.S.Sheets	Not submitted	CTE obtained on 09.06.2003.	CTO on 18.07.2007 vide I.D. No. 22500.	Applied for renewal of authorization on 18.09.2006 vide I.D. No. 3617.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010.	No reply received.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008

16	U-like Exports	C-34	Pickling, Annealing & Re-Rolling of SS Sheets and mfg. of SS utensils (w/o buffing)	Not submitted	CTE obtained on 29.09.2005.	CTE obtained on 29.09.2005. CTO on 27.06.2006 vide I.D. No. 18619.	Applied on 04.05.2007 vide I.D. No. 4284.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010.	Unit has submitted on 18.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. However, BG has not been submitted so far.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
17	Dr.Jagdish Lal Sethi	A-95/1	Aeralyic Dental Powder	Submitted valid up to 06.02.2010	CTO obtained vide consent order no. 15714. Valid upto 25.09.2008.	CTO obtained vide consent order no. 15714. Valid upto 25.09.2008.	Applied for renewal on 29.08.2006 vide I.D.No. 3479.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Water Act & HWM Rules valid upto 06.02.2010.	Unit has submitted Bank Guarantee of Rs. Fifty Thousand each under Water Act & HWM Rules along with an affidavit regarding conveyance system leading to CETP has been connected on 18.03.2008.	Consent to Establish granted.
18	Super Dental Product	A-95/1	Aeralyic Dental Teeth	Submitted valid up to 06.02.2010	CTO obtained on 12.09.2006 vide consent order no. 16799. Valid upto 08.07.2008	CTO obtained on 12.09.2006 vide consent order no. 16799. Valid upto 08.07.2008	Not applicable	DPCC has asked for channelization of fumes vide letter dated 02.11.2007. Unit has not filed an affidavit regarding installation of channelization system. Unit be asked to submit Bank Guarantee	Unit has submitted Bank Guarantee of Rs. Fifty Thousand on 18.03.2008 along with an affidavit regarding conveyance system leading to CETP has been connected and regarding installation of channelization sytem.	Consent to Establish granted.

								of Rupees Fifty Thousand under Air Act valid upto 06.02.2010.		
19	Shalimar Motors	C-91/9, Wazirpur Industrial Area	Service Station	Not yet submitted	Consent obtained two times	CTO (Renewal) valid up to 11.01.07 CTO (Renewal) applied on 20.3.07	Applied for renewal of auth on 06.11.06	To take up on 28.03.2008.	BG of Rs. 1.0 lakhs not yet submitted	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
21	Benlon (India) Ltd.	A- 68, Group, Wazirpur Indl. Area, Delhi - 52	Dyeing of synthetic yarns	Not submitted	Consent obtained two times	CTO(R) obtained on 15.05.2006. Valid upto 30.04.2009.	Applied for renewal of authorization on 07.08.2006 vide I.D. No. 3183..	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	Unit has submitted its reply on 17.03.2008 & informed that they have obtained CTO(R) on 15.05.2006 (valid upto 30.04.2009). Neither submitted BG nor submitted an affidavit w.r.t. correction of deficiencies.	Issue reminder to the unit to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 15.04.2008. Take up on 15.04.2008

22	Delhi Job Works	B-6, Group, Wazirpur Indl. Area, Delhi - 52	Pickling and cold Re - Rolling of S.S.Sheets	Not submitted	CTO(R) obtained on 14.06.2006. Valid upto 24.08.2008.	CTO(R) obtained on 14.06.2006. Valid upto 24.08.2008.	Applied for renewal of authorization on 26.07.2006 vide I.D. No. 2952.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	Unit has submitted its reply on 14.03.2008 & requested to reduce the amount of BG as it is a small unit. Unit has again submitted its reply on 18.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. However, BG has not been submitted so far.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
23	G. S. Enterprises	A-74/2, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Not submitted	CT(R) obtained on 28.07.2006 (valid upto 13.06.2009)	CT(R) obtained on 28.07.2006 (valid upto 13.06.2009)	Applied on 02.08.2006	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	Unit has submitted its reply on 18.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. However, BG has not been submitted so far.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008

24	Ganga Industries	A-113, Group, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	Not submitted	CTO(R) obtained. Valid upto 08.08.2008.	CTO(R) obtained. Valid upto 08.08.2008.	Applied for renewal for authorization on 09.08.2006 vide I.D. No. 3243.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	Unit has submitted its reply on 18.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. However, BG has not been submitted so far.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
25	Ganpati Steels	A-47	Re-Rolling and Pickling of SS Sheets.	Not submitted	Consent obtained two times	CTO(R) obtained. Valid upto 14.06.2009.	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3071.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010.	No reply received.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
26	Hem Chand Nand Lal.	B-76, Wazirpur Indl. Area, Delhi - 52	Re-rolling, annealing & Pickling	Not submitted	CTO(R) obtained on 17.04.2006 (valid upto 19.03.2009)	CTO(R) obtained on 17.04.2006 (valid upto 19.03.2009)	Applied for renewal of authorization on 24.08.2006 vide I.D. No. 3444.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during	Unit has submitted its reply on 18.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. However, BG has not	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008

								inspection have been rectified.	been submitted so far.	
27	J.N. Steel	A-111/1, Wazirpur Indl. Area, Delhi - 52	Pickling , Annealing and Cold Re-Rolling of S.S.Sheets	Not submitted	CTO (R) obtained on 19.06.2006 vide consent order no. 15667. Valid upto 30.09.2008.	CTO (R) obtained on 19.06.2006 vide consent order no. 15667. Valid upto 30.09.2008.	Applied for renewal of authorization on 09.08.2006 vide I.D. No. 3244.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	Unit has submitted its reply on 20.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. However, BG has not been submitted so far.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
28	Malhotra Industries	B - 20, Wazirpur Indl. Area, Delhi - 52	Rolling and pickling	Not submitted	CTO(R) obtained on 28.07.2006 (valid upto 02.07.2009).	CTO(R) obtained on 28.07.2006 (valid upto 02.07.2009).	Applied for renewal for authorization on 26.10.2006 vide I.D. No. 3969.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during	Unit has submitted its reply on 18.03.2008 & 25.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. However, BG has not	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008

								inspection have been rectified.	been submitted.	
29	Pradeep Industries	A-31	Annealing, Re-Rolling and Pickling of SS Sheets.	Not submitted	CTO(R) obtained on 19.06.2006 (valid upto 01.08.2008).	CTO(R) obtained on 19.06.2006 (valid upto 01.08.2008).	Applied for renewal of authorization on 26.07.2006 vide I.D. No. 2945.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	Unit has submitted its reply on 20.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. However, BG has not been submitted so far.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
30	Rajasthan Knitting Mills	A-51, Wazirpur Indl. Area, Delhi - 52	Dyeing, Bleaching ,Knitting and processing of hosiery clothes	Not submitted	Consent (Renewal) obtained. Valid upto 14.06.2009.	Consent (Renewal) obtained. Valid upto 14.06.2009.	Applied for renewal for authorizatoion on 18.08.2006 vide I.D. No. 3325.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have	Unit has submitted its representation on 20.03.2008 & informed that they have obtained CTO(R) valid upto 14.06.2009 and ETP Plant & pH were found very OK at the time of inspection and there were no deficiencies in running the ETP plant. However, unit has not submitted BG so far.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008

								been rectified.		
31	Shree Krishna Metal Industries	B-22/2, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	Not submitted	CTO (R) obtained. Valid upto 25.07.2008.	CTO (R) obtained. Valid upto 25.07.2008.	Applied for renewal for authorization on 26.07.2006 vide I.D. No. 2951.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010.	No reply received.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
32	Shri Ram Industries	A-132, Group, Wazirpur Indl. Area, Delhi - 52	Re-rolling and pickling of SS sheets	Submitted valid up to 06.02.2010	Consent(R) obtained. Valid upto 31.07.2008.	Consent(R) obtained. Valid upto 31.07.2008.	Applied for renewal for authorizatoion on 28.07.2006 vide I.D. No. 3000.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	Unit has submitted its reply on 18.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP.Duplicate BG submitted on 18.03.2008 by Canara Bank.	Let the unit get the power connection its name and confirm the same by 15.04.2008. Take up on 15.04.2008.

20	Speculum Finish	Shed no. 20 (DSIDC Sheds), Wazirpur Indl. Area, Delhi - 52	Electroplating	Not submitted	Consent obtained two times	CTO (R) obtained vide consent order no. 11749. Valid upto 18.03..2007.	Applied for renewal for authorization on 05.09.2006 vide I.D. No. 3540.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	No reply received.	Issue reminder asking the unit to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 15.04.2008. Take up on 15.04.2008
33	Vikas Enterprises	Shed no. 43 (DSIDC Sheds), Wazirpur Indl. Area, Delhi - 52	Rolling & Pickling	Not submitted	CTO(R) obtained on 29.11.2005. Valid upto 20.06.2008.	CTO(R) obtained on 29.11.2005. Valid upto 20.06.2008.	Applied for renewal for authorization on 21.08.2006 vide I.D. No. 3400.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousands each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	No reply received.	Issue reminder asking the unit to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 15.04.2008. Take up on 15.04.2008

34	Precision Castings & Components	B-69/1, Wazirpur Indl. Area, Delhi - 52	Manufacturing of Piston rings (Engineering activity)	Not submitted	Consent (Renewal) obtained on 19.06.2006 under Green cat (valid upto 06.05.2010)	Consent (Renewal) obtained on 19.06.2006 under Green cat (valid upto 06.05.2010)	Applied for renewal of authorization on 13.11.2006 vide I.D. No. 4052.	Unit be asked to submit Bank Guarantee of Rupees One Lakh under HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Unit be asked to apply for Consent to Establish under Orange category.	No reply received.	Issue reminder asking the unit to file Bank Guarantee, Consent to Establish & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 15.04.2008. Take up on 15.04.2008
35	Sh. Balak Ram. Sh. Suresh. Sh. Islam, Sh. Ram Bils	Shed no.101, DSIDC, Wazirpur Industrial Area	Buffing	Not submitted stating that tenants vacated the premises.	CTE on 21.11.2007 vide I.D.No. 24276 (Suresh), CTE on 21.11.2007 vide I.D.No. 24277 (Balak Ram) & CTE on 21.11.2007 vide I.D.No. 24278 (Ram Bilas)		Not applicable	SIT report by next week.		Report of SIT positively by 15.04.2008.
36	Sohal Motor works	B-24, Wazirpur Industrial Area	Pickling, Annealing & Re-Rolling of SS Sheets	Not submitted stating that they have stopped pickling activity..	CTE on 16.10.2007 vide I.D. No. 23924.	CTO on 05.10.2004 vide I.D. No. 11819.	Applied for renewal on 11.08.2006 vide I.D. No 3286.	SIT report by next week.		Report of SIT positively by 15.04.2008.

37	Goyal Steel Industries	A-35	Annealing, Re-Rolling & Pickling of SS Sheets.	Not submitted	CTE on 27.10.2007 vide I.D. No. 23980.	CTO refused on 17.05.2004 vide refusal no. 228.	Applied on 08.07.2004.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	Unit has submitted its reply along with an affidavit on 27.03.2008 & informed that they have rectified all the deficiencies found during the inspection & pollution control system will be kept operational at all times in future and unit has been connected to conveyance system laid down by DJB, leading to WIA CETP. However, unit has not submitted BG.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
38	Jain & Company	A-95/4, Wazirpur Industrial Area	M.S. Wire drawing with Pickling	Not submitted	CTE on 19.12.2007 vide I.D. No. 24545.	CTO on 29.10.2004 vide I.D. No. 12032	Applied for renewal on 12.07.2006 vide I.D. No. 2756.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	No reply received.	Issue reminder asking the unit to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 15.04.2008. Take up on 15.04.2008

39	Kesho Ram Industries	A-100/6	Re-Rolling & Pickling of SS Sheets.	Not submitted	CTE on 23.10.2007 vide I.D. No. 24008.	CTO obtained on 18.12.2000. Valid upto 12.12.2003. CTO (R) on 15.03.2005 vide I.D. No. 12998.	Applied for renewal on 26.07.2006 vide I.D. No. 2944.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010.	Unit has submitted its reply along with an affidavit on 26.03.2008 & informed that they have rectified all the deficiencies found during the inspection and unit has been connected to conveyance system laid down by DJB, leading to WIA CETP. However, unit has not submitted BG.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
40	Laxmi Industries	A-97/4	Pickling, Annealing & Re-Rolling of SS Sheets	Not submitted	CTE on 08.11.2007 vide I.D. No. 24179.	CTO on 09.08.2004 vide I.D. No. 11276.	Not applicable	Unit be asked to install ETP & submit adequacy report. Also, unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010.	Unit has submitted its reply on 18.03.2008 & informed that they have stopped pickling activity and there is no water pollution. Only annealing & cold re-rolling of S.S. Sheets is being carried out , for which they have already applied for CTO & CTE and requested to reconsider the case.	SIT to inspect & report by 15.04.2008.
41	Maruti Industries	B-70/2	SS utensils with buffing	Not sought	Consent to Establish received on 26.09.2007 vide I.D. No. 23652.	Refused on 09.02.2007. CTO on 03.01.2007 vide I.D. No. 20345	Not applicable	SIT to inspect and report.		SIT to inspect & report by 15.04.2008.

42	Narender Industries	C-58/4	Annealing, Re-Rolling & Pickling of SS Sheets.	Not submitted	CTE on 24.10.2007 vide I.D. No. 24015.	CTO on 05.09.2005 vide I.D. No. 16279.	Applied for renewal of authorization on 22.08.2006 vide I.D. No. 3405.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010	No reply received.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
43	Pooja Enterprises	D-26	Re-Rolling & Pickling of SS Sheets.	Not submitted	Applied for CTE on 22.10.2007 vide I.D. No. 23993.	Applied for CTO on 01.08.2002, 25.06.2004 & 20.08.2007.	Applied for renewal of authorization on 01.08.2006 vide I.D. No. 3028.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	Unit has submitted its reply on 24.03.2008 along with an affidavit stating that they are complying with the provisions of Air Act, Water Act and HWM Rules and the same will be done in future & rectified the deficiencies found during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. Unit has requested to either reduce the BG amount upto 50 % of the demand or give 120 days for the submission of BG.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008

44	Prem Electroplating	B-28/5	Electroplating & Buffing	Not submitted	Consent to Estalish received on 05.10.2007 vide I.D. No. 23769.	Consent to Estalish received on 05.10.2007 vide I.D. No. 23769.	Applied for renewal on 28.7.06 vide ID No. 2984. Refused.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	Unit has submitted its reply on 24.03.2008 & informed that they have approached to bank for obtaining the BG and the bank has given time periof of about one week to ten days. Therefore, unit has requested to grant 15 days time for submnit the BG and other relevant documents along with affidavit.	Issue reminder asking the unit to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 15.04.2008. Take up on 15.04.2008
45	R.D. Steel	C-58/2	Re-Rolling & Pickling of SS Sheets.	Not submitted	CTE on 24.10.2007 vide I.D. No. 24014.	CTO on 28.03.2005 vide I.D.No. 13233.	Applied on 15.09.2007 vide I.D. No. 2490	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010	No reply received.	Issue reminder asking the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
46	Richi Rich Restaurant (P) Ltd.	A - 7	Restaurant Cum Banquet Hall	Not sought	CTE on 08.10.2007 vide I.D. No. 24178.	CTO on 19.07.2002 vide I.D. 3288.	Applied on 08.11.2007 vide I.D. No. 4415.	Unit will install ETP & submit adequacy report. Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010.Also, unit be asked to submit an	No reply received.	Issue reminder asking the unit to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 15.04.2008. Take up on 15.04.2008

								affidavit.		
47	Uttam Steel Alloy (P)Ltd.	C-14, Wazirpur Industrial Area	Pickling, Annealing & Re-Rolling of SS Sheets	Not submitted	CTE on 07.11.2007 vide I.D. No. 24163.	CTO on 29.11.2006 vide I.D. No. 19996.	Applied on 17.07.2007 vide I.D. No. 4333.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	Unit has submitted an affidavit that unit has connected to conveyance system leading to the CETP. Neither BG submitted nor affidavit w.r.t. deficiencies found during the inspection as no deficiencies were found during the inspection.	Issue reminder asking the unit to file Bank Guarantee & affidavit w.r.t. rectification of deficiencies observed during the earlier inspection by 15.04.2008. Take up on 15.04.2008
48	RCI industries & Technologies Ltd.UNIT ALL HEAVENS.	B-97	Resturant & Bar	Not submitted.	Not applied.	Applied for CTO on 14.08.2002.	Not applicable	Unit be asked to submit BG of Rs. One Lakh each under Water & Air Acts, CTE and affidavit for correcting the deficiencies observed during the inspection.	Unit has submitted its reply on 14.03.2008 along with copy of adequacy report and request to grant some time to apply for CTE since monitoring report is awaited. BG not submitted.	Issue reminder to the unit to file Bank Guarantee, Consent to Establish & affidavit to the effect that the deficiencies observed during inspection by 15.04.2008. Take up on 15.04.2008

49	Sh. Abdul Rasheed	Shed no.100, DSIDC, Wazirpur Industrial Area	Buffing and Buffing Machines Installed	Not submitted.	Not applied.	Not applied.	Not applicable	SIT to inspect and report next week.		SIT to inspect & report by 15.04.2008.
50	Sh. Mohammad, Sh. Noshad, Sh. Lekraj (M/s Pratap Metals)	A-136, Wazirpur Industrial Area	Buffing	Not submitted.	Not applied/obtained	Not applied.	Not applicable	SIT to inspect and report next week.		M/s Pratap Metal & unit operating on 2 & 3 floor may be issued notices seeking Consent to Establish under Orange Category. M/s Tahal Singh at basement may be issued notice seeking Consent to Establish under Green Category.
51	Sh. Shajid and Sh. Aslam	A-103/6, Wazirpur Industrial Area	Steel Polish	Not submitted.	Not applied/obtained	Not applied.	Not applicable	SIT to inspect and report next week.		Units other than listed were found. One such unit by the name M/s Sangam Plastic may be issued notice to apply for Consent to Establish under Orange category. Other unit namely M/s Lancer Metaware may be issued notice by Green Committee.

52	Sh. Vijay Kumar Goel	A-104, Wazirpur Industrial Area	Buffing	Not submitted.	Not applied/obtained	Not applied.	Not applicable	SIT to inspect and report next week.		Closure orders under Air & Water Acts in view of the fact that it is operating without any pollution control devices and has not applied for Consent to Establish. Further, M/s Heera Enterprises & M/s S.Kumar Polishing Works which are operating may be issued notices seeking Consent to Establish.
53	Jai Mata Metal Treatment	A-74(Ground Floor), Wazirpur Industrial Area	Heat Treatment	Not submitted.	Not applied.	CTO on 30.12.2005 vide I.D.No. 17412.	Applied on 28.11.2005 vide I.D. No. 2559.	Unit be asked to submit BG of Rs. Seventy Five Thousand each under Air, Water & HWM Rules, CTE and affidavit for correcting the deficiencies observed during the inspection.	A letter along with affidavit was received on 24.03.2008 & landlord informed that unit has left the premises and closed his business. Unit has also submitted its reply along with an affidavit on 25.03.2008 & stating that they have close down the industrial activity and left the premises and treat my consent application and HW authorization as a Null & Void.	SIT to inspect & report by 15.04.2008.

54	Lakshmai Milk Testing Machinery co.	A-90, Group, Wazirpur Industrial Area	Mfg of Dairy Equipments (Milk Canes) with Anodizing.	Not submitted.	Not applied/obtained	CTO(R) on 31.08.2005 vide I.D. No. 16242.	Applied for renewal on 02.08.2006 vide I.D. No. 3074.	Disconnection of power / water supply & cancellation of MCD license.	A letter received from NDPL on 17.03.2008 with remarks "disconnected". Chawla Polymers filed writ before Hon'ble HC against the disconnection of electricity connection. Court heard the matter and appreciated the work of DPCC. Directed Chawla Polymers to apply for fresh electricity connection.	Take up in 15 April, 2008 with Court order.
55	Sh. Ravi (M/s Dayal Industries)	Shed no, 63, DSIDC, Wazirpur Industrial Area	Buffing	Unit claims BG is not required as there is no buffing activity.	Not applied/obtained	Not applied.	Not applicable	SIT to inspect and report.		SIT to inspect & report by 15.04.2008.
56	Trilok Chand & Sons	A-98, Wazirpur Indl. Area, Delhi - 52	Mfg. of Hinges (MS & SS) without pickling	Not sought	CTE not applied/obtained.	Applied for Green renewal on 21.7.2005	Not applicable	Shift to Green Committee.		Shift to Green Committee.
57	Shiva Steels	A-102/6, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Not submitted. Submitted representation expressing inability to submit such amount.	Not applied/obtained	CTO on 03.07.2007 vide I.D. No. 22132.	Applied for renewal for authorization on 02.08.2006 vide I.D. No. 3081.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the	Submitted representation requested for extension of time to submit BG through ML.A. File processed and as approved on file letter issued extending time up to 15.4.08	Call on 15.04.2008.

								deficiencies observed during inspection have been rectified.		
58	Jaquar Co. Ltd (Unit -2)	A - 6	Bathroom Fittings (Including Casting , Electroplating & Buffing)	Submitted	Not applied/obtained	CTO valid up to 24.1.2006. Applied for renewal on 10.01.06	Applied for renewal on 05.7.2006 vide I.D. No. 2729.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. Ask the unit to apply for Consent to Establish.	Unit has submitted Bank Guarantee of Rs. One Lakh each under Air Act, Water Act & HWM Rules on 20.03.2008 valid upto 06.02.2010 and also submitted an affidavit stating that unit is already connected to conveyance system leading to CETP. However, unit has not applied for CTE so far.	Issue reminder to the unit to file application for Consent to Establish by 15.04.2008. Take up on 15.04.2008
59	Laxmi Narain Steel Rollers	B-32/2, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	Not submitted	Not applied/obtained	CTO on 11.05.2004 vide I.D. No. 10524.	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3076.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. Ask the unit to apply for CTE and submit adequacy report of ETP.	No reply received.	Issue reminder to the unit to file Bank Guarantee, Consent to Establish & adequacy report of ETP by 15.04.2008. Take up on 15.04.2008

60	Mohan's Leela Banquet	A-8/3	Banquet Hall	Not submitted	Not applied/obtained	CTO on 26.07.2002 vide I.D. No. 5473. Unit has deposited three years fee on 21.08.2006 as sought by DPCC in continuation of earlier CTO application dated 26.07.2002.	Applied for renewal on 31.10.2005 vide I.D. No. 2524.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. Ask the unit to apply for CTE.	No reply received.	Issue reminder to the unit to file Bank Guarantee, Consent to Establish by 15.04.2008. Take up on 15.04.2008
61	Arora Steel	C- 7/2 (Backside portion), Wazirpur Indl. Area, Delhi - 52	Pickling of SS sheets	Not submitted	Not applied/obtained	CTO on 04.10.2005 vide I.D. No. 16649.	Applied on 04.10.2005 & 01.08.2006 vide I.D. No. 2505 & 3029 respectively.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Unit has submitted its reply on 27.03.2008 along with an affidavit stating that they are complying with the provisions of Air Act, Water Act and HWM Rules and the same will be done in future & rectified the deficiencies found during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. Unit has requested to either reduce the BG amount upto 50 % of the demand or give 120 days for the	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008

									submission of BG and also give more time to submit CTE application..	
62	Durga Industries	A-99/4	Re-Rolling and Pickling of SS Sheets.	Not submitted	Applied on 26.03.2008 vide I.D. No. 25317	CTO(R) on 12.08.2005 vide I.D. No. 16044.	Applied for renewal of authorization on 26.07.2006 vide I.D. No. 2949.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. Ask the unit to apply for CTE.	Unit has submitted its reply along with an affidavit on 26.03.2008 & informed that they have rectified all the deficiencies found during the inspection and unit has been connected to conveyance system laid down by DJB, leading to WIA CETP. Applied for CTE on 26.03.2008 vide I.D. No. 25317. However, BG not submitted.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
63	Gupta Iron & Steel Company	A-95 /1A, Wazirpur Indl. Area, Delhi - 52	Pickling, & Re-Rolling of S.S.Sheets (Annealing furnace defunct).	Not submitted	CTE on 27.03.2008 vide I.D. No. 25331	Applied for CTO three times. Last CTO on 04.06.2007 vide I.D. No. 21658.	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3321.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an	Applied for CTE on 27.03.2008 vide I.D. No. 25331. Neither submitted BG nor submitted affidavit.	Issue reminder to the unit to file Bank Guarantee and affidavit to the effect that the deficiencies observed earlier have been rectified by 15.04.2008. Take

								affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.		up on 15.04.2008
64	Jay Kay Enterprises	A-127	Pickling, Annealing & Re-Rolling of SS Sheets	Not submitted	Not applied/obtained	CTO on 29.06.2005 vide I.D. No. 14796.	Applied for renewal on 23.08.2006 vide I.D. No. 3428.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. Ask the unit to apply for CTE.	No reply received.	Issue reminder asking the unit to file Bank Guarantee & Consent to Establish by 15.04.2008. Take up on 15.04.2008
65	Singhal Steel Udyog	C-12/1	Re-Rolling & Pickling of SS Sheets.	Not submitted	Not applied/obtained	CTO obtained. Valid upto 03.06.2007. CTO(R) on 01.06.2007 vide I.D. No. 21627.	Applied for renewal of authorization on 18.08.2006 for 3331.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. Ask the unit to apply for CTE.	No reply received.	Issue reminder asking the unit to file Bank Guarantee & Consent to Establish by 15.04.2008. Take up on 15.04.2008

66	Aggarwal Industries	A-95/5, Wazirpur Indl. Area, Delhi - 52	Annealing, Cold Re-Rolling and Pickling of S.S.Sheets	Not submitted	Not applied/obtained	CTO obtained valid up to 02.12.06 CTO(R) on 27.02.2007 vide I.D. No. 20735.	Applied for renewal of authorization on 03.10.2006 vide I.D. No. 3750.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	No reply received.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & Consent to Establish by 15.04.2008. Take up on 15.04.2008
77	Anand Electro Engineering	B-67/1, Wazirpur Indl. Area, Delhi - 52	Electroplating (Job work) with buffing.	Not sought	Not applied/obtained	CTO on 26.04.2005 vide I.D. No. 13747.	Applied on 12.04.2005 & 11.08.2006 vide I.D. No. 2378 & 3287 respectively.	SIT to inspect and report.		SIT to inspect & report by 15.04.2008.
67	Deepak Industries	A-83/5, Wazirpur Indl. Area, Delhi - 52	Annealing & Pickling of S.S.Sheets	Not submitted	CTE on 19.03.2008 vide I.D. No. 25261	CTO on 15.7.2002 and again 26.07.2005 vide I.D. No. 15691.	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3060.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	Unit has submitted its reply on 18.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. Applied for CTE on 19.03.2008 vide I.D. No. 25261.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008

								Ask the unit to apply for CTE.	However,BG not submitted.	
68	Essco Sanitations	C-58/1, Wazirpur Indl. Area, Delhi - 52	Electroplating & Buffing(Manufacturing of bathroom fittings involving electroplating,buffing & grinding)	Submitted valid up to 06.02.2010	Not applied/obtained	CTO(R) on 19.07.2005 vide I.D. No. 15264.	Applied for renewal of authorization on 05.07.2006 vide I.D. No. 2730.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Unit has submitted Bank Guarantee of Rs. One Lakh each under Air Act, Water Act & HWM Rules on 20.03.2008 and also submitted an affidavit stating that unit is already connected to conveyance system leading to CETP. However, unit has not applied for CTE stating that it has applied for renewal of consent and also not submitted an affidavit w.r.t. correction of deficiencies observed during inspection.	Issue reminder to the unit to file affidavit w.r.t.rectification of deficiencies found during the inspection & Consent to Establish by 15.04.2008. Take up on 15.04.2008
69	Golden Steel Industry	A-103/3, Wazirpur Indl. Area, Delhi - 52	Annealing, hot-rolling and pickling	Not submitted	Applied for CTE on 18.03.2008 vide I.D. No. 25222.	CTO(R) on 263.07.2005 vide I.D. No. 15680.	Applied for renewal of authorization on 26.09.2006 vide I.D. No. 3695.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and	Applied for CTE on 18.03.2008 vide I.D. No. 25222. Other issues not addressed.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection by 15.04.2008. Take

								also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.		up on 15.04.2008
70	Multi Products Industries	A-97 / 5, Wazirpur Indl. Area, Delhi - 52	Surgical and Hospital wares (including anodizing and buffing)	Not submitted	CTE on 20.03.2008 vide I.D. No. 25282	CTO(R) on 22.07.2005 vide I.D. No. 15475.	Applied for renewal of authorization on 17.10.2006 vide I.D. No. 3921.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Unit has submitted its reply on 20.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection, however, information w.r.t. unit connected to conveyance system leading to CETP is not mentioned in the affidavit. Unit has submitted CTE on 20.03.2008 vide I.D. No. 25282.Bg not submitted	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
71	Naresh Industries	A-52, Group, Wazirpur Indl. Area, Delhi - 52	Dyeing and bleaching of cotton fabrics.	Not submitted	CTE on 27.03.2008 vide I.D. No. 25333	CTO(R) on 20.03.2006 vide I.D. No. 17926.	Applied for renewal of authorization on 09.08.2006 vide I.D. No. 3249.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an	Applied on 27.03.2008 vide I.D. No. 25333. However, neither BG submitted nor affidavit.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection by 15.04.2008. Take up on 15.04.2008

								affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.		
72	R.K. Steel	A-12, Group, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	Not submitted	Applied for CTE on 18.03.2008 vide I.D. No. 25221	CTO on 09.09.2004 vide I.D. No. 11588.	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3059.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Unit has submitted its reply on 19.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. Applied for CTE on 18.03.2008 vide I.D. No. 25221. However, unit has not submitted BG.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
78	Satvir Jain	A-134	Pickling of SS Sheets	Not sought	Not submitted.	CTO on 30.12.2004 vide I.D. No. 12378.	Applied for renewal on 18.08.2006 vide I.D. No. 3373.	SIT to inspect and report.		As per the inspection report of SIT building demolished & no unit found. Refuse renewal.

73	Shree Balaji	A-88, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Not submitted	CTE on 27.03.2008 vide I.D. No. 25332	CTO obtained (expired on 08.09.2007).	Applied for renewal for authorization on 02.08.2006 vide I.D. No. 3082.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Unit has submitted its reply along with an affidavit on 26.03.2008 & informed that they have rectified all the deficiencies found during the inspection and unit has been connected to conveyance system laid down by DJB, leading to WIA CETP. Applied for CTE on 27.03.2008 vide I.D. No. 25332. However, BG not submitted.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
74	Shri Shyam Steels	A-113/1	Re-Rolling & Pickling of SS Sheets.	Not submitted	CTE on 18.03.2008 vide I.D. No. 25219.	CTO on 21.03.2005 vide I.D. No. 13116.	Applied for renewal on 18.08.2006 vide I.D. No. 3358.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Applied for CTE on 18.03.2008 vide I.D. No. 25219. Other issues not addressed.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection by 15.04.2008. Take up on 15.04.2008

75	Sidhartha Industries	B-31, Group ,Wazirpur Indl. Area, Delhi - 52	Re- Rolling & Pickling	Not submitted	Not applied/obtained	CTO obtained on 22.03.2004. Valid upto 01.08.2005. CTO(R) on 25.07.2005 vide I.D. No. 15574.	Applied for renewal of authorization on 17.10.2006 vide I.D. No. 3927.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	No reply received.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008
76	Wesco Auto Products (I) Pvt. Ltd.	B-72, Wazirpur Indl. Area, Delhi - 52	Auto electrical switches for tractors involving electroplating.	Not submitted	Not applied/obtained	CTO on 28.09.2004 vide I.D. No. 11748.	Applied for renewal of authorization on 25.07.2006 vide I.D. No. 2925.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	No reply received.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008

79	Apex International,	B-69/1, Wazirpur Indl. Area, Delhi - 52	Manufacturing of piston rings (involving electroplating, grinding phosphating and buffing)	Not submitted	Not applied/obtained	CTO obtained. Valid upto 30.09.2007. CTO(R) on 01.03.2007 vide I.D. No. 20760.	Applied for renewal of authorization on 27.10.2006 vide I.D. No. 3986.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	No reply received.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008
80	Bhawani Industries	B-62/1, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Not sought	CTE on 14.03.2008 vide I.D. No. 25205.	CTO obtained vide consent no. 11747. Valid upto 13.08.2008.	Applied for renewal for authorization on 28.07.2006 vide I.D. No. 2995.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Unit has submitted its reply on 14.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. Unit has also requested to reduce the amount of BG as it is a small unit. Applied for CTE on 14.03.2008 vide I.D. No. 25205.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008

81	Bright Electroplating Industries	C-5/2,	Electroplating	Not submitted	Not required	CTO(R) on 16.04.2004 vide I.D. No. 10329 and on 27.02.2008 vide I.D. No. 25043.	Applied for renewal of authorization on 17.10.2006 for 3924.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to submit adequacy report of ETP.	Applied for CTO(R) on 27.02.2008 vide I.D. No. 25043. Unit has submitted its reply on 11.03.2008 & informed that all the deficiencies have been rectified. Unit has requested for sufficient time (atleast 90 days) to submit the BG as they are facing financial hardship due to market position.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
82	Celebration Banquet	A-16/3, Wazirpur Industrial Area	Banquet Hall	Not submitted	Not applied/obtained	CTO on 02.05.205 vide I.D. No. 13856.	Applied on 04.05.2005 & 17.10.2006 vide I.D.No. 2398 & 3913 respectively.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Unit has submitted its reply on 10.03.2008 & informed that they will comply all the requirements but Director is out of station so grant 2-3 weeks time for submission of requisite information / application.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008

83	Continental Car Scanning Centre	B- 72/4, Wazirpur Indl. Area, Delhi - 52	Service Station	Not sought	Applied for CTE on 19.03.2008 vide I.D. No. 25270.	CTO(R) on 18.04.2007 vide I.D. No. 21059.	Applied for renewal of authorization on 01.08.2006 vide I.D. No. 3032.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that HWM Rules are being complied. Ask the unit to apply for CTE.	Applied for CTE on 19.03.2008 vide I.D. No. 25270. Unit has submitted its reply along with affidavit on 20.03.2008 & stated that they have stopped washing activity and only mechanical work being done and do not require connection with conveyance system leading toe CETP. However, if DPCC desires,if the same can be undertaken by unit and also requested to exempt from submission of BG as it is a very small unit (working about 2-3 cars /day without washing).	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
84	Cooper Pharma	B-59, Wazirpur Indl. Area, Delhi - 52	Pharmaceutical (formulations)	Not sought	Not applied/obtained	CTO obtained valid up to 25.7.05. CTO(R) on 25.07.2005 vide I.D. No. 15659.	Applied for renewal for authorization on 18.12.2006 vide I.D. No. 4171.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	No reply received.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008

								Ask the unit to apply for CTE.		
85	Goodwill Industries	C-44, Wazirpur Indl. Area, Delhi - 52	Annealing & Pickling	Not sought	Not applied/obtained	CTO obtained on 07.04.2005. Valid upto 30.09.2005. CTO (R) on 07.12.2006 vide I.D. No. 20117.	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3368.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	No reply received.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008
86	Guru Faquir Metal Udyog	C-37, Wazirpur Indl. Area, Delhi - 52	Pickling , Annealing and Cold Re-Rolling of S.S.Sheets	Not submitted	Applied for CTE on 24.03.2008 vide I.D. No. 25291	CTO on 25.08.2006 vide I.D. No. 19135.	Applied on 25.08.2006 vide I.D. No. 3453.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the	Unit has submitted its reply on 19.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has already been connected to conveyance system	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008

								effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	laid down by DJB, leading to WIA CETP. Applied for CTE on 24.03.2008 vide I.D. No. 25291. However, unit has not submitted BG.	
87	Guru Prem Industries	A-101, Wazirpur Indl. Area, Delhi - 52	Pickling , Annealing and cold Re-Rolling of S.S.Sheets	Not submitted	CTE on 27.03.2008 vide I.D. No. 25330	CTO on 08.04.2005 vide I.D. No. 13493.	Applied on 08.04.2005 vide I.D. No. 2381.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Applied for CTE on 27.03.2008 vide I.D. No. 25330. Neither submitted BG nor submitted affidavit.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection by 15.04.2008. Take up on 15.04.2008
88	Jain Steel	B-14, Group, Wazirpur Indl. Area, Delhi - 52	Pickling and cold Re - Rolling of S.S.Sheets	Not submitted	CTE not applied/obtained.	CTO on 07.02.2005 vide I.D. No. 12572.	Applied for renewal of authorization on 24.08.2006 vide I.D. No. 3443	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the	Unit has submitted its reply on 19.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB,	Issue reminder to the unit to file Bank Guarantee & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008

								deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	leading to WIA CETP. However, unit has not submitted BG and also not applied for CTE.	
89	Kamal Steel Industries	C-37/2, Wazirpur Indl. Area, Delhi - 52	Annealing of S.S.Sheets	Not submitted	CTE not applied/obtained.	CTO obtained on 01.09.2003. Valid upto 01.08.2005. CTO(R) on 01.06.2007 vide I.D. No. 21630.	Applied on 21.03.2005 & 27.10.2006 vide I.D. No. 2354 & 3974 respectively.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	No reply received.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008
90	Mahavir Steel Industries	B-68/1, Wazirpur Indl. Area, Delhi - 52	Re-rolling and pickling of SS sheets	Not submitted	CTE on 27.03.2008 vide I.D. No. 25335	CTO on 24.03.2005 vide I.D. No. 13193.	Applied on 24.03.2005 vide I.D. No. 2364.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the	Applied for CTE on 27.03.2008 vide I.D. No. 25335. However, neither BG submitted nor submitted affidavit.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection by 15.04.2008. Take up on 15.04.2008

								deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.		
91	Moonlight Steel Industries	A-99/1, Wazirpur Indl. Area, Delhi - 52	Pickling and Re-Rolling on MS Sheets	Not submitted	CTE not applied/obtained.	CTO(R) on 21.07.2005 vide I.D. No. 15369.	Applied for renewal of authorization on 10.08.2006 vide I.D. No. 3264.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Letter issued and the same was returned back undelievered.	SIT to inspect & report by 15.04.2008.

92	Onkar Steel	B-67/1, Wazirpur Indl. Area, Delhi - 52	Annealing, Cold Re-Rolling and Pickling of S.S.Sheets	Not submitted	Not applied/obtained	CTO(R) on 25.07.2005 vide I.D. No. 15597.	Applied for renewal of authorization on 01.08.2006 vide I.D. No. 3033.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Unit has submitted its reply on 27.03.2008 along with an affidavit stating that they are complying with the provisions of Air Act, Water Act and HWM Rules and the same will be done in future & rectified the deficiencies found during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. Unit has requested to either reduce the BG amount upto 50 % of the demand or give 120 days for the submission of BG and also give more time to submit CTE application..	Issue reminder to the unit to file Bank Guarantee & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008
93	Premier Industries	B-62 (Backside), Wazirpur Indl. Area, Delhi - 52	Pickling of SS sheets	Not submitted	Not applied/obtained	CTO obtained. Valid upto 27.06.2007.	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3072.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies	No reply received.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008

								observed during inspection have been rectified. Ask the unit to apply for CTE.		
94	Rafik Kitchen Accessories (previously as Rafiq Electroplating),	C- 60/5, Wazirpur Indl. Area, Delhi - 52	Electroplating (Job work of Ni- Cr plating) and buffing.	Not submitted	Not applied/obtained	CTO on 17.05.2007 vide I.D. No. 21382.	Appied on 17.05.2007 vide I.D. No. 4289.	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Unit has submitted letter on 10.03.2008 and informed that they have installed 2 nos buff machine at premises and we havea also installed the APCS(Bag House) for Buff Machine and also submitted the noise monitoring reports. Neither submitted BG nor applied for CTE.	Issue reminder to the unit to file Bank Guarantee & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008
95	Raunaq Motors	B-89, Wazirpur Indl. Area, Delhi - 52	Service Station	Not submitted	Applied for CTE on 20.03.2008 vide I.D. No. 25277.	CTO obtained 10.06.2003. Valid upto 23.07.2005. CTO(R) on 18.07.2005 vide I.D. No. 15198.	Applied for renewal of authorization on 07.08.2006 vide I.D. No. 3177.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the	Unit has submitted its reply on 24.03.2008 along with an affidavit stating that they are complying with the provisions of Air Act, Water Act and HWM Rules and the same will be done in future & rectified the deficiencies found during the inspection	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008

								deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP and applied for CTE on 20.03.2008 vide I.D. No. 25277. Unit has requested to either reduce the BG amount upto 50 % of the demand or give 120 days for the submission of BG.	
96	S.V. Industries	A-59, Group , Wazirpur Indl. Area, Delhi - 52	Pickling, & Re-Rolling of S.S.Sheets	Not submitted	Applied for CTE on 18.03.2008 vide I.D. No. 25232.	CTO on 25.08.2006 vide I.D. No. 19141.	Applied for renewal of authorization on 10.08.2006 vide I.D. No. 3261.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Unit has submitted its reply on 24.03.2008 along with an affidavit stating that they are complying with the provisions of Air Act, Water Act and HWM Rules and the same will be done in future & rectified the deficiencies found during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. Unit has requested to either reduce the BG amount upto 50 % of the demand or give 120 days for the submission of BG and applied for CTE on	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008

									18.03.2008 vide I.D. No. 25232.	
97	Saraswati Traders	A-96/2, Wazirpur Indl. Area, Delhi - 52	Annealing, Re-Rolling & Pickling of S.S.Sheets	Not submitted	CTE on 27.03.2008 vide I.D. No. 25334	CTO obtained. Valid upto 01.07.2007.	Applied for renewal of authorization on 24.08.2006 vide I.D. No. 3432.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Unit has submitted its reply on 18.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. Applied for CTE on 27.03.2008 vide I.D. No. 25334. However, BG not submitted.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
98	Shri Luxmi Industries	A-39, Wazirpur Indl. Area, Delhi - 52	Cold Re-Rolling and Pickling of S.S.Sheets	Not submitted	Applied for CTE on 19.03.2008 vide I.D. No. 25269	CTO on 10.11.2004 vide I.D. No. 12099.	Applied for renewal of authorization on 10.08.2006 vide I.D. No. 3260.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and	Unit has submitted its reply on 20.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has been	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008

								also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	connected to conveyance system leading to CETP. Unit has also requested either reduce the BG amount upto 50 % of the demand or give 120 days time as they are facing very crucial / struggling period. Applied for CTE on 19.03.2008 vide I.D. No. 25269.	
99	Singhal Udyog	B- 70, Wazirpur Indl. Area, Delhi - 52	Annealing, re-rolling & Pickling.	Not submitted	CTE on 18.03.2008 vide I.D. No. 25228	CTO obtained. Valid upto 01.08.2005. CTO(R) on 25.07.2005 vide I.D. No. 15584.	Applied for renewal of authorization on 14.07.2006 vide I.D. No. 2811.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Unit has submitted its reply on 19.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has been connected to conveyance system leading to CETP. Unit has also requested either reduce the BG amount upto 50 % of the demand or give 120 days time as they are facing very crucial / struggling period. Unit has applied for CTE on 18.03.2008 vide I.D. No. 25228.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008

100	Tirupati Metal	B-8, Group, Wazirpur Indl. Area, Delhi - 52	Pickling , Annealing and Cold Re-Rolling of S.S.Sheets	Not submitted	CTE on 14.03.2008 vide I.D. No. 25206.	CTO on 20.12.2006 vide I.D. No. 20238 along with condonation fee for 10 years.	Appied on 20.12.2006 vide I.D. No. 4176.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Unit has submitted its reply on 14.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP and also requested to reduce the amount of BG as it is a small unit. Applied for CTE on 14.03.2008 vide I.D. No. 25206.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
101	U.S. Enterprises	B-72/3, Wazirpur Indl. Area, Delhi - 52	Electroplating (job work) with buffing	Not submitted	Not applied/obtained	CTO obtained. Valid upto 22.08.2007. CTO(R) on 22.08.2007 vide I.D. No. 23224.	Authorization obtained. Valid upto 30.07.2008.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Unit has submitted its reply on 17.03.2008 & requested to reduce the amount of BG to Rs. 20,000 in lieu of Rs. One Lakh under each of the three acts and grant the period of 3 months to arrange the BG. Unit has also informed that unit has already been connected with the conveyance system leadking to CETP and will send the desired affidavit within a week. Affidavit not yet received.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008

102	Vijay Enterprises	A-15, Group, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets Pickling stopped as per SIT	Not submitted	Applied for CTE on 25.03.2008 vide I.D. No. 25306.	CTO on 24.02.2006 vide I.D. No. 17833	Applied for renewal for authorization on 07.08.2006 vide I.D. No. 3178. Not applicable as pickling stopped.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	Unit has submitted its reply on 25.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has been connected to conveyance system leading to CETP. Unit has also requested either to reduce the BG amount upto 50 % of demand or to give 120 days time for submission of BG as they are facing very crucial / struggling period and applied for CTE vide I.D. No. 25306.	Issue reminder to the unit to file Bank Guarantee by 15.04.2008. Take up on 15.04.2008
103	Prime Industries	C-44, Wazirpur Indl. Area, Delhi - 52	Annealing & Pickling	Not submitted	Not applied/obtained	CTO on 02.08.2002 vide I.D. No. 3170. CTO (R) on 19.01.2007 vide I.D. No. 24241.	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3371.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified.	No reply received.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008

								Ask the unit to apply for CTE.		
104	Subash Goel	B-29/2 (Back Side), Wazirpur Indl. Area, Delhi - 52	Pickling of S.S.Sheets	Not submitted	Not applied/obtained	CTO(R) on 23.08.2007 vide I.D. No. 23236.	Applied for renewal for authorization on 15.09.2006 vide I.D. No. 3591.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that the deficiencies observed during inspection have been rectified. Ask the unit to apply for CTE.	No reply received.	Issue reminder to the unit to file Bank Guarantee, affidavit w.r.t. rectification of deficiencies found during the inspection & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008
105	Sh. Bhupinder(M/s Jain Steel Udyog)	Shed no, 71 DSIDC, Wazirpur Industrial Area	Steel Untenslis	Unit claims BG is not required as there is no buffing activity.	Not applied/obtained	CTO(R) under Green Category on 13.06.2005 vide I.D.No. 14442.	Not applicable	SIT to inspect and report.		SIT to inspect & report by 15.04.2008.

Sl. No	Name of Industry / Unit	Address	Activity	BG Submitted	CTE status	Consent Status	Status of authorization	Decision on 26.02.2008	ATR FOR 28.3.2008	Decision on 28.3.2008
1	Arihant Industries C- 60/1, Wazirpur Indl. Area, Delhi - 52	A- 101/1A, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	BG of Rs. Three Lakh submitted on 28.09.2007.	CTE on 01.01.2008 vide I.D. No. 24631.	CTO on 06.08.2007.	06.08.2007.	Consent to Establish & authorization granted. Revoke the directions and restore the power / water supply.	CTE and authorisation issued apart from issuing revocation of electricity supply	Call in June, 2008.
2	Gupta Enterprises	B-47/2, Group	Annealing, Re-Rolling & Pickling of SS Sheets.	BG submitted on 21.11.2007	CTE on 21.11.2007 vide I.D. No. 24275.	CTO was valid up to 30.9.2005. CTO(R) 28.09.2007.	Applied for authorization on 26.07.2006 vide I.D. No. 2948.	Unit may be asked to submit an affidavit w.r.t. correction of the deficiency observed during inspection.	Unit has submitted its reply on 18.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP.	Inspection by SIT and call on 15.04.2008.
3	Rana Motors Pvt. Ltd.	A-3	Service Station	BG of Rs. Three Lakh submitted on 22.11.2007	CTE on 15.01.2008 vide I.D. No. 24752.	CTO refused on 09.10.2007. CTO on 24.08.2006 vide I.D. No. 19123.	Refused on 09.10.2007. Applied on 23.01.2008 vide I.D. No. 4469.	Unit be asked to submit revalidated Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. If he files BG , Consent to Establish & authorization	Unit has submitted revalidated Bank Guarantee of Rs. One Lakh each under Air Act, Water Act & HWM Rules on 11.03.2008 valid upto 06.02.2010. Accordingly, Consent & authorization granted and directions	Call in June, 2008.

								granted. Revoke the directions and restore the power / water supply.	revoked.	
4	Sahil Mohit & Co. B-85, Wazirpur Indl.Area, Delhi - 52	B-85, Wazirpur Indl.Area, Delhi - 52	Re-rolling & Pickling	BG of Rs. Three Lakh submitted on 24.12.2007	CTE on 13.2.2008 with ID No. 24929	CTO on 09.11.2004 vide I.D. No. 12091.	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3365.	Unit may be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future.	Unit has submitted its reply on 20.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection. However, affidavit w.r.t. comply with the provisions of Air / Water & HWM Rules in future & unit connected to conveyance system leading to CETP have not been submitted.	Reminder be issued asking the unit to submit an affidavit to the effect that it will comply with the provisions of all the Pollution Control Laws and connection to conveyance system.
5	Scorpion Iron Steel Pvt. Ltd.	A- 135, Wazirpur Indl. Area, Delhi - 52	Manufacturing of utensils involving Buffing	BG submitted on 26.09.2007.	CTE on 17.09.2007 vide I.D. No. 23528.	CTO revoked on 09.08.2007	Not applicable	Consent to Establish granted. Revoke the directions and restore the power / water supply.	CTE issued apart from issuing revocation of electricity supply	Call in June, 2008.
6	Shiv Shakti Industries	A-84/1, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	BG of Rs. Three Lakh submitted on	CTE on 07.01.2008 vide I.D. No. 24690.	CTO(R) applied on 12.10.2006	Applied for renewal on 28.7.2006	Consent to Establish & authorization granted. Revoke	CTE and authorisation issued apart from issuing revocation	Call in June, 2008.

				23.10.2007.				the directions and restore the power / water supply.	of electricity supply	
7	Shri Sai Enterprises	B-27/2, Group		BG of Rs. Three Lakh submitted on 31.12.2007.	CTE on 07.11.07	CTO (Re) applied on 05.10.2007 vide ID No. 23785	Revocation of authorization on 01.10.2007	Consent to Establish granted. Revoke the directions and restore the power / water supply.	CTE issued apart from issuing revocation of electricity supply	Call in June, 2008.
8	Avtar Refrigeraton Industries C-57/1, Wazirpur Indl. Area, Delhi - 52	C-57/1, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	BG of Rs. Three Lakh submitted on 03.01.2008	CTE obtained on 05.01.2004. Valid upto 05.01.2005. CTO refused on 07.08.2007 vide refusal no. 1646..	CTE obtained on 05.01.2004. Valid upto 05.01.2005. CTO refused on 07.08.2007 vide refusal no. 1646..	Refused on 07.08.2007.	Consent to Establish & authorization granted. Revoke the directions and restore the power / water supply.	CTE and authorisation issued apart from issuing revocation of electricity supply	SIT to inspect & report. Take up on 15.04.2008.
9	Parmod Steel	C-54, GateNo.5,Wazirpur Indl. Area, Delhi - 52	Pickling and Cold Re Rolling of S.S.Sheets	Submitted on 25.02.2008	Obtained CTE on 21.9.2005 valid up to 20.9.06	CTO applied on 20.12.2006	Applied for auth on 20.12.06 with ID No. 4178.	Unit may be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future.	Unit has submitted its reply on 14.03.2008 along with an affidavit stating that they will comply with the provisions of Air Act, Water Act & HWM Rules in future and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP.	SIT to inspect & report. Take up on 15.04.2008.

10	Brij Mohan Ram Mohan A-86/2, WAZIRPUR IND AREA	A-86/2	Pickling & Re-Rolling of SS sheet	Submitted valid up to 06.02.2010 for 3 lakhs	CTE on 27.09.2007 vide I.D. No. 23668.	CTO obtained. Valid upto 30.09.2008. Revoked on 09.2.07	Refused on 09.02.2007	To take up on 28.03.2008.	Unit has submitted Bank Guarantee of Rs. One Lakh each under Air Act, Water Act & HWM Rules on 14.03.2008 valid upto 06.02.2010.	SIT to inspect & report. Take up on 15.04.2008.
11	Dham Dyeing & Bleaching Mills B-63/2, Wazirpur Indl. Area, Delhi - 52	B-63/2, Wazirpur Indl. Area, Delhi - 52	Dyeing , Bleaching and processing of hosiery fabrics	Submitted valid up to 06.02.2010 for 3 lakhs	CTE on 18.09.2007 vide I.D. No. 23543.	CTO refused on 13.9.07	Auth refused on 13.9.07	To take up on 28.03.2008.	Unit has submitted BG of Rs. Fifty Thousand only under each of the three acts valid upto 06.02.2010.	SIT to inspect & report. Take up on 15.04.2008.
12	R.J. Enterprises	A-112, Wazirpur Indl. Area, Delhi - 52	Pickling and Cold Re-Rolling of S.S Sheets	Submitted on 25.02.2008	CTE on 14.12.2007 vide I.D. No 24493	CTO dt 03.10.06 refused on 18.08.2007 vide refusal no. 1667.	Refused on 18.08.2007.	Consent to Establish granted. Revoke the directions and restore the power / water supply.	CTE issued apart from issuing revocation of electricity supply	Call in June, 2008.
13	Rishabh Steel	C-59/2	Pickling of SS Sheets	Submitted valid up to 06.02.2010 for 3 lakhs	CTE on 22.10.2007 vide I.D. No. 23992.		Applied on 08.11.2007 vide I.D. No. 4416.	To take up on 28.03.2008.	Unit has submitted BG of Rs. Three Lakh valid upto 06.02.2010 and an affidavit w.r.t rectify the deficiencies found during the inspection and connection of conveyance system leading to CETP.	SIT to inspect & report. Take up on 15.04.2008.

14	S. K. Steels	B-58, Group, Wazirpur Indl. Area, Delhi - 52	Pickling	Submitted on 25.02.2008	CTE on 31.12.2007 vide I.D. No. 24612.	CTO applied on 16.3.2005 vide ID No. 13018.	Applied on 29.8.06 for renewal.	Unit may be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future.	Unit has submitted its reply on 19.03.2008 along with an affidavit stating that they have rectified all the deficiencies observed during the inspection and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP.	SIT to inspect & report. Take up on 15.04.2008.
15	Swaroop Industries	B-9, Group, Wazirpur Indl. Area, Delhi - 52	Pickling of S.S.Sheets	Not yet submitted.	CTE on 21.09.2007 vide I.D. No. 23597.	—	Applied on 04.02.2005 vide I.D. No. 2306.	To take up on 28.03.2008.	BG not yet submitted though the validity period was intimated.	Issue reminder to the unit to file Bank Guarantee & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008
16	A.V. Metal A-72/2, Wazirpur Indl. Area, Delhi - 52	A-72/2, Wazirpur Indl. Area, Delhi - 52	Re-rolling and pickling of SS sheets	Not sought	CTE on 13.11.2007 vide ID No. 24193	—	—	To take up on 28.03.2008.	SLP filed and listed on 24.3.08. Next date of hearing is 07.4.08 for arguments on admission.	MS to appear before Court on 07.04.2008.
17	Ajit Nath Alloys (P) Ltd.	C- 60/1, Wazirpur Indl. Area, Delhi - 52	Manufacturing of SS utensils (including buffing)	Not sought	CTE on 13.08.2007 vide I.D.No. 23112 under Orange category. CTE under Green category on 21.9.07		Not applicable	SIT to inspect and report.		SIT to inspect & report. Take up on 15.04.2008.

18	Baba Steels A- 14 (Backside), Wazirpur Indl. Area, Delhi - 52	A- 14 (Backside), Wazirpur Indl. Area, Delhi - 52	Pickling (unit found closed & locked from outside .Unit non operational)	Not sought	CTE on 28.11.07 vide ID No. 24342	CTO refused on 18.08.2007 vide refusal no. 1659.	Applied for renewal on 18.08.2006 vide I.D. No. 3351.	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010.	Unit has submitted its reply along with an affidavit on 14.3.2008 & informed that unit is still closed and no activity is carried out. Whenever they start unit they will inform about the same. Unit has not submitted BG so far. Informed about the connection to conveyance system.	Issue last reminder to the unit to file Bank Guarantee & affidavit to the effect that the unit is connected to conveyance system by 15.04.2008. Take up on 15.04.2008
19	Bhalla Hosiery Factory B-40, Group, Wazirpur Indl. Area, Delhi - 52	B-40, Group, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	—	CTE on 18.09.2007 vide I.D. No. 23542.	CTO refused on 09.08.2007 vide refusal no. 1655. CTO on 21.08.2007 vide I.D. No. 23212.	—	SIT to inspect and report.		SIT to inspect & report. Take up on 15.04.2008.
20	Gee Aar Industries A-9/3	A-9/3	Mfg A cotton thread, Mercerizing, and Bleaching.	Not sought	CTE on 28.12.2007 vide I.D. No. 24606.	CTO refused on 30.11.2007	Refused on 30.11.2007	Seek compliance from NDPL/DJB.	A letter received from NDPL on 17.03.2008 with remarks "no connection exists at site in this name" No report from DJB received.	Seek compliance from DJB.

21	Hari Ram	C-40/3	Pickling of SS Sheets	Not yet submitted.	CTE on 31.12.2007 vide I.D. No. 24620.	CTO refused on 09.12.2005.	Applied for renewal on 18.08.2006 vide I.D. No. 3367.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. .	No reply submitted	Issue last reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of all pollution control laws in future by 15.04.2008. Take up on 15.04.2008
22	Hariom Industries	C- 60/3, Wazirpur Indl. Area, Delhi - 52	Manufacturing of SS utensils (involving buffing)	Not sought	CTE on 20.9.2007 vide ID No. 23580	Only CTE applied	Not applicable	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand under Air Act valid upto 06.02.2010 and also submit an affidavit to the effect that he will comply with the provisions of Air Act in future. .	Unit has submitted BG of Rs. 50000 valid upto 06.02.2010 and an affidavit to comply with the provisions of Air Act in future and connection of conveyance system leading to CETP.	SIT to inspect & report. Take up on 15.04.2008.

23	Parasmani Steel Job Works	B-33/3, Group, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Not Sought	CTE on 11.09.2007 vide I.D. No. 23462.			Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also submit adequacy report & effluent analysis report for ETP and an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. .	No reply submitted	Issue reminder to file Bank Guarantee, adequacy report of ETP and Effluent analysis report & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008
24	Shakti Industries	C-9/4,	Re-Rolling and Pickling of SS Sheets.	Not Sought	CTE on 14.12.07	CTO valid up to 01.8.05. Applied for CTO(R) on 08.10.2007 vide I.D. No. 23808.	—	Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also submit an affidavit to the effect that he will comply with the provisions of Air Act in future. ..	Unit has submitted its reply on 19.03.2008 & informed that they have stopped pickling activity in year 2004 and not doing pickling activity in premises. Also informed that unit has already been connected to conveyance system laid down by DJB leading to WIA CETP and also requested to withdraw the	Issue reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008

									direction. Unit has neither submitted BG nor submitted affidavit.	
25	Vishal Industries	C-55/1, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets	Not Sought	CTE on 10.09.2007 vide I.D. No. 23442.	CTO refused on 20.07.2007 vide I.D. No. 22638.		Unit be asked to submit Bank Guarantee of Rupees Fifty Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. ..	No reply submitted	Issue reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008
26	Goyal Enterprises	B-7, Group	Pickling & Re-Rolling of SS sheet	BG of Rs. Three Lakh submitted on 24.10.2007.	CTO(R) obtained. Valid upto 11.08.2008.	CTO(R) obtained. Valid upto 11.08.2008.	Applied for renewal of authorization on 26.07.2006 vide I.D No. 2943	Revalidated Bank Guarantee valid upto 06.02.2010 to be sought.	Unit has submitted its reply on 20.03.2008 along with an affidavit stating that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. Revalidated BG valid upto	Consent to Establish granted.

									06.02.2010 submitted	
27	Hari Ram Babu Lal	B-63	Pickling , Annealing & Re- Rolling of SS sheet	BG of Rupees Two Lakh submitted on 29.10.2007	CTE on 14.03.2008 vide I.D. No. 25202	CTO(R) obtained. Valid upto 01.08.2008. CTO on 04.10.2006 vide I.D. No. 19489.	Applied on 04.10.2006 vide I.D. No. 3759	Unit be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.	Unit has submitted its reply on 14.03.2008 along with an affidavit stating that they will comply with the pollution control norms in future and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. Unit has also applied for CTE on 14.03.2008 vide I.D. No. 25202.	SIT to inspect & report. Take up on 15.04.2008.
28	S.K. Enterprises	A-126/1	Pickling, Annealing & Re- Rolling of SS sheet	BG submitted on 08.10.2007	Not applied/obtained	CTO (Renewal) obtained. Valid upto 26.7.2008.	Applied for renewal of authorization on 03.08.2006 vide I.D. No. 3110.	Revalidated Bank Guaranteee valid upto 06.02.2010 to be sought.	Unit has submitted its reply on 18.03.2008 along with an affidavit stating that they will comply with the provisions of Air Act, Water Act & HWM Rules in future and also informed that unit has already been connected to	SIT to inspect & report. Take up on 15.04.2008.

									conveyance system laid down by DJB, leading to WIA CETP. Unit has also submitted revalidated BG of Rupees Three Lakh valid upto 06.02.2010.	
29	Parkash Re-Rolling Works	A-131, Group, Wazirpur Indl. Area, Delhi - 52	Re-rolling and pickling of SS sheets	Not Sought	Not yet applied	CTO refused on 18.08.2007 vide refusal no. 1661..	Refused on 18.08.2007	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.	No reply submitted	Issue reminder to file Bank Guarantee, application for Consent to establish & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008
30	Prem Dyeing	A- 13, Wazirpur Indl. Area, Delhi - 52	Dyeing (Premises found closed, unit not operating)	unit closed	Not applied/obtained	CTO(R) on 09.04.2007 vide I.D. No. 21011.		Disconnection of power / water supply & cancellaton of MCD license.	Letter issued. No compliance from MCD received.	Seek compliance from MCD.

31	Bhagwati Steels B-28/4, WIA	B-28/4	Pickling, Annealing & Re-Rolling of SS sheet	Revalidated BG of Rs. Three Lakh submitted on 19.03.2007	Applied for CTE on 20.03.2008 vide I.D. No. 25278.	CTO on 25.07.2005.	Renewal of authorization on 12.07.2006 vide I.D. No. 2758.	Unit be asked to submit an affidavit affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.	Unit has submitted its reply on 24.03.2008 along with an affidavit stating that they are complying with the provisions of Air Act, Water Act and HWM Rules and the same will be done in future and also informed that unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP and also applied for CTE on 20.03.2008 vide I.D. No. 25278.	SIT to inspect & report. Take up on 15.04.2008.
32	Ganpati Rolling Mill A-98/6, Wazirpur Ind Area	A-98/6	Pickling & Re- Rolling of SS sheet	Revalidated BG of Rs. Three Lakh submitted on 29.10.2007	CTE on 11.03.2008 vide I.D. No. 25151.	CTO(R) on 16.05.2007 vide I.D. No. 21335	Applied for renewal of authorization on 18.08.2006 vide I.D No. 3353	Revalidated Bank Guarantee valid upto 06.02.2010 to be sought. Unit be asked to submit an affidavit affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.	Applied for CTE on 11.03.2008 vide I.D. No. 25151. No reply submitted.	Issue reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008

33	Kusum Steel Co.	C-57, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	BG of Rs. Three Lakh submitted on 23.08.2007	Not applied/obtained	CTO on 11.01.2005 vide I.D. No. 12421.	Applied for renewal of authorization on 11.01.2005 vide I.D. No. 2265.	Revalidated Bank Guarantee valid upto 06.02.2010 to be sought. Unit be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.	No reply submitted	Issue reminder to file Bank Guarantee, application for Consent to establish & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008
34	Metal Fabricators	A-85/3	Pickling, Annealing & Re- Rolling of SS sheet	Revalidated BG submitted on 29.10.2007	Applied for CTE on 20.03.2008 vide I.D. No. 25279.	CTO on 24.01.2005 vide I.D. No. 12494	Applied on 20.09.2006 vide I.D. No. 3637	Unit be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.	Unit has submitted its reply on 20.03.2008 along with an affidavit stating that all pollution control system will be kept operational at all times in future and unit has already been connected to conveyance system laid down by DJB, leading to WIA CETP. Applied for CTE on 20.03.2008 vide I.D. No. 25279.	SIT to inspect & report. Take up on 15.04.2008.

35	Mitul Industries	A-124	Pickling, Annealing & Re-Rolling of SS sheet	Extension letter for BG submitted on 01.10.2007. BG not revalidated up to 06.02.2010.	Applied for CTE on 19.03.2008 vide I.D. No. 25262.	CTO(R) on 01.08.2005 vide I.D. No. 15868.	Applied for renewal of authorization on 09.12.2006 vide I.D. No. 3248.	Revalidated Bank Guarantee valid upto 06.02.2010 to be sought. Unit be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.	Applied for CTE on 19.03.2008 vide I.D. No. 25262. No reply submitted.	Issue last reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008
36	Pooja Rolling Mills	A-90/1, Group	Pickling & Re-Rolling of SS sheet	Revalided BG of Rs. Three Lakh submitted on 29.10.2007	Applied for CTE on 18.03.2008 vide I.D. No. 25220.	CTO(R) on 30.01.2006 vide I.D. No. 17616.	Applied for renewal of authorization on 01.08.2006 vide I.D. No. 3030.	Unit be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.	Applied for CTE on 18.03.2008 vide I.D. No. 25220. Other issues not addressed.	Issue reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008
37	Rahul Udyog	A- 96 / 1A, Wazirpur Indl. Area, Delhi - 52	Annealing, Re-Rolling & Pickling of S.S.Sheets	BG of Rs. Three Lakh submitted on 15.10.2007.	Not applied/obtained	CTO applied on 29.3.2005 vide ID No. 13253	Applied on 28.03.2005 vide I.D. No. 2367.	Unit be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.	Unit has submitted its reply on 18.03.2008 along with an affidavit stating that they will comply with the provisions of Air Act, Water Act & HWM Rules in future and also informed that unit has	Issue reminder to file application for Consent to Establish by 15.04.2008. Take up on 15.04.2008

									already been connected to conveyance system laid down by DJB, leading to WIA CETP. Unit has not applied for CTE so far.	
38	Raj Overseas	C- 60/1, Wazirpur Indl. Area, Delhi - 52	Annealing , re-rolling and pickling of SS sheets and manufacturing of utensils (including buffing)	BG of Rs. Three Lakh submitted on 31.12.2007.	Not applied/obtained	CTO on 01.06.2007.	Applied on 01.06.2007	Unit be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.	No reply submitted	Issue reminder to file application for Consent to establish & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008
39	Satish Kumar	B-70/2	Annealing of SS sheet	Revalidated BG of Rs. 50,000 submitted.	Not applied/obtained	CTO on 31.01.2006 vide I.D. No. 17629.	Not applicable	Unit be asked to submit an additional Bank Guarantee of Rupees Fifty Thousand under Air Act valid upto 06.02.2010. Also Unit be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act in future. Ask the unit to apply for CTE.	Unit has submitted its reply on 24.03.2008 along with an affidavit stating that they are complying with the provisions of Air Act, Water Act and HWM Rules and the same will be done in future & rectified the deficiencies found during the inspection and also informed that unit has already been connected to	Issue reminder to file Bank Guarantee & application for Consent to Establish by 15.04.2008. Take up on 15.04.2008

									conveyance system laid down by DJB, leading to WIA CETP . Unit has requested to either reduce the BG amount upto 50 % of the demand or give 120 days for the submission of BG.Not applied for CTE on 20.03.2008	
40	Shriram Rolling Mill	A-93/14	Pickling & Re-Rolling of SS sheet	Revalidated BG of Rs. Three Lakh submitted on 29.10.2007	Applied for CTE on 25.03.2008 vide I.D. No. 25299.	CTO on 01.06.2006 vide I.D. No. 18355	Applied on 01.06.2007 vide I.D. No. 2655.	Unit be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.	Applied for CTE on 25.03.2008 vide I.D. No. 25299. Affidavit not submitted.	Issue reminder to file an affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008
41	Vinayak Industires	C-36/1	Re- Rolling & Pickling of SS sheet	BG of Rs. Three Lakh subitted 29.10.2007.	CTE on 18.03.2008 vide I.D. No. 25226	CTO applied on 02.8.02 and 25.6.04 CTO valid up to 24.6.07. CTO(R) on 11.06.2007 vide I.D. No. 21775.	Applied on 23.12.2003 & 25.04.2005 vide I.D. No. 192 & 2387 respectively.	Unit be asked to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.	Unit has submitted its reply on 18.03.2008 along with an affidavit stating that they will comply with the provisions of Air Act, Water Act & HWM Rules in future and also informed that unit has already been connected to	SIT to inspect & report. Take up on 15.04.2008.

									conveyance system laid down by DJB, leading to WIA CETP. Unit has also applied for CTE on 18.03.2008 vide I.D. No. 25226.	
42	Rajkumar Hosiery	A-128, Group, Wazirpur Indl. Area, Delhi - 52	Dyeing , Bleaching and processing of hosiery clothes	Not submitted.	Not applied/obtained	CTO applied on 26.7.02 CTO renewal applied on 30.9.05	Applied for renewal on 02.8.06 vide Id No.3077	To take up on 28.03.2008.	BG of Rs. 1.5 lakhs not yet submitted	Issue reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008
43	Sh. Gaurav(Proprietor of pickling unit)	C-55/1 (back side portion),Wazirpur Indl. Area, Delhi - 52	Pickling of S.S.Sheets	Submitted valid up to 06.02.2010 for 3 lakhs	Not applied/obtained	CTO applied.	Not applied.	To take up on 28.03.2008.	Unit has submitted BG of Rs. One Lakh under Air Act valid upto 06.02.2010.	SIT to inspect & report. Take up on 15.04.2008.
44	A.N. Steel Industries A-95, Wazirpur Indl. Area, Delhi - 52	A-95, Wazirpur Indl. Area, Delhi - 52	Re-Rolling of S.S.Sheets(Pickling stopped)	Not sought	Not applied/obtained	Refused on 31.07.2006		To seek compliance from DJB.	Letter issued. No compliance report received.	Seek compliance from DJB.

45	Abhinandan Steel A-124, II & III floor,Wazirpur Indl. Area, Delhi - 52	A-124, II & III floor,Wazirpur Indl. Area, Delhi - 52	Manufacturing of steel utensils (involving buffing)	Not sought	Not applied/obtained	CTO revoked on 09.08.2007 vide revocation no. 1651.	Not applicable	SIT to inspect and report about the existence of buffing activity.		SIT filed inspection report before the Committee. Unit closed. Other units M/s Adhinath Works on 2 & 3 floor & M/S Mittal Inds on 1 floor are operating without consent. Notices may be issued asking them to apply for Consent to Establish.
46	Jain Udyog	B-41, Group, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	Not sought	CTE refused on 29.11.07	CTE refused on 29.11.07	Not applied.	Seek compliance from NDPL for disconnection of power supply in the name of the unit.	Letter issued. A letter received from NDPL with remarks "Unit with different name exist at site".	SIT to inspect & report. Take up on 15.04.2008.
47	Laxmi Chand Hosiery Factory	A-97 / 2, Wazirpur Indl. Area, Delhi - 52	Buffing on S.S.Utensils(knitting of socks is also being carried out)	Not Sought	Not applied/obtained	CTO on 25.07.2007 vide I.D. No. 22799 under Green Category.	—	SIT to inspect to verify the activity being carried out.		Unit closed. Other unit engaged in knitting activity may be issued notice asking to apply for Consent to Establish.
48	Laxmi Rolling Mills	A-90/3, Group	Pickling & Re-Rolling of SS sheet	Revalided BG submitted on 29.10.2007	CTE on 18.03.2008 vide I.D. No. 25233	CTO on 12.03.2003 vide I.D. No. 7956. Unit deptsited the fee for further three years on 17.08.2006	Applied for renewal of authorization on 07.08.2006 vide I.D. No. 3179.	Unit be asked to submit an affidavit affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the	Unit has submitted its reply on 19.03.2008 along with an affidavit stating that they are complying with the provisions of Air Act, Water Act & HWM Rules and	SIT to inspect & report. Take up on 15.04.2008.

						as sought by DPCC.		unit to apply for CTE.	the same will be done in future also and they have also rectified all the deficiencies observed during the inspection and also informed that unit has been connected to conveyance system leading to CETP. Unit has applied for CTE on 18.03.2008 vide I.D. No. 25233.	
49	Mittal Dyeing and Processing Mills	A-94/1, Wazirpur Indl. Area, Delhi - 52	Dyeing , Bleaching and processing of hosiery clothes	Not yet submitted.	CTE on 26.03.2008 vide I.D. No. 25319 under Green Category	CTO valid up to 28.11.2003 CTO(R) applied on 22.3.2005	Applied for renewal on 01.08.2006 vide I.D. No. 3027.	To take up on 28.03.2008.	Unit has submitted an affidavit on 27.03.2008 & informed that they have stopped the job work of hosiery dyeing now activity may be read as mfg. of cloth garments including under garments. The said activity falls under Green category for which they have applied for CTE under Green Category on 26.03.2008 vide I.D. No. 25319 and requested earlier consent application along	Issue reminder to file Bank Guarantee & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008

									with authorization application for the activity of dyeing of hosiery goods may be treat as null & void. BG of Rs. 1.5 lakhs not yet submitted	
50	Rafiq Electroplating	C- 59/2, Wazirpur Indl. Area, Delhi - 52	Unit shifted.(Premises found vacant.)	Not sought	Not applied/obtained	CTO refused on 07.08.2007 vide refusal no. 1643.	Refused on 07.08.2007.	To seek compliance from MCD.	Letter issued . No compliance report received	Seek compliance from MCD.
51	Sh. Paras and Sh. Mohd. Latif & (M/s Krishna Metal Industries)	A-40, Wazirpur Industrial Area	Steel Rolling Annealing Re - Rolling & Pickling	Not Sought	Applied for CTE on 24.03.2008 vide I.D. No. 25290.	CTO obtained. Expired on 02.12.2007.	Applied for renewal of authorization on 18.08.2006 vide I.D. No. 3355.	SIT to inspect Sh. Paras & Sh. Mohd. Latif and report. Ask M/s Krishna Metal to apply for Consent to Establish.	Krishna Steel applied for CTE on 24.03.2008 vide I.D. No. 25290.	SIT to inspect & report. Take up on 15.04.2008.
52	Shiv Industires	B-7 (Back side), Group, Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets (Presently unit is not in operation)	Not Sought	Not applied/obtained	CTO was valid up to 06.6.07. CTO(R) on 11.07.2007 vide I.D. No. 22316.	Applied for renewal of authorization on 09.08.2006 vide I.D. No. 3245.	To seek compliance of disconnection against this name. SIT to inspect and report about all the units operating in the premises.		SIT to inspect & report. Take up on 15.04.2008.

53	Shree Krishna Enterprises	Shed no. 75 (DSIDC Sheds), Wazirpur Indl. Area, Delhi - 52	Rolling. Pickling proposed.	Not submitted.	Not applied/obtained	Refused on 09.08.2007 vide refusal no. 1659.	Refused on 09.08.2007.	Unit be asked to submit Bank Guarantee of Rupees Seventy Five Thousand each under Air Act, Water Act & HWM Rules valid upto 06.02.2010 and also to submit an affidavit to the effect that he will comply with the provisions of Air Act, Water Act & HWM Rules in future. Ask the unit to apply for CTE.	No reply submitted	Issue reminder to file Bank Guarantee, application for Consent to Establish & affidavit to the effect that it will comply with the provisions of Air Act, Water Act & HWM Rules in future by 15.04.2008. Take up on 15.04.2008
54	Vardhman Impex	A-38, Wazirpur Indl. Area, Delhi - 52	Re-rolling and pickling of SS sheets	Not Sought	CTE on 18.03.2008 vide I.D. No. 25217.	CTO refused on 18.08.2007 vide refusal no. 1660.	—	Unit be asked to submit Bank Guarantee of Rupees One Lakh each under Air Act, Water Act & HWM Rules valid upto 06.02.2010. Ask the unit to apply for CTE. SIT to inspect and report.	Applied for CTE on 18.03.2008 vide I.D. No. 25217.	SIT to inspect & report. Take up on 15.04.2008.
55	Vardhman Metal	B-50, Group	Pickling	Not Sought	CTE on 28.02.2008 vide I.D. No. 25059.	CTO on 21.07.2004 vide I.D. No. 11088.	Applied on 29.08.2007 vide I.D. No. 3426.	SIT to inspect and report.	Applied for CTE on 28.02.2008 vide I.D. No. 25059.	SIT to inspect & report. Take up on 15.04.2008.

56	Vijay Industries	B-71, Wazirpur Indl. Area, Delhi - 52	Annealing & Pickling	3 lakhs submitted valid up to 06.02.2010	Not applied/obtained	CTO applied on 02.5.2005.	Applied on 27.4.05 vide ID No. 2390	To take up on 28.03.2008.	Unit has submitted Bank Guarantee of Rs. One Lakh each under Air Act, Water Act & HWM Rules on 29.02.2008 valid upto 06.02.2010.	Ask unit to apply for Consent to Establish.
57	W.C. Steel	B-70/2	Pickling of SS sheet	Not Sought	Not applied/obtained	CTO refused on 19.09.2007	Refused on 19.09.2007	Seek compliance.	Letter issued. No compliance report received.	Seek compliance.
58	R. K. Hosiery A-69, Group, Wazirpur Indl. Area, Delhi - 52	A-69, Group, Wazirpur Indl. Area, Delhi - 52	Dyeing and bleaching of cotton hosiery fabric.	Not sought	CTE under Green Category on 14.12.2007 vide I.D. No. 24494.	CTO (R) obtained. Valid upto 29.11.2007	Applied for renewal of authorization on 02.08.2006 vide I.D. No. 3067.	SIT to inspect to verify the closure of polluting activity.		SIT to inspect & report. Take up on 15.04.2008.
59	R.N. Gupta & Co.	A-125	Pickling & Annealing of SS sheet	Not sought	CTE under Green category on 17.1.08 vide ID No. 24773.	CTO refused on 08.01.2007 vide refusal no. 1578.	Refused on 05.01.2007.	No action by this Committee.		No action. Remove from the list.
60	Bhagwati Industries A-101/5, Wazirpur Indl. Area, Delhi - 52	A-101/5, Wazirpur Indl. Area, Delhi - 52	unit closed	unit closed	unit closed	—	—	To seek compliance from NDPL/DJB.	Letters sent. A letter was received from NDPL with remarks "units with different name exist at site."	SIT to inspect & report. Take up on 15.04.2008.
61	Durga Industries A-100/2, Wazirpur Indl. Area, Delhi - 52	A-100/2, Wazirpur Indl. Area, Delhi - 52	unit closed	unit closed	unit closed	—	—	SIT to inspect new unit at the site.		No action. Disconnect electricity / water supply in the name of the unit.

62	Ganesh A-79, Group, Wazirpur Indl. Area, Delhi - 52	A-79, Group, Wazirpur Indl. Area, Delhi - 52	Unit Closed	unit closed	unit closed	–	–	To seek compliance from NDPL/DJB.	Letters sent. A letter was received from NDPL with remarks "units with different name exist at site."	Call for complinace.
63	Ganpati Industries B-27/2, Group,Wazirpur Ind Area	B-27/2, Group	Unit does not exist.	Not sought	Unit does not exist.	Unit does not exist.	Unit does not exist.	No action.		No action.
64	K.C. Steel	B-31, Group, Wazirpur Indl. Area, Delhi - 52	Buffing on S.S. Utensils.	Not sought	Premises vacant.	Revocation of consent on 09.08.2007.	Not applicable	To seek compliance from MCD.	Letter sent. No compliance report received.	Call for complinace.
65	Kirti Industries	A-100/1,Wazirpur Indl. Area, Delhi - 52	unit closed	unit closed	Unit found closed by SIT	Unit found closed by SIT	–	SIT to inspect two new units & report.		Unit closed. Other units operating in the premises,notices may be issued seeking Consent to Establish.
66	Manoj Steel Industries	B-5, Group, WIA, Delhi	unit closed and shifted.	unit closed	unit closed and shifted.	–	–	To seek compliance from NDPL/DJB.	Letters sent. A letter was received from NDPL with remarks "No firm exists at site."	Call for complinace.
67	Om Steel Rolling Works	A-96/10, Wazirpur Indl. Area, Delhi - 52	No Indl Activity observed(Premises is being used for godown & One Transport Company exists)	–		CTO refused on 18.08.2007 vide refusal no. 16640.		To seek compliance from NDPL/DJB.	Letters sent. A letter was received from NDPL with remarks "units with different name exist at site."	SIT to inspect & report. Take up on 15.04.2008.

68	Rajinder	C- 60/2 (Backside portion), Wazirpur Indl. Area, Delhi - 52	Manufacturing of Hinges (including pickling activity)	Unit does not exist.	Unit does not exist.	Unit does not exist.	Unit does not exist.	SIT to inspect and report about the operational status of Sh. Rajinder in the premises.		SIT to inspect & report. Take up on 15.04.2008.
69	Sobti Associates B-78, Wazirpur Indl. Area, Delhi - 52	B-78, Wazirpur Indl. Area, Delhi - 52	Pickling (unit found closed / site found vacant)	Not sought	Unit closed.	CTO refused on 06.08.2007 vide I.D. No. 1638	Unit closed.	SIT to inspect and report.		SIT to inspect & report. Take up on 15.04.2008.
70	Sun Flower Steel Industries	A-81/1, Wazirpur Indl. Area, Delhi - 52	Unit closed & shifted.No Indl Activity observed. Premises found vacant	unit closed	Unit closed	—	—	SIT to inspect new unit at the site.		SIT to inspect & report. Take up on 15.04.2008.
71	Swastik Enterprises	B-63, Wazirpur Indl. Area, Delhi - 52	Pickling of SS sheets (Unit found closed, Pickling not found at site)	unit closed	Unit closed	—	—	No action.		No action.
72	Sh. Charat / Sadanand (Proprietor of pickling unit)	C-55/1 (front portion),Wazirpur Indl. Area, Delhi - 52	Pickling of S.S.Sheets	—	—	—		SIT to inspect new unit at the site.		SIT to inspect & report. Take up on 15.04.2008.

73	Sterling Auto Engineering	B-69/1, Wazirpur Indl. Area, Delhi - 52	Manufacturing of piston rings (involving electroplating, grinding and buffing)	Not Sought	–	–		To seek compliance from DJB.	Letter issued. No compliance report received.	Seek compliance.
----	---------------------------	---	--	-------------------	---	---	--	------------------------------	---	------------------

Sl. No	Name of Industry / Unit	Address	Activity	Inspection by SIT or not	Earlier CMC decision	Decision on 29.02.08	ATR FOR 28.3.2008	Decision on 28.3.2008
1	Mahavir Agency	A-109/2	Unit Closed	17.9.2007	Both record and inspecting team found unit closed. Wrt CMC's order dated 29.01.07 for closure and cancellation of MCD license, compliance report received from NDPL and DJB.	Issue reminder.	A letter received from NDPL on 17.03.2008 with remarks "unit with different name exists at site and no connection in the name of M/s Mahavir Agency exist".	No action.
2	Jagdish & Co.	C-39/1	Unit Closed	17.09.2007	Inspection team found closed unit. Consent and authorization be refused and issue letter for disconnection of electricity & water supply and cancellation of MCD license.	Seek compliance from the authorities.	A letter was received from NDPL on 19.03.2008 with remarks that "Not Traceable".	SIT to inspect & report. Take up on 15.04.2008.
3	Ravi Steel Industries	Shed no. 69((DSIDC Sheds), Wazirpur Indl. Area, Delhi - 52	Rolling & Pickling	20.11.2007	Issue letter for applying for Consent to Establish.	Take up along with other CBI reference cases.	CBI Reference Case.	Take up along with CBI reference cases.
4	Pawan Kumar	A-87/1	Plastic injection moulding	28.8.2007	Directions u/s 31(A) of Air Act(invoking rule 20 A (6)) for closure of the unit and for disconnection of electricity and water supply to the unit . Letter for cancellation of MCD license in the name of the unit. <i>Being dealt along with District Court cases.</i>	No action.	No action	No action.

5	Vikash Steel	B-17/2	Unit Closed	17.09.2007	Applied for consent to operate and was valid up to 17.1.05. Not applied for renewal and also for the authorization. Inspection team found no such unit. In view of above, no action is required. Issue letter for disconnection of electricity and water supply to the unit. MCD be asked to cancel the license in the name of the unit.	CMC official will help NDPL to disconnect the power supply.	CMC officials accompanaid NDPL officials and found address not traceable. A letter was received from NDPL on 19.03.2008 with remarks that "Not Traceable".	SIT to inspect & report. Take up on 15.04.2008.
6	Puri Hosiery Works	A-9/1	Unit closed	17.09.2007	Inspecting team found the unit closed. CMC to track the file and take up in next CMC meeting. Inspection team found Sunil Hosiery Factory. He may be asked to apply for consent to establish under green category.	Shift the case to Green category.	No action	No action. Remove from list.
7	Tonika Automobiles	A-15, Wazirpur Industrial Area	Service Station	28.09.2007	Applied for renewal of consent and authorisation. Special inspection team obseved all the pollution control measures O.K and found operational. Issue consent for renewal and renewal for authorization. Complaint received against unit. CMC decided to get inspection of the unit by SIT. No report received as yet.	Take up in CMC on 10.03.2008 after inspection by SIT.		SIT to inspect & report. Take up on 15.04.2008.

