

Minutes of the 42nd meeting of the Committee Constituted for Deciding the Consent under Orange Category, held on 29.02.2008 in the Conference Room of Chairman, DPCC.

The following persons attended the meeting on 29.02.2008:

1. Sh. J. K Dadoo, Chairman DPCC
2. Sh. K. Mahesh, Member Secretary, DPCC
3. Sh. S.K.Gupta, Head Chemical Engineering Deptt. ,IIT Delhi
4. Sh. B. Kumar, SEE, DPCC
5. Sh. M. Dwarakanath, SSO, Deptt of Env., GNCTD
6. EEs CMC – I, II & III.
7. EE and AEEs of PGRC.
8. Sh. DK Singh, EE
9. AEEs and JEE of CMC – I, II & III.

Following decisions were taken in the said meeting:-

Agenda Item No. 1- Special reference cases.

All the 26 cases of this agenda were discussed and the decisions taken are annexed as **Annexure – 1.**

Agenda Item No. 1(1) - Requirement of Consent of DPCC for Commercial and Service Sector. Letter dated 07.02.08 received from office of Commissioner of Industries regarding.

After detailed discussion, the Committee has decided to study the Act with reference to whether it circumvents the provisions of the Air & the Water acts and then put up in the CMC on 28.3.2008.

Agenda Item No.2- Cases of WIA

Decisions taken by the Committee, with respect to this agenda, are annexed as **Annexure – 2.**

Agenda Item No. 3- PGRC cases

Decisions taken against each of the case of this agenda are tabulated and annexed as **Annexure – 3.**

Agenda Item No. 4- Complaint cases of Friends Colony Indl Area.

The Committee has discussed the agenda in detail and with respect to 40 cases of copper wire drawing with super enamelling, a letter may be written to President of RWA of that area to ascertain if they are affected by the smell. Based on the report the cases will be taken up in April CMC.

Out of these 45 cases of first list submitted, the Committee was informed that 10 cases have applied for Consent to Establish of which 08 have been granted consent and two cases are pending. 35 units, out of these 45, have not applied for Consent to Establish. It was decided to issue notices to them to apply for CTE. 07 cases have not applied for CTO(R) and so a decision was taken to issue notices to them to apply for Consent to Operate(Renewal). List of 45 cases, along with the decisions taken in 10 cases is enclosed as **Annexure – IV.**

Out of the remaining 118 cases,the concerned EE of CMC will check how many cases for CTE have not been filed and they may be asked to do so. Similarly, for those who have not applied for CTO & CTO(R) may be asked to do so.

Meeting ended with thanks to the Chair.

Sl.No.	Name & Address	Activity	Earlier Decision, if any	ATR/Remarks	Decision on 29.02.08
1	Laxmi Build Tech P Ltd, H - 33, Green park Extn.,(Commercial Complex at D - 1 and P - 3A, Saket Place)	Commecial Complex	As per decision of CMC meeting dt 05.02.08, letter is to be issued for seeking ECD from MoEF, GOI.	Copy of EC dt 31.01.2008 received on 11.02.08	In this case, the unit was supposed to be issued letter for submitting EIA clearance, but EIA clearance has been received on 06.02.2008. Unit may now be asked to file an affidavit giving item-wise compliance of all the conditions imposed in EIA. This case need not be taken up as special reference case in future and be clubbed with other shopping mall cases in normal course.
2	Laxmi Dall Mills F - 1689, Narela Ind Area, Delhi - 40	Dall Mill		Applied for CTE under Orange category on 05.11.07.	Consent to Establish granted.
3	Knitcraft Apparels International P Ltd, A - 81, naraina Ind Area, Ph - I, N. Delhi - 28	Readymade garments	16.11.2007 Revoke the directions of disconnection of water and power connection. Consent to establish granted provided unit submits Bank Guarantee of Rs. 50000/- under the Water act to substantiate about not doing washing activity (validity of Bank Guarantee for 6 months).	Letters issued in compliance of CMC decision.	To be taken up on 10.03.2008. Unit be asked to expedite submission of BG.
4	L & T Limited, DIAL Project Site, IGI Airport, Terminal - III	Third HMP		L& T has applied, for CTE, for third HMP on 28.12.07 in view of SC order dt 14.12.07. A news clipping received from MoEF vide letter dt 18.1.2008.	Issue notice to the unit to comply with all the deficiencies in fugitive emissions control, noted by the CPCB, and file an affidavit.
5	L & T Limited, DIAL Project Site, IGI Airport, Terminal - III	Two HMPs	07.12.2007 Inspection by CMC and report in January, 2008 CMC. During the inspection, feasibility of using plastic waste in road construction has also to be noted.	Adequacy report from IP University submitted on 11.02.08. Inspection yet to be done.	Issue notice to the unit to comply with all the deficiencies in fugitive emissions control, noted by the CPCB, and file an affidavit.
6	Gupta Printing Works, I - 51, Sector - 2, DSIDC Bawana Ind Area, Delhi - 39	Printing		Applied for Consent to Operate under green category on 08.08.2006. Also the unit has applied for auth under HW Rules on 8.8.06 CTE obtained on 20.4.06, valid up to 19.4.07.	Inspection to be done & put up on 19.03.2008.

10.03.2008

7	Charu Motors P Ltd,(Hans Hyundai) 69/1 A, Najafgarh road, Shivaji Marg, New Delhi - 15	Automobile service station		Renewal of consent was issued on 23.11.05 valid up to 04.04.08. Application for renewal of auth submitted and is requesting for the early issue of the same.	To be taken up in April CMC along with the renewal application.	14.03.2008
8	Shri Ram & Sons A-98, Wazirpur Ind Area, Delh- - 52	Hinges with out Pickling	14.11.2007 After issuance of closure directions to the unit and disconnection of water and power supply, unit has filed fresh application for consent to establish under green category. To decide whether it is green or not, new special inspection team may inspect and report. Matter may be taken up in next month CMC meeting. 30.01.2008 No action by this Committee. Let him take the consent from the Green Committee.	Applied for consent to establish under green category for mfg. of hinges. Inspection done by Special Inspecting Team and found pickling activity stopped/not being carried out. Electricity disconnected and is requesting for restoration of the same.	Let Green Committee decide the case.	19.03.2008
9	Harpreet Motors P Ltd, 69/1 A, Najafgarh road, Shivaji Marg, New Delhi - 15	Automobile service station		Unit has applied for renewal of consent and auth. Renewal of consent was valid up to 29.9.07	Renewal of consent & renewal of authorization granted.	28.03.2008
10	GAIL (India) Limited Bamnoli	Gas pipe line		Applied for consent to establish for gas pipe line. Submitted a copy of letter of MoEF, GOI reg EC. Submitted affidavit to the effect that the proposed gas pipe line will not pass through national parks/sancturies/coral reefs etc.	Consent to Establish granted.	
11	GAIL (India) Limited Dadri - PPCL Bawana Pipeline	Gas pipe line		Applied for consent to establish for gas pipe line. Submitted a copy of letter of MoEF, GOI reg EC. Submitted affidavit to the effect that the proposed gas pipe line will not pass through national parks/sancturies/coral reefs etc.	Consent to Establish granted.	

13	North Ex Mall, Sector - 9, Rohini, N Delhi - 85	Shopping Mall	18.02.2008 Based on the inspection report, SCN was issued to him and he may be issued a final reminder to file Consent to Establish application by 29.02.2008.	The mall was issued a SCN u/s 21/22 of Air Act and 25/26 of Water Act on 13.12.07. Inspection was carried out on 02.02.08 based on the complaint received against the mall. SCN issued again on 14.02.08 as decided in the CMC meeting dt 05.02.08. Letter issued as per the decision taken on 18.02.08	Take it up in the CMC in March with other Malls.
14	Shantiniketan Build Well Ltd. At Plot D-3, P-3, B , Saket District Centre, New Delhi)	Commercial Complex	30.01.2008 Consent to Establish granted provided he meets each and every condition listed under the Environmental Clearance for construction phase and informs DPCC as soon as the construction phase is over. His bonafides are established by the fact that he applied for Consent to Establish in May 2007 and started construction in October, 2007 after receipt of Environmental Clearance. However the committee feels that there are several conditions which must be kept under surveillance to ensure that DPCC is not duped by any violation of the EIA conditions. The unit must also ensure the effluent treatment should be done to the extent that at least 50 % of the water shall be reutilized for horticulture / cleaning etc. Therefore, the concerned CMC may do an inspection of the premises by March, 2008 and submit a report to CMC to be considered in the last meeting of CMC in March, 2008.	Letter dt 16.10.2007 for taking action against project proponent obtained personally from MoEF, GOI.	Detailed orders passed on the file based on the evidence on record. MS to strictly follow the orders written on file.
15	Samara India P Ltd B - 18, Mayapuri Ind Area, Ph - I, New Delhi - 64	Automobile service station	07.12.07 1. Unit may be asked to file an affidavit as to why he is operating while closure directions are in force. 2. He may be asked to correct remaining three deficiencies which have been found during inspection namely (i) Information about sale of used oil not provided. (ii) Date oo which storage began was not indicated on hazardous waste containers. (iii) Septic scum observed in one sludge drying bed. 3. He may be asked to file Bank Guarantee of Rs.1 lakh ech under Water Act, 1974, Air Act, 1981 and HW Rules, valid for one year. Case is to be taken up on 26.12.2007. Letter to be issued on 08.12.2007.	Letter dt 10.12.2007 issued as decided by CMC dt 07.12.07. Reply submitted on 24.12.07.	The unit continues to violate the directions of closure which is not in the spirit of compliance of the Acts. MS to draft a letter highlighting the insubordination of the unit and imposing a cash penalty of Rupees Three Lakh along with already directed Bank Guarantee of Rupees Three Lakh.

16	Metro Automobiles F- 90/13, Okhla Ind Area, Phase - I, New Delhi - 20	Automobile service station	20.11.2007 Ask the unit to apply for Consent to Establish. Ask to apply for Bank Guarantee of Rs. 50000 each under all three Acts. The unit will give an affidavit regarding compliance of HWM Rules. Case to be taken up on 27.12.07.	Unit applied for CTE on 27.02.2008, as per the letter dt 21.02.08 issued by DPCC as per the decision taken by CMC in its meeting dt 20.11.07. BG not submitted.	Issue a final reminder to the unit to submit Bank Guarantee and case to be taken up in April CMC.
17	Metacrafts 2206, Sec - I, Narela Ind Area, Delhi - 40	Name plates		CTE obtained by the unit on 27.02.03 valid up to 25.02.04. Submitted request, along with fees, for the extension of CTE.	Inspect & report in April CMC.
18	Delhi International Airport Ltd (Restructuring & Modernisation of IGI Airport)	Airport	07.12.2007 The relaxation sought by DIAL may be referred to Prof. Mukesh Khare, IIT, Delhi for formal report/comments. All expenses will be borne by DPCC. He may be requested to file the report within one month. Put up in January, 2008 CMC.	Work order dt 27.02.08 issued to Dr. Mukesh Khare, IIT, Delhi as per the decision of CMC dt 07.12.07. Total expenses of Rs.67500/- sanctioned. Letter dt 12.02.08, from DIAL, received with a report of Air Quality modelling for DG sets.	Take up in CMC on 19.3.2008 with Dr. Khare's report.
19	Sawhney Rubber Industries B -1 & 2 Jhilmil Industrial Area, Delhi-95		Manufacturing of Tyres and Tubes(Rubber Products)	The unit had applied for renewal of consent under orange category on 31.8.2006 alongwith requisite noise and stack monitoring report. The noise and stack reports are within the limits. The unit has submitted a representation for issuance of consent. Production of tyres and tubes(devulcanisation) is listed in negative list of Industries in MPD 2021 notified in Feb. 2007. As per categorization of DPCC, reclamation of rubber, rubber industry (tyres & tubes), rubber solution containing mineral naphtha rubber waste, Synthetic rubber production & Tyres & tubes manufacturing are mentioned in Red Categories at Sl. No 382, 400 & 404 respectively.	SEE to inspect & report on the limited point whether such a unit should be granted exceptional status whereas all such units were categorized under 'H' category and closed down. If we find the unit to fit into 'H' category, DPCC will move Hon'ble Supreme Court to get it listed as H category. Take up with inspection report in CMC on 28.3.2008.
20	Gulati Glass Industries (P) Ltd - II S - 69, Badli Ind Estate, Delhi - 42	Safety/toughened glass	30.01.2008 Ask him to apply for Consent to Establish. If he applies for Consent to Establish, case be taken up in CMC on 29.02.2008.	Submitted a letter dt 23.01.2008 requesting for renewal of consent. Unit applied for CTE on 22.02.08 as per CMC decision dt 30.01.08.	Dr. Anil Kumar, SSO, Department of Environment, to inspect on the point whether activity falls under negative list of MPD-2021. Put up in CMC on 19.3.2008.

21	First Honda, A - 264, Okhla Ind Area, Ph - I, New Delhi - 20	Service station	13.12.2007 The application for hazardous waste authorization is not complete. Also Prof. Gupta feels that the unit has closed at this location and moved to some other location. Since the application has been made from the earlier location, it seems prudent for the concerned EE of CMC to inspect the premises and also get the necessary corrections done in the hazardous waste application. Case to come up in January, 2008.	Inspection done on 21.01.2008. Unit found closed. Another unit M/s SK India found engaged in mfg of readymade garments w/o washing. LDO fired boiler found in the premises.	Unit which was found closed should get power & water supply disconnected and the new unit started there must apply for Consent to Establish and fresh power connection in its own name.
22	Ruby Cycle Industry, C - 46, Phase - I, Okhla Ind Area, New Delhi - 20	Carbonated water, soft drink concentrates, syrups	20.11.2007 Inspection to be done. Case to be taken up on 27.12.07.	Inspection done and found the unit engaged in the work of blowing of plastic bottles. Other activities found temporarily non operational and so ETP also found non operational..	Final reminder to unit to apply Consent to Establish. Deficiencies observed during inspection may also be indicated in the same letter.
23	The Mira , 1 & 2 Ishwar Nagar, New Delhi 229, Okhla Industrial Estate Phase-III, New Delhi-110020	Office Complex	18.02.2008 Inspect and report on 29.02.2008.		Unit may be asked to initiate all the measures w.r.t. existing legislation as pointed out in the recent inspection in the case of M/s Lodhi Hotel. Unit may also be asked to make its STP operational & state of the art. Unit will also ensure proper stack height & emission levels as per the D.G. Set rules. Unit may also be asked to confirm and clarify the authority from whom he has purchased / procured the land. The case may be listed along with other construction project cases in April CMC.
24	Letter from the office of Ex. Engg., M.C.D., regarding construction of a Commercial Complex at Subhash Nagar More without any sanction	Mall	It was directed by Chairman, DPCC to issue notice after inspection and put up for post facto sanction in CMC on 29/02/08	The Complex was inspected on 26/02/08. The complex turned out to be 'Pacific Mall' at Khyala which has already been inspected by Member Secretary with the EE (CMC-I) and against whom prosecution proceedings are in the process of being launched. The concerned Ex. Engineer in M.C.D., Sh. Manoj Kumar, was also contacted and he also confirmed that the letter/ complaint was about 'Pacific Mall' only. No detailed inspection was carried out.	Copy of prosecution proceedings may be sent to Addl. Secretary, Ministry of Env. & Forest, Govt of India and Ex. Engineer, MCD from where the complaint came.

25	M/s Piccadily Hotel, near Metro Station Janakpur (West), JanakPuri District Centre Complex, Delhi.	Hotel Complex	18.02.2008 Inspect and report on 29.02.2008.	The hotel was inspected on 27/02/08 and the detailed inspection report is placed as annexure.	Since the unit has started construction in 2005 without any EIA clearance or Consent to Establish both of which are imperative for any construction beyond 20,000 sq. meter of area, the Committee felt that the case must be treated on the same lines as two other cases where cash penalty of 0.5 % of project cost and Bank Guarantee of 0.5 % of project cost have been imposed. Accordingly, MS will draft an appropriate letter with a copy to Addl. Secretary, MoE&F, Govt of India. In the letter to be drafted by MS all the deficiencies noted in the construction phase should be bought out in the letter clearly. At the time of handing over this letter, an opportunity of being heard, will be provided by Chairman.
26	M/s Hindustan Petroleum Corporation Ltd., (HPCL), Mundra- Delhi Pipeline Project, Haryana Border to Tikri Kalan	Pipe line Project	18.02.2008 The unit has requested for extension of the 'Consent to Establish' since DDA is yet to grant them land at Tikrikalan Village. Let the unit file a formal extension application alongwith consent fee. This may be considered in the next CMC on 29/02/08.	Letter to the unit issued on 28/02/08 (signed fact sheets received on 27/02/08).	Take up in April CMC.

Sl.No	Name of Industry / Unit	Address	Activity	Date of CMC decision	CMC earlier decision	Decision on 29.02.2008	Coding
1	Mahavir Agency	A-109/2	Unit Closed	17.9.2007	Both record and inspecting team found unit closed. Wrt CMC's order dated 29.01.07 for closure and cancellation of MCD license, compliance report received from NDPL and DJB.	Issue reminder.	1

2	Jagdish & Co.	C-39/1	Unit Closed	17.09.2007	Inspection team found closed unit. Consent and authorization be refused and issue letter for disconnection of electricity & water supply and cancellation of MCD license.	Seek compliance from the authorities.	11
3	Ravi Steel Industries	Shed no. 69(DSIDC Sheds), Wazirpur Indl. Area, Delhi - 52	Rolling & Pickling	20.11.2007	Issue letter for applying for Consent to Establish.	Take up along with other CBI reference cases.	11
4	Pawan Kumar	A-87/1	Plastic injection moulding	28.8.2007	Directions u/s 31(A) of Air Act(invoking rule 20 A (6)) for closure of the unit and for disconnection of electricity and water supply to the unit . Letter for cancellation of MCD license in the name of the unit. <i>Being dealt along with District Court cases.</i>	No action.	111
5	Vikash Steel	B-17/2	Unit Closed	17.09.2007	Applied for consent to operate and was valid up to 17.1.05. Not applied for renewal and also for the authorization. Inspection team found no such unit. In view of above, no action is required. Issue letter for disconnection of electricity and water supply to the unit. MCD be asked to cancel the license in the name of the unit.	CMC official will take help of NDPL to disconnect the power supply.	111

6	Puri Hosiery Works	A-9/1	Unit closed	17.09.2007	Inspecting team found the unit closed. CMC to track the file and take up in next CMC meeting. Inspection team found Sunil Hosiery Factory. He may be asked to apply for consent to establish under green category.	Shift the case to Green category.	111
7	Tonika Automobiles	A-15, Wazirpur Industrial Area	Service Station	28.09.2007	Applied for renewal of consent and authorisation. Special inspection team observed all the pollution control measures O.K and found operational. Issue consent for renewal and renewal for authorization. Complaint received against unit. CMC decided to get inspection of the unit by SIT. No report received as yet.	Take up in CMC on 10.03.2008 after inspection by SIT.	1111
8	—	B-28		16.11.2007	Inspection to be carried out by SIT. Inspection yet to be carried out.		1111
9	—	Shed No.89, DSIDC		16.11.2007	Inspection to be carried out by SIT. Inspection yet to be carried out.		1111
10	—	A-102/5		16.11.2007	Inspection to be carried out by SIT. Inspection yet to be carried out.		1111
11	—	A-64, Group		16.11.2007	Inspection to be carried out by SIT. Inspection yet to be carried out.		1111

12	—	A-112/1		16.11.2007	Inspection to be carried out by SIT. Inspection yet to be carried out.		1111
13	—	B-30/1		16.11.2007	Inspection to be carried out by SIT. Inspection yet to be carried out.		1111
14	Akash industries	B-22, Group		16.11.2007	Inspection to be carried out by SIT. Inspection yet to be carried out.		1111
15	Bijender Jain	B-72/4		16.11.2007	Inspection to be carried out by SIT. Inspection yet to be carried out.		1111
16	Bitto Malhotra Industries	B-20, Wazirpur Industrial Area	Re-Rolling & Pickling	16.11.2007	Inspection to be carried out by SIT. Inspection yet to be carried out.		1111
17	Vardhman re rolling Mills	A-64, Group		16.11.2007	Inspection to be carried out by SIT. Inspection yet to be carried out.		1111
18	Shri Ram & Sons	A-98, Wazirpur Indl. Area, Delhi - 52	Mfg. of Hinges with pickling activity	30.01.2008	Let CMC (Green) decide.		1111
19	Sant Ram & Sons	A-87/1	Mfg of Hinges with acid wash	05.07.2007	Letter for cancellation of MCD license in the name of the unit.		1111
20	S.S. Enterprises	B-36, Group, Wazirpur Industrial Area	Pickling, Annealing & Re-Rolling of SS Sheets	28.09.2007	Letter for disconnection of electricity and water supply and for cancellation of MCD license.		1111

21	Ravindra Steel	B-60, Wazirpur Indl. Area, Delhi - 52	Pickling	04.07.2007	Inspection to be carried out by SIT. Inspection yet to be carried out.		1111
22	Kalyan Steel Rolling Mills	A-130	Pickling, Annealing & Re-Rolling of SS Sheets	14.01.2007	Auhtroziation under HWM Rules & Consent to Establish granted.		A
23	New Adarsh Re-Rolling Mills	A-137	Pickling, Annealing & Re-Rolling of SS Sheets	14.01.2008	Auhtroziation under HWM Rules & Consent to Establish granted.		A
24	Ramesh Trading Co.	C-9	Electroplating	14.01.2008	Auhtroziation under HWM Rules & Consent to Establish granted.		A
25	American Surgico Corporation	A-61, Group, Wazirpur Indl. Area, Delhi - 52	Pickling, Annealing, & Re- Rolling.	04.07.2007	Authorization Granted under HW Rules.		A
26	Arti Industries	A- 97 / 1, Wazirpur Indl. Area, Delhi - 52	Annealing, Re-Rolling & Pickling of S.S.Sheets	04.07.2007	Authorization Granted under HW Rules.		A
27	Durga Enterprises	A-5, Group, Wazirpur Indl. Area, Delhi - 52	Pickling & Re-Rolling of S.S.Sheets	05.07.2007	Authorization Granted under HW Rules.		A
28	Durga Industries	A- 97 / 3, Wazirpur Indl. Area, Delhi - 52	Pickling & Re-Rolling of S.S.Sheets	04.07.2007	Authorization Granted under HW Rules.		A
29	Polylace India (P) Ltd	A-107, Wazirpur Indl. Area, Delhi - 52	Mfg. of Zip Fasteners including Dyeing	05.07.2007	Authorization Granted under HW Rules.		A

30	Toni Industries Pvt. Ltd.	A-58, Wazirpur Indl. Area, Delhi - 52	Electroplating (Manufacturing of Zip Sliders with painting & electroplating)	04.07.2007	Authorization Granted under HW Rules.		A
31	Dev Steels	A- 19, Wazirpur Indl. Area, Delhi - 52	Pickling of SS sheets	05.07.2007	Authorization Granted under HW Rules.		A
32	A.K. Industries	A-102/1A, Wazirpur Indl. Area, Delhi - 52	Pickling of S.S. Sheets	05.07.2007	Consent & authorization granted.		A
33	Adarsh Steel	B- 20, Group, Wazirpur Indl. Area, Delhi - 52	Rolling and pickling	04.07.2007	Consent & authorization granted.		A
34	Delhi Heat Treatment Corporation	Shed No. 16 (DSIDC Sheds), Wazirpur Indl. Area, Delhi - 52	Heat Treatment	04.07.2007	Consent Granted under the Air & Water Acts with condition that DG Set shall not be operated . Authorization Granted under HW Rules.		A
35	Jagdish Kumar	A-133, Wazirpur Indl. Area, Delhi - 52	Rolling and pickling	04.07.2007	Consent Granted under the Air & Water Acts. Authorization Granted under HW Rules		A
36	Naresh Steel Fabrication	A-104 / 2, Wazirpur Indl. Area, Delhi - 52	S.S. Steel pickling	04.07.2007	Consent Granted under the Air & Water Acts. Authorization Granted under HW Rules		A

37	B. P. Industries	C-40/3, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	04.07.2007	Consent Granted under the Air & Water Acts. Authorization Granted under HW Rules.		A
38	Bajaj Autoways	B-65, Wazirpur Indl. Area, Delhi - 52	Heat treatment (manufacturing of clutch plates)	04.07.2007	Consent Granted under the Air & Water Acts. Authorization Granted under HW Rules.		A
39	Craftsmen Label Makers Pvt. Ltd.	Shed No. 40 (DSIDC Sheds), Wazirpur Indl. Area, Delhi - 52	Anodizing (manufacturing of different kinds of labels and name plates)	04.07.2007	Consent Granted under the Air & Water Acts. Authorization Granted under HW Rules.		A
40	Eastern Engineering.	C-86, Wazirpur Indl. Area, Delhi - 52	Annealing, rolling and pickling	04.07.2007	Consent Granted under the Air & Water Acts. Authorization Granted under HW Rules.		A
41	Kasturi Steel Industry	A-65, Wazirpur Indl. Area, Delhi - 52	Annealing, rolling and pickling	04.07.2007	Consent Granted under the Air & Water Acts. Authorization Granted under HW Rules.		A
42	Mittal Re-Rolling Industries	A-76/2, Wazirpur Indl. Area, Delhi - 52	Re-Rolling and Pickling of SS Sheets	05.07.2007	Consent Granted under the Air & Water Acts. Authorization Granted under HW Rules.		A
43	Sagar Steels	A- 14 (Backside), Wazirpur Indl. Area, Delhi - 52	Annealing, re- rolling and pickling of SS sheets.	05.07.2007	Consent Granted under the Air & Water Acts. Authorization Granted under HW Rules.		A
44	Shri Ganesh Steel	A-80/1, Wazirpur Indl. Area, Delhi - 52	Pickling of SS Sheets	05.07.2007	Consent Granted under the Air & Water Acts. Authorization Granted under HW Rules.		A

45	Tirupati Industries	C- 40/1, Wazirpur Indl. Area, Delhi - 52	Annealing, rolling & Pickling	04.07.2007	Consent Granted under the Air & Water Acts. Authorization Granted under HW Rules.		A
46	Vishwakarma Metals	A-101/12, Wazirpur Indl. Area, Delhi - 52	Re-rolling & Pickling	04.07.2007	Consent Granted under the Air & Water Acts. Authorization Granted under HW Rules.		A
47	Krishna Metal Industries	A-40, Wazirpur Indl. Area, Delhi - 52	Rolling and pickling	04.07.2007	Consent Granted under the Air & Water Acts. Authorization Granted under HW Rules. Letter for Communication to MCD for storage of material outside the premises.		A
48	Yashpal Jindal	A-100/1, Wazirpur Indl. Area, Delhi - 52	Pickling of S.S. Sheets	05.07.2007	Consent Granted under the Air & Water Acts. Authorization Granted under HW Rules.		A
49	Maa Bhagwati Rolling	C-6 (Backside), Wazirpur Indl. Area, Delhi - 52	Re-rolling and pickling of SS sheets	04.07.2007	Consent Granted under the Air & Water Acts. For Authorization under HW Rules, file to be placed before committee.		A
50	Bright India Industries	C-9/3	Re-Rolling and Pickling of SS Sheets.(annealing furnace under installation)	25.01.2008	Consent Granted.		A
51	Gupta Steel	D-3, Wazirpur Ind Area, Delhi - 52	Hot Re rolling of SS Sheets		Consent granted.		A

52	Anil Metal Industries	A-104/9	Annealing, Re-Rolling & Pickling of SS Sheets.	17.09.2007	Consent is valid. Authorization renewal applied on 26.9.06. Inspection team found basic systems O.K.. Issue authorization under HW Rules.		A
53	Shiva Industries	C-91/1, Wazirpur Indl. Area, Delhi - 52	Annealing, Re-Rolling & Pickling of S.S.Sheets		Consent to establish granted		A
54	Rajender Jain	C-40, Wazirpur Indl. Area, Delhi - 52	Pickling of S.S.Sheets	29.11.07	Consent to establish granted.		A
55	Macro Pistons and Rings (P) Ltd.	B-69/1, Wazirpur Indl. Area, Delhi - 52	Manufacturing of piston rings	23.10.2007	Consent to establish granted. Inform the Hon'ble Court accordingly.		A
56	Krish Auto Motors Pvt. Ltd.	B-62/2, Wazirpur Indl. Area, Delhi - 52	Automobile service workshop	16.11.2007	Restore water and power since affidavt and bank gurantee filed. Inspection report indicated that all deficiencies corrected MS is authorized to issue Consent to Establish, if the unit files an affidavit that unit's individual connection has been linked to the conveyance system of CETP.		A

57	Sparton Industries	A- 90/4,Group ,Wazirpur Indl. Area, Delhi - 52	Sanitary fittings (including electroplating and buffing)	13.12.2007	Since the unit has complied with the directions of CMC dated 12.10.2007, and since CMC in its decision dt. 04.07.2007 had issued closure directions to the unit, the Committee felt that the unit may be issued Consent to Establish. It is not appropriate to issue renewal of authorization on the date when Consent to establish has been granted, and therefore, this application may be taken up next month.		A
58	Balaji Steel	C-58/1	Annealing, Re-Rolling and Pickling of SS Sheets.	17.09.2007	The inspecting team found basic systems O.K. Consent is valid up to 30.9.08.Authorization under HW Rules is granted.		A
59	Gem Sanitary Appliances (P) Ltd.	A-57, Wazirpur Industrial Area	Bathroom Fittings (Including Casting, Electroplating & Buffing)	28.09.2007	Unit is having valid consent up to 26.6.2009 and has applied for renewal of consent on 12.1.07.Renewal of authorization granted subject to furnishing bank guarantee of Rs. 1 lakh.		A

60	Ashish Gupta& Co.	A-125	Annealing & Re-Rolling of SS sheet	05.07.2007	In view of decision taken in respect of another unit i.e. M/s R. N. Gupta & Co. (pl refer Sl. No. 1) operating at the same premises, no further action at this point of time in this case.		AA
61	Ravi Steel Industries	C-9/4,	Pickling of SS Sheets	17.09.2007	There is no application in our record. Inspection team says that the unit does not exists.		AA
62	Gagan Vishal Export (P).Ltd	A-94/5, Wazirpur Industrial Area	Mfg of Sweets & Namkeen & Restaurant	28.09.2007	Consent is valid up to 25.7.08.Letter for periodic cleaning of oil and grease trap every week. Further he may submit bank guarnatee of Rs. 50,000/- under Water Act.		AA
63	Sh. Sunil Bansal (M/s Eastern Engineering)	C-86, Wazirpur Industrial Area	Steel Rolling Annealing Re - Rolling & Pickling	12.10.2007	No action.		AAA
64	Sh. Yaseen and Sh. Sultal	C-85, Wazirpur Industrial Area	Steel Polish	12.10.2007	No action.		AAA
65	Krishna Rolling Industries,	A-16, Wazirpur Indl. Area	As informed by other units in same premises, M/s Krishna Rolling is not existing		Being dealt along with CBI reference cases.		B
66	Manish Industries	A-83 , Wazirpur Indl. Area, Delhi - 52	Re-Rolling & Pickling of S.S.Sheets		Being dealt along with CBI reference cases.		B

67	Asrani Steel Industries,	A-4, Wazirpur Industrial Area	Pickling, Annealing, Re-rolling, Circle Cutting		Being dealt with CBI cases.		B
68	Jai Paras Steel	A- 16, Wazirpur Indl. Area, Delhi - 52	Pickling of SS sheets		Being dealt with CBI cases.		B
S.No.	Name	Address	Activity	Facts of the case			Decision on 29.02.2008
1	Complaint against industrial units	WZ-80, Khyala Village, New Delhi		A public complaint has been received from Sh. Dharmpal. As directed by the Chariman, inspection was carried out by Sh. B. Kumar, S.E.E. and Sh. Surender Singh, A.E.E. on 12.02.2008 and two units were found in operation as per details given:- (1) M/s Bittoo Powder Coating Works:- The unit is engaged in job work of Powder Coating with the help of Powder Coating Booth having inbuilt cyclone system & Electric Oven. No water polluting activity was observed. Adequate stack height and acoustic enclosure has not been provided with the DG set of 7.5 KVA. As reported the unit is being operating in the premises about last 3-4 years. (2) M/s Tejpal Buffing & Acid Work:- The unit is engaged in job work of Buffing & Acid Work (derusting). No ETP has been installed. No ECS has been installed with buffing machine.			Complaint be forwarded to Commissioner of Industries, GNCTD.
2	Sanjay Kumar	7/24 (Roof Top), Gali No.-7, Anand Parbat Industrial Area, Delhi	Painting on Finished Leather	A complaint has been received against the unit through P.M. office . As per directions, the unit was inspected by DPCC officials on 14.02.2008 and following observations were made:- 1. The unit was found in operation at roof top of the premises in an area of app. 50 sq. yards and engaged in the activity of painting of water colour polish on finished leather with the help of spray gun. 2. The colouring/painting on leather pieces are being done in open space at roof top of the premises and no channelization system has been provided to control the fugitive emissions generated from the process. 3. As per the record the unit has not applied for consent to establish/operate 4. As reported, the unit is being operated in the premises about last 4 months.			Issue notice to the unit listing out all the deficiencies in view of the letter from PM office. Copy of the notice may be sent to PM's office.
3	Jyoti Printers	C-26 (Top Floor), Karampura	Screen Printing	A complaint has been received against the unit from Sh. L. Prashad. As per directions, the unit was inspected by DPCC officials on 15.02.2008 and following observations were made:- 1. The unit was found in operation in a room of approximately 30 square feet at roof top of the premises and engaged in the activity of Screen Printing with help of one screen printing table. 2. The unit has not taken any measures to comply with the provisions of HWM Rules. 3. Small quantity of water approx. 1 to 2 litres is used for washing purpose and is discharged into the drain without any treatment. 4. As reported, the unit is being operating in the premises since last 4 months.			Send to Commissioner of Industries, GNCTD listing out all deficiencies.

4	Rishpal Metals	H.No.-621, Nehru Kutia , Near Ambedkar Park, Malka Ganj, Delhi-07	Mfg. of name plate /badge including colouring.	A complaint has been received against the unit through P.M. office. As per directions, the unit was inspected by DPCC officials on 21.02.2008 and following observations were made:- 1. The unit was found in operation at some portion of ground floor & 1st floor of the premises in an area of app. 40 sq. yards and engaged in the activity of Mfg. of name plate /badge including colouring. 2. The mfg. process includes printing through negative, cutting, painting, drying through electric oven & water colouring. 3. The unit has not installed waste water treatment facility which is being discharged without any treatment. 4. The unit has not shown any proof regarding establishment of the unit.	Send to Commissioner of Industries, GNCTD listing out all deficiencies.
5	Complaint against industrial units	Plot No.23, Badli Industrial Area		A public complaint has been received from Sh.Jagdish Singhal. As directed , inspection was carried out by PGRC officials on 14.02.2008 and five units were found in operaton as per details given below:- (1) M/s Paras Engg. Works/ Meera Engg. Works, at GF- The unit is engaged in job work of mfg. of fan shaft and gyeaser components by engineering works/ sheet metal works.As reported, the unit is in operation at the premises since last six months.As per record ,the unit has not applied for consent to establish/operate. (2) M/s Durga Engg. Works,at GF:The unit is engaged in job work of die making by engineering works. As reported, the unit is in operation at the premises since last five months.As per record, the unit has not applied for consent to establish/operate. (3)M/s Dharmendra Yadav,at FF: The unit is engaged in job work of teflon coating on iron/ press parts with the help of electric oven, sand blasting machine, paint booth & surface grinder.The unit is having inbuilt dust collector/cyclone system fitted with sand blasting and surface grinder machines. Adequate stack height has not been provided with paint booth and electric oven. As reported, the unit is in operation at the premises since last three months. As per record, the unit has not applied for consent to establish/operate. (4) M/s Subhash Jain,at SF: The unit found locked. However, as reported by Sh. Vikas Jain, the unit is engaged in the mfg. of Polythene rolls by one blowing machine and operating in the premises since last six months.As per record, the unit has not applied for consent to establish/operate.(5) M/s Jeans Washing & Dying Unit(Prop. Praveen Aggarwal), at SF&TF: The unit is engaged in the process of washing and dying of jeans with the help of wood fired boiler. No ETP and ECS is installed to control water and air pollution. The second floor occupied by the unit was found locked, As reported the unit is in operation at the primeses about last two months.As per record, the unit has not applied for consent to establish/operate. It is pertinent to mention that there are only two power connections of 90 KW each in the name of M/s Meera Engg. Works & M/s Jain Steel Udyog which are used by all these units.	In all the five units, notices may be issued asking them to apply for Consent to Establish. In the same notice all the deficiencies found during inspection may also be listed out for immediate correction. Case to come up in CMC next month.

6	Complaint against M/s J.S. Designer Pvt. Ltd & others.	Plot No.190, Patparganj Industrial Area		A public complaint has been received from Sh.Vinod Kumar. As directed , inspection was carried out by PGRC officials on 25.02.2008 and only one industrial unit in the name of M/s J.S. Designer Pvt. Ltd was found in operaton as per details given below:- The unit is engaged in mfg. of readymade garments including washing. Although the unit has installed an ETP but the same was not found in operation and lying in defunct condition.No dry/wet sludge was observed.The unit is not complying with the provisions of HWM Rules except placing of display boards.Acoustic enclosure has not been provided with the DG Sets of 125 KVA & 62 KVA.The unit has not provided adequate stack height above roof level with the oil fired boiler & air heater. As per the record, the unit has applied for consent to operate under orange category on 17.11.2005 and not applied for authorization under HWM Rules. As reported, there is one firm in the name of M/s J.S. Infra Pvt. Ltd. is existing in the premises and having its office at second floor.This firm does not involve in any industrial/mfg. activity.	A stiff notice may be issued to the unit listing out all the deficiencies to be corrected latest by 28th March. Unit will also apply for Consent to Establish. He will file an affidavit for correction of deficiencies and a Bank Guarantee of Rupees One Lakh each under all of three acts. Call on 28.03.2008.
7	Complaint against DG set	A-14, Budh Vihar, Phase-I, New Delhi-86		An email complaint was received against DG Set installed at A-14, Budh Vihar, Phase-I, New Delhi. As per Chairman directions, the premises was inspected by DPCC officials on 21.02.08 . During inspection, it was observed that it is a residential premises. An invertor is being used for residential purpose only. However, there is an Airtel Tower and a DG Set of 15 KVA installed at roof top with acoustic enclosure and adequate stack height. MCD license and noise monitoring report were not available.	Ask the unit to convert to D.G. Set gas based / inverter or shut down.

S. No.	Name	Address	Activity	Fact of the case	Decision on 07.12.2007	Action Taken	Decision on 29.02.2008
--------	------	---------	----------	------------------	------------------------	--------------	------------------------

1	M/s A.S. Footwear	468-469(old no. 189-191) Lawrence Road Indl. Area.	PVC Footwear	A public complaint by e-mail was received, the unit M/s A. S. Footwear was inspected by DPCC officials on 28.11.2006. The unit is engaged in the activity of Mfg. of PVC Footwear without any consent and without emission control system to chennalise the process emission. As decided in the CMC meeting on 19.03.2007, notice u/s 31(A) was issued on 10.04.2007. The unit replied on 25.04.2007 & applied for consent to operate(orange) on 25.4.07.The case was again put up in CMC on 07.06.2007. As decided in CMC, inspection was carried out on 06.08.2007.The case was again put up in CMC on 21.08.07,accordingly, a letter was issued on 14.09.07 to apply for consent to establish.The unit has applied for consent to establish under Orange category on 01.10.2007.	Let the unit file an affdavit about the kind of smell pollution in his unit and how he will counter it let him also know that this applicaion can be considered only If he files a Bank Guarantee of rupees one lakh for one year under the Air Act, 1981. Let him do so and the case will be examined in January 2008 CMC	Letter issued on 4.2.08.The unit submitted its reply on 14.2.08 along with an affidavit & photograph of chanalization system. The unit informed that this is very small unit & using fresh PVC compound,there are no fugitive fumes and smell & they have installed chanalization system. The unit has requested to exempt from provision of BG being a small entrepreneur.	Request refused. Ask him to submit Bank Guarantee within 15 days. Case to come up in April CMC.
2	J.K. Oil Mill	468-469(old no. 189-191) Lawrence Road Indl. Area.	PVC Footwear	A public complaint by e-mail was received, the unit M/s J. K. Oil Mill was inspected by DPCC officials on 04.01.2007. The unit is engaged in the activity of Mfg. of PVC Footwear without any consent and without emission control system to channelise the process emission. A D.G Set of 125 KVA was found installed with acoustic enclosure. As decided in the CMC meeting on 19.03.2007, SCN for revocation of consent (green category) & the notice u/s 31(A) was issued on 10.04.2007. The unit replied on 07.05.2007 and the case was again put up in CMC on 07.06.2007. As decided in said CMC, inspection carried out on 06.08.2007.The case was again putup in CMC on 21.08.07,accordingly, a letter was issued on 14.09.07 to apply for consent to establish.The unit has applied for consent to establish under Orange category on 12.11.2007.	Since file is not available the case will be taken up in January. 2008 CMC.	Consent file obtained from CMC and enclosed.	Ask the unit to file Bank Guarantee of Rupees One Lakh under Air Act and affidavit that he will correct all the deficiencies noted during inspection. Case to come up on 28.03.2008.

3	Rajender Kumar & sons	17, SSI, Indl. Area	Re-rolling, annealing & pickling of SS Sheets.	A public complaint by was received from CM office , the unit was inspected by DPCC officials on 5.1.06, As approved notice u/s 5 issued on 2.2.06. The unit submitted its reply on 15.6.06. As approved reinspection of the unit was carried out by DPCC officials on 26.5.06. Another complaint received on 27.6.06 , the unit was again inspected by DPCC official on 24.7.06 and by official of department of environment on 30.8.06. as approved notice u/s 33(A) of the water Act was issued on 20.9.06. Unit has submitted its reply on 9.1`0.06 regarding rectification of deficiencies The case was put up before CMC on 7.6.07. Accordingly refusal of consent to operate, refusal of authorization and closure direction u/s 33(A), u/s 5 were issued on 18.7.07. The unit filed a writ petition before Honble High Court.The unit was inspected on 14.08.07 & case was put up in CMC on 21.8.07, accordingly a letter was issued on 24.8.07 for removal of deficiencies. Letter issued on 27.02.2008 granting time up to 05.03.2008 for submission of BGs.	Let the unit file an affidavit confirming that it has corrected all the deficiencies noted by the DPCC inspection team. Let him also file a Bank Guarantee of rupees one lakh each under Water Act, 1974. Air Act, 1981 and HW Rules valid for one year. If it does so, case is to be taken up in January, 08 CMC.	Letter was issued on 4.2.08.Unit submitted its reply on 18.2.08 and requested for grant of 15 days more time i.e. 5.3.08 for submission of BGs.	Case to come up in CMC on 28 March 2008.
4	M/s Vimco Plast India	405, FIE, Patparganj Indl. Area.	PVC Pipe	A public complaint was received from DOV, the unit was inspected by DPCC officials on 06.12.2006 and it was observed that the unit was engaged in mfg. of PVC pipes without consent and without ECS to control fugitive emissions generated from the process. DG Sets of 125 KVA installed without acoustic enclosure and adequate stack height. Notice u/s 31(A) was issued on 08.02.2007. The unit replied on 22.02.2007. The case was put up before CMC on 7.6.07. Accordingly, unit was again inspected on 2.8.07. The case was put up in CMC on 19.7.07 . Accordingly, modified directions u/s 31(A) was issued on 14.9.07.	Let the unit file an affdavit that it has corrected the all deficiencies. Let it also file Bank Guarantee of rupees one lakh under Air Act. 1981. If it does so,case be taken in January, 2008 CMC.	Letter issued on 4.2.08 to submit an affidavit and BG. However, no reply has been received so far.	Final reminder be issued . Case to come up on 28.03.2008.

5	Vikas Machine Tools	22/7, Gali no.12, Anand Parbat Indl. Area New Delhi-5	Manufacturing of Industrial Knives	The unit was inspected by DPCC officials on 15.9.06 w.r.t. court case . The unit was found engaged in mfg. of industrial knives. The unit had not provided adequate stack height with tempering furnace, proper chanalisation system over quenching tank and adequate stack height & acoustic enclosure with DG Set of 7.5 KVA.The unit was being operated with the help of DG Set. The unit was having consent under green category.The case was put up before CMC on 7.6.07. Accordingly, closure direction u/s 31(A) issued on 18.7.07.The case was put up in CMC on 19.7.07, accordingly, reminder letter was issued to BSES, DJB & MCD on 14.9.07. A letter received from BSES that there is no electricity connection exist and supply is being used from DG Set.	Inspect and report in January 2008 CMC.	Inspected on 8.2.08 , the unit was found in operation with the help of DG Set of 7.5 KVA . Adequate stack height & acoustic enclosure provided with DG Set. The unit has also provided adequate stack height with the oil fired tempering furnace and also provided exhaust fan at ceiling height followed by duct of approx. 10 feet height from roof level over quenching tank. Copy of stack monitoring report of tempering furnace and noise monitoring report provided by the unit.	The unit continues to violate the directions of closure which is not in the spirit of compliance of the Act. MS to draft a letter highlighting the insubordination of the unit and imposing a cash penalty of Rupees One Lakh along with a Bank Guarantee of Rupees One Lakh.
6	Ess Key Press/Printers	220, FIE, Patparganj Indl. Area	Offset Printing	A public complaint was received from Delhi Pradesh Congress Committee , the unit was inspected by DPCC officials on 09.03.2007. The unit was engaged in the activity of Offset Printing with plate making. No ETP & ChanellIsation system have been installed. No steps have been taken to comply HWM Rules. DG Sets of 62.5 KVA and 5 KVA were installed without acoustic enclosure. Accordingly, Notices u/s 31(A) and u/s 33(A) were issued on 16.04.2007. Unit replied on 04.05.2007 and applied for consent to operate (orange) & Authorization (HWM) on 30.04.2007. The case was put up in CMC on 7.6.07. Accordingly, unit was again inspected on 2.8.07. The case was put up in CMC on 19.7.07 , accordingly , a letter was issued to the unit on 14.9.07 to apply for consent to establish.	Consent to Establish may be granted. However, for authorisation under the HWM Rules, let him file a Bank Guarantee of rupees Fifty Thousands only under the HWM Rules. If he does so, case is to be put up in January, 2008 CMC.	Letter issued to the unit for submission of BG and consent to establish granted by CMC.However, as per record of enquiry counter the unit has submitted BG on 26.2.08.	Case be transferd to CMC. CMC to bring the case in April CMC.

7	Excel Motors/ Regent Automobile	A-29/(Old-B-1/E-20) MCIE	Workshop Cum Service Station	A public complaint received on 18.10.2006 from C.M. office . Accordingly, the unit was inspected by a team of DPCC officials on 23.01.2007. Following observation were made by the team :-The premises no. B-1/E-20 is being used only as showroom of M/s Excel Motors . Instead, the said unit was found in operation in the premises no. A-29 alongwith M/s Regent Automobile . ETP installed at A-29 was found in defunct condition. Reaction tank was not in use and no dosing of chemical was observed. Filtration unit was not in use .No sludge was observed in sludge drying bed .Waste water was being by passed without any treatment through flexible pipe. A sample from ETP outlet was collected. The effluent sample of the unit could not analyzed by DPCC Lab and it was asked to recollect the fresh sample. The unit has not obtained consent to establish / operate at the new premise i.e. A-29. Earlier the unit was having consent (expired on 16.09.2006) for the premises B-1/ E-20. As decided in CMC on 9.10.07, letter for submission of BG and notice u/s 21/22 & u/s 25/26 were issued on 6.11.07.	Issue reminder for expeditious action. Take up in January, 2008 CMC.	Letter issued on 11.2.08. However, a letter was received from the unit on 7.12.07 informing that the washing activity have already been suspended and the unit will be completely closed by 30.12.07.	Inspect & report on 28.03.2008.
8	International panacea Ltd	A-31,/B-I Extn., MCIE, New Delhi-44	Formulation of Biotech product	A public complaint received on 18.10.2006 from C.M. office . Accordingly, the unit was inspected by the team of DPCC officials on 25.09.07 . Following observations were made by the team:- The unit has augmented some of the activities of powder mixing, filling and labelling at an adjacent primeses i.e. A-30. No channelization (ducting - hood) has been provided for dust emissions from mixing section. The unit has not applied for consent to establish / operate for its augmented section at A-30, B-1 Extn., MCIE. Waste water generated from the laboratory section is being discharged directly without any treatment. The unit has not ensured permanent connections from fermentors (4 Nos.) for discharging. waste water to the ETP. It was reported that waste water is being taken to the ETP through cans. As per the record, the unit was having consent (valid up to 05.01.2006) and has applied for renewal of consent under orange category on 22.05.06. Earlier the unit has obtained consent to establish which was valid up to 03.04.03. As decided in CMC on 9.10.07, letter for submission of BG and application of CTE were issued on 6.11.07.	Let him submit Bank Guarantee, application for Consent to establish and affidavit take up in Jaunary, 2008 CMC.	Unit submitted affidavit and BG on 30.1.08/11.12.07.	Final reminder for Consent to Establish be issued.
9	M/s Shri Sanatan Dharam Sabha, GK-II (Regd.)	S- Block , Road No. 1, GK-II, N Delhi-48.	Socio cultural orgnisation(Karante,uthala, dispensary etc.)	The premises was inspected by PGRC officials on 16.08.2007 w.r.t. High Court Case titled as Sh.K.L.Talwar V/s LG & others . Following observations were made by the team -: A DG set of 5 KVA was found installed in the premises without mandatory acoustic enclosure. The premises is being used for Mandir & other socio cultural activities i.e. Karante, Uthala, Dispensery etc. No society member was available at site . Next date of hearing is 08.01.08 As decided in CMC on 9.10.07, Notice u/s 31 (A) of the Air Act was issued on 6.11.07.	Put up in Feb.2008.	No further reply received so far.Next date of hearing is on 12.3.08.	Ask for affidavit & put up in April CMC.

S. No.	Name	Address	Activity	Facts of the case	Decision on 25.01.2008	Action Taken	Review on 29.02.2008
--------	------	---------	----------	-------------------	------------------------	--------------	----------------------

1	M/s Golden Iron & Steel Works	7/19, Kirti Nagar, Indl. Area, New Delhi-15	Steel Forging	A no.of public complaints are received including RTI application from the complainant. Accordingly, an inspection was carried out on 31.01.07 and some discrepancies w.r.t. installation of E.S.P. WITH COAL FIRED BOILER, stack with furnace, fugitive emissions, acoustic enclosure with D.G. set were observed. As approved notice u/s 31 (A) was issued on 19.03.2007. The unit submitted its reply on 09.04.2007 and 20.05.2007 enclosing review report of the technical team of CPCB dated 12.02.1996, noise monitoring report of DG Set, copy of receipt dated 09.04.2007 for submission of consent application & stack monitoring report of coal fired boiler and oil fired furnace. As decided in CMC on 7.6.07, closure directions u/s 31(A), refusal of consent and authorization were issued on 8.6.07. As decided in CMC on 4.7.07, temporary revocation of direction u/s 31 (A) of the Air Act was issued on 10.7.2007 granting two months time. As decided in CMC on 11.9.07, letter was issued on 01.10.2007 granting total four months time for conversion of coal fired boiler into oil fired. As decided in CMC on 7.12.07, time allowed till about the year end.	The unit has not submitted the compliance report against the dead line of 31.12.2007. Issue a letter to him seeking his compliance by 31.01.2008 and put up the case on file.	Letter was issued to the unit on 29.01.2008 to submit the compliance report. The unit has submitted its reply alongwith photographs of new boiler on 05.02.2008 & informed that oil fired boiler has already been received at site and is at advance stage of installation which shall be completed shortly. Further, two more complaints have been received against the unit from CPCB & PM Office.	Inspect and report on 28.03.2008. An interim reply may be sent to PM's Office.
2	Complaint of Sh.V.C. Jaiprakash	RZ-2687/29, Tuglakabad Extn., New Delhi-19		A public complainant of Sh. V.C. Jaiprakash was received through Chief Minister Office regarding pollution caused by generators in the premises no 2817A & annexed building located in street no -32, Tuglakabad Extn. New Delhi-19. The premises were inspected by DPCC officials on 26.12.2007. During the inspection, total 11 units were found in operation out of which 10 nos. were having DG Sets of capacity 7.5 to 10 KVA without acoustic enclosures & without proper stack height. Out of 11 units inspected, 2 units were engaged in mfg. of corrugated Boxes including screen printing & were generating hazardous waste, one unit was engaged in mfg. of corrugated rolls and remaining 8 units were engaged in mfg. of Garments without Washing & Dyeing. The case was put up before CMC on 26.12.07, accordingly the complaint along with the inspection report of these units were forwarded to Commissioner of Industries on 21.01.2008 with a copy to complainant and C.M office.	Compliance be informed to CM office	Letter already issued to CM office on 21.01.08. Further, one more complaint has been received vide which the Chariman has asked to inspect and report to CMC on 29.02.2008	The committee decided that the inspection report and action taken may be informed to the complainant and copy may be sent to CM's Office.

S.No.	Name	Address	Activity	Facts of the case	Decision on. 18.02.2008	Action Taken	Review on. 29.02.2008
-------	------	---------	----------	-------------------	-------------------------	--------------	-----------------------

1	M/s Diamond Anodizers	A-4, Gali No. -4, Anand Parbat Indl. Area, New Delhi-5	Anodizing	A complaint was received (placed at C/1) from Sh. S.K. Singal, Founder General Secretary, All Indian Citizen Rights Protection Forum regarding Water, Air & Harzardous pollution. As directed, the unit was inspected by a team of DPCC officials on 15.01.2008 (Inspection report placed at C/2). It was observed that unit is in operation and is engaged in the activity of anodizing. During the inspection, the ETP was found non-operational, no wet sludge was observed, no adequate system was provided for channelisation, ducts provided were found borken. Firewood was used for heating caustic solution which is not an approved fuel. The unit has applied for renewal of Consent under Orange Category on 19.07.2005 and for Renewal of authorization under Hazardous Waste Management rules on 07.08.2006. As decided by CMC on 30.1.08 SCN u/s 31(A) of the Air Act, u/s 33(A) and u/s 5 of EP Act has been issued on 31.01.2008 granting 10 days time to furnish reply.	Cases is to be taken up in CMC meeting on 29.02.08	The unit has submitted three separate reply alongwith photographs of channelization system, ETP & commercial LPG cylinder and copy of record of sludge generated since 01.12.2007 & an affidavit regarding rectification of deficiencies.	While the unit has filed compliance affidavit, he did not item-wise compliance and he may be asked to furnish a fresh affidavit clearly indicating whether he has corrected all the deficiencies. He may also be asked to file BG of Rupees One Lakh each under three acts.
2	Tivoli Garden Resorts(A unit of TG Leisure & Resorts P Ltd)	Chhattarpur, Mehrauli, N. Delhi - 30	Resorts with Restaurant,Banquette Hall	Decision of CMC dt 30.01.2008 A complaint has been received from the Chief Minister's Office for Tivoli Resorts at Chatterpur. The complaint is in the nature of violation of D.G. Set rules. The moot point is whether the ETP is installed and is fully operational. Also whether the unit has a valid consent to establish / operate. These facts may be ascertained by the PGRC and the case may be put up on 5th February, 2008. Inspection done on 04.02.2008. STP installed, but not found in operation during the inspection. Fresh bore water is being mixed in the final treated water collection tank and the same is used for gardening purposes.Septic conditions were prevailing in various units of STP. 750, 380 and 125 KVA DG sets found in the premises, placed in separate accoustic enclosures.Adequate stack height has not been provided with the DG set of capacity of 125 KVA. Apart from two permanent kitchens one temporary kitchen exists. No channelisation of emissions generated from the cooking process. Unit is having two oil fired boilers for hot water generation. Not applied for consent to establish/operate.	This was taken up today on account of a complaint received from LG office. Since , the notice was issued to the unit on 6.2.08 granting 20 days time, case may be taken up in CMC meeting on 29.2.08 and ATR may be sent to LG office.	Letter issued to LG office on 25.2.08. The unit submitted its reply on 25.02.08 alongwith an affidavit and requested for grant of some more time to rectify the deficiencies observed during inspection.Further, the unit has submitted its reply w.r.t. allegations made in the complaint and informed that (1) they never allow use of the DJ & loud speaker after 10 P.M. and play the same within the permissible limit. (2) there is no violation in terms of licences granted to the resort (3) having its own three DG Sets for use and are not using old fashion	Ask the unit to file a compliance affidavit for all the deficiencies noted during the inspection. Let the unit file Bank Guarantee of Rupees One Lakh each under three acts valid for three years not to repeat any of these deficiencies in future. Unit may be asked to file Consent to Establish. Since the unit is very big, he may be asked to confirm to all the clean environmental legislations as follows :- Provisions of Water Act, 1974, Air Act, 1981, Environment (Protection) Act, 1986, Hazardous Waste (Management and Handling) Rules, 1989, Noise Pollution Control Rules, Energy Conservation Act, 2001 for solar water heating systems, Notification for rain water harvesting, notification for solar water heating/lighting,

			As decided in CMC on 5.2.08, notice u/s 31(A) of the Air Act,u/s 33(A) of the Water Act and a letter to apply for consent to establish & file an affidavit regarding rectification of deficiencies issued on 06.02.2008 granting 20 days time.		generators (4) having huge parking space inside the premises(2500-3000 vehicles).	Building code of BEE etc Case to come up with compliance report in April CMC.
--	--	--	--	--	---	--

3	Complaint against M/s New Laxmi Engineers Works	A-5/14,Jhilmil Industirla Area, Shahdara	A complaint has been received through e-mail against M/s New Laxmi Engineers Work as the unit is operating without pollution control devices. As per the computer records of enquiry counter , a unit namely M/s New Laxmi Metal Works, A-5/14, Jhilmil Industrial Area is engaged in the activity of copper wire drawing with super enamelling for which Consent to Operate was issued by DPCC on 03.11.2004 valid upto 25.07.07 (at F/A). But the unit has not submitted the Renewal application. As per the file, the unit has installed Wet Scrubber and had also submitted stack report (at F/B). The file of the unit is linked and placed below. Further, two more complaints were received against two units including one as above. The other unit is M/s Raju Hosiery, B-13, Jhilmil Industrial Area, which is engaged in Aluminium Circle Casting and as per records, consent under orange category was renewed on 19.05.2006 which is valid upto 23.04.2009.	Inspect and report by 29.02.2008.	Units were inspected on 25.02.2008 as per details given below. M/s New Laxmi Engg. Works:- The unit is engaged in mfg. of Aluminium Circles by casting using Aluminium Scrap as raw material. Although the unit has installed ECS i.e. wet scrubber with the stack of casting furnace but the same was lying in defunct condition. Chimney was also found broken at several points. Dust & Ash were observed in working hall as well as stair case and roof top of the premises. Adequate stack height and acoustic enclosure has not been provided with the DG Set of 25 KVA. The unit is not complying with all the provisions of HWM Rules. As per record, the unit has applied for renewal of authorization under HWM Rules on 21.08.2006 and not applied for consent to establish/operate. M/s Raju Hosiery Factory:- The unit is engaged in mfg. of Aluminium Circles by casting using Aluminium Scrap as raw material.	Issue notice to the unit listing out all the deficiencies and ask for compliance affidavit within 01 month. Ask the units to apply for Consent to Establish.
---	---	--	---	-----------------------------------	--	--

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

17	96	R.L. METAL WORKS	1/359, Gali No.-3, Friends Colony Industrial Area, GT Road, Shahdara, Delhi - 95.	Copper wire drawing with Super Enamelling.	S	NO	Ex CTO was valid upto 25.07.05	Applied	Expire d on 16.09.06.	Wet scrub ber	125(with Acoustic Enclosure)	Consent (Renewal) - -- Pending.	26-07-2002		EXPIRE D ON 16.09.2006		17353	26.12.2005	O/ R				APPLIE D				
18	99	RAJDHANI METAL INDUSTRIES	423/424,Gali No.7, Friends Colony Industrial Area, GT Road, Shahdara, Delhi - 95.	Copper wire drawing with Super Enamelling.	S	Yes (valid up to 03.02.04)	Not applied					Consent to establish expired. Not applied thereafter.	23-12-2005	-			-										
19	100	RAJEEV INSULATION PRODUCTS	15, GALI NO. 2, Friends Colony Industrial Area, GT Road, Shahdara, Delhi - 95.	Copper wire drawing with Super Enamelling.	S	No	Ex CTO was valid upto 23.07.05	Valid up to 28.07.08	Applie d for renewal	Wet scrub ber	62.5(with Acoustic Enclosure)	Consent (Renewal) - -- Valid. Authorization (Renewal) --- Pending	29-06-2005	3726	APPLIED FOR RENEWAL	28.09.2006	14757	29.06.2005	O/ R	14422	28.07.2008	VALID					
20	104	RAKESH GUPTA	Plot No.40, New No. 1/1359, Friends Colony Industrial Area, GT Road, Shahdara, Delhi - 95.	Copper wire drawing with Super Enamelling.	S	Yes Valid up to 25.7.03	Not applied			Wet scrub ber		Not applied after the expiry of Consent to Establish	26-07-2002	-			6452	26.07.2002	O/E	4138	25.07.2003	EXP.					
21	106	RAKESH NARULLA KAMAL NARULLA	355-A, (1/444-A) KH NO. 1185/20/2, GALI NO. 1, Friends Colony Industrial Area, GT Road, Shahdara,	Copper wire drawing with Super Enamelling.	S	Yes (valid up to 12.09.07)	Not applied					Consent to establish expired. Not applied thereafter.	29-08-2006	-			19165	29.08.2006	O/E	16846	12.09.2007	EXP.					