

By Speed Post / By Fax



DELHI POLLUTION CONTROL COMMITTEE
4th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/WMC-II / A-24 / 2015 / 1214

Dated: - 12/6/2015

Subject : Minutes of 24th of the committee headed by chairman, DPCC for deciding applications of
Consent to Establish/Operate, Renewal of Consent to Operate under Air and Water Acts,
Authorizations under the HWM Rules and the MSW Rules on 29.05.2015.

Sir,

Please find the enclosed herewith the Minutes of the 24th Meeting of aforementioned Committee,
Held in the Conference Room of Chairman, DPCC, at Delhi Secretariat on **29.05.2015**.

Yours faithfully

(B. L. Chawla)
Sr. Env. Engineer
Mob. . 09717593516

To,

1. PS to Chairman, DPCC, for kind information to Chairman, please.
2. Member Secretary, DPCC.
3. Prof. S.K.Gupta, Chemical Engg. Deptt, IIT, Hauz Khas, Delhi -16.
4. Prof. A.K.Nema, Civil Engg. Deptt., IIT, HauzKhas, Delhi -16.
5. Dr. Anil Kumar, Director, Environment Deptt., Govt. of NCT of Delhi.
6. Sr. Environmental Engineer WMC-II
7. Environmental Engineers WMC-II

Copy to :

- ✓ In-charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the Committee on the website of DPCC.
2. Account Officer.

T.E. M. Garg

882 / JTC/II
15/6/15

Subject: Minutes of 24th Meeting of the Committee headed by Chairman, DPCC for deciding applications of Consent to Establish / Operate, Renewal of Consent to Operate under the Air and Water Acts, Authorizations under the HWM Rules and the MSW Rules held on 29.05.2015.

List of members who attended the meeting is enclosed as Annexure-I

Agenda No. 1: 13 Cases of CETP were discussed and fact sheets with decision are enclosed.

Agenda No.2: 03 cases of Power Plants were discussed and fact sheets with decision are enclosed.

Agenda No. 3: 10 Cases of STP were discussed and fact sheets with decision are enclosed.

Agenda No. 4: 01 Case of Water Treatment Plant was discussed and fact sheet with decision is enclosed.

Agenda No. 5: 03 Cases of Authorization under HWM Rules for Collection and Transportation of incinerable Hazardous waste generated in NCT of Delhi and Treatment at TSDF sites of Uttar Pradesh were discussed and fact sheet with decision is enclosed.


Agenda No. 6: 08 Cases of MSW (Compost, Poultry, WTE) were discussed and fact sheet with decision is enclosed.

Agenda No. 7: 02 Cases (WTP Nangloi and WTE Plant, Gazipur) of administratively approved and decision taken on file were ratified.


Meeting ended with thanks to the Chair


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


(Kulanand Joshi)
MS, DPCC





(Dr. Anil Kumar)
Director, Deptt of Env.


(B.L. Chawla)
SEE, DPCC


(S.K. Goyal)
EE, DPCC


(K. Kumar)
EE, DPCC

ATTENDANCE SHEET: 24th CMC (Orange) Meeting w.r.t. cases of WMC-II scheduled for 29.05.2015.

Sr.NO.	Name & Designation	Department	Email & Mobile No.	Signature
1	Chairman, DPCC	on	chair	
2.	S.K. Gupta		IIT	
3.	Kulanand Joshi Member Secretary	DPCC	msdpcc@nic.in	 29/5/15
4.	Dr. Anil Kumar Director	Environment	direnv.dellhi@nic.in	
5.	B.L. Chawla SEE	DPCC	blchawla@dpcc@nic.in	
6.	S.K. Goyal	DPCC	skgoyal@dpcc@nic.in	
7	K. Kumar	DPCC	kkumar.dpcc@nic.in	

Agenda 1- Cases of CTEPs : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
1	Badli CETP (12 MLD)	Behind Suraj Park, Sec-18, Rohini.	10.03.2015	10308	CETP	CTO valid upto 31.03.2015.	Authorization under HWM Rules valid upto 08.10.2015	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLSM. But the same was not installed.Further, directions issued for extension of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015, if OLMS are not installed by 30.06.2015. Observation of Special Committee constituted in compliance of Honble NGT orders during inspection on 31.03.2015:- (i)Grit chamber, equalization tank, pre-chlorination tank and tube settlers were found completely filled with sludge. Solids overflow observed from the tube settlers. (ii)Sludge line from sludge thickener to vacuum filter was choked and sludge pumps were found not working. Also, sludge storage area was found completely filled with sludge. (iii)Additional sludge storage area is being constructed. (iv)Online Monitoring System not installed. (v)CCTV system not installed by CETP. SCN for Refusal of Consent issued on 27.04.2015 for deficiencies observed.. Society represented /raised doubts in various meetings held in this regard in Industry Department, on suitability/compatibility/suitability of OLMS etc.	Results of March-2015 Inlet: Not meeting the standards w.r.t. TSS, Oil & Grease Outlet : Not meeting the standards w.r.t. BOD, Pb. Results of April- 15 Inlet: Not meeting the standards w.r.t. Cr (total) Outlet : Meeting the prescribed standards Source of Water : Borewell.	Communicate action to be taken as decided in the meeting held on 27.05.2015 in reference to the NGT O.A. No.300/2013 in the matter of Manoj Mishra Vs UIO &ors.

(Sanjiv Kumar)
Chairman, DPCC

(Prof. S.K. Gupta)
IIT

(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC


(S.K. Goyal) (K.Kumar)
EE, DPCC EE, DPCC

Agenda 1- Cases of CTEPs : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
2	Naraina CETP (21.6 MLD)	Near Flyover CB Area Ring Road, Naraina	02.03.2015	10266	CETP	Valid upto 31.03.2015. Applied for renewal on 02.03.2015	Valid upto 31.03.2015. Applied for renewal on 02.03.2015.	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLMS. But the same was not installed.Further, directions issued for extension of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015,if OLMS are not installed by 30.06.2015.Society represented on 26.04.2015 & 7.5.2015 raised doubts on compatibility/suitability of OLMS etc. Observation of Special Committee constituted in compliance of Honble NGT orders during inspection on 19.03.2015: (i) CCTV installed but not found operational due to renovation work in the office of CETP Society. (ii) Online Monitoring System not installed. SCN for Refusal of Consent issued on 27.04.2015 for deficiencies observed. Society replied on 7.5.2015 & raised doubts on suitability/compatibility/suitability of OLMS etc.They also informed that CCTV cameras are operational.However,CCTV cameras are not connected with DPCC.	Results of March 2015 Inlet: not meeting the standards w.r.t. TSS.,Cr (total), Oil & Grease Outlet : meeting the prescribed standards. Results of April 2015 Inlet: not meeting the standards w.r.t. Oil & Grease Outlet : Meeting the prescribed standards. Source of Water : Borewell	Communicate action to be taken as decided in the meeting held on 27.05.2015 in reference to the NGT O.A. No.300/2013 in the matter of Manoj Mishra Vs UIO &ors.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC



(K.K. Goyal) (K.Kumar)
EE, DPCC EE, DPCC

Agenda 1- Cases of CTEPs : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
3	Okhla Industrial Area CETP (24 MGD)	C-141, Okhla Industrial Area, Phase-I	27.02.2015	10245	CETP	Applied for renewal on 27.02.2015.	Valid upto 31.03.2015. Applied for renewal on 27.02.2015	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of noline monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLSM. The society has placed order for installation of OLMS & not submitted BG. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015,if OLMS are not installed by 30.06.2015. Observation of Special Committee constituted in compliance of Honble NGT orders during inspection on 19.03.2015:- (i) The components of CETP i.e. equalization tank, flocculation sections, tube settlers etc. are filled up with sludge. (ii) Two agitators in the equalization tank were sent for repair. (iii) CCTV system installed. (iv) Order placed for Online Monitoring System. A letter was issued on 24.04.2015 for rectification of deficiencies observed & to submit present status of installation of OLMS. No reply received so far.	Results of April-15 Inlet: Not meeting the standards w.r.t. TSS, Oil & Grease Outlet : Meeting the prescribed standards Results of March-15 Inlet:Not meeting the standards w.r.t. Oil & Grease, Ammonical Nitrogen as N Outlet :Not meeting the standards w.r.t BOD Source of Water : Borewell	Communicate action to be taken as decided in the meeting held on 27.05.2015 in reference to the NGT O.A. No.300/2013 in the matter of Manoj Mishra Vs UIO &ors.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC



(S.K. Goyal) (K. Kumar)
EE, DPCC EE, DPCC

Agenda 1- Cases of CTEPs : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
4	Bawana CETP (35 MLD)	Bawana Infra Development Pvt. Ltd., Bawana Indl. Area CETP Society, Sector-5, Bawana	18.02.2013	3591	CETP	As per common decision taken in 23rd meeting dated 12.06.2014 Consent to operate/Authorization granted for limited period upto 31.03.2015	Authorization under HWM Rules valid upto 31.03.2015. Applied on 18.02.2015.	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of noline monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLSM. But the same was not installed.Further, directions issued for extension of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015,if OLMS are not installed by 31.03.2015. Observation of Special Committee constituted in compliance of Honble NGT orders during inspection on 19.03.2015.: (i) Sludge accumulation was observed in the equalization tank. (ii) Sludge drain valve of secondary clarifier is under repair resulting in sludge accumulation in the clarifier. (vi) Shed facility needs to be provided for the sludge storage areas. (iii) CCTV system installed and working properly. (iv) Online monitoring system not installed. SCN for Refusal of Consent issued on 27.04.2015 for deficiencies observed. Society represented /raised doubts in various meetings held in this regard in Industry Department, on suitability/compatibility of OLMS etc.	Results of March 2015 Inlet: Not meeting the standards w.r.t TSS, Outlet:Meeting the standards Results of April 2015 Inlet: Not meeting the standards w.r.t TSS, Outlet: Not meeting the standards w.r.t Cl, Sulphide Source of Water : Borewell	Communicate action to be taken as decided in the meeting held on 27.05.2015 in reference to the NGT O.A. No.300/2013 in the matter of Manoj Mishra Vs *UIO &ors.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


(Kulnand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC



(S.K. Goyal) (K.Kumar)
EE, DPCC EE, DPCC

Agenda 1- Cases of CTEPs : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
5	Lawrence Road Industrial Area CETP (12 MLD)	Lawrence Road Industrial Area CETP, Near HP Petrol Pump, Ring Road	21.02.2013	3618	CETP	As per common decision taken in 23rd meeting dated 12.06.2014 Consent to operate/Authorization granted for limited period upto 31.03.2015	Authorization under HWM Rules valid upto on 31.03.2015	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of noline monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLSM. But the same was not installed.Further, directions issued for extention of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority. in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015,if OLMS are not installed by 30.06.2015. Observation of Special Committee constituted in compliance of Honble NGT orders during inspection on 23.03.2015.: (i) Part of the treated effluent from tube settler is directly going to clear water tank instead of tertiary treatment due to malfunctioning of gate valve of the pipeline connecting tube settler and clear water tank. (ii) CCTV system installed. (iii) Tenders invited for Online Monitoring System. (iv) Sludge storage area was found completely filled with sludge. Additional sludge storage area required to be provided. SCN for Refusal of Consent issued on 27.04.2015 for deficiencies observed. Society represented /raised doubts in various meetings held in this regard in Industry Department, on suitability/compatibility of OLMS etc.	Results of March 2015 Inlet: Not meeting the standards w.r.t TSS, Oil & Grease Outlet: Not meeting the standards w.r.t BOD Results of Feb. 2015 Inlet: Not meeting the standards w.r.t TSS. Outlet: Not meeting the standards w.r.t BOD, Pb. Source of Water Supply : Borewell.	Communicate action to be taken as decided in the meeting held on 27.05.2015 in reference to the NGT O.A. No.300/2013 in the matter of Manoj Mishra Vs UIO &ors.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC



(S.K. Goyal) (K. Kumar)
EE, DPCC EE, DPCC

Agenda 1- Cases of CTEPs : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
6	Jhilmil CETP (16.8 MLD)	CETP Plant, B-Block, Jhilmil Indl. Area	04.03.2013	3700	CETP	As per common decision taken in 23rd meeting dated 12.06.2014 Consent to operate/Auth orization granted for limited period upto 31.03.2015	Authorization under HWM Rules valid upto 31.03.2015	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of noline monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLSM. But the same was not installed.Further, directions issued for extention of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015, if OLMS are not installed by 30.06.2015. Observation of Special Committee constituted in compliance of Honble NGT orders during inspection on 18.03.2015.: (i) The components of CETP i.e. equalization tank, pre-chlorination tank and tube settlers are filled with sludge. (ii) Flow meter was not working. (iii) CCTV system installed. (iv) Online Monitoring System not installed. SCN for Refusal of Consent issued on 27.04.2015 for deficiencies observed. Society represented /raised doubts in various meetings held in this regard in Industry Department, on suitability/compatibility of OLMS etc. Further, the Society submitted a representation along with copy of Hon'ble NGT order dated 08.05.2015 and requested to withdraw the directions dated 27.04.2015. However, nothing mentioned about rectification of deficiencies.	Results of April 2015 Inlet: Meeting prescribed standards. Outlet: Meeting prescribed standards. Results of March 2015 Inlet: Not meeting the standards w.r.t. Ni,Pb, Oil & Grease Outlet: Not meeting the standards w.r.t. Pb	Communicate action to be taken as decided in the meeting held on 27.05.2015 in reference to the NGT O.A. No.300/2013 in the matter of Manoj Mishra Vs UIO &ors.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


02/6/15
(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC


(S.K. Goyal) (K.Kumar)
EE, DPCC EE, DPCC

Agenda 1- Cases of CTEPs : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
7	NARELA CETP (22 MLD)	M/s PNC Delhi Indl Infra Pvt. Ltd., Opp. H- Block, Narela CETP Site, Narela Indl Area	08.03.2013	3757	CETP	As per common decision taken in 23rd meeting dated 12.06.2014 Consent to operate/Authorization granted for limited period upto 31.03.2015	Applied for renewal of Authorization under HWM Rules on 08.03.2013	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of noline monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLSM. Society submitted Bank Guarantee on 02.02.2015 however present status of installation of OLMS is not submitted. Observation of Special Committee constituted in compliance of Honble NGT orders during inspection on 31.03.2015.: (i) Dried sludge from sludge drying beds needs to be lifted and shifted to sludge storage area. (ii) CCTV system installed and in operation. (iii) Installation of Online Monitoring System is under process. Letter for rectification of deficiencies and present status of installation of OLMS is issued on 24.04.2015 however no reply received.	Results of March 2015 Inlet: Not meeting the standards w.r.t. TSS, Oil & Grease Outlet: Meeting prescribed standards. Results of April 2015 Inlet: not meeting the standards w.r.t. TSS, Oil & Grease Outlet: Not meeting the standards w.r.t. Sulphide Source of Water : Tubewell and DJB.	Communicate action to be taken as decided in the meeting held on 27.05.2015 in reference to the NGT O.A. No.300/2013 in the matter of Manoj Mishra Vs UIO &ors.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


02/6/15
(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC


(S. Goyal) (K.Kumar)
EE, DPCC EE, DPCC

Agenda 1- Cases of CTEPs : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
8	DSIDC Nangloi & Udyog Nagar Indl Area CETP (12 MLD)	Behind DTC Nangloi. Depot. Rohtak Road	31.05.2013	4441	CETP	As per common decision taken in 23rd meeting dated 12.06.2014 Consent to operate/Authorization granted for limited period upto 31.03.2015	Authorization under HWM Rules issued on 09.09.2010 valid upto 08.09.2015	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of noline monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLSM. But the same was not installed.Further, directions issued for extension of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015,if OLMS are not installed by 30.06.2015. Observation of Special Committee constituted in compliance of Honble NGT orders during inspection on 30.03.2015.: (i) Effluent from Udyog Nagar Industrial Area not received since the raising main between CETP and Udyog Nagar pump house is damaged. DJB is taking up the maintenance work for repairing the conveyance system. Tender work is under process by DJB. (ii) Grit removal system was not working/ defunct. (iii) Major maintenance work is going on w.r.t. replacement of pipes of ACF, DMF, Sludge Thickener, Vacuum Filter etc. Treatment system working upto tube settler. (iv) Sludge line from thickener to vaccum filter under repair. Sludge from the sludge thickener is sent to equalization tank. (v) CCTV system installed. (vi) Online Monitoring System not installed. SCN for Refusal of Consent issued on 27.04.2015 for deficiencies observed. Society replied on 07.05.2015 and informed that they will install the system as soon as doubts be cleared by supplier etc. The society also submitted pointwise reply for rectification of deficiencies.	Results of March-15 Inlet: Not meeting the standards w.r.t. TSS,Cu and Oil & Grease Outlet : Not meeting the standards w.r.t. Cl Results of Feb-2014 Inlet: Not meeting the standards w.r.t. TSS, Oil & Grease Outlet : not meeting the standards w.r.t. Cl Source of Water Supply : Borewell.	Communicate action to be taken as decided in the meeting held on 27.05.2015 in reference to the NGT O.A. No.300/2013 in the matter of Manoj Mishra Vs UTO &ors.

(Sanjiv Kumar)
Chairman, DPCC

(Prof. S.K. Gupta)
IIT

(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC


(S.K. Goyal) (K.Kumar)
EE, DPCC EE, DPCC


Agenda 1- Cases of CTEPs : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
9	Mayapuri Indl. Area CETP (12 MLD)	CETP Building, Opposite Govt. of India Press, Mayapuri Phase-I	30-03-15	10447	CETP	CTO valid upto 31.03.2015 Applied for renewal on 30.03.2015	Authorization under HWM Rules issued on 09.09.2010 valid upto 08.09.2015	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of noline monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLSM. But the same was not installed.Further, directions issued for extention of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015,if OLMS are not installed by 30.06.2015. Observation of Special Committee constituted in compliance of Honble NGT orders during inspection on 01.04.2015.: (i) Sludge accumulation was observed in equalization tank and pre-chlorination tank. (ii) Existing shed facility was completely filled with sludge. New sheds are required to be provided for storage of sludge. (iii) Treated water of CETP was partially used in chemical preparation, horticulture and backwashing of DMF and ACF. (iv) Online effluent monitoring system not installed. (v) CCTV system installed and in operation. SCN for Refusal of Consent issued on 27.04.2015 for deficiencies observed. Society submitted reply on 13.05.2015 and raised doubts on suitability/compatibility of OLMS and shows his inability to install OLMS etc.	Results of April- 15 Inlet: Not meeting the standards w.r.t. TSS, Oil & Grease Outlet: Not meeting the standards w.r.t. Cl Results of Feb-2014 Inlet: Not meeting the standards w.r.t. Ammonical Nitrogen as N Outlet: Meeting prescribed standards. Source of Water Supply : Borewell.	Communicate action to be taken as decided in the meeting held on 27.05.2015 in reference to the NGT O.A. No.300/2013 in the matter of Manoj Mishra Vs UIO &ors.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


(Kulanand Joshi)
MS, DPCC


(Dr. Anil Kumar)
Director, Deptt of Env.


(B.L. Chawla)
SEE, DPCC


(S.K. Goyal)
EE, DPCC


(K. Kumar)
EE, DPCC

Agenda 1- Cases of CTEPs : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
10	SMA Indl Area CETP (12 MLD)	119, SMA, Co-operative Indl. Estate, G.T. Karnal Road	24.09.2013	5534	CETP	As per common decision taken in 23rd meeting dated 12.06.2014 Consent to operate/Authorization granted for limited period upto 31.03.2015	Renewal of Authorization under HWM Rules issued on 09.09.2010 valid upto 08.09.2015	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLMS. But the same was not installed.Further, directions issued for extension of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015,if OLMS are not installed by 30.06.2015. Observation of Special Committee constituted in compliance of Honble NGT orders during inspection on 23.03.2015.: (i) Sludge accumulation was observed in the equalization tanks. (ii) Sludge thickener was found under maintenance. (iii) Shed of one sludge storage area was found damaged. (iv) Spillage of chemical solution used for dosing was observed from the chemical preparation area. (v) Online Monitoring System not installed. (vi) CCTV system installed. Society has submitted a letter along with Original Consent Certificate stating that they have deposited fee for five years. Therefore, consent may be issued for five years instead of 08 months. SCN for Refusal of Consent issued on 27.04.2015 for deficiencies observed. Society represented /raised doubts in various meetings held in this regard in Industry Department, on suitability/compatibility of OLMS etc.	Results of March 2015 Inlet: Not meeting the standards w.r.t. pH, TSS, Cr(Total), Oil & Grease. Outlet: Not meeting the standards w.r.t. Pb, Sulphide Results of April 2015 Inlet: Not meeting the standard w.r.t. TSS Outlet: Meeting prescribed standards. Source of Water Supply : Borewell.	Communicate action to be taken as decided in the meeting held on 27.05.2015 in reference to the NGT O.A. No.300/2013 in the matter of Manoj Mishra Vs UIO &ors.

(Sanjiv Kumar)
Chairman, DPCC

(Prof. S.K. Gupta)
IIT

(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC


(S.N. Goyal) (K.Kuma)
EE, DPCC EE, DPC

Agenda 1- Cases of CTEPs : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
11	Wazirpur Indl Area CETP (24 MLD)	Wazirpur Indl. Pollution Control CETP Society, Ashok Vihar Ph-II, Kali Mata Mandir Road	01.10.2013	5623	CETP	As per common decision taken in 23rd meeting dated 12.06.2014 Consent to operate/Authorization granted for limited period upto 31.03.2015	Authorization under HWM Rules valid upto 02.03.2016	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of noline monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLSM. Society submitted Bank Guarantee on 28.06.2015. However present status of installation of OLMS is not submitted. Observation of Special Committee constituted in compliance of Honble NGT orders during inspection on 20.03.2015.: (i) Flow meter was not working. (ii) Two Flash mixers were not working. (iii) Part of the effluent of equalization tank is continuously re-circulated to equalization tank so as to avoid septic conditions in the equalization tank.And, further sludge generation is very high (due to very low Ph in the effluent received) and sludge storage area was found completely filled with sludge. (iv) Additional sludge storage area required to be provided. (v) CCTVsystem installed. (vi) Order placed for installation of Online Monitoring System. Letter for rectification of deficiencies and present status of installation of OLMS is issued on 24.04.2015. Pointwise reply received on 25.05.2015. Society ensured that OLMS will be installed by 30.06.2015 positively.	Results of March 2015 Inlet: Not meeting the standards w.r.t. pH, TSS, Ni, Cu, Cr (Total), TDS Outlet: Meeting prescribed standards. Results of April 2015 Inlet: Not meeting the standards w.r.t. pH, TSS, Ni, Cu, Cr (Total) Outlet: Not meeting the standards w.r.t. Sulphide. Source of Water Supply : Borewell.	Communicate action to be taken as decided in the meeting held on 27.05.2015 in reference to the HGT O.A. No.300/2013 in the matter of Manoj Mishra Vs UIO &ors.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


02/6/15
(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC


(S.K. Goyal) (K.Kumar)
EE, DPCC EE, DPCC

Agenda 1- Cases of CETPs : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
12	GTK Road Indl. Area CETP (6 MLD)	GTK Road Indl Area CETP, B-Block, GTK Indl. Area	04.10.2013	5624	CETP	As per common decision taken in 23rd meeting dated 12.06.2014 Consent to operate/Authorization granted for limited period upto 31.03.2015	Applied for Renewal of Authorization under HWM Rules on 04.10.2013	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLSM. The society has placed order for installation of OLMS & not submitted B. G. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015,if OLMS are not installed by 30.06.2015. Observation of Special Committee constituted in compliance of Honble NGT orders, during inspection on 01.04.2015.: (i) CETP has recently started using caustic soda in physico-chemical treatment. (ii) Vacuum filter not in use. CETP using filter press for sludge dewatering. (iii) Sludge storage area completely filled with sludge. Additional sludge storage area needs to be provided. (iv) Types of industrial units contributing wastewater to CETP are Service Station and Banquet Hall. (v) Online monitoring system installed and under trial run. (vi) CCTV system installed. Legal Cell informed that file with Advocate.	Results of Dec- 13 Inlet: Not meeting the standards w.r.t. TSS, Pb, Oil & Grease Outlet: Not meeting the standards w.r.t. Pb. Results of March-2014 Inlet: Not meeting the standards w.r.t. TSS, Oil & Grease. Outlet: Not meeting the standards w.r.t. Pb, Fluoride. Source of Water Supply : Borewell.	Communicate action to be taken as decided in the meeting held on 27.05.2015 in reference to the NGT O.A. No.300/2013 in the matter of Manoj Mishra Vs UIO &ors.

(Sanjiv Kumar)
Chairman, DPCC

(Prof. S.K. Gupta)
IIT

(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC

(S.K. Goyal) (K.Kumar)
EE, DPCC EE, DPCC

Agenda 1- Cases of CTEPs : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of Application	Application ID No.	Activity / Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
13	Mangolpuri Indl. Area CETP (2.45 MLD)	CETP Mangolpuri Indl. Area, Phase-I	06.01.2014	6344	CETP	As per common decision taken in 23rd meeting dated 12.06.2014 Consent to operate/Authorization granted for limited period upto 31.03.2015	Not Applicable being a Biological Treatment Plant	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to CETP on 14.03.2014 to submit BG of 25 % of the cost of noline monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent to the Society and also letters issued for installation of OLSM. But the same was not installed.Further, directions issued for extention of time for installation of on line monitoring system with condition to submit BG of 100% cost of system. OLMS has not been installed yet. State level Committee constituted by Hon'ble NGT in the matter of Krishan Kant Singh Vs Ganga River Basin Authority, in its 5th meeting has decided to take over the CETP by Industry Department w.e.f.1.7.2015,if OLMS are not installed by 30.06.2015. Observation of Special Committee constituted in compliance of Honble NGT orders during inspection on 30.03.2015.: (i) Primary clarifier was filled with effluent upto the top/ brim. Part of the effluent from the Equalization Tank to primary settling tank is taken back / returned. (ii) Sludge withdrawal line from primary clarifier to sludge thickener was choked. (iii) Centrifuge for sludge dewatering is not in working condition and found to be under capacity. (iv) CCTV system installed but was not working. (v) Online Monitoring System not installed. SCN for Refusal of Consent issued on 27.04.2015 for deficiencies observed. Society represented /raised doubts in various meetings held in this regard in Industry Department, on suitability/compatibility of OLMS etc.	Results of March 2015 Inlet: Not meeting the standards w.r.t. TSS, Oil & Grease Outlet: Not meeting the standards w.r.t. BOD, Cl. Results of Feb 2015 Inlet: Not Meeting the standards w.r.t. TSS, Oil & Grease, Ammonical nitrogen as N. Outlet: Not meeting the standards w.r.t. Cl. Source of Water Supply : Borewell.	Communicate action to be taken as decided in the meeting held on 27.05.2015 in reference to the NGT O.A. No.300/2013 in the matter of Manoj Mishra Vs UIO &ors.

(Sanjiv Kumar)
Chairman, DPCC

(Prof. S.K. Gupta)
IIT

(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC

(S.R. Goyal) (K. Kumari)
EE, DPCC EE, DPCC

Agenda 2- cases of Power Plants: 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
1	Tata Power Delhi Distribution Limited, 108MW CCPP Rithala.	Tata Power Delhi Distribution Limited, 108MW CCPP Sector 11, Rohini, Delhi 85	28.10.2014 (Orange / Renewal	7900	Power generation 108 MW Natural Gas Based Combined cycle Power plant	CTO valid up to 24.11.2014.	Not Applied	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b) & decision taken in Conference of Chairman/Member Secretaries of Pollution control Boards/committees on 09.01.2015 that gas based Power plants to be included for OLMS, DPCC has given directions to Power Plant on 17.02.2015 to submit BG of 25 % of the cost of online monitoring system to ensure installation by 31.12.2015 and transmission of information simultaneously to CPCB & DPCC server. Power Plant has replied that they have already installed online continuous monitoring system for measurement of NOx. Plant asked to provide detailed status of operation in past months and proposed date/schedule of its operation in future, if any. Replies received and informed that turbines are not in regular operation from March 2013 due to unavailability of KG Basin Gas as plant is not being scheduled on spot gas by SLDC. Rithala CCPP was last operated on spot on 7.6.2013.		Renewal of Consent to operate Granted.

(Sanjiv Kumar)
Chairman, DPCC

(Prof. S.K. Gupta)
IIT

(Kulanand Joshi)
MS, DPCC

(Dr. Anil Kumar)
Director, Deptt of Env.

(B.L. Chawla)
SEE, DPCC

(S.K. Goyal) (K. Kumar)
EE, DPCC EE, DPC

Agenda 2- cases of Power Plants: 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorization Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
2	Rajghat Thermal Power Station(I.P.Power Generation Co. Ltd.)	Ring Road	15.04.2015(Orange/Renewal) with fee for one year.	10544	Thermal Power Plant(Coal Based Power Plant)	CTO valid up to 16.04.2015.	Authorization valid upto 18.10.2015.	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to Power Plant on 14.03.2014 to submit BG of 25 % of the cost of on line monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was also sent to the Power Plant. BG submitted on 01.01.2015 for an amount of Rs 26 Lakhs.Further it has been informed by letter dated 7.4.15 that the OLMS is likely to be installed by 30.06.2015 . Observation of Joint Team constituted in compliance of Honble NGT orders during inspection on 05.01.2015.: (i) Power Plant was found in operation with unit No.1. Unit No. 2 was under major overhauling including ESP. Controller was to be fitted with the ESP to enhance the efficiency.(ii) Cooling water is recirculated. (iii) Fly ash from the ESP is 100% collected and sold out to cement manufactures.Bottom ash in slurry form is discharged in the ash ponds.The same is reutilized.(iv) No discharge of trade effluent.Domestic sewage is connected to DJB Sewer. CPCB & DPCC jointly conducted inspection/monitoring of the plant on 29.04.2015 in compliance of Honble NGT order in the matter of Vardhaman Kaushik Vs UOI.As per results of CPCB the emission of particulate matter from unit II was found as 240.7 and 298.0 mg/Nm3 in Duct A and 187.1 and 207.1 mg/Nm3 in Duct B. The average emission of particulate from unit II was 233.2 mg/Nm3 against the limit of 150 mg/Nm3.The concentration PM 10 , SO2 and NO2 at near canteen and IG Stadium was found to be in the range of 133-179, BDL- 4 & 29-70 and 106-598, 4-7 & 38- 57 ug/m3 respectively against the limit of 100, 80 & 80 ug/m3 respectively. The concentration of PM10 was found to be exceeding the limit at both the locations.	Stack Monitoring Reports dated 24.03.2015 conducted by DPCC lab. Level of PM is not meeting the prescribed standard of 150mg/Nm3.DPCC asked to bringdown PM level to 50mg/Nm3. Noise Monitoring report of DG Set not submitted.	Show Cause Notice for Closure u/s 31(A) of the Air Act and for refusal of consent due to neither meeting the norms i.e. 150mg/Nm3 nor improving the plant to meet 50mg/Nm3. A letter may be written to CPCB appraising the above non compliance ,so as to appraise the same to Hon'ble NGT.

(Sanjiv Kumar)
Chairman, DPCC

(Prof. S.K. Gupta)
IIT

(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC

(S.K. Goyal) (K. Kuma)
EE, DPCC EE, DPCC

Agenda 2- cases of Power Plants: 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/ Product	Consent Status	Authorisation Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
3	Badarpur Thermal Power Station	Badarpur, Delhi	CTO valid up to 31.01.2018.	10538	Thermal Power Plant(Coal Based Power Plant)	CTO valid up to 31.01.2018.	Applied for renewal of Authorisation under HWM Rules. Last authorisation was valid upto 5.9.2015	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions to Power Plant on 14.03.2014 to submit BG of 25 % of the cost of noline monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server. Guidelines framed by CPCB was also sent to the Power Plant. BG submitted on 01.01.2015 for an amount of Rs 26,07,667/-. Further it has been informed by letter dated 31.03.2015 that they are installing the EQMS & CEMS at BTPS. Observation of Joint Team constituted in compliance of Honble NGT orders during inspection on 31.03.2015.: (i) Out of the 5 units, 2 units (4&5) are in operation for 210MW Power Generation. (ii) Renovation & Modernization work of ESP at unit 4 has been completed & of unit 5 is under progress. (iii) STP is in operation. Treated water is used in Horticulture purposes. (iv) Ash slurry is being discharged in Ph-IV in voids created after ash utilization. No ash pond overflow was discharged, it was collected in voids.. Further, CPCB & DPCC jointly conducted inspection/monitoring of the plant on 30.04.2015 in compliance of Honble NGT order in the matter of Vardhaman Kaushik Vs UOI. As per reports the stack concentration of particulate matter emission from unit II, II & IV as monitored is within limit of 150mg/Nm3. The concentration PM10, SO2 and NO2 at STP premise and CISF Colony was found to be in the range of 150-209, BDL- 6 & 17-27 and 135-299, BDL- 16 & 15-27 ug/m3 respectively against the limit of 100, 80 & 80 µm3 respectively. The concentration of PM10 was found to be exceeding the limit at both the locations.	Stack Monitoring Reports dated 30.03.2015 conducted by DPCC lab. Level of PM is meeting the prescribed standard of 150mg/Nm3. DPCC asked to bring down PM level to 50mg/Nm3.	Show Cause Notice for Closure u/s 31(A) of the Air Act and for revocation of consent as unit has failed to provide the additional pollution control measures with the unit I, II, III to bring down the PM within 50mg/Nm3.

(Sanjiv Kumar)
Chairman, DPCC

(Prof. S.K. Gupta)
IIT

(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC

(S.K. Goyal) (K. Kumar)
EE, DPCC EE, DPCC

Agenda 3- Cases of Sewage Treatment Plants: 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Brief of the case/ Action taken	Decision on 29.05.2015
1	Yamuna Vihar STP (25 MGD)	Yamuna Vihar, near Wazirabad Road, Delhi-53	19.12.2014 (Orange/Establish)	9700	STP	-	CTE was applied after construction of the STP. It has been indicated that the plant is designed to meet BOD 20 mg / l and TSS level 30 mg/l. For the new plants, DPCC is prescribing BOD & TSS level 10 mg/l respectively.	Consent granted with a condition to improve the plant to meet the BOD & TSS level 10mg/l respectively within 2 yrs
2	Yamuna Vihar STP (25 MGD)	Yamuna Vihar, near Wazirabad Road, Delhi-53	26.02.2015 (Orange / Operate)	10230	STP	CTE applied on 19.12.2014	CTE was applied after construction of the STP. It has been indicated that the plant is designed to meet BOD 20 mg / l and TSS level 30 mg/l. For the new plants, DPCC is prescribing BOD & TSS level 10 mg/l respectively.	Consent granted with a condition to improve the plant to meet the BOD & TSS level 10mg/l respectively within 2 yrs.
3	Keshopur STP (12 MGD)	Keshopur	19.01.2015 (Orange/Renewal)	9923	STP	CTO valid upto 01.02.2015	CTE was granted to achieve the BOD and TSS level 10 mg/l respectively. The plant is not meeting with the standards prescribed in the CTE and CTO. DJB has informed that the plant is designed for BOD 20 mg/l & TSS 30 mg/l which is being achieved. DJB has requested to prescribe the standards as per the designed parameters vide letter dated 15.07.2014.	Consent granted with a condition to improve the plant to meet the BOD & TSS level 10mg/l respectively within 2 yrs.

(Sanjiv Kumar)
Chairman, DPCC

(Prof. S.K. Gupta)
IIT

(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC

(S.K. Goyal) (K. Kuma)
EE, DPCC EE, DPC

Agenda 3- Cases of Sewage Treatment Plants: 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Brief of the case/ Action taken	Decision on 29.05.2015
4	Keshopur STP (60 MGD)	Keshopur	02.01.2015 (Orange/Renewal)	9818	STP	CTO valid upto 04.01.2015	The plant is not meeting with the standards prescribed in the consent i.e. BOD 30 mg/l and TSS 50 mg/l. Letters issued on 27.01.2014 & 23.02.2015 and also discuss the matters in the meeting with DJB. As per the latest analysis report dated 20.02.2015, BOD of the treated effluent was 180 mg/l.	A DO letter to CEO ,DJB appraising that the plant is not meeting the prescribed standards for a long time ,no action Plan has been submitted by the concerned even after letters & meeting with them.
5	Chilla STP (9 MGD)	Chilla	27.11.2014 (Orange / Establish)	9538	STP		The plant is designed to meet the BOD and COD level 10 mg/l respectively. File was put up administratively and it was decided to inspect the STP. Inspection yet to be conducted.	Consent granted with a condition to improve the plant to meet the BOD & TSS level 10mg/l respectively within 2 yrs.
6	Chilla STP (9 MGD)	Chilla	15.12.2014 (Orange / Operate)	9657	STP	CTE applied on 27.11.2014	The plant is designed to meet the BOD and COD level 10 mg/l respectively. File was put up administratively and it was decided to inspect the STP. Inspection yet to be conducted.	Consent granted with a condition to improve the plant to meet the BOD & TSS level 10mg/l respectively within 2 yrs.

(Sanjiv Kumar)
Chairman, DPCC

(Prof. S.K. Gupta)
IIT

(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC


(S.K. Goyal) (K. Kumar)
EE, DPCC EE, DPC

Agenda 3- Cases of Sewage Treatment Plants: 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Brief of the case/ Action taken	Decision on 29.05.2015
7	Nilothe STP (40 MGD)	Nilothe	12.08.2014 (Orange/Renewal)	8743	STP	CTO valid upto 01.06.2014	The STP was inspected on 06.01.2015 and the following deficiencies were observed :- 1. 10 sludge digesters with 4 gas holders and one flaring system is provided for digestion of sludge from Primary Settling Tank. However, gas is not being generated due to leakage. 2. Flow meter installed at inlet of Primary Settling Tank is not in operation. Letter for rectification of deficiencies observed during inspection was issued on 18.02.2015.	Issu show Cause Notice for refusal of consent for non rectification of deficiencies .
8	Kondli STP (45 MGD)	Kondli	09.05.2014 (Orange / Operate)	7761	STP		CTE was granted to achieve the BOD and TSS level 10 mg/l respectively. The plant is not meeting with the standards prescribed in the CTE and CTO. DJB has informed that the plant is designed for BOD 20 mg/l & TSS 30 mg/l. However, the plant is not meeting the designed parameters. A number of complaints against the STP for causing foul smell. A meeting was convened with DJB officer on 22.05.2015. DJB officers has assured to submit an action plan in this regard within a week .	Ask to take measures for controlling foul smell and meeting with the standards of BOD & TSS of 20mg/l & 30mg/l respectively within 15 days. Also to submit Action Plan to meet BOD & COD level 10mg/l within 2 years.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT

  
(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC


 
(S.K. Goyal) (K. Kumari)
EE, DPCC EE, DPC

Agenda 3- Cases of Sewage Treatment Plants: 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Brief of the case/ Action taken	Decision on 29.05.2015
9	Bakarwala Sewage Treatment Plant (3MLD)	Bakarwala, Delhi	31.10.2013 (Orange / Renewal)	5878	Sewage Treatment Plant	CTO valid up to 09.06.2014. Applied for Renewal of Consent to Operate on 31.10.2013	The STP was inspected on 29.04.2014 and following were observed: 1. The STP was found partially in operation.2. Flexible bye-pass pipe exists to carry raw sewage from holding tank to aerator/diffuser tank.3. Screen, Clarifier and sludge thickener were not in operation.4. Filter press was in defunct condition.5. No dry or wet sludge observed.6. No effluent /Sewage were observed at inlet & outlet of the plant.7. Condition of the equipment reveals that the plant is not in operation. 8. A DG set of 100 KVA found installed without acoustic enclosure & adequate stack. The DG set found in non operative condition. SCNs for refusal of consent and u/s 33 (A) of the Water Act were issued on 26.05.2014. In the meeting held on 21.08.2014, it was informed that it is not feasible to operate the plant due to quality of sewage being received. Proposed to divert the sewage to other STP. Again a letter was issued on 21.11.2014 for obtaining the time target action plan for diversion of sewage to other STP.	A DO letter to CEO ,DJB that the in the meeting held on 21.08.2014 with DJB officers, it was informed that it is not feasible to operate the plant due to quality of sewage being received. It was proposed to divert the sewage to other STP. No action plan has been received for diversion of effluent to other STP,so far.Therefore concerned officials be directed to submit the time bound action plan for treatment of sewage of this area to other STP.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


02/6/15
(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC


(S.K. Goyal) (K.Kuma
EE, DPCC EE, DPC

Agenda 3- Cases of Sewage Treatment Plants: 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Brief of the case/ Action taken	Decision on 29.05.2015
10	Rohini Sewage Treatment Plant (15MLD)	Sector-25, Rohini, Delhi	11.04.2014 (Orange / Renewal)	7456	Sewage Treatment Plant	CTO valid upto 12.04.2014. Applied for renewal on 11.04.2014	Inspection of the STP was conducted on 14.08.2012 and following were observed: 1. STP was not operational due to no flow during visit.2. It was informed that only one MGD flow available against the 15 MGD capacity.3. No flow meter was installed.4. No dry or wet sludge was seen in sludge drying beds.5. Gas holder & Sludge Digester were lying defunct. 6. STP was being maintained by M/S. Batli Boi Environmental Engineering Ltd., but during inspection 4/5 non technical persons were available at the site.7. Stale condition observed at the STP. Rain water was found stagnant under inlet chamber structure.8. Catchment area reported was sector23, 24 & 25, of Rohini.9. By pass drain was installed at inlet chamber.10. Premises were filthy with many pigs with litter roaming inside it. Another inspection was conducted on 29.04.2014 and following were observed: 1. STP found non-operational condition.2. Over flow of sewage is observed after de-silting unit and pond of sewage developed around the overflow area.3. Pigs were roaming in the premises and some of them were sitting in the pond of Sewage. SCN for refusal of consent was issued on 21.05.2014. Directions u/s 33 (A) of the Water Act, 1974 was also issued on 21.05.2014. In the meeting held on 21.08.2014, it was informed that DJB is in process of taking over the Rohini STP from Private Operator and shall take proper remediation thereafter within 02 months. SCN was again issued on 01.12.2014. DJB has not taken steps neither for operation of the plant nor maintaining cleanness.	A DO letter to CEO ,DJB that the in the meeting held on 21.08.2014 with DJB officers, it was informed that DJB is in process of taking over the Rohini STP from Private Operator and shall take proper remediation thereafter within 02 months. DJB has not taken steps neither for operation of the plant nor maintaining cleanness.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


02/16/15
(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC



(S.K. Goyal) (K. Kumar)
EE, DPCC EE, DPCC

Agenda 4- Cases of Water Treatment Plant: 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Brief of the case/ Action taken	Decision on 29.05.2015
1	Bhagirathi Water Works	Gokulpuri	10.04.2015 (Orange/Renewal)	10516	WTP	Consent valid upto 05.02.2015	The treatment plant has been setup for recycling of filter back wash water. No effluent discharge.	Renewal of Consent to operate Granted.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


(Kulanand Joshi)
MS, DPCC


(Dr. Anil Kumar)
Director, Deptt of Env.


(B.L. Chawla)
SEE, DPCC


(S.K. Goyal)
EE, DPCC


(K. Kuma)
EE, DPC

Agenda 5- Cases of Authorization under HWM Rules: 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
1	Bharat Oil & Waste Management Ltd	Village- Kumbhi, Tehsil- Akbarpur, District- Kanpur- Dehat, Uttar Pradesh	24.12.2014	9754	Collection & transportation of Incinerable Hazardous Waste at its Kanpur(UP), TSDF site	Not applicable	Unit has applied for Authorization under HWM Rules, 2008 for Collection & Transportation of Incinerable Hazardous wastes generated in NCT of Delhi and treatment at its TSDF site at Kanpur(U.P.). The unit is having its TSDF facility at Kumbhi, Akbarpur, Kanpur, Uttar Pradesh. UP Pollution Control Board has granted permission on 04.03.2014 for inter-state transportation of incinerable waste from 06 states viz. Punjab, Delhi, Rajasthan, H.P., Haryana & Bihar where common incinerator is not available.	A meeting was taken by Chairman, DPCC & presentation was made by operator on 27.02.2015 and after detailed discussion a committee was constituted, consisting of M.S., DPCC, Director (Env.), SEE (WMC-II) and a Senior Officer from CPCB to suggest measures required for safe collection and transportation of hazardous waste. The meeting of said committee was held on 16.03.2015 in the office of Member Secretary, DPCC. After detailed discussion, it was decided that :- (a) Authorization may only be granted to the operator who has permission from U.P. Pollution Control Board for processing of incinerable waste. (b) GPS enabled trucks shall be deployed for collection and transportation of the hazardous waste. (c) The operator shall follow the manifest system (Form-13) provided under Hazardous Waste Rules 21 for transportation. (d) The transporter shall be authorized under Hazardous Waste Rules, if the operator is not using own trucks for the purpose and the transportation shall be as provided under Chapter-VI and Chapter-VII of Hazardous Waste Rule. (e) The operator shall use waste tracking mobile application and instant information on whatsapp.	Authorization granted with conditions also decided by Committee in its meeting held on 16.03.2015. The operator shall also develop a software for instant online transmitting the information to DPCC as well as UPPCB from collection point to final disposal at TSDF of the incinerable HW. Delhi is in very close proximity with UP therefore the terms and conditions as applicable for the units of Ghaziabad shall be applicable for units of Delhi.

(Sanjiv Kumar)
Chairman, DPCC

(Prof. S.K. Gupta)
IIT

(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC

(S.K. Goyal) (K. Kumar)
EE, DPCC EE, DPCC

Agenda 5- Cases of Authorization under HWM Rules: 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
2	Ramky Enviro Engineers Ltd,N-1,Sector-5,	Village-Kumbhi,Tehsil-Akbarpur, District-Kanpur-Dehat,Uttar Pradesh	23.01.2015	9967	Collection & transportation of Incinerable Hazardous Waste	Not applicable	Unit has applied for Autorisation under HWM Rules, 2008 for Collection & Transportation of Incinerable Hazardous wastes generated in NCT of Delhi and treatment at its TSDF site at Kanpur(UP) .The unit is having its TSDF facility at Kumbhi,Akbarpur, Kanpur,Uttar Pradesh. UP Pollution Control Board has granted permission on 06.03.2013 for inter-state transportation of Incinerable Waste from 06 states viz.Punjab,Uttarakhand,Delhi,Rajasthan,HP & Haryana where common incinerator is not available.	A meeting was taken by Chairman,DPCC& presentation was made by operator on 27.02.2015 and after detailed discussion a committee was constituted ,consisting of M.S., DPCC, Director (Env.), SEE (WMC-II) and a Senior Officer from CPCB to suggest measures required for safe collection and transportation of hazardous waste. The meeting of said committee was held on 16.03.2015 in the office of Member Secretary, DPCC .After detailed discussion, it was decided that :- (a) Authorization may only be granted to the operator who has permission from U.P. Pollution Control Board for processing of incinerable waste. (b) GPS enabled trucks shall be deployed for collection and transportation of the hazardous waste. (c) The operator shall follow the manifest system (Form-13) provided under Hazardous Waste Rules 21 for transportation. (d) The transportor shall be authorized under Hazardous Waste Rules, if the operator is not using own trucks for the purpose and the transportation shall be as provided under Chapter-VI and Chapter-VII of Hazardous Waste Rule. (e) The operator shall use waste tracking mobile application and instant information on whatsapp.	Authoriation granted with conditions also decided by Committee in its meeting held on 16.03.2015 . The operator shall also develop a software for instant online transmitting the information to DPCC as well as UPPCB from collection point to final disposal at TSDF of the incinerable HW. Delhi is in very close proximity with UP therefore the terms and conditions as applicable for the units of Ghaziabad shall be applicable for units of Delhi.

(Sanjiv Kumar)
Chairman, DPCC

(Prof. S.K. Gupta)
IIT

(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC

(S.K. Goyal) (K.Kuma)
EE, DPCC EE, DPC

Agenda 5- Cases of Authorization under HWM Rules: 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Brief of the case/ Action taken	Remarks	Decision on 29.05.2015
3	Bharat Oil Company India Regd	E-18, Site IV, Sahibabad Indl. Area, Ghaziabad	2.2.2015	10033	Collection & transportation of Incinerable Hazardous Waste	Not applicable	Unit has applied for Autorisation under HWM Rules, 2008 for Collection & Transportation of Incinerable Hazardous wastes generated in NCT of Delhi and treatment at its TSDF site at Shahibabad, Ghaziabad. The unit is having its TSDF facility at Shahibabad, Uttar Pradesh. UP Pollution Control Board has not granted permission for inter-state transportation of Hazardous Waste to this site. The submitted copy of permission is for TSDF site at Kanpur, for which application is already submitted vide ID No.9754 dated 27.12.2014.	A meeting was taken by Chairman, DPCC & presentation was made by operator on 27.02.2015 and after detailed discussion a committee was constituted, consisting of M.S., DPCC, Director (Env.), SEE (WMC-II) and a Senior Officer from CPCB to suggest measures required for safe collection and transportation of hazardous waste. The meeting of said committee was held on 16.03.2015 in the office of Member Secretary, DPCC. After detailed discussion, it was decided that :- (a) Authorization may only be granted to the operator who has permission from U.P. Pollution Control Board for processing of incinerable waste. (b) GPS enabled trucks shall be deployed for collection and transportation of the hazardous waste. (c) The operator shall follow the manifest system (Form-13) provided under Hazardous Waste Rules 21 for transportation. (d) The transportor shall be authorized under Hazardous Waste Rules, if the operator is not using own trucks for the purpose and the transportation shall be as provided under Chapter-VI and Chapter-VII of Hazardous Waste Rule. (e) The operator shall use waste tracking mobile application and instant information on whatsapp.	Ask the unit to submit permission of UPPCB for inter-state transportation of incinerable waste of Delhi to Ghaziabad/Shahibabad TSDF.

(Sanjiv Kumar)
Chairman, DPCC

(Prof. S.K. Gupta)
IIT

(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC


(S.K. Goyal) (K. Kuma)
EE, DPCC EE, DPC

Agenda 6- cases of MSW (Compost, Poultry WTE) : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status under MSW Rules	Brief of the case/ Action taken	Decision on 29.05.2015
1	Delhi Agricultural Marketing Board	Poultry & Egg Market, Ghazipur (NC-E)	16.12.2013 (Orange / Operate)	6153	Poultry and Egg Market, Ghazipur	CTE issued on 05.02.10, valid upto 04.02.11. Applied for Consent to Operate on 16.12.2013	Applied on 04.03.2015.	On Line Monitoring System(OLMS): In view of CPCB directions u/s 18(1)(b), DPCC has given directions on 02.06.2014 to submit BG of 25 % of the cost of noline monitoring system to ensure installation of on line monitoring system by 31.03.2015 and transmission of information simultaneously to CPCB & DPCC server.Guidelines framed by CPCB was sent and also letters issued for installation of OLMS. But the same was not installed. CTO granted for the validity of One year with the condition to submit complete action plan for the modernization of Poultry within 6 months and also asked to apply for Authorisation under MSW Rules. No response was submitted for modernization of the plant. The plant was visited under Swach Bharat Abhiyan on 25.10.2014 and it was observed that:- 1. Solid Waste generated from the process of slaughtering of birds were found scattered in the area. 2. Birds were hovering in the area. SCN u/s 5 of EPA was issued on 14.01.2015 for submitting the action plan for modernization of the plant and management of Solid Waste. No response to the SCN was submitted. Therefore, called for personal hearing on 12.05.2015. Now, the response of SCN has been submitted on 15.05.2015 but no time targeted action plan has been submitted.	A meeting to be convened with the officers of DAMB,EDMC,Operator of the Slaughter House(M/S Alahana) before Chairman,DPCC for processing of MSW generated from Polutary market in the processing facility in the Slaughter House and Modernisation of the Plant.
2	IL&FS Environmental Infrastructure & Services Limited	MCD Compost Plant, Okhla Tank, Mathura Road	19.03.2013 (Orange / Establish)	3816	Production of RDF and Compost from MSW	Applied for Consent to Establish on 19.03.2013	N/A	Unit is having capacity of 200 TPD of MSW for Compost Plant. Now applied for CTE for additional capacity of 300 TPD for composting and RDF unit. A letter issued to unit on 29.10.13 seeking EC (activity fall at sl. no 7 (i) i.e. common municipal solid waste management facility (CMSWMF) and subsequent reminder on 07.05.2014. Applicant was called for personal hearing wherein it was informed that EC could not be obtained. Therefore ,applicant requested that application may be kept pending.	Return the Application in Original with Fee with the Direction to resubmit the Application along with the EC.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


(Kulanand Joshi)
MS, DPCC


(Dr. Anil Kumar)
Director, Deptt of Env.


(B.L. Chawla)
SEE, DPCC


(S.R. Goyal)
EE, DPCC



(K.K. Gupta)
EE, DPCC


Agenda 6- cases of MSW (Compost, Poultry WTE) : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status under MSW Rules	Brief of the case/ Action taken	Decision on 29.05.2015
3	Timarpur-Okhla Waste Management Company Pvt.Ltd	Old NDMC Compost Plant, Behind CRRI, Mathura Road, Delhi	25.09.2014 (Orange / Renewal) and 21.10.2011 (Orange/Operate)	9132 / 38325	Processing and Disposal Of 1300 TPD Of MSW Supplied by NDMC and MCD, GNCTD N Delhi and 225 TPD of RDF. (Power generation =16 MW)	CTO under Air/Water Acts was issued on 21.12.2011 for three months, extended on 19.04.2012, 02.07.2012 and on 20.11.2012 which was valid upto 20.03.2013	Authorization under MSW Rules applied on 25.09.2014	• DPCC in consultation with CPCB in its meeting held on 11.06.2014 and 12.06.2014 wherein Experts from IIT Delhi and Department of Environment had decided to issue directions u/s 31(A) of the Air Act 1981 to comply with and ensure the limit of 75 mg/NM3 Particulate Matter in the stacks with immediate effect. It was also decided to obtain time bound action plan so as to comply with the SPM level upto 30 mg/NM3 and other measures specified in the directions. • Ambient air quality shall be monitored by setting up ambient air quality monitoring stations at the boundary of the plant premises at strategic locations in consultation with DPCC lab. • The project proponent shall submit Time Bound Action Plan to comply with the recommendations made in the report of the committee constituted by the Hon'ble National Green Tribunal vide its order dated 28.05.2013 and recommendations made in the joint inspection report by CPCB, DPCC & MoEF dated 25.02.2014 regarding installation of Shredders, Destoner, fly ash utilization facility, Ambient Air Quality Monitoring Stations (Upwind and Downwind), arrangement for display of on-line meteorological parameters and HCL of stack as well as ambient air quality parameters at the main gate of the plant etc. • Accordingly, directions u/s 31(A) of the Air Act, 1981 was issued on 03.07.2014 and simultaneously show cause notices were issued for refusal of consent under Air & Water Act and authorization under MSW Rules. Project proponent has filed statutory appeal against the directions dated 03.07.2014 before the Ministry of Environment & Forest, Govt. of India. appeal is still pending. • On the directions of Hon'ble Green Tribunal, CPCB and DPCC has jointly monitored the plant on various occasions and submitted a detailed report before the Hon'ble NGT. • The Plant has neither meeting the limit of SPM of 30mg/NM3 nor submitted Action Plan for meeting the standards as per the directions dt.03.07.2014.	The matter is Pending before the appellate authority in MoEF with regard to the stringent standards prescribed by DPCC through Directions u/s 31 (A) of the Air Act to Plant operator. The matter is also pending before the Hon'ble NGT with regard to the application filed by Sukhdev Vihar resident Welfare Association against the operation of the plant in close proximity of Sukhdev vihar. Application be kept pending.



(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


(Kulanand Joshi)
MS, DPCC


(Dr. Anil Kumar)
Director, Deptt of Env.


(B.L. Chawla)
SEE, DPCC


(S.K. Goyal)
EE, DPCC



(K. Kumari)
EE, DPCC

Agenda 6- cases of MSW (Compost, Poultry WTE) : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status under MSW Rules	Brief of the case/ Action taken	Decision on 29.05.2015
4	Delhi Municipal Solid Waste Solutions Ltd	Narela Bawana Road, Delhi-39	17.06.2014	36927	Composting, RDF and material recovery facility, Engineered sanitary landfill. (Processing & Disposal of MSW= 3000 TPD)	CTO extended on 13.07.2012 valid upto 12.11.2012 Not applied for renewal after expiry of application.	Authorization under MSW Rules is extended on 13.07.2012 for the period of six months i.e. upto 12.11.2012	<u>Inspection findings of the unit dated 13.03.2015:-</u> 1. RDF is being stored at site and a lot of leachate observed around the heap. No coverage provided over heap resulting foul smell etc. 2. ETP for leachate treatment was found defunct., dosing tanks were dry and defunct and leachate was being by-passed through Kachha drain. 3. Leachate drains around open windrow area found broken and no proper leachate collection observed. Drains as well as sump were found filled with solid/ dried mud. 4. Foul smell observed at site where the leachate is being discharged in Kachha drain without treatment. 5. NDMC clearance for the site not provided. SCN u/s 33(A) of the Water Act and SCN for Refusal of the Consent were issued on 16.04.2015 for deficiencies observed during inspection. Reply received.	Inspection to verify the facts mentioned in the reply to Show Cause notice issued on 16.04.2015.
5	Delhi Municipal Solid Waste Solutions Ltd	Narela Bawana Road, Delhi-39	09.07.2014		Waste to Energy Plant			Applied for Extension of CTE. Directions u/s 31(A) of the Air Act was issued on 08.12.2014 for installation of Online Monitoring System before commissioning of the plant and transmission of data to CPCB and DPCC simultaneously. Installation of the plant delayed due to dispute between the project proponent and North MCD. Land for establishing the integrated MSW processing plant has been given by MCD.	Extension of Consent to Establish granted.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


016/115
(Kulanand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC


(S.K. Goyal) (K. Kumar)
EE, DPCC EE, DPC

Agenda 6- cases of MSW (Compost, Poultry WTE) : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status under MSW Rules	Brief of the case/ Action taken	Decision on 29.05.2015
6	Chintan Environmental Research and Action Group	Tuglakabad Extension site, Delhi	31.12.2013	nil	Aerobic Composting of Organic Waste	Not applied	Applied for Authorisation under MSW Rules, 2000 on 31.12.2013	Inspection of site was conducted on 12.03.2014 by DPCC officials. Following were the observations: 1. The compost plant was found under installation. 2. MSW is taken from various hotels, PSUs, malls, offices etc. 3. Compost pits are in use and each having capacity of 250 kgs and total capacity of 2500 kgs and compost is ready in 30 days. 4. Organic waste compost machine has capacity of 200 kg/day and the same shall be cured in the baskets which will take around 20-25 days to get the compost. 5. Drum Composter (Manthan) shall also be procured for mixing and earthen pots shall be used for processing of waste to produce compost. This facility is yet to be installed. 6. The site is located within the Jhuggi Cluster and some of the residents are also informal waste-pickers. 7. Chintan is also running an informal school in the same premises adjacent to the compost facility for the children's of waste-pickers of Jhuggi Cluster and the follow up taken by Chintan for admission to formal schools. 8. The land belongs to Sh. Karamvir Singh and land is taken by Chintan on rental basis. Letter issued to the unit on 11.06.2014 for providing proof of possession of land & site clearance from local authority/conformity of land use. No proof of possession of land & site clearance (from local authority)/conformity of land use have been submitted. Jhuggi Cluster appears to be on the Govt. land and this land is also located between the Jhuggi Cluster area. As per the provision of EIA notification, EC is also required for processing of MSW but this is a very tiny unit Informed that shifted to Gazipur.	Application be made Infructuous.
7	Chintan Environmental Research and Action Group	Gazipur Dairy Farm	26.08.2014	Nil	Aerobic Composting of Organic Waste	Not applied	Applied for Authorisation under MSW Rules, 2000 on 26.08.2014	Inspection of site was conducted on 9.3.2015 by DPCC officials. Following were the observations: 1. The compost plant is in operation having one OWC & 6 pits. 2. The food waste is taken from hotels. 3. Plant is located in Gazipur Dairy Farm. A letter issued on 28.05.2015 to provide proof of possession of land and site clearance (from local authority)/conformity of land.	put up after receiving the reply.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


016 T-5
(Kulnand Joshi) (Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC




(S.K. Goyal) (K. Kumar)
EE, DPCC EE, DPCC

Agenda 6- cases of MSW (Compost, Poultry WTE) : 24th Consent Committee Meeting(Orange) held on 29.05.2015

S. No.	Name of the unit	Address of the unit	Date of application	Application ID No.	Activity/Product	Consent Status	Authorisation Status under MSW Rules	Brief of the case/ Action taken	Decision on 29.05.2015
8	Mira Green Tech Pvt.Ltd	B-267A,1st Floor GK I,New Delhi-48	01.04.2015	NIL	Thermal Disposing of MSW	Not applied	Applied for Autorisation under MSW Rules, 2000 on 01.04.2015	Applied for technology approval for thermal disposal unit.No specific location mentioned for establishing the unit.The capacity to burn from 50 Kg to 1000Kg /Hour.The system burning temp is 850-1300 degree centrigate.	Application be return with advice to approach CPCB for approval of technology as per MSW rules.


(Sanjiv Kumar)
Chairman, DPCC


(Prof. S.K. Gupta)
IIT


(Kulanand Joshi)  
(Dr. Anil Kumar) (B.L. Chawla)
MS, DPCC Director, Deptt of Env. SEE, DPCC

 
(S.K. Goyal) (K.Kumar)
EE, DPCC EE, DPC