



CONSENT MANAGEMENT

Agenda No 2 - Annexure I - 22 Remaining Cases of Consent to Operate and Consent to Operate(Renewal)(ATR) under orange category of the period 01.01.2012 to 31.07.2012(excluding the cases of redevelopment areas)recommended by Screening Committee as (2b category) on 26.10.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/509 09-01-2012	MAYUR AIR PRODUCTS PVT. LTD B-49, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG. OF OXYGEN GAS. Oxygen / Medical gases without bottling of by-product gases	- Date of commissioning of project ---- - Built Up Area ---- 146 (in sq. meter) - Water Consumption ---- 3000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 13-08-2012 Put up administratively. Decision / Recommendation of Screening Committee on 03-05-2012 Implement the earlier decision dated 02.04.2012.	30-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 23.06.09 & following were observed: a) The unit was found operational and deals with the activity of Mfg. of O2 & N2 gases. b) The atmospheric is collected and compressor which is then followed by chilling and lastly air separation is done. c) Cooling is done to absorb the heat generated during heating process. For this cooling tower is there with continuous networking. d) stack height DG set was found to be low & needs to be increased. However, according to the person contacted the DG set is on the verge of being sold out and not use any further. e) Water for the cooling purpose and domestic purpose is procured from water tanks. Bills attached. (5) SCN u/s 31(A) & 33(A) details : issued on 31.08.09 As decided by the CMC(G) in its meeting held on 23.05.11, Consent to establish & renewal of consent to operate were refused on 26.07.11. Unit has submitted its reply on 15.09.11 along with the affidavit stating that they have closed their nitrogen gas manufacturing facility & they would not produce nitrogen gas in future. EARLIER CMC DECISION 07.10.10 (In Green) Ask the unit to comply with the provisions of MPD 2021 and submit an affidavit in this regard. 30.12.10 (In Green) Issue reminder 17.02.11 (In Green) Issue SCN for refusal of consent 23.05.11 (In Green) Consent refused as the nitrogen gas manufactured as a by product is supplied for the pharmaceutical usage which is an industrial use and cannot be considered as a medical use.	26-10-2012 File be put up administratively.

								Forward the name to MCD/DDA with a copy to Commissioner of Industries regarding prohibition under MPD-2021. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 File was put up administratively & as approved on file, letter was issued on 23.10.12 for submission of proper justification of economic viability of the project in absence of bottling for the nitrogen. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided by the CMC in its meeting held on 03.05.12, letter was issued on 25.05.12. Unit has submitted its reply on 11.06.12 along with the affidavit stating that they undertake that they would not capture Nitrogen Gas from their plant and would be use for filling of industrial & Medical Oxygen Gas. The unit will not violates rules as per provision of MPD-2021.	
2	DPCC/EC/2/1/2012/653 23-01-2012	AKSHAY GERA E-654,DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	MFG. OF PLASTIC DANA/TRIPAL. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 13-08-2012 Issue SCN for refusal of consent. Decision / Recommendation of Screening Committee on 03-05-2012 File be put up administratively.	30-03-2012 (1) Inspection details: was conducted on 03.02.2011. Observations 1. Basement of the premises is being used by the unit, unit is engaged in mfg. of plastic products. 2. No channelization provided to channelize the emissions. 3. First floor of the premises is being used by the unit for official purpose. (2) SCN u/s 31(A) and for refusal of consent details : was sent to the unit on 26.08.2011. (3) Reply has been received on 12.10.2011 alongwith an affidavit requesting for two month time to install the proper channelization system to channelize the process emission on the machine. (6) Modified directions u/s 31(A) details : for submission of bank guarantee of Rs. 50,000/- user Air Act valid for one year and 60 days time to install proper channelization system to control the process emission was sent to the unit on 14.11.2011. (7) Reply has been received on 30.11.2011 stating that they have installed a well design ducting and channelization to channelize the process emission on the machines. (8) Unit has submitted the bank guarantee of Rs. 50,000/- under Air Act on 30.12.2011. Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 As decided in CMC meeting, a Show Casue Notice for refusal of consent issued to the unit on 12.09.2012. Unit submitted its reply on 19.10.2012 and requesting for 15 days time for submission of compliance report. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012	26-10-2012 Renewal of consent to operate refused since unit has added additional activity i.e. Tripal mfg. Also ask the unit to apply afresh for consent to establish and consent to operate.

								As decided by the Screening Committee file was put up administratively and it was decided to ask the unit to submit fresh application for consent to establish for the added activity.	
								Accordingly a letter was issued to the unit on 17.07.2012. No reply received from the unit till date.	
3	DPCC/EC/2/1/2012/669 24-01-2012	THREE-N-PRODUCTS PVT.LTD. 24-A, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	BLENDING AND PACKAGING OF AYURVEDIC CREAM, SHAMPOO AND GEL Perfumes and Cosmetics	• Date of commissioning of project ---- • Built Up Area ---- 1400 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 13-08-2012 Issue SCN for refusal of consent. Decision / Recommendation of Screening Committee on 03-05-2012 Put up adminstratively.	30-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 25-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No According to unit no hazardous waste is generated but as per new DPCC categorization, activity covered in HW Rules. So dummy data has been filled by IT cell in the column 23 of application,to enter the file. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 Unit submitted application for authorization under HWM rule on 26.09.2012 Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 file submitted administratively. As approved a letter has been issued to the unit on 25.05.2012 for submission of application for authorization under HW Management Rules, 2008. But, unit has failed to submit the same.	26-10-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
4	DPCC/EC/2/1/2012/715 30-01-2012	VIJAY ADHESIVE INDUSTRIES 6, GALI NO. 4, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	MFG. PAPER GUM. Paper Gum using fuel for heating without effluent discharge	• Date of commissioning of project ---- • Built Up Area ---- 190 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 13-08-2012 File be put up administratively.	03-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As approved, letter was issued on 26.07.12 to apply for consent under Green category as the paper gum cold process without trade effluent discharge falls under green category. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 File was put up administratively & as decided, reminder letter was issued on 08.10.12 for submission of an application & affidavit under Green category.	26-10-2012 File be put up administratively.

							No reply has been received from the unit so far.		
5	DPCC/EC/2/1/2012/752 03-02-2012	PRECISION PIPES & PROFILES CO. LTD. B-II/29, MOHAN CO-OPERATIVE INDUSTRIAL AREA, BADARPUR	Mohan Co-operative Industrial Area	Orange Operate	Extruded Profiles, pipes, compound, Pellets, Moulded, Parts (thermoplastic material) Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 744.89 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 13-08-2012 Issue SCN for refusal of consent. Decision / Recommendation of Screening Committee on 28-03-2012 Ask the unit to provide adequate stack height with the D.G. Sets and confirm on an affidavit. If unit does so, consent to operate be issued. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 As decided, SCN for refusal was issued on 28.09.12 as the unit has not confirm its reply on an affidavit. Unit has confirm its reply on an affidavit & submitted on 10.10.12 that they has increase the DG set stack height to 3 mts above the roof of the building. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided by the CMC in its meeting held on 28.03.12, letter was issued on 23.05.12 for increase the stack height of the DG set & confirm on an afidavit. Unit has submitted its reply on 21.06.12 & stating they have already increase the stack height of DG set to 3 mtr above the roof of the building. But, the unit has not confirm its reply on an affidavit.	22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 35 KVA and 200 KVA. Noise monitoring report dated 18-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 2 D.G. Set(s) of 35 KVA and 200 KVA. Noise monitoring report dated 18-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. As per Noise Monitoring report adequacte stack height has not been provided with the DG set of 200 KVA & 35 KVA As decided by the CMC (O) in its meeting held on 22.11.07, CTE issued on 15.02.08 vd CNO 18420. EARLIER CMC DECISION 22.11.07 (In CTE File) consent to establish granted. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 As decided, SCN for refusal was issued on 28.09.12 as the unit has not confirm its reply on an affidavit. Unit has confirm its reply on an affidavit & submitted on 10.10.12 that they has increase the DG set stack height to 3 mts above the roof of the building. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided by the CMC in its meeting held on 28.03.12, letter was issued on 23.05.12 for increase the stack height of the DG set & confirm on an afidavit. Unit has submitted its reply on 21.06.12 & stating they have already increase the stack height of DG set to 3 mtr above the roof of the building. But, the unit has not confirm its reply on an affidavit.	26-10-2012 Consent to Operate granted without using plastic scrap as a raw material.
6	DPCC/EC/2/1/2012/1272 03-04-2012	ALLIED POLY BAGS (P) LTD A-4/3, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF POLYTHENE PACKING BAGS/ROLLS Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of	• Date of commissioning of project ---- • Built Up Area ---- 501.6 (in sq. meter) • Water Consumption ---- 3 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 13-08-2012 Expedite inspection. Decision / Recommendation of Screening	16-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 03-04-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 04.02.2009	26-10-2012 File be put up administratively.

[illegible]

				(Without Reprocessing Activity)			Decision / Recommendation of Screening Committee on 10-05-2012 File be put up administratively.	(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
9	DPCC/EC/2/1/2012/1570	SPB PACKAGING (P) LTD B-70/67, DSIDC SHED LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	POLY PROPLENE BAG(INDUSTRIAL PLASTIC POUCHES) Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	- Date of commissioning of project ---- - Built Up Area ---- 115 (in sq. meter) - Water Consumption ---- 700 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 25-06-2012 File be put up administratively.	19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 File was put up adminstratively and it was decided to inspect the unit same was done on 03.08.2012 and no polthene bag manufacturing found in the unit. Also unit is using fresh relinace PP dana.	26-10-2012 File be put up administratively.
10	DPCC/EC/2/1/2012/1583	GANESH FOUNDRY WORK B-141, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	C. I. CASTING THROUGH PIT FURANCE. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	- Date of commissioning of project ---- - Built Up Area ---- 418 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 200 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 25-06-2012 Inspection be conducted.	21-06-2012 (1)ETP ---- N/A (2)ECS - Suction hood (b) Stack monitoring report dated 27-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details:yes, conducted on 28.09.2010. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Directions u/s 31(A) issued on 11.10.2010. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 An inspection was conducted on 27.08.2012 and following were observed:	26-10-2012 Consent to Operate granted.

[illegible]

								Unit has submitted its reply on 08.12.10 along with above said Bank Guarantee & affidavit. EARLIER CMC DECISION 07.05.10 Issue consent to establish. Subsequently, inspection be conducted. Ask the unit to apply for fresh authorization under HWM Rules. 27.08.10 Reply received. Ask the unit to submit an affidavit of complete rectification of deficiencies found during the inspection. Also ask the unit to submit Bank Guarantee of Rs. 50,000 each under Air Act, Water Act and HWM Rules valid for one year. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 As decided, unit was inspected by DPCC officials on 18.10.12 & following were observed: 1. Unit found operational & engaged in offset printing, lamination, Designing and Binding (without plate making). 2. Plate making not exist in the premises. As reported, plate making facility was removed from the premises from last one & half year. 3. One DG set exist (82.5 KVA) with acoustic enclosure & adequate stack height. 4. Bore well not exist. 5. Unit has complied with the provisions of HWM Rules.	
13	DPCC/EC/2/1/2012/1767 								

[illegible]

	20-06-2012	JHILMIL INDL. AREA			MOULDING ITEMS. (WITHOUT WASHING ACTIVITY) Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material Without Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	File be put up administratively.	submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... (4) Inspection details: Dated 20.11.10 and it was observed that: a) the unit was operating without obtaining CTE & CTO from DPCC. b) The unit is engaged in the activity of mfg. of PVC granules and have not provided chanelization system/ emission control system thereby causing the air pollution. (5) SCN u/s 31(A) of Air Act issued on 21.03.11. However, no reply has been recieved from the unit. (6) Closure directions u/s 31(A)/33(A) was issued on 22.11.11. Unit has submittd its reply on15.12.2011 informing that they have taken the anti pollution control measures by providing channelization and a stack. Further the unit has also stated that they will apply for CTE/CTO after getting monitoring report. As approved, temporary revocation of closure direction issued on 19.04.2012 for 45 days for submission of stack monitoring report from approved laboratory of DPCC. Unit has mentioned in its CTO application that the channelization with exhaust system has been provided for process emissions but the unit has not submitted stack monitoring report from approved laboratory of DPCC. As decided by the screening commitee on 22.05.12, refusal of CTE & letter to apply afresh for CTE as reprocessing of plastic is involved were issued on 02.07.12. As decided by the screening commitee on 22.05.12, refusal of CTO & letter to apply afresh for CTO as reprocessing of plastic is involved were issued on 02.07.12. Unit has submitted its replies on 14.06.12 & 03.07.12 stating that they has applied for fresh CTE & CTO & requested for permenent revocation. EARLIER CMC DECISION 22-05-2012 (2b) Consent to Establish refused. Ask the unit to apply afresh for consent to establish as reprocessing of plastic is involved. 22-05-2012 (2b) Consent to Operate refused. Ask the unit to apply afresh for consent to operate as reprocessing of plastic is involved. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 File is under submission.	
18	DPCC/EC/2/1/2012/2007	PLASTO FILMS	Okhla Industrial	Orange Renewal	MANUFACTURING OF POLYTHENE		Decision / Recommendation	19-07-2012 (1)ETP ---- N/A	26-10-2012

	28-06-2012	124, DSIDC SHEDS, PHASE-I, OKHLA INDUSTRIAL AREA	Area		FILMS AND BAGS. Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	• Date of commissioning of project ---- 01-01-1994 • Built Up Area ---- 111.53 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	of Screening Committee on 19-07-2012 File be put up administratively.	(2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: condcuted on 22.01.09 & following were observed: a) Unit is involved in the manufacturing of plastic bags only with size (10 x 18) and (20 x 36). b) Unit is using virgin plastic granules. c) No recycling process found at the premises. d) No printing is going on there. e) The plastic granule is ISI marked. As decided by the CMC (O) in its meeting held on 04.03.09, SCN was issued on 16.04.09 as to why the unit be not closed for non compliane of order dated 07.08.2008 passed by Hon ble High court of Delhi. Unit applied for authorization for Plastic bags on 06.02.09 vd ID 208. Unit submitted a letter on 13.04.11 along with Sales tax registration, Excise registration & Partner ship deed stating that the unit has change the name to Plastofilms EARLIER CMC DECISION 04.03.09 Issue SCN for closure. Call on 22.04.2009. 26.08.11 Put up in next CMC. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 File was put up administratively & as Delhi Govt. is going to ban the Mfg. activity of polythene bags in view of draft notification Therefore, wait for the notification.	File be put up administratively.
19	DPCC/EC/2/1/2012/2060 03-07-2012	STANDARD RING CO. A-75/1, GT.T. KARNAL ROAD INDL. AREA	G.T. Karnal Road Industrial Area	Orange Renewal	Mfg. of All Type of Piston Ring. Annealing using Electric Furnace/Oven	• Date of commissioning of project ---- • Built Up Area ---- 109.596 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		21-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 120 KVA. Noise monitoring report dated 19-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	26-10-2012 Renewal of Consent to Operate granted.
20	DPCC/EC/2/1/2012/2102 09-07-2012	LUXOR NANO TECHNOLOGY PVT. LTD. 229, PH-III, OKHLA INDL. ESTATE	Okhla Industrial Estate	Orange Operate	MANUFACTURING OF SURFACE CLEANING AND IMPREGNATION PRODUCTS. Manufacturing of Surface Cleaning and Impregnation Products based on Nanotechnology	• Date of commissioning of project ---- • Built Up Area ---- 465 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 700 liters/day	Decision / Recommendation of Screening Committee on 17-09-2012 Inspection be carried out to ascertain generation of hazardous waste.	14-09-2012 (1)ETP ---- N/A (a) AR not submitted. (b) Effluent analysis report not submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... A representation was received on 01.03.12 to activity Manufacturing of Surface Cleaning & Impregnation Products. The unit has submitted in their representation the raw materials, product, technology adopted and brief	26-10-2012 Expedite inspection.

					without Heating			manufacturing process of the proposed activity to be established in NCT of Delhi. As approved, a letter was issued to DDA on 28.05.12 for getting clarification whether the said activity can be permitted in Delhi or not. A reply was received from DDA on 04.07.12 mentioning that the activity, manufacturing process involved in an industrial activity needs to be examined/ clarified by the industries department, GNCTD as well as DPCC & CPCB as per the MPD-2021 provisions. As decided in the meeting dated 10.07.12, letter was issued to CPCB on 01.08.12 for getting clarification whether the said activity can be permitted in Delhi or not. No reply was received from CPCB in this regard. The matter was again taken up by committee on 05.09.12 constituted for classification of the units under an appropriate head in DPCC categorization & as decided a new category was prepared as Manufacturing of Surface Cleaning and Impregnation Products based on Nanotechnology without Heating. It was mentioned in the minutes that during the processing of CTO, an inspection may be carried out by CMC to ascertain generation of hazardous waste as per Sr. No. 20 of the schedule-I of hazardous Waste Rule , 2008 Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 Unit yet to be inspected.	
21	DPCC/EC/2/1/2012/2174 17-07-2012	M.C.R. ENTERPRISES T-2/175, PHASE-I MANGOLPURI INDL. AREA	Mangolpuri Industrial Area	Orange Operate	AUTOMOBILE WORKSHOP OF TWO WHEELERS (WITHOUT WASHING). Automobile Repair and Servicing (Without Washing)	• Date of commissioning of project ---- 01-08-2012 • Built Up Area ---- 140 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 16-08-2012 File be put up administratively.	14-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil SCN u/s 31(A) of Air ACt was issued on 07.05.2012 Recommendation / Action Taken Details (EE/AEE) on 19-10-2012 File was put up administratively and it was decided to take up the case in next CMC.	26-10-2012 Consent to Operate and Authorization under HWM Rules granted.
22	DPCC/EC/2/1/2012/2228 24-07-2012	KAY S AUTO B-34/13, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Operate	MFG. OF AUTO SPARE PARTS AND SERVICE OF MOTOR CYCLE (WITHOUT WASHING) Automobile Repair and Servicing (Without Washing)	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 16-08-2012 File be put up administratively.	14-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 Inspection approved on file to verify the fact w.r.t. washing to take decision regarding issuance of permanent revocation.	26-10-2012 Expedite inspection as decided on file.