



CONSENT MANAGEMENT

Agenda No 1 - Annexure II - 12 Remaining Cases of Consent to Establish (ATR) under orange category of the period 01.01.2012 to 31.07.2012(excluding the cases of redevelopment areas)recommended by Screening Committee as (2c category) on 26.10.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/1024 12-03-2012	BALAJI ENTERPRISES H 1423 DSIDC INDUSTRIAL AREA NARELA	Narela Industrial Area	Orange Establish	Mfg. of Reprocessing of HDPE Wax, Synthetic Rubber and Plastic Granules. Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material Without Washing Activity) Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	- Date of commissioning of project ---- - Built Up Area ---- 210 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 13-08-2012 Expedite inspection. Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Inspection be conducted for clarifying the admisibility of the proposed activity. Decision / Recommendation of Screening Committee on 26-03-2012 Issue SCN for refusal of consent to establish in view of reprocessing of synthetic rubber.	21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 As decided by the Committee, inspection conducted on 19.10.2012 and following were observed: 1) Unit found in operation and engaged in reprocessing of rubber waste and reprocessing of PP waste. 2) Unit has not provided any channelization system over kneader rolling mill etc. 3) Unit has not installed any effluent treatment plant to treat the effluent generated from washing process of PP waste & Waster Water generated from kneader. 4) Unit has not installed a proper hood and suction arrangement over extruder, mixer etc and having over at last exist only. Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 Inspection is to be carried out.	26-10-2012 Recommended to issue Show Cause Notice for refusal of consent, Show Cause Notice u/s 31(A) of the Air Act and Show Cause Notice u/s 33(A) of the Water Act.
2	DPCC/EC/2/1/2012/1427 20-04-2012	JUMBO INTERNATIONAL JUMBO HOUSE, JUMBO INDUSTRIAL ESTATE,OKHLA INDUSTRIAL ESTATE	Okhla Industrial Estate	Orange Establish	FOOD PROCESSING Food and Fruit Processing Industry - Fruit and Vegetables with Boiler	- Date of commissioning of project ---- - Built Up Area ---- 1115 (in sq. meter) - Water Consumption ---- 124000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 6100 liters/day (b) Trade Effluent ---- 62500 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 13-08-2012 Recommended to put up file administratively.	08-05-2012 (1)ETP ---- installed (2)ECS - N/A (3)D.G.Set Noise Report : 3 (4) Inspection details: on 01.09.10 & following were the observations: 1. M/s Midland Fruits and Vegetable Product (India) Private Limited and M/s Jumbo International are located in Ishwar Nagar, Jumbo House Okhla Phase-III, New Delhi without separate demarcation. 2. Both the units are having common coal fired boiler and ETP. 3. Cyclone followed by ESP has been installed with the coal fired boiler	26-10-2012 Recommended to issue final reminder to DDA seeking clarification of the activity/site of the unit w.r.t. MPD-2021 enclosing copy of earlier letter of 1968 of DDA and MCD license issued to the unit giving 30 days time stating that in case of no reply in the said period, the activity / site of the unit shall be deemed as conforming to MPD-2021.

						Decision / Recommendation of Screening Committee (MS) on 16-05-2012 Status awaited from DDA. Recommended to put up file administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	which was found in operation. 4. ETP was also found in operation. 5. The units are having two bore wells. 6. The units have not converted the coal fired boiler into oil fired so far as directed vide letter dated 15.03.10. 7. One more coal fired boiler was found installed which has been directly connected to main stack without any ECS. This boiler was not in operation during the inspection. 8. The issue of conformity of unit is to be discussed. (5) Closure directions u/s 31(A) details : in accordance not to operate its coal fired boiler till 15.10.10 in view of CWG 10 and to convert it into oil fired boiler by 15.10.10, failing which direction for disconnection of electricity, water supply will be issued. Letter issued to unit on 29.09.10 to apply for CTE also essentially supported by the proof of conformity from DDA and also to remove the non-functional boiler and letter issued to DDA for conformity of the unit. As decided by the CMC (O) in its meeting held on 13.01.11, the unit has submitted BG of Rs. One Lakh under Air Act on 08.02.11 along with an affidavit. As decided by the CMC (O) in its meeting held on 13.01.11, revocation of closure direction u/s 31 (A) of Air Act & reminder to DDA were issued on 14.02.11. Unit has submitted a copy of letter along with CTE & CTO application from F.3(288)66. MP dated 11.09.1968 issued by D.D.A. in the name of M/s THE MIDLAND FRUIT & VEGETABLE PRODUCTS (INDIA) PVT. LTD certifying that the plot land is designated for light manufacturing use according to Delhi Master Plan. EARLIER CMC DECISION 09-11-2010 Directions for disconnection of electricity / water supply be issued. 09-12-2010 Consent applications be refused. 13-01-2011 In view of the subsequent representation that unit has converted coal fired boiler into oil fired one. Unit be asked to submit Bank Guarantee of Rs. 1 Lakh under Air Act valid for one year. If unit does so, closure directions be revoked. For deciding the consent to operate application, reminder be sent to DDA on the conformity. Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 As decided file was put up administratively & as approved, Reminder letter was issued on 25.07.12 to DDA.
--	--	--	--	--	--	---	--

								Unit has submitted a copy of letter along with CTE & CTO application, dated 11.09.1968 issued by D.D.A. in the name of M/s THE MIDLAND FRUIT & VEGETABLE PRODUCTS (INDIA) PVT. LTD stating that the plot of land shown in the plan accompanying the letter is, according to the Delhi Master Plan, designated for Light Manufacturing use. Unit has also submitted MCD License (valid up to 31.03.2015) for the activity of various food processing items. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided file was put up adminstratively & as approved, Reminder letter was issued on 25.07.12 to DDA.	
3	28-04-2012	PARKASH IMPEX PLOT NO.94,BLOCK-E PHASE-II,MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Establish	dei from silicon-press moulding-silicon mould casting-furnace with zink metal - buffing-finished metal-decorationjewellery-packaging Industry Or Process Involving Electroplating Operations	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Ask the unit to submit hard copy of consent application along with required documents. Decision / Recommendation of Screening Committee on 13-08-2012 Recommended to seek from the unit to submit hard copy of consent application along with required documents.	07-08-2012 Note: File was submitted online and hard copy of the application was not received till date. Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 As decided by the committee, a letter issued to the unit on 25.10.2012.	26-10-2012 Recommended for inspection and thereafter put up administratively.
4	11-05-2012	TRIMURTI FRAGRANCES PVT. LTD. UNIT-4 PLOT NO 104, FIE, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Establish	MANUFACTURING OF GUTKHA Gutka /Supari (Betelnut) Grinding	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 05-07-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 25-06-2012 File be put up administratively.	15-06-2012 1)ETP ---- N/A (2)ECS ---- proposed (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 25-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection was conducted w.r.t a public complaint on 09.05.12 & following were observed: A. The unit is found in operation and engaged in activity of Mfg. of pan Gutkha by the brand name Shikhar Gutkha. B. The unit is using paper pouches (coated with aluminum foil) for packing of their product. Thereafter, 60 pouches are packed in plastic packet and then such 25 plastic packed into plastic carry bag (sample of each pouch, packet and carry bag are enclosed here with). C. The unit has not installed emission control system with the mixing and grinding section/ process.	26-10-2012 Recommended for refusal of consent to establish and consent to operate in view of the notification dated 11.09.2012 of Department of Food Safety, Govt of NCT of Delhi regarding prohibition for Mfg. of Guthka / Paan Masala containing Tobacco in NCT of Delhi. Subsequently, inspection be conducted and file be put up administratively.

