



CONSENT MANAGEMENT

Agenda No 2 - Annexure II - 38 Remaining Cases of Consent to Operate and Consent to Operate(Renewal)(ATR) under orange category of the period 01.01.2012 to 31.07.2012(excluding the cases of redevelopment areas)recommended by Screening Committee as (2c category) on 26.10.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/500 06-01-2012	MAKINO AUTO INDUSTRIES 537-A/3, SHAMBHU NATH COUMPOUND, LANE NO. 08, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	Auto Parts viz non ferrous die casting components, sheet metal components/ parts and brake linings. Aluminium Pressure Die Casting	- Date of commissioning of project ---- - Built Up Area ---- 1650 (in sq. meter) - Water Consumption ---- 1050 liters/day - Ground Water ---- 1050 liters/day - Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 400 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Expedite inspection. Decision / Recommendation of Screening Committee on 13-08-2012 Expedite inspection. Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Inspection be conducted w.r.t. use of furnace and process. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for inspection w.r.t. use of furnace and process.	28-03-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 05.01.2009 issued by GGSIPU submitted. (b) Stack monitoring report dated 26-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . 6 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set 500 KVA Noise Report : 1 (a) The unit has 1 D.G. Set of 500 KVA. Noise monitoring report dated 26-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes .3 number of parameters analyzed which are within limit prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 Unit yet to be inspected. Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 Inspection is still pending.	26-10-2012 Expedite inspection.
2	DPCC/EC/2/1/2012/606 19-01-2012	LAVISH THE PARTY LAWN (A UNIT OF M/S CHANDRA FEROUAS ALLOYS AND REAL CO.(PVT) (LTD) KH NO 23/2 VILLAGE ALIPUR LANDMARK NEAR PALLA MORE CITY	NORTH WEST	Orange Operate	PARTY LAWN. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	- Date of commissioning of project ---- 16-10-2010 - Built Up Area ---- 10700 (in sq. meter) - Water Consumption ---- 9000 liters/day - Ground Water ---- 9000 liters/day - Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 7200 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Expedite inspection. Decision / Recommendation of Screening Committee on 13-08-2012 Expedite inspection. Decision / Recommendation of Screening Committee	29-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 03.01.2012 issued by D.T.U submitted. (b) Effluent analysis report dated 03-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 8 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit prescribed limit.	26-10-2012 Recommended to issue Show Cause Notice for refusal of consent.

							to ascertain the type of the furnace.		
							Decision / Recommendation of Screening Committee on 28-03-2012 Recommended for conducting inspection to ascertain the type of the furnace.	(5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 Unit yet to be inspected. Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 Inspection is still pending.	
5	DPCC/EC/2/1/2012/823 14-02-2012	BHARATIYAM VILLAGE FOODS AND BEVERAGES PVT. LTD. KH. NO 46/16, 46/17, 46/24, 29, 49/4 VILLAGE BAKOLI PALLA BAKHTAWARPUR ROAD	NORTH WEST	Orange Operate	FARM HOUSE (A PARTY LAWN). Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project --- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 5000 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Expedite inspection. Decision / Recommendation of Screening Committee on 13-08-2012 Expedite inspection. Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 28-03-2012 Recommended for grant of consent to operate and consent to establish.	22-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 03.02.2012 issued by Delhi Technological University submitted. (b) Effluent analysis report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit prescribed limit. (2) Inspection details: Was conducted on 12.01.2012. Observations: 1. Premises is having four rooms at ground floor & First Floor, one hall at basement. 2. No ETP installed in the premises. 3. Unit has made 5 pits (1 parking, 2 front lawn, 2 back lawn) for discharge of rain water in the ground water fitted with 4 inch pipe. 4. One collection tank is made near banquet hall for collection and discharge of waste water generated from kitchen in the ground water. 5. D.G. set found installed with acoustic enclosure. 6. As informed unit has started its operation about one year back. (3) Closure directions u/s 31(A)/33(A)/5 of EPA details : Was sent on 17.03.2010. (4) Reply has been received on 30.03.2010 requesting for 60 days time to install the desired ETP and stating that they will not use this facility until the installation of said ETP. (5) Reply has been received on 26.05.2010 along with an affidavit informing that the application for CTE has been submitted (Id. No. 33993 dated 26.05.2010) and the ETP has been installed, fees for the adequacy and test report has been submitted in G.G.S.I.P.U. Further requested to revoke the closure direction and issue CTE. (6) As per the decision taken up CMC (O) dated 26.05.2012, letter was regarding submission of bank guarantee of Rs. 1 lakh under Air and Water Act along with adequacy report and effluent analysis report of ETP. (7) Reply has been received on 05.07.2010 stating that the effluent treatment plant has been installed. (8) Unit has submitted the requisite Bank Guarantee of Rs. 1,00,000 each under Air and Water Act, application for consent to establish and consent to operate on 14.02.2012. Recommendation / Action Taken Details (EE/AEE) on 25-10-2012	26-10-2012 Recommended to issue Show Cause Notice for refusal of consent.

								As per remark inspection was carried out by officials of DPCC on 16.10.2012. During inspection following were the observation: 1. The farm house cum party lawn found operational. It has informed that no social function has carried out since June 2012 due to non season of marriages. 2. Unit has installed biological treatment plant to treat the waste generated from kitchen, floor wash, toilets etc. but same found not in operation. 3. Unit is having temporary kitchen under tin shed in back side of party lawn. No arrangement for channelisation of emissions generated from process. 4. The unit has also made an underground pit for discharging the waste water directly to ground. 5. Unit is having two borewells. Recommendation / Action Taken Details (EE/AEE) on 27-07-2012 In compliance of the decision taken in the CMC meeting held on 20.04.2012, Show Cause Notice for closure u/s 31(A) of Air Act, 1981 and SCN for refusal of consent was issued on 25.05.2012. unit submitted its reply on 13.06.2012 along with the noise mionitoring reports. after that file was put up administratively and it was decided to inspect the unit.	
7	DPCC/EC/2/1/2012/899 <								

parameters analyzed which are within limit prescribed limit.

The unit has 1 D.G. Set(s) of 82.5 KVA and 160 KVA. Noise monitoring report dated 21-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.

(3) Inspection details: Was conducted on 08.09.2011
Observations:

1. Unit found operational engaged in mfg. of tobacco products. However sealing/ packaging machines lying sealed (by existed department as informed).

2. No ECS installed to control the process emission even no steps taken/ initiated for ECS.

3. DG Sets (except 1) found without acoustic enclosure and inadequate stack. Stack height of both oven also inadequate.

4. Unit has not applied for consent to operate.

5. Bore well connection exist 01 no.

(4) SCN u/s 31(A)/33(A)/5 of EPA details :was sent to the unit on 23.08.2011

(5) Closure directions u/s 31(A)/33(A)/5 of EPA details : was sent to the unit on 22.12.2011.

(6) Reply has been received on 28.12.2011 along with an affidavit, noise monitoring report, adequacy report of ECS stating that they have rectified all the deficiencies.

(7) A letter for submission of bank guarantee of Rs. 1,00,000/- each under Air Act and HWM Rules valid for one year.

(8) Unit has submitted bank guarantee of Rs. One lakh each under Air and HWM Rules on 03.01.2012.

(9) Temporary revocation for 30 days was sent to the unit on 10.01.2012.

Recommendation / Action Taken Details (EE/AEE) on 26-10-2012

As decided by the Committee inspection conducted on 25.10.2012 and following were observed:

1)Unit found not in operation.

2) As informed unit is not in operation from last month due to notification of ban n gutka in delhi.

3) Unit has provided copy of letter addressed to suprintend of central excise regarding surrender of registration certificate dated 04.09.2012.

Recommendation / Action Taken Details (EE/AEE) on 26-07-2012					

As decided by the Screening Committee inspection conducted by the officials of DPCC on 19.04.2012 during the inspection following were observed:

a) The unit was in operation during inspection engaged in the mfg. of tobacco products Guthka with paper packing. Sample collected attached with this inspection reports.

b) ECS installed for Supari grinding section and mixing and packing section adequacy report and Stack Monitoring report submitted for the said systems.

c) Two DG sets with capacity of 160 KVA and 82.5 KVA provided with acoustic enclosure.

d) Unit applied for CTE and CTO.

After inspection file was be put up administratively.

19-04-2012	PRODUCTS (INDIA) PVT. LTD JUMBO HOUSE, JUMBO INDUSTRIAL ESTATE, OKHLA INDUSTRIAL ESTATE				Processing Industry - Fruit and Vegetables with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1500 (in sq. meter) • Water Consumption ---- 48000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 17500 liters/day	(MS) on 17-08-2012 Wait for DDA reply. Decision / Recommendation of Screening Committee on 13-08-2012 Wait for DDA reply. Decision / Recommendation of Screening Committee (MS) on 16-05-2012 Status awaited from DDA. Recommended to put up file administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	submitted. (b) Effluent analysis report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 01.09.10 & following were observed:- 1. M/s Midland Fruits and Vegetable Product (India) Private Limited and M/s Jumbo International are located in Ishwar Nagar, Jumbo House Okhla Phase-III, New Delhi without separate demarcation. 2. Both the units are having common coal fired boiler and ETP. 3. Cyclone followed by ESP has been installed with the coal fired boiler which was found in operation. 4. ETP was also found in operation. 5. The units are having two bore wells. 6. The units have not converted the coal fired boiler into oil fired so far as directed vide letter dated 15.03.10. 7. One more coal fired boiler was found installed which has been directly connected to main stack without any ECS. This boiler was not in operation during the inspection. 8. The issue of conformity of unit is to be discussed. (5) Closure directions u/s 31(A) details : issued on 29.09.10 in accordance not to operate its coal fired boiler till 15.10.10 in view of CWG 10 and to convert it into oil fired boiler by 15.10.10, failing which direction for disconnection of electricity, water supply will be issued. Letter issued to unit on 29.09.10 to apply for CTE also essentially supported by the proof of conformity from DDA and also to remove the non-functional boiler and letter issued to DDA for conformity of the unit. As decided by the CMC (O) in its meeting held on 13.01.11, the unit has submitted BG of Rs. One Lakh under Air Act on 08.02.11 along with an affidavit. As decided by the CMC (O) in its meeting held on 13.01.11, revocation of closure direction u/s 31 (A) of Air Act & reminder to DDA were issued on 14.02.11. The unit has submitted a letter on11.07.11 requested to use biocoal briquettes in the boiler to generate steam in place of diesel, as increase the price of diesel.	DDA seeking clarification of the activity/site of the unit w.r.t. MPD-2021 enclosing copy of earlier letter of 1968 of DDA and MCD license issued to the unit giving 30 days time stating that in case of no reply in the said period, the activity / site of the unit shall be deemed as conforming to MPD-2021.
------------	---	--	--	--	---	---	---	--	--

								13-01-2011 In view of the subsequent representation that unit has converted coal fired boiler into oil fired one. Unit be asked to submit Bank Guarantee of Rs. 1 Lakh under Air Act valid for one year. If unit does so, closure directions be revoked. For deciding the consent to operate application, reminder be sent to DDA on the conformity. Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 As decided file was put up administratively & as approved, Reminder letter was issued on 25.07.12 to DDA. Unit has submitted a copy of letter along with CTE & CTO application, dated 11.09.1968 issued by D.D.A. in the name of M/s THE MIDLAND FRUIT & VEGETABLE PRODUCTS (INDIA) PVT. LTD stating that the plot of land shown in the plan accompanying the letter is, according to the Delhi Master Plan, designated for Light Manufacturing use. Unit has also submitted MCD License (valid up to 31.03.2015) for the activity of various food processing items. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided file was put up adminstratively & as approved, Reminder letter was issued on 25.07.12 to DDA.
13	DPCC/EC/2/1/2012/1610 <							

	25-05-2012	C-74A,PHASE-2,MAYAPURI INDUSTRIAL AREA	Area		HOSIERY GOODS FOR EXPORTS (WITHOUT WASHING AND DYEING)WITH FIRED OIL BOILER. Readymade Garment with oil fired boiler (Without Washing/Dyeng)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day	Screening Committee on 25-06-2012 Inspection be conducted.	(2)ECS - N/A (b) Stack monitoring report dated 09-04-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-04-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: yes, conducted on 06.01.2012 and the observations are: 1. unit found engaged in the activity of readymade garments with washing. 2. waste water generated from the washing activity is discharge directly into the sewer without any treatment. 3. No ETP found installed. 4. one oil fired boier found installed without adequate stack height. 5. one DG set of 125 KVa found installed with accoustic enclosoure and inadequate stack height. (5) SCN u/s 31(A) & 33 (A) issued on 21.03.2012. (6) Closure directions u/s 31(A)/33(A)/5 of EA details :No Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 Inspection was conducted on 27.08.2012, during the inspection following were observed: 1) unit found operating and engaged in the manufacturing of Readymade Garments with washing. 2) Unit has not provided treatment facility for the waste water generated by washing. 3) stack height attached with boiler raised 3m (approx) above roof level. 4) Earlier unit consent application under green category has been refused for hiding the information of washing as observed / verified during inspection.	Recommended for refusal of Consent to Establish and Consent to Operate to the unit and put up file for further action w.r.t. closure directions etc.
16	DPCC/EC/2/1/2012/1739 28-05-2012	SUBHASH SALES PVT LTD B-34 LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	PASTEURIZED MILK AND ITS PRODUCTS. Milk Processing and Dairy Products (Intergrated Project) Including Pasturization	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 600 liters/day	Decision / Recommendation of Screening Committee (MS) on 05-07-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 25-06-2012 Inspection be conducted.	19-06-2012 (1)ETP ---- Physico-chemical (a) AR dated 09.05.2012 issued by DTU submitted. (b) Effluent analysis report dated 09-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (4) Inspection was conducted on 13.12.2011 and following were observed: unit found operational and engaged in the activity of pasteurization of milk and its products. unit has been installed ETP but it was found non-operational. Unit has not applied for CTO. Accordingly SCN u/s 33(A) was issued on 23.01.2012. unit submitted its reply along with an affidavit and receipt of application for edequacy report & requesting for revocation of closure directions. modified directions was issued to the unit on 26.03.2012 but returned back to our office.	26-10-2012 Recommended for grant of Consent to Operate.

								2. Ground floor is used for dye casting section. channelization system installed on each casting machine followed by the hood and suction through I.D. Fan. 3. ETP found installed (physiochemical) and found in opertational condition. Dry and wet sludge found in sludge drying beds. 4. ETP comprises collection cum channelization tank, reaction cum settling tank at roof top. an compressor for mixing the chemical and control tank. 5. DG set of 160 KVA found at roodf top in acoustic enclosure.	
22	DPCC/EC/2/1/2012/1886 14-06-2012	MOCHA. COFFEE & CONVERSATIONS ENTERTAINMENT PVT. LTD. M-34 GREATER KAILASH-I	SOUTH	Orange Operate	HOSPITALITY. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 975.36 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 2200 liters/day	Decision / Recommendation of Screening Committee (MS) on 30-07-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 19-07-2012 Recommended to put up file administratively.	17-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated09.02.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 29-05-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 01-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 29.12.11, CTE & letter to apply for CTO were issued on 18.01.12. Unit has submitted its reply on 12.03.12 stating that there are two IDs created in the software in the name of M/s HOLOSTIK ENTERTAINMENT PVT LTD(MOCHA) & M/s MOCHA. COFFEE & CONVERSATIONS ENTERTAINMENT PVT. LTD. both the IDs are for the same company & requested to change it one. Unit has applied CTE in the name of M/s MOCHA. COFFEE & CONVERSATIONS ENTERTAINMENT PVT. LTD. but now, unit has applied CTO in the name of M/s M/s HOLOSTIK ENTERTAINMENT PVT LTD(MOCHA). EARLIER CMC DECISION 29-12-2011 Issue consent to establish and ask the unit to apply for consent to operate within 90 days, failing which, closure action will be initiated. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 File was put up administratively & as approved on file, letter was issued on 22.10.12 for clarification of discrepancy in the name of the unit.	26-10-2012 File be put up administratively.
23	DPCC/EC/2/1/2012/1887 14-06-2012	ANSUN MULTITECH (INDIA) LTD B-123, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG. OF ZIP FASTENERS AND COMPONENTS. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- 01-01-1994 • Built Up Area ---- 1273 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 3000 liters/day • Waste Water generation (a) Domestic Effluent ---- 2500 liters/day (b) Trade Effluent ---- 500 liters/day	Decision / Recommendation of Screening Committee (MS) on 30-07-2012 Expedite inspection. Decision / Recommendation of Screening Committee on 19-07-2012	18-07-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 25.05.12 issued by DTU submitted. (b) Stack monitoring report dated 25-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes.	26-10-2012 File be put up administratively.

							Recommended to expedite inspection.	(3)D.G.Set: ...N/A... (4) Inspection details: approved but not inspected. Unit has submitted its reply on 12.08.11 along with the details of the unit-I at B-123 & unit -II at B-141, copy of intimation regarding ETP shifting, copy of MCD factory license, copy of excise registration and copy of 3 applications for water & air testing & informed that due to space constraint, they shifted finishing department from B-123, Ph-I, O.I.A to B-141, Ph- I, O.I.A along with surface finishing department and relocated ETP plant. During the shifting operation and relocation, Zinc Alloy Dross Processing process activity was closed down as working out the same was intensive and not feasibl.Due to negligence of the consultant, the manufacturing process/ activity was copied from the previous manufacring process chart & inadvertently gave wrong technical details about the manufacturing activity. As approved, SCN u/s 21/22 of the Air Act & 25/26 of the Water Act was issued on 29.03.12 at the address of B-123, Ph-I, O.I.A. It was also approved on 12.03.12 that inspection of the unit at B-123, Ph-I, O.I.A also be conducted w.r.t prohibited/negetive list of the Industires. Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 As decided by the Screening Committee (MS) on 30.07.12, unit was inspected by the DPCC officials & following were observed: 1. No water polluting activity exits in the premises. 2. The unit is engaged in the Engineering Work for Mfg. of Zip fasteners sliders, buttons, buckles, D-rings & Dog Hooks etc and die casting using small hot chamber die casting machine using different moulds. 3. The unit has provided hood & suction arrangement to channelize the emission from die casting machine.	
24	DPCC/EC/2/1/2012/1889 14-06-2012	ANSUN MULTITECH (INDIA) LTD. B-141, OKHLA INDUSTRIAL AREA, PHASE-I,	Okhla Industrial Area	Orange Operate	MFG OF ZIP FASTENERS Industry Or Process Involving Electroplating Operations	• Date of commissioning of project ---- 01-01-1995 • Built Up Area ---- 1230 (in sq. meter) • Water Consumption ---- 12500 liters/day • Ground Water ---- 12500 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 10500 liters/day	Decision / Recommendation of Screening Committee (MS) on 30-07-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 19-07-2012 Recommended for inspection.	18-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated25.05.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 25-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . 1 number of parameters analyzed which are within beyond prescribed limit. Outlet tempreture of ETP is given in test report as 39 C. (2)ECS - N/A (a) Stack monitoring report dated 25-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 25-04-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 19.01.12 at B-141, PH-I,	26-10-2012 Recommended to seek effluent analysis report from empanelled laboratory of DPCC w.r.t new notification of MOEF dated 30.03.2012 for electroplating industries within 30 days.

O.I.A & following were observed:

- a) Unit was found operation & engaged in the activity of Assembly, electroplating, surface finishing, phosphating & spray painting (Zipper & Zip fastners).
- b) Pit furnace/ other furnace not exist in the premises.
- c) Alloy casting and die casting not exist at this premises.
- d) DG set of 125 KVA exist with acoustic enclosure & adequate stack height.
- e) ETP installed & operational.
- f) Bore well exist. (CGWA clearance copy enclosed).

As approved, a letter was issued on 07.07.11 for action under provisions of MPD-2021 has also been sent to MCD, DDA and Industries Department as unit has using zinc dross for alloy casting.

As approved, SCN for refusal of consent was issued on 29.07.11.

Unit has submitted its reply on 12.08.11 along with the details of the unit-I at B-123 & unit -II at B-141, copy of intimation regarding ETP shifting, copy of MCD factory license, copy of excise registration and copy of 3 applications for water & air testing & informed that due to space constraint, they shifted finishing department from B-123, Ph-I, O.I.A to B-141, Ph- I, O.I.A along with surface finishing department and relocated ETP plant. During the shifting operation and relocation, Zinc Alloy Dross Processing process activity was closed down as working out the same was intensive and not feasible. Due to negligence of the consultant, the manufacturing process/ activity was copied from the previous manufacturing process chart & inadvertently gave wrong technical details about the manufacturing activity.

As approved, Consent to establish was refused & unit was asked to apply fresh CTE & CTO on 29.03.12 at the address of B-141, Ph-I, O.I.A

As approved, SCN u/s 21/22 of the Air Act & 25/26 of the Water Act was issued on 29.03.12 at the address of B-123, Ph-I, O.I.A.

It was also approved that inspection of the unit at B-123, Ph-I, O.I.A also be conducted w.r.t prohibited/negative list of the Industries.

Unit has submitted its reply on 11.04.12.

unit has applied CTO on 14.06.12 for the address of B-123, Ph-I, O.I.A.

Recommendation / Action Taken Details (EE/AEE) on 25-10-2012

As decided by the Screening Committee (MS) on 30.07.12, unit was inspected by the DPCC officials & following were observed:

1. Unit was found operational & engaged in the activity of Mfg. of Zip Fasteners.
2. Electroplating (copper plating followed by Nickel plating) process is done in the unit.
3. Unit has installed ETP which was found operational.
4. Unit has taken adequate measures for HWM Rules.
5. Alloy casting and die casting does not exist in the premises.

								1) unit found operational and engaged in mfg. of domestic appliances with casting and electroplating. 2) at present electroplating is being carried out. 3) unit is having ETP and found operational. 4) hood and suction provided over its furnace and during inspection system of hood and suction observed functional with adequate stack height.	
28	DPCC/EC/2/1/2012/2019 								

29	DPCC/EC/2/1/2012/2073	J.J. IMPEX (DELHI) PVT. LTD. 9, GTK ROAD S.S.I INDUSTRIAL AREA	S.S.I Industrial Area	Orange Operate	AUTOMOBILE WORKSHOP CUM SERVICE STATION Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 4645.1 (in sq. meter) • Water Consumption ---- 14750 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 7000 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 It was informed during the meeting that certain deficiencies have been observed during inspection of the unit on 08.08.2012. Issue Show Cause Notice for refusal of consent to operate and authorization based on the findings of the inspection. Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	13-08-2012 (1)ETP ---- Physico-chemical (a) AR dated 19.08.2011 issued by DTU submitted. (b) Effluent analysis report dated 20-06-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 04-05-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 04-05-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 22-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 SCN was issued to the unit on 12.09.2012 for refusal of consent to operate and authorization based on findings of the inspection. unit has submitted its compliance report on 26.09.2012.	26-10-2012 File was processed administratively and it was decided to inspect the unit.
30	DPCC/EC/2/1/2012/2081	SHREE SUDARSHAN INDUSTRIES PLOT NO.-B-8, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	COPPER HOT RE-ROLLING Re-rolling mill hot (oil or gas fired) (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 700 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Ask the unit to submit stack monitoring report of the D.G. Set of 1250 KVA from empanelled laboratory of DPCC. Decision / Recommendation of Screening Committee on 16-08-2012 Recommended to seek stack monitoring report of the D.G. Set of 1250 KVA from empanelled laboratory of DPCC.	16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated August 2011 issued by Jamia Milia Islamia submitted. (b) Stack monitoring report dated 29-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 29-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 1250 KVA. Noise monitoring report dated 29-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (b) Stack monitoring report of DG set having capacity of 1250 KVA not submitted. CTE issued on 25.02.11. But, CTE file could not traced out. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 As decided, letter was issued on 20.09.12 for submission of stack monitoring report of the D.G. Set of 1250 KVA from empanelled laboratory of DPCC. Unit has submitted its reply on 08.10.12 stating that they had applied for Stack Monitoring Report (SMR) of DG set. When they received the SMR of DG set, then will submit the same as soon as possible.	26-10-2012 File be put up administratively.
31	DPCC/EC/2/1/2012/2088	ABYSS PHARMA PVT. LTD.	Mayapuri Industrial	Orange Renewal	Pharmaceutical Formulation		Decision / Recommendation of	13-08-2012 (1)ETP ---- Oil and Grease Trap	26-10-2012

	05-07-2012	B-121, PHASE-I, MAYAPURI INDUSTRIAL AREA	Area		Medicines / Pharmaceutical Formulation- Without Boiler	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	Screening Committee (MS) on 17-08-2012 Issue Show Cause Notice u/s 33(A) of the Water Act and Show Cause Notice for refusal of consent. Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for issuance of SCN u/s 33(A) of the Water Act and SCN for refusal of consent.	(a) AR dated 03.03.2012 issued by DTU submitted. (b) Effluent analysis report dated 27-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 File has been put up administratively.	Follow up action as decided in file.
32	DPCC/EC/2/1/2012/2106 09-07-2012	DIMPLE CREATIONS PVT. LTD C-64/5, PH-II OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MFG. OF READYMADE GARMENTS. Readymade Garment (With Washing) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 632.48 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 2000 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 16-08-2012 Recommended to inspect the unit.	14-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJune, 2012..... issued byDTU..... submitted. (b) Effluent analysis report dated 21-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 18-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 18-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 18-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 21-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 18.01.11 w.r.t a public complaint & following were observed: a) During the inspection it was reported by the representative	26-10-2012 Recommended to reinspect the unit.

[illegible]

							on 16-08-2012 Expedite inspection and file be put up administratively.	(3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 As decided by the Committee, inspection conducted on 22.10.2012 and following were observed: 1) Unit found in operation and engaged in manufacturing of pan masala and tobacco. 2) The unot has installed hood & suction arrangement followed by wet scrbber over mixers, katha shifter etc. 3) The sample of packaging material, packed pan masala, packed tobacco product (Jarda) drawn. 4) As informed, unit started with effect from 16.10.2012 after desealing of packing machine by central exice department. Exice verification report produced.	
34	DPCC/EC/2/1/2012/2170 17-07-2012	PARAG METAL UDYOG C-36/2, WAZIRPUR INDL. AREA	Wazirpur Industrial Area	Orange Operate	ALUMINUM CASTING (BY PIT FURNACE ONLY), ROLLING AND ANNEALING. Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 16-08-2012 Inspection be conducted.	14-08-2012 (1)ETP ---- N/A (2)ECS - Scrubber (a) Stack monitoring report dated 12-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 12-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes Note: old record is not tracable Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 As decided inpection of the unit was conducted on 24.09.2012 and following observed: 1) unit found in operation and engaged in mfg. of alluminium sheet & circle. 2) unit is having two pit furnace of size 30 X 30 of diesel fired. 3) Hood & suction arrangemnet followed by stack attached to wet scrubber at roof top instaled. 4) ECS found in operation.D.G. Set of 125 KVA installed at roof top within acoustic enclosure.	26-10-2012 Recommended for grant of Consent to Operate and consent to establish. Also earlier consent to establish dated 28.03.2003 be made infructuous.
35	DPCC/EC/2/1/2012/2171 17-07-2012	B.B. STEELS PRIVATE LIMITED 55, S.S.I INDUSTRIAL AREA	S.S.I Industrial Area	Orange Renewal	ROLLING OF S.S. INGOTS INTO THINNER SECTION VIZ FLATS AND BARS. Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 2706.96 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 16-08-2012 Recommended to inspect the unit.	14-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 10-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Note: old record is not tracable	26-10-2012 Recommended for reinspection since unit was not in operation during inspection on 25.10.2012.

								Recommendation / Action Taken Details (EE/AEE) on 26-10-2012 As decided by the Committee inspection conducted on 25.10.2012 and following were observed: 1)Unit found not in operation. 2) As informed unit is not in operation from last 5-7 days due to storage of raw material.	
36	DPCC/EC/2/1/2012/2223 24-07-2012	SHREE FLAVOURS LLP PLOT NO 205 FIE PATPARGANJ INDL. AREA	Patparganj Industrial Area	Orange Operate	MFG. OF CHEWING TOBACCO. Tobacco Products without Raw Tobacco Processing	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 16-08-2012 Recommended to put up file administratively.	14-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 25-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 22-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 02.04.12, CTE was issued on 04.05.12. EARLIER CMC DECISION 02-04-2012 (2b) Issue Consent to establish with the condition that the unit will not use the plastic packaging material. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 Unit yet to be inspected.	26-10-2012 Expedite inspection.
37	DPCC/EC/2/1/2012/2224 24-07-2012	SHREE FLAVOURS LLP PLOT NO 296, FIE PATPARGANJ INDL. AREA	Patparganj Industrial Area	Orange Operate	MFG. OF CHEWING TOBACCO. Tobacco Products without Raw Tobacco Processing	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 16-08-2012 Recommended to put up file administratively.	14-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 25-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 35 KVA. Noise monitoring report dated 25-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 02.04.12, CTE was issued on 04.05.12. EARLIER CMC DECISION 02-04-2012 (2b) Issue Consent to establish with the condition that the unit will not use the plastic packaging material. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 Unit yet to be inspected.	26-10-2012 Expedite inspection.

38	DPCC/EC/2/1/2012/2264	31-07-2012	SANJAY PLASTICS F-116, SEC-2, DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	Manufacturing of LD Plastic Dana(With trade effluent discharge) Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 800 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 500 liters/day	Decision / Recommendation of Screening Committee (MS) on 17-08-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 16-08-2012 Recommended to put up file administratively.	16-08-2012 (1)ETP ---- physio chemical (a) AR dated 26.07.2012 issued by DTU submitted. (b) Effluent analysis report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil... (4) Inspection of the unit was conducted on 15.04.2011 and it was found that 1. unit was opearting without consent from DPCC. 2. name of the unit was not disclosed. 3. No ETP and ECS found installed. 4. no DG set found installed. Based on the above observed deficiencies Direction for closure u/s 33(A) & 31(A) was issued on 17.01.2012. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 As decided by the Competent Authority Revocation of closure direction u/s 31 (A) of the Air Act and u/s 33 (A) of the Water Act issued to the unit on 28.09.2012.	26-10-2012 Recommended for grant of Consent to Operate.
----	-----------------------	------------	---	------------------------	----------------	--	--	---	---	---