



CONSENT MANAGEMENT

Agenda No. 2 - Annexure I - 57 Cases of Consent to Operate and Consent to Operate(renewal)under orange category of the period 30.11.2010 to 01.08.2010 in reverse chronology (excluding the cases of Redevelopment areas) recommended by Screening Committee as (2b category) in its meeting on 31.10.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	34733 04-08-2010	K.D. RAMLAL & CO. C-16, SMA INDUSTRIAL AREA	S.M.A Industrial Area	Orange Renewal	S.S. HOT RE ROLLING.	- Date of commissioning of project ---- - Built Up Area ---- 100 (in sq. meter) - Water Consumption ---- 1200 liters/day - Ground Water ---- 1200 liters/day - Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction:- Nil ATR / Remarks:- CTO granted and valid upto 01.08.2005. CTR refused on 30.10.2006. CTR applied on 03.11.2006. CTE applied on 04.08.2010 listed in Agenda no.1 Recommendations of Scrutinizing Committee on 17.08.2010:- Recommended for grant of renewal of consent.	31-10-2012 Renewal of Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit.
2	34735 04-08-2010	SHREE JEE INDUSTRIES B-3 , PH-I , BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	RE ROLLING OF M.S. FLATS ROUND AND BARS.	- Date of commissioning of project ---- - Built Up Area ---- 160 (in sq. meter) - Water Consumption ---- 250 liters/day - Ground Water ---- 250 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction:- Nil ATR / Remarks:- Plot Area: 200 sq.m DG set: Nil Trade effluent: Nil Stack monitoring report submitted on 03.08.2010. CTO applied on 31.10.2006. Recommendations of Scrutinizing Committee on 17.08.2010:- Issue SCN to the unit stating as to why the necessary action should not be initiated under the provision of the law as the unit has submitted the affidavit on the stamp papers purchased in the name of DPCC. Also ask the unit to apply for consent to establish.	31-10-2012 CTE has already been issued. Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit.
3	34747 06-08-2010	VINESH INDUSTRIAL CORPOTATION C-477, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	MANUFACTURING OF AAC, AAA & ACSR CONDUCTORS.	- Date of commissioning of project ---- - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 1000 liters/day - Ground Water ---- 1000 liters/day - Waste Water generation (a) Domestic Effluent ---- 900 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction:- 1000 kilo litre/day. ATR / Remarks:- Plot Area: 350 sq.m. DG set: 75 Kva and 2 m above its stack height. Trade effluent:Nil NMR submitted on 29.07.2010. CTR valid upto 11.08.2008 CTR applied on 31.07.2008 Recommendations of Scrutinizing Committee on 17.08.2010:- Inspection be conducted to check the trade effluent discharge and pollution potential. Inform to DJB regarding ground water extraction.	31-10-2012 Inspection be conducted, thereafter, file be put up administratively.

4	34749 06-08-2010	NITIN HOME APPLIANCES P LTD B-56, MAYAPURI INDUSTRIAL AREA, PHASE-I	Mayapuri Industrial Area	Orange Renewal	S S KITCHEN APPLIANCES	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction 0.2 KLD ATR / Remarks Earlier CTO issued valid upto 29.07.07 Applied for CTO_R on 24.07.2007 vide application no. 22692 Plot area: 1000 sq yards D.G Set: nil Trade eff: nil Recommendations of Scrutinizing Committee on 16.08.2010 Ask the unit to apply for consent to establish. Inspection be conducted to ascertain the pickling activity. Inform to DJB regarding ground water extraction.	31-10-2012 Inspection be conducted.
5	34756 06-08-2010	DHARAM OVERSEAS PVT. LTD. T-5/232, PH-I, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	MFG. OF PVC COMPOUND AND PVC EVA FOOTWEAR.	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 100 liters/day		06-09-2010 Quantity of Ground water extraction:- Nil ATR / Remarks:- Plot Area: 200 sq.m DG set: Nil Trade effluent:Nil CTO valid upto22.08.2007 CTR applied on 25.07.2007 Recommendations of Scrutinizing Committee on 17.08.2010:- Ask the unit to apply for consent to establish.	31-10-2012 As per the latest policy, CTE is not required as unit has obtained CTO once. Renewal of Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the category of the activity of the unit to Manufacturing of PVC Granules & Other Injection Moulded Items (Without Reprocessing Activity) and Eva Footwear And Eva Compound.
6	34789 09-08-2010	KOHLI METAL WORKS C-4, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	STEEL FURNITURE (WITHOUT BUFFING & POWDER COATING).	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction:- Nil ATR / Remarks:- CTR granted and valid upto 20.03.2010. CTE applied on 09.08.2010. (listed in Agenda no.1.) Plot Area: 500 sq.m. DG set:Nil Trade effluent: Nil Recommendations of Scrutinizing Committee on 17.08.2010:- Ask the unit to apply for authorization under HWM Rules.	31-10-2012 Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit to Spray Painting, Paint Baking, Paint Stripping.
7	34827 11-08-2010	S.D. OFFSET PRINTERS 35D & E, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	JOB WORK OF OFFSET PRINTING WITHOUTT TRADE EFFLUENT DISCHARGE	• Date of commissioning of project ---- • Built Up Area ---- 354 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day		23-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 17-02-2010 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no	31-10-2012 As per the latest policy, CTE is not required as unit has obtained CTO once.Renewal of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit to Printing Press (Without Trade Effluent Discharge).

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
							decision on 25.11.2011 ask the unit to apply for CTE. letter issued to theuit on 11.01.2011. no reply received.	
8	34864 17-08-2010	PREMIER CORPORATION 63, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	LIGHT ENGG. WORKS WITH SPRAY PAINTING	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	23-10-2012 (1)ETP ---- N/A (2)ECS - paint booth provided (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Earlier CMC Decision: Decision on 01.02.2010 Issue SCN for refusal of consent in view of findings of inspection. Decision on 14.06.2010 Consent refused. Refusal of consent issued to the unit on 27.07.2010. Unit submitted its reply on 23.08.2010. decision on 25.11.2010 ask the unit to apply for authorization under HWM rules.	31-10-2012 Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit to Spray Painting, Paint Baking, Paint Stripping.
9	34871 17-08-2010	KAMAL WIRE INDUSTRIES. A-10/10,JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Renewal	Copper Wire Drawing.	• Date of commissioning of project ---- • Built Up Area ---- 292.63 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	26-10-2010 BUA :350Sq. m. CTE : No. Water Consumption :50 L/Day. Waste Water generation : (a) Domestic effluent: 20 L/Day. (b) Trade effluent: Nil Date of Commissioning:J1995 (Existing) ETP : NA. Test Report (Water) within limit : NA. Test Report (Air) within limit :NA. NMR submitted : NA	31-10-2012 Unit has applied for authorization under HWM Rules. Renewal of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit.
10	34880 18-08-2010	LALITA AGGARWAL G-I-40/1, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	MFG. OF PVC COMPOUND.	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day	26-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	31-10-2012 Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the category of the activity of the unit to Manufacturing of PVC Granules & Other Injection Moulded Items (Without Reprocessing Activity).
11	34914	SIKCO	Mayapuri	Orange	AUTOMOBILE		30-10-2012	31-10-2012

	25-08-2010	AUTOMOTIVE PRODUCTS B153, PHASE I, MAYAPURI INDUSTRIAL AREA	Industrial Area	Renewal	AND TRACTOR PARTS	• Date of commissioning of project ---- • Built Up Area ---- 108 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: as approved conducted on 21.04.2011 and observed that: 1) unit found operational and engaged in the activity of mfg of automobiles and tractor parts. 2) scrap generated from the activity sell to local dealers. (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no earlier CMC decisons: on 25.11.2010 ask the unit to apply for CTE and inspection be conducted.	Renewal of Consent to Operate granted.
12	34919 25-08-2010	MUDDAR ENGG. WORKS F-85, MAYAPURI INDUSTRIAL AREA PH-II,	Mayapuri Industrial Area	Orange Operate	MFG OF MATERIAL HANDLING EQUIPMENTS	• Date of commissioning of project ---- • Built Up Area ---- 40 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day	23-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 17.09.2011 and following were observed: 1) unit found enaged in printing activity and neither applied for HWM rules nor follow them (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	31-10-2012 File be put up administratively.
13	34924 25-08-2010	SHILPA STEEL INDUSTRIES A-67,WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MFG. OF ALUMINIUM CIRCLE WITH CSATING RE RLLING AND ANNEALING BY GAS.	• Date of commissioning of project ---- • Built Up Area ---- 380 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	26-10-2012 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 26-07-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Earlier CMC Decision dated 25.11.2010: decision be deferred till clarification from DDA.	31-10-2012 Inspection be conducted, thereafter, file be put up administratively.
14	34929 25-08-2010	CHORARIA INDUSTRIES PVT. LTD. 533, FIE, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	Engineering Works.	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	30-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 01-07-2010 issued by IP COLLEGE submitted.	31-10-2012 Consent to Operate granted.

							Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 25.03.2011 & it was observed that the unit is using water only for domestic purpose and cooling which is recycled and top up is added. At the entry water cooler was kept from where domestic waste water was seen discharging. No trade effluent except cooling and domestic waste water is discharging. (5) SCN u/s 33(A) details : issued on 25.01.2011. SCN for refusal of consent was also issued on 25.01.2011. Unit has submitted its reply on 11.02.11 along with photocopy of CGWA & an affidavit stating that no trade effluent generated from the entire process. Oil use only for lubricating purposes in the machinery. which never discharge. they have bore well. As decided by the CMC (O) in its meeting held on 17.06.11, CTE was issued on 21.07.11. EARLIER CMC DECISION 25.11.2010 Issue SCN for refusal of consent applied under Green category vide ID no 31368 as well as Orange category vide ID no 34928 indicating the Nil discharge. Also issue SCN u/s 33(A) of the Water Act based on the findings of inspection carried out on 05.03.2010. 17.06.2011 Issue consent to establish.	
15	34942 27-08-2010	BANTEX TAR UDYOG B-70/41, DSIDC, COMPLEX, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	MANUFACTURING OF ELECTRICAL WIRES & CABLES.	• Date of commissioning of project ---- • Built Up Area ---- 83.3 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 45 liters/day (b) Trade Effluent ---- 0 liters/day	26-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	31-10-2012 Renewal of Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit to Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot).
16	34947 27-08-2010	HANUMANTA INDUSTRY PLOT NO. I-2162, DSIDC INDUSTRIAL COMPLEX NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	MFG. OF PVC DANA.	• Date of commissioning of project ---- • Built Up Area ---- 200.07 (in sq. meter) • Water Consumption ---- 220 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	26-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Earlier CMC decision dated 25.11.2010 : ask the unit to apply for consent to establish. Accordingly a letter issued to the unit on 25.01.2011. unti didnot applied for the CTE till date.	31-10-2012 As per latest policy, CTE is not required as unit has obtained CTO earlier. Renewal of Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the category of the activity of the unit to Manufacturing of PVC Granules & Other Injection Moulded Items (Without Reprocessing Activity).
17	34952 27-08-2010	SPORTS LINE H-29, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Renewal	MFG OF SPORTS GOODS		30-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	31-10-2012 Renewal of Consent to Operate granted.

						• Date of commissioning of project ---- • Built Up Area ---- 556 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		(4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Earlier CMC (O) decisions: on 25.11.2010 ask the unit to apply for CTE	
18	34966 30-08-2010	PANKAJ JAIN INDUSTRIES C-2/1, MAYAPURI INDL. AREA PH-II,	Mayapuri Industrial Area	Orange Operate	MFG. OF WASHING SOAP	• Date of commissioning of project ---- • Built Up Area ---- 352 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		23-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 17.03.2011 and following were observed: 1) unit found operational and engaged in the aityvity of manufacturing of washing soap by heating, mixing, pouring in the moulds and cutting etc. 2) process is dry and no effluent generated from the process. (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no decision on 25.11.2010 : inspection be conducted to check the water pollution.	31-10-2012 Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit to Manufacturing of Soaps (Without Trade Effluent).
19	34968 30-08-2010	PACKERS PRINTING PRESS A-38/4, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	PRINTING PRESS WITHOUT ANY TRADE EFFILUENT	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		23-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no decision on 25.11.2010 ask the unit to apply for authorization under HWM rules. letter issued on 11.01.2011. no rely received	31-10-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit to Printing Press (Without Trade Effluent Discharge).
20	34978	APOLLO STEEL INDUSTRIE (SGANGA	Naraina Industrial Area	Orange Renewal	MFG OF STEEL FURNITURE			23-10-2012 (1)ETP ---- N/A	31-10-2012 Renewal of Consent to Operate and

	31-08-2010	SARAN) 62/10, PHASE-II,NARAINA INDUSTRIAL AREA	Phase - II			• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	(2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Earlier CMC Decision: Decision on 23.06.2010 Ask the unit to apply for consent under orange category in view of hazardous waste generating activity of painting. decision on 25.11.2010 ask the unit to apply for authorization under HWM.	Authorization under HWM Rules granted without phosphating and powder coating. IT Cell be requested to correct the category of the activity of the unit.
21	34987 31-08-2010	ESS KAY INDUSTRIES H-96, SECTOR-2, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Mfg. of Pilfer Proof Caps.	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	30-10-2012 CTE : Pending (applied on 26.7.2010 Water Consumption : 200 lpd Waste Water generation : (a) Domestic effluent: 150lpd (b) Trade effluent: Nil Date of Commissioning: July 2010 ETP : NA STP : No A letter issued to the unit for submission of application for authorization under HWM Rules on 10.01.2011 unit didnot applied for the same till date.	31-10-2012 Issue SCN for refusal of consent for not applying authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit.
22	35047 07-09-2010	UNIQUE THERMOPACK CREATIONS E-639, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	THERMOFORMING PRODUCT (HIPS / PP/ PET).	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 275 liters/day (b) Trade Effluent ---- 0 liters/day	26-10-2012 CTE : Not Applied CTO applied on 05.07.2007 Water Consumption : 300 ltr/day Waste Water generation : (a) Domestic effluent: 275 ltr/day (b) Trade effluent: NIL Date of Commissioning: 1993 ETP : N/A Test Report (Water) within limit : N/A Test Report (Air) within limit : N/A NMR submitted : N/A Earlier CMC decison dated: consent to establish is not required in view of DPCC board decison. inspection be conducted to check the activity of poluretherne. accoedinglg inspection was conducted on 20.12.2011 and following observed: 1) basement is used for cutting purpose of extrasheet of 1st floor is used for mfg. of thermoforming/vaccum products used	31-10-2012 Inspection be conducted, thereafter, file be put up administratively.

							in colour paints, gematery box. 2) no polyurethran activity is carried out.	
23	35094 10-09-2010	ROYAL SAFE CO (K.B) C-114, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	MANUFACTURING OF STEEL AND WOODEN FURNITURE. Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- 01-01-1975 • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	23-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 15 KVA. Noise monitoring report dated 11-03-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: inspection was carried out by representative of DPCC on 03.05.2011 but unit did not allowed to inspect. (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	31-10-2012 Inspection be conducted, thereafter, file be put up administratively.
24	13-09-2010	AMBITIOUS PENS PVT. LTD B-27, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG OF WRITING OR WRITING INSTRUMENT AND PARTS MFG OF WRITING OR WRITING INSTRUMENT AND PARTS	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 1050 liters/day • Ground Water ---- 450 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day	23-10-2012 (1)ETP ---- N/A (2)ECS - stack connected to boiler (b) Stack monitoring report dated 14-09-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 08-09-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted o 17.03.2011 and following observed: 1) oil fired boiler found installed without adequate stack height. 2) at top floor and second floor unit namely M/s BR products is operating for mfg. of pen nibs. the unit is engaged in acid dipping and rinsing activity. and generating waste water. no ETP found installed, 3 barrels for finishi9ng of nibs and one acid contaier and one rinsing container installed. consent obtained undr green category valid upto 27.06.2011 vide CNo 16230 (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	31-10-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.
25	17-09-	MATRIX MOLDS AND DIES (KULWANT ENGINEERING WORKS PVT.	Mayapuri Industrial Area	Orange Renewal	PLASTIC CABNET AND MOULDS Conduit Pipes (Plastic) using		23-10-2012 (1)ETP ---- N/A (2)ECS - N/A	31-10-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct

	2010	LTD.) E-8, PHASE-II, MAYAPURI INDUSTRIAL AREA			fresh raw material	• Date of commissioning of project ---- • Built Up Area ---- 320 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 08-09-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. CMC(O) meeting held on 21.01.2011 and decide to ask the unit for consent to establish and letter send to the unit on 07.03.2011 (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO	the category of the activity of the unit to Plastic Processed Goods.
26	27-09-2010	AMAR SUGANDH PRODUCTS B-103/2, NARAINA INDUSTRIAL AREA, PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	MFG SWEET PAN MASALA MFG SWEET PAN MASALA	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 90 liters/day (b) Trade Effluent ---- 0 liters/day	31-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 23-04-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 25.11.2011 and following wee the observations: - unit found operational and and engaged in the mfg. of sweet pan masala (STAR) by process of mixing, seiving and packing. - sweet pan masala being packed in the tin container. (5) SCN u/s 31(A) of Air Act details : issued on 12.09.2011 for emission control system and BG of Rs 50,000 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	31-10-2012 Inspection be conducted, thereafter, file be put up administratively.
27	35202 27-09-2010	AAY KAY LIGHTS (INDIA) J-269, PKT-N, SEC-3, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Electrical Bulbs. Flouresent Lights other than Assembly	• Date of commissioning of project ---- 01-01-2002 • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	26-10-2012 CTE : REFUSED ON 07-03-2006 Water Consumption : 300 lpd Waste Water generation : (a) Domestic effluent:50 lpd (b) Trade effluent: NIL Date of Commissioning: 2006 ETP : NA Test Report (Water) within limit : Nil Test Report (Air) within limit : Nil NMR submitted : Nil Inspection of the unit was conducted on 18.04.2011 and following observed: 1) No DG set found installed. 2) Exhaust fan being used for the dispersion of process emission generated from heating, sealing process. 3) having different machines for different process involved and LPG and oxygen mixture were being used as a fuel in the heating process.	31-10-2012 Inspection be conducted, thereafter, file be put up administratively.
28	35214	NEW VIVEK	Nangloi	Orange	MFG OF COATED		23-10-2012	31-10-2012

	27-09-2010	ENTERPRISES B-15, DSIDC INDUSTRIAL COMPLEX, ROHTAK ROAD, DSIDC, NANGLOI INDUSTRIAL AREA	Industrial Area	Renewal	COTTON FABRICS (PVC REXINE CLOTH) MFG OF COATED COTTON FABRICS (PVC REXINE CLOTH)	• Date of commissioning of project ---- 12-08-2010 • Built Up Area ---- 243 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 1000 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 0 liters/day	ATR/Remarks: Earlier CTO issued valid upto 28.01.2004. CTO_R issued valid upto 27.09.2007 vide consent order no 11944. Applied for CTO_R on 25.09.2007 vide ID no 23632. (1)ETP ---- N/A (2)ECS - Stack connected to thermic fluid Heater. (b) Stack monitoring report dated 12-10-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 10-09-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. CMC (O) meeting held on 21.01.2011 and decide inspection to be conducted. (4) Inspection details: inspection was conducted on 09.02.2011 and observed that: 1. unit is not operating since last 4-5 months. 2. as informed the unit is not intended to operate, machines are lyeing Ideal condition, as another unit in operation in kundly haryana. 3. one DG set on 125 KVA found installed in a room, the accostic treatment of te room is not carried out properly, the window and doors (one inside and other side) were open. CMC (O) meeting held on 23.03.2011 and decide that Issue SCN for refusal of consent as the unit in non operational and same issued on 12.05.2011. (5) SCN u/s 31(A)/5 of EPA details : issued on 12.05.2012 Unit submitted a reply on 26.5.2011 and informed that unit was non operational but now operating in full flash, accostic enclosure of DG set has been repaired and requested for Consent to Operate. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Inspection be conducted, thereafter, file be put up administratively.
29	27-09-2010	ABDUL SATTAR B-71 (IIND FLOOR), WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	COPPER WIRE DRAWING (40 GAUGE). Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- 01-09-2010 • Built Up Area ---- 40 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day	26-10-2012 CMC Deecision: 25.11.2010 Issue Consent to Establish. Details of case: CTE : Applied on 01.09.2010 and it was decided in CMC orange on 25.11.2010 to issue CTE. Water Consumption : 0.02 Kilo ltr/day Waste Water generation : (a) Domestic effluent: NIL (b) Trade effluent: NIL	31-10-2012 Authorization under HWM Rules not applied. Issue SCN for refusal of consent. IT Cell be requested to correct the category of the activity of the unit to Copper Wire Drawing without Super Enamelling.

							Date of Commissioning: Oct,2010 ETP : N/A Test Report (Water) within limit : N/A Test Report (Air) within limit : N/A NMR submitted : N/A ATR : CTE Applied on 01.09.2010 and it was decided in CMC orange on 25.11.2010 to issue CTE. Earlier CMC Decision on 21.01.2011 Ask the unit to apply for authorization under HWM Rules. Also ask the unit to provide hood & suction arrangement followed by a duct raised well above the roof levels (at least 2.0 meter above roof level) to channelize the process emissions and submit a compliance report on an affidavit. Accordingly, a letter issued to the unit on 24.02.2011. A reply received from the unit on 09.03.2011 along with an affidavit and stating that the process involves in the unit is only wire drawing and there is no emission generated during the process and varnish is done on wire.	
30	35290 04-10-2010	S.S. INDUSTRIES PLOT NO 112, POCKET-1, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Manufacturing of Aluminum die Casting. Manufacturing of Aluminum die Casting.	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	30-10-2012 CTE : Pending applied on 29.12.2009. Water Consumption :300 lpd Waste Water generation : (a) Domestic effluent: 100 lpd (b) Trade effluent: Nil Date of Commissioning:Dec 2009 ETP : NA Test Report (Water) within limit : NA Test Report (Air) within limit : NA NMR submitted : NA Earlier CMC Decision dated 17.06.2011: Decision deferred as conformity issue w.r.t. MPD-2021 under considertaion,	31-10-2012 Inspection be conducted, thereafter, file be put up administrativley.
31	35292 04-10-2010	BABOSA PLASTICS A-22, GROUND FLOOR, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	HOUSE HOLD PLASTICS ITEMS i.e. BUCKET MUG ETC. HOUSE HOLD PLASTICS ITEMS i.e. BUCKET MUG ETC.	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day	26-10-2012 Earlier CMC decision: 25.11.2010 It was decided to Ask the unit to submit Bank Guarantee of Rs. 50,000 under Air Act valid for one year. If unit submits the Bank Guarantee, consent to establish be granted. 03.09.2010. As approved by Competent Authority show cause notice for closure u/s 31 (A) of the Air Act Details of case: CTE : not applied. Water Consumption :0.02 KLD Waste Water generation : (a) Domestic effluent: 0.01KLD (b) Trade effluent: Nil Date of Commissioning:Dec.2010 ETP : N/A Test Report (Water) within limit : N/A	31-10-2012 Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the category of the activity of the unit to Plastic Processed Goods.

							Test Report (Air) within limit : N/A NMR submitted : N/A	
							Earlier CMC Decision dated 07.02.2011:	
							If unit submits the Bank Guarantee of Rs. 50,000 under Air Act valid for one year as decided in consent to establish decision dated 25.11.2010, issue consent to operate with the condition to provide hood & suction arrangement followed by a duct raised well above the roof levels (at least 2.0 meter above roof level) to channelize the process emissions and submit an compliance report on an affidavit within 06 months.	
							Accoedingly a letter for submission of bank guarantee was issued to the unit on 03.05.2011	
							unit submitted the bank guarantee on 20.05.2011.	
32	35305 06-10-2010	DELHI FOUNDERS (REGD) B-37/B, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	Casting of Components by Pit Furnace. Casting of Components by Pit Furnace.	- Date of commissioning of project ---- - Built Up Area ---- 300 (in sq. meter) - Water Consumption ---- 100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	30-10-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 30-09-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 11-10-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 11.07.12 & following were observed: 1. Unit is engaged in metal casting by pit furnace. 2. No cupola furnace found. The same has been removed. 3. Unit has installed hood & suction arrangement followed by stack app/ 11m from G.F and 2 m from R.L, over pit furnace. (5) SCN u/s 31(A)details :issued on 01.10.10. Unit has submitted its reply on 11.10.10. As decided by the CMC (O) in its meeting held on 13.01.11, refusal of CTR was issued on 02.05.11 as the activity is being enlisted in the Negetive list of MPD-2021. As approved, a letter was issued on 13.04.11 for action under provisions of MPD-2021 has also been sent to MCD, DDA and Industires Department as earlier unit was doing casting through cupola furnace. Further, a letter also sent to DC (North-East) on 07.06.12. As decided by the CMC (O) in its meeting held on 17.06.11, CTE was issued on 26.07.11 for the activity of Casting of components by pit furnace. As decided by the CMC (O) in its meeting held on 17.06.11, unit was inspected on 11.07.12 & following were observed:	31-10-2012 Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit to Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only).

							1. Unit is engaged in metal casting by pit furnace. 2. No cupola furnace found. The same has been removed. 3. Unit has installed hood & suction arrangement followed by stack app/ 11m from G.F and 2 m from R.L, over pit furnace. Letter was received from SDM, Seemapuri on 21.08.12 regarding the interim report- closure of units categorized under the prohibited/ negetive list of activities as per MPD 2021. It was also mentioned that during the visit of unit on 28.07.12, it was observed that no work of Mfg. was carried out at the said premises sh. Siddharth Jain, who was present at the time of visit, informed on behalf of prop. that they have stopped the casting activity with cupola furnace & removed the cupola furnace from the said premises long back. Representative has also provided the copy of request given to DPCC to obtain CTO the unit with pit furnace & copy of release the Bank Guarantee by DPCC. EARLIER CMC DECISION 16.03.2010 Inspection be conducted within 10 days and file be put up administratively without waiting for minutes. 23.03.2010 Ask the unit to provide clarification regarding source of water and apply for consent to establish. 16.06.2010 Ask the unit to remove the cupola furnace from the premises and confirm on an affidavit within 15 days followed by inspection before grant of CTE for new activity. 13.08.2010: Issue SCN u/s 31(A) of the Air Act for closure of the unit. 07.02.2011 Ask the units to submit Bank Guarantee of Rs. 50,000 under Air Act valid for one year and submit an affidavit stating that facilities of cupola furnace has been removed out from the premises within 01 month and thereafter inspection be conducted. 17.06.2011 Issue consent to establish as bank guarantee received. Subsequently, inspection be conducted within 06 months.	
33	35349 11-10-2010	BABA & CO PVT LTD. E-22,S.M.A INDUSTRIAL AREA	S.M.A Industrial Area	Orange Operate	MFG. OF PLASTIC DANA. MFG. OF PLASTIC DANA.	• Date of commissioning of project ---- • Built Up Area ---- 505 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 90 liters/day (b) Trade Effluent ---- 0 liters/day	26-10-2012 Details of case: CTE : Not Applied Water Consumption : 200 ltr/day Waste Water generation : (a) Domestic effluent: 90 ltr/day (b) Trade effluent: NIL Date of Commissioning: Dec,1980 ETP : N/A Test Report (Water) within limit : N/A Test Report (Air) within limit : N/A NMR submitted : N/A ATR: CTO applied on 22.09.2006. Earlier CMC Decision on 07.02.2011 Ask the unit to submit an afidavit that plastic scrap is not used	31-10-2012 Inspection be conducted, thereafter, file be put up administrativley. Also check the status of consent to establish.

							as raw matrial. If the unit submits the aforesaid affidavit, consent to operate be issued with the condition to provide hood & suction arrangement followed by a duct raised well above the roof levels (at least 2.0 meter above roof level) to channelize the process emissions and submit an compliance report on an affidavit within 06 months. Accordingly, a letter issued to the unit on 16.03.2011. A reply received from the unit on 30.03.2011.	
34	35358 12-10-2010	VINEET ENTERPRISES PLOT NO-305, POCKET-E, SECTOR-5, DSIDC INDUSTRIAL COMPLEX BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Mfg. of Rubber Auto Parts and Readymade Garments without trade Effluent. Mfg. of Rubber Auto Parts and Readymade Garments without trade Effluent.	• Date of commissioning of project ---- 01-01-2005 • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	26-10-2012 CTE :YES Valid from 19-11-2009 to 18-11-2010. Water Consumption :200 LPD Waste Water generation : (a) Domestic effluent: 50 LPD (b) Trade effluent: NIL Date of Commissioning:AUG 2007 ETP : NA Test Report (Water) within limit : NA Test Report (Air) within limit : NA NMR submitted : NA Earlier CMC Decision on 02.09.2012 Issue SCN for refusal of consent and confirm closure directions. Accordingly, SCN for refusal of consent and confirm closure directions issued to the unit on 26.09.2011. A letter also issued to the unit on 21.02.2012 for the submission of BG of Rs. One lakh under Air Act. A reply received from the unit on 02.03.2012 along with BG. Temporary Revocation of Closure direction issued on 06.03.2012. A reply received from the unit on 22.03.2012 along with an affidavit.	31-10-2012 File be put up administratively.
35	35367 12-10-2010	S.J.S. OVERSEAS F-130, PHASE-II MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	MAKING OF NAME PLATE STICKER MAKING OF NAME PLATE STICKER	• Date of commissioning of project ---- • Built Up Area ---- 110 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	19-10-2012 Earlier CMC Decision: Decision on 12.05.2010 Issue consent to establish. Ask the unit to apply for authorization under HWM Rules. ATR/Remarks: Earlier CTO_R applied on 18.01.2007 was cancelled on 14.01.2009 and ask the unit to apply for consent to establish under orange category. Unit applied for fresh authorization under HWM Rules on 18.01.2007 vide ID no 4207. Unit submitted its reply on 11.10.2010 that they engaged in the activity without printing (1)ETP ---- N/A (2)ECS - N/A	31-10-2012 Consent refused since activity for which consent has been applied not found during inspection.

							(3)D.G.Set: ...N/A... CMC(O) held on 07.02.2011 and decided for inspection to be conducted. (4) Inspection details: inspection conducted on 03.05.201 and following were the observation: -Unit foud operational and engaged in acticity of trading remote. -unit taken consent (CTE) in the acticity of making of name plate but no applied in remote trading activity. -making of the name plate activity doses no carried out. (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :	
36	35383 12-10-2010	SCJ PLASTICS LTD 70/A-19, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	Mfg of PVC plastic products viz pe pp compound and masterbatches Mfg of PVC plastic products viz pe pp compound and masterbatches	• Date of commissioning of project ---- • Built Up Area ---- 560 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 0 liters/day	23-10-2012 (1)ETP ---- N/A (2)ECS - suction hood provided over extruders (a) Stack monitoring report dated 16-08-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes . Stack monitoring report dated 16-08-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes . Stack monitoring report dated 16-08-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes . (3)D.G.Set Noise Report : 2 (a) The unit has 3 D.G. Set(s) of 125KVA, 125 KVA & 82.5 KVA. Noise monitoring report dated 04-08-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 125KVA, 125 KVA & 82.5 KVA. Noise monitoring report dated 04-08-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Earlier CMC Decision: Decision on 09.04.2009 SIT-II to inspect and report Decision on 15.06.2009 Issue SCN for closure due to obstruction caused during the inspection of SIT and othe other deficiencies observed by SIT.	31-10-2012 Inspection be conducted.
37	35422 19-10-2010	BETA INDUSTRIAL PRODUCTS B-17, G.T. KARNAL ROAD INDUSTRIAL	G.T. Karnal Road Industrial Area	Orange Renewal	MFG. OF AUTO PARTS. Rubber Auto Parts Excluding Production Of Tyres And Tubes		26-10-2012 Details of case: CTE : Not Applied Water Consumption : 350lpd Waste Water generation : (a) Domestic effluent: 150lpd (b) Trade effluent: Nil	31-10-2012 Expedite inspection, thereafter, file be put up administratively.

		AREA			(Without Reclamation And Devulcanisation Of Rubber)	• Date of commissioning of project ---- • Built Up Area ---- 1133 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Date of Commissioning: since 1996 ETP : N/A Test Report (Water) within limit : N/A Test Report (Air) within limit : Yes NMR submitted : Yes Ground Water: 350 ltr/day ATR: CTR valid upto 20.07.2007. Earlier CMC Decision on 07.02.2011 Inspection be conducted to check the existance of boiler. Inspection is to be carried out.	
38	35452 21-10-2010	KOPAG ELECTRONICS C-193, MAYAPURI INDUSTRIAL AREA PHASE-II	Mayapuri Industrial Area	Orange Renewal	MFG OF SOLDER WIRE MFG OF SOLDER WIRE	• Date of commissioning of project ---- • Built Up Area ---- 501 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 70 liters/day (b) Trade Effluent ---- 0 liters/day	26-10-2012 (1)ETP ---- N/A (2)ECS - stack connected to melting furnace (b) Stack monitoring report dated 23-08-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... (4) Inspection details:No CMC(O) meeting held on 07.02.2011 as decide to issue SCN for refusal of Consent and SCn u/s 31(A) of Air Act in view of the test report dated 23.08.2010 (5) SCN u/s 31(A)/5 of EPA details :SCN issued to the unit on 29.03.2011. a reply was recieved from unit on 19.04.2011 along with test report. another letter issued to the unit on 23.06.2011 for submission of Bank Guarantee of Rs. 50,000 under Air Act and unit submitted the same on 13.07.2011 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no CMC (O) meeting held on 13.10.2011 and decide stack monitoring be conducted by DPCC laboratory. as per above decision file was sent to DPCC laboratory for conducting stack monitoring. the lab scientist D had returned the file with an information that Atomic Absorption Spectrophotometer is not working. Now during scrutinising the file, same has been sent to lab for needful action.	31-10-2012 File be put up administratively.
39	35468 25-10-	SPARX INDUSTRIES C-193, MAYAPURI	Mayapuri Industrial Area	Orange Renewal	MFG OF SOLDER WIRES MFG OF SOLDER WIRES		26-10-2012 (1)ETP ---- N/A (2)ECS - Stack attached to Lead Melting Furnace (a) Stack monitoring report dated 26-07-2010 issued by IP	31-10-2012 File be put up administratively.

	2010	INDUSTRIAL AREA PHASE-II				• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		COLLEGE submitted. Stack Test Report within Limit - Yes . (3)D.G.Set: ...N/A... (4) Inspection details:NO CMC(O) held on 07.02.2011 and decide to issue SCN for refusal of consent and SCn u/s 31(A) of the Air Act in view of the latest stack monitoring report submitted. (5) SCN u/s 31(A)/5 of EPA details : issued on 31.03.2011. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details: NO a reply was submitted by the unit on 19.04.2011 along with the stack analysis report . a letter was issued to the unit on 22.06.2011 for submission of bank Guarantee of Rs. 50,000/- under Air Act and submitted the same on 14.07.2011 CMC (O) meeting held on 13.10.2011 and decide stack monitoring be conducted by DPCC laboratory. as per above decision file was sent to DPCC laboratory for conducting stack monitoring. the lab scientist D had returned the file with an information that Atomic Absorption Spectrophotometer is not working. Now during scrutinising the file, same has been sent to lab for needful action.	
40	35470 25-10-2010	VICTOR ELECTRICAL & MACHINERY MANUFACTURER Z-58, PHASE II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MANUFACTURING OF CONSTRUCTION MACHINERY. MANUFACTURING OF CONSTRUCTION MACHINERY.	• Date of commissioning of project ---- • Built Up Area ---- 488 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 06-01-2011 Recommended for grant of renewal of consent. Decision of Consent Management Committee on 07-02-2011 Seek clarification from the unit whether the manufacturing process / machineries are changed in view of the addition in the final products.	02-11-2010 Details of the Case CTE : Not Required Water Consumption : 300 l/d Waste Water generation : (a) Domestic effluent: 250 l/d (b) Trade effluent: NA Date of Commissioning: Jan 2000 ETP : NA Test Report (Water) within limit : NA Test Report (Air) within limit : NA NMR submitted : NA G W : nil ATR/Remarks D G Set: nil CTo and CTR issued and valid upto 24.05.03 and 16.12.2006 vide CNO 499 and 9798. CTR applied on 02.11.2007 with vd ID 24121. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 As decided by CMC (O) in its meeting held on 07.02.2011, a	31-10-2012 Inspection be conducted, thereafter, file be put up administratively.

							letter was issued to the unit seeking clarification on 04.03.11. A reply was received from the unit on 29.03.2011 stating that the activity of the unit is mfg of machinery and there is no change in the activity of unit.	
41	35484 26-10-2010	M.S. GARMENTS PVT. LTD A-39, JHILMIL INDUSTRIAL AREA SHAHDARA	Jhilmil Industrial Area	Orange Renewal	Manufacturing of Sequines (Decorative Goods) Manufacturing of Sequines (Decorative Goods)	• Date of commissioning of project ---- • Built Up Area ---- 95 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	17-10-2011 (1)ETP ---- N/A (2)ECS - chanalization provided. (3)D.G.Set: ...30KVA.. (a)Noise monitoring report of - 30- KVA not submitted. Fee for NMR deposited with DPCC. (4) Inspection details:Conducted on 01.04.2011. The unit uses printing ink to colour different sheets and thereby generated HW. unit has now applied fot HW,a D.G.Set of 30 KVA was also found in the premises without A/E and adequate satck height. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	31-10-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to category of the activity of the unit.
42	35487 26-10-2010	ASHOK JAIN & CO. 1/359, GALI NO-3, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	Copper Wire Drawing. Copper Wire Drawing.	• Date of commissioning of project ---- • Built Up Area ---- 156.33 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	30-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) SCN u/s 5 of EPA details : issued on 21.03.11. Unit has applied for authorization under HWM Rules on 18.04.11 vd ID 736. EARLIER CMC DECISION 07.02.11 Issue SCN u/s 5 of EPA for closure of the unit.	31-10-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to category of the activity of the unit.
43	35535 01-11-2010	BISHAMBHER DYAL AGGARWAL PLOT NO. 759, SEC-E, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MFG. OF PLASTIC PELLETS AND MOULDED GOODS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	30-10-2012 CMC decision: 26.03.2003 CTE grant Details of case: CTE : Valid upto 05.04.2003 Water Consumption : 150 ltr/day Waste Water generation : (a) Domestic effluent: 50 ltr/day (b) Trade effluent: NIL Date of Commissioning: Nov,2009 ETP : N/A Test Report (Water) within limit : Not submitted Test Report (Air) within limit : N/A NMR submitted :N/A earlier CMC decision dated 14.02.2011: inspection be conducted: accordingly inspection of the unit was conducted on 20.12.2011 and unit was not found in operation but another unit namely Madu Wire Lettings egaged in the activity of mfg. iron mesh/cages using iron wire as a raw material. Show Cause Notice u/s 21/22 of air act, 1981 and 25/26 of	31-10-2012 Inspection done. Unit not in operation. Consent refused. File be put up administration for M/s Madhu Wire Lettings.

								water act, 1974 was issued to Madhu Wires found operating in the same premises on 16.01.2012.	
44	35546 01-11-2010	ASHOKA OFFSET WORKS A-27, GTK ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Operate	OFFSET PRINTING PRESS. OFFSET PRINTING PRESS.	- Date of commissioning of project ---- - Built Up Area ---- 150 (in sq. meter) - Water Consumption ---- 150 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		30-10-2012 Details of case: CTE :valid upto 27.01.2011 Water Consumption :150 LPD Waste Water generation : (a) Domestic effluent: 100 LPD (b) Trade effluent: Nil Date of Commissioning:2009 ETP : N/A Test Report (Water) within limit : N/A Test Report (Air) within limit : N/A NMR submitted : Yes A letter issued to the unit on 06.04.2011 for submission of application for authorization under HWM Rules. unit applied for the authorization on 05.09.2011	31-10-2012 Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit to Printing Press (Without Trade Effluent Discharge).
45	35571 04-11-2010	CHITRA CABINET WORKS A-93,SECTOR-2, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Mfg. of Fibre Glass (FRP) and its products. Mfg. of Fibre Glass (FRP) and its products.	- Date of commissioning of project ---- - Built Up Area ---- 150 (in sq. meter) - Water Consumption ---- 100 liters/day - Ground Water ---- 100 liters/day - Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		26-10-2012 CTE : YES VALID FROM 19-11-2009 TO 18-11-2010 Water Consumption :150 LPD(ground water) Waste Water generation : (a) Domestic effluent: 100 LPD (b) Trade effluent: NIL Date of Commissioning: 2007 ETP : NA Test Report (Water) within limit :NA Test Report (Air) within limit : NA NMR submitted : NA Earlier CMC Decision on 14.02.2011 Inspection be conducted. Inform to DJB regarding ground water extraction. Accordigly, an inspection conducted on 06.04.2011 and following were observed: 1) The unit was found in operation and found engaged in activity of moulding of fiber glass and its products (i.e. Dustbin tank etc.) 2) The glass is first put and spread in the mould then were polish, resins are applied on it.	31-10-2012 Inspection be conducted, thereafter, file be put up administratively.
46	35577 04-11-2010	VOHRA MOTOR TRADING CO. C-6/1, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MANUFACTURING OF TORSION BARS AND AUTO MIBILE SPRINGS. MANUFACTURING OF TORSION BARS AND AUTO MIBILE SPRINGS.	- Date of commissioning of project ---- - Built Up Area ---- 146 (in sq. meter) - Water Consumption ---- 60 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 45 liters/day (b) Trade Effluent ---- 0 liters/day		08-10-2012 ETP:N/A ECS:N/A DG SET: NIL EARLIER CMC DECISION ON 14.02.2011: Ask the unit to submit stack monitoring report from approved laboratory of DPCC. Accordingly a letter was issued to the unit on 06.04.2011. till date no reply has been received from the unit.	31-10-2012 Issue Show Cause Notice for refusal of consent for not submitting stack monitoring report. IT Cell be requested to correct the category of the activity of the unit.
47	35597	AASHISH UDYOG PLOT NO.-94,	Bawana Industrial Area	Orange Operate	Manufacturing of Electrical Accessories.			26-10-2012 CTE : Pending Applied on 12.08.2010 Water Consumption : 200 lpd Waste Water generation :	31-10-2012 Issue Show Cause Notice for refusal of consent and Show Cause Notice u/s 31

	10-11-2010	POCKET-F, SECTOR-2, DSIDC BAWANA INDUSTRIAL AREA			Manufacturing of Electrical Accessories.	• Date of commissioning of project ---- 09-08-2010 • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 175 liters/day (b) Trade Effluent ---- 0 liters/day	(a) Domestic effluent: 175 lpd (b) Trade effluent: Nil Date of Commissioning: 9th Aug, 2010 ETP :NA Test Report (Water) within limit : NA Test Report (Air) within limit : NA NMR submitted : NA Earlier CMC Decision on 14.02.2011 Inspection be conducted to check the buffing activity. Accordingly, an inspection conducted on 01.04.2011 and following were observed: 1) Unit was found in operation in the activity of making electrical swiches & sockets. Hand operated injection moulding m/c were being used for the said work which were found installed at basement. 2) No suction & hood arrangement being taken over the said injection m/c however on left side exhaust corner from basement roof a brick stack filled with exhaust fan found constructed which is inadequate in height. 3) No buffing activity being carried out, however the deflushing of corner by rubbing over sand stone by means of hand were being carried out. 4) At G.F. the hall was found empty. As informed as soon as possible they are going to installed automatic injection m/c will be installed.	(A) of the Air Act and put up administratively.
48	35630 15-11-2010	EVEREST ELECTRICAL INDUSTRIES (UNIT-1) 18, MOTI NAGAR DLF INDUSTRIAL AREA	Moti Nagar DLF Industrial Area	Orange Renewal	RUBBER PARTS VIZ COMPONENTS SHEET STRIP CORD Rubber Auto Parts Excluding Production Of Tyres And Tubes (Without Reclamation And Devulcanisation Of Rubber)	• Date of commissioning of project ---- • Built Up Area ---- 660 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	23-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... CMC(O) meeting held on 14.02.2011 and decide for inspection to be conducted. (4) Inspection details: inspection held on 25.04.2012 observed that -unit found operational and engaged in mfg. of rubber parts Viz components, Sheets, strip cord etc. - No channalization observed with the unit over mixing units/machines. -unit is having an diesel fired Boiler with inadequate stack height. -unit also having a DG set of 110 KVA with acoustic enclosure and adequate stack height. unit submitted a letter on 21.05.2012 alogwith and affidavit and inform that Everest Electrical industries, having two units, unit -1 under orange category and unit-2, under green category and they had revomed waste of DG set and Burner which were not in use since so many years. re-inspection was held on 07.09.2012 and observed that UNIT- 1 - unit found operational and engaged in activityof mfg of	31-10-2012 Issue SCN for refusal of consent and put up file for rest of the action.

							rubber parts. - The unit has chennalized the emission generated from the mixture followed by stack of 09mt from ground level which is in-adequate. -unit has removed it soil fired Baby Boiler and DG set i:e no boiler and DG set found exist with the unit. UNIT-2 unit found operational and engaged in light engineering works (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	
49	35672 18-11-2010	K.R. INDUSTRIES H-31, UDYOG NAGAR INDUSTRIAL AREA,ROHTAK ROAD	Udyog Nagar Industrial area	Orange Renewal	MFG OF PVC FOOTWEARS MFG OF PVC FOOTWEARS	• Date of commissioning of project ---- • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 900 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	23-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 3 D.G. Set(s) of 125KVA, 140 KVA and 140 KVA (not in use). KVA. Noise monitoring report dated 08-11-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 3 D.G. Set(s) of 125KVA, 140 KVA and 140 KVA (not in use). KVA. Noise monitoring report dated 03-11-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 13.09.2011 and following were observed: 1) 8 injection moulding machines installed without any channelization system. 2) 4 mixer found i which two mixers are without channelization system. 3) 3 DG sets found installed without accoustic enclosure and inadequate stack height. 4) 3 buffing machine found in non-operational state. as informed buffing activity will start within a week. 5) unit does not provide any informtion regarding raw material used. (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Ealier CMC decision dated 14.02.2011 inspection be conducted to check exact raw material being used in view of negative list.	31-10-2012 File be put up administratively.
50	35685	BALDEV METALS PVT. LTD	Mayapuri Industrial Area	Orange Renewal	MFG OF ALUMINIUM ALLOY METAL		23-10-2012 (1)ETP ---- N/A	31-10-2012 Inspection be conducted, thereafter, file

	19-11-2010	B-22, MAYAPURI INDUSTRIAL AREA PHASE-I			Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	• Date of commissioning of project ---- • Built Up Area ---- 2200 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	(2)ECS - stack attached to the suction hood on furnace. (a) Stack monitoring report dated 19-08-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-08-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes . (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO CMC (O) meeting held on 14.02.2011 decision be deferred till DDA clarification.	be put up administratively.
51	35699 22-11-2010	SHARP GLOBAL LTD. C-3, SMA INDUSTRIAL AREA	S.M.A Industrial Area	Orange Operate	MENTHOL AND ITS ALLIED PRODUCT MENTHOL AND ITS ALLIED PRODUCT	• Date of commissioning of project ---- • Built Up Area ---- 6600 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day	30-10-2012 Details of case: CTE : Applied on 19.07.2010 Water Consumption : 600 ltr/day Waste Water generation : (a) Domestic effluent: 500 ltr/day (b) Trade effluent: NIL Date of Commissioning: 2000 ETP : N/A Test Report (Water) within limit : N/A Test Report (Air) within limit : Yes NMR submitted : Submitted ATR: a letter issued to the CPCB for clarification of the categorization of the activity on 30.10.2012.	31-10-2012 File be put up administratively.
52	35718 23-11-2010	ALCIT (INDIA) PVT. LTD A-17, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	MANUFACTURING OF ALLERGENS VACCINES. MANUFACTURING OF ALLERGENS VACCINES.	• Date of commissioning of project ---- • Built Up Area ---- 144 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	26-10-2012 Details of case: CTE : Valid upto 18.12.2009 Water Consumption : 500 ltr/day Waste Water generation : (a) Domestic effluent: 300 ltr/day (b) Trade effluent: NIL Date of Commissioning: 2006 ETP : N/A Test Report (Water) within limit : N/A Test Report (Air) within limit : N/A NMR submitted : N/A ATR: CTE issued on 19.12.2003 with C.No. 19416. CTR applied on 27.04.2007 with Id.no. 21144. Earlier CMC decision on 14.02.2011 File be put up administratively w.r.t. Hazardous Mico-Organism	31-10-2012 Expedite inspection, thereafter, file be put up administratively.

								Genetically Engineered Organisms of Cells Rules, 1989.	
								Inspection is to be carried out regarding Hazardous Mico-Organism Genetically Engineered Organisms of Cells Rules, 1989.	
53	35721 23-11-2010	SUNAM METAL INDUSTRIES A-132, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	ALUMINUM SHEET/CIRCLE. ALUMINUM SHEET/CIRCLE.	• Date of commissioning of project ---- • Built Up Area ---- 241.547 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		26-10-2012 Details of case: CTE : Applied on 30.11.2009 Water Consumption : 0.02 Kilo ltr/day Waste Water generation : (a) Domestic effluent: 0.01 Kilo ltr/day (b) Trade effluent: NIL Date of Commissioning: Dec,2009 ETP : N/A Test Report (Water) within limit : N/A Test Report (Air) within limit : Yes NMR submitted : N/A Earlier CMC decisoin 14.02.2011: decision defered till DDA clarification regarding MPD -2021 consideration.	31-10-2012 Inspection be conducted, thereafter, file be put up administratively.
54	35732 25-11-2010	G.K.S. BATTERY INDUSTRIES PLOT NO.-136, POCKET-C, SEC-3, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Job Work of Pasting and Charging of Auto Battery. Batteries (Lead Acid) And Accessories	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		30-10-2012 CTE :YES Water Consumption :200 LPD Waste Water generation : (a) Domestic effluent: 150 LPD (b) Trade effluent: NIL Date of Commissioning:Nov 2010 ETP : na Test Report (Water) within limit : na Test Report (Air) within limit : na NMR submitted : na earlier decisions 09.09.2009 Issue Consent to Establish and subsequently inspection be conducted to know the present status of the unit. 27.08.2010 Consent revoked w.r.t M/s G.K.S. Battery. Issue closure directions to M/s BGS Industries. 14.02.2011: implement the decision taken w.r.t. CTE application.	31-10-2012 Inspection be conducted, thereafter, file be put up administratively.
55	35733 25-11-2010	VIJAY ANAND & ASSOCIATES PVT. LTD. B-74, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MANUFACTURING OF WOODEN FURNITURE. MANUFACTURING OF WOODEN FURNITURE.	• Date of commissioning of project ---- • Built Up Area ---- 618.78 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 01-02-2011 Issue suitable letter to the unit asking to apply for authorization under HWM Rules. Decision of Consent	15-12-2010 Earlier Committee Decision 14.08.08 (Green) Ask the unit to apply CTE under Orange Category as the unit generates hazardous waste from the said activity. Consent to Operate (Renewal) application under Green Category becomes infuctuous in view of the above reason. 07.05.10 (Orange) Issue consent to establish. Ask the unit to apply for	31-10-2012 Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit to Spray Painting, Paint Baking, Paint Stripping.

							Management Committee on 14-02-2011 Issue suitable letter to the unit asking to apply for authorization under HWM Rules.	authorization under HWM Rules. Remarks / Action Taken / ATR CTE : issued on 16.06.10 vide CNO 24022 Water Consumption : 0.3 KL/d Waste Water generation : (a) Domestic effluent: 0.2 Kl/d (b) Trade effluent: Nil Date of Commissioning: 1995 ETP : NA Test Report (Water) within limit : NA Test Report (Air) within limit : NA NMR submitted : submitted GW : NIL 1. D G Set: 62.5 KVA and NMR submitted dated 22.07.10 2. CTO (Green) issued valid upto 13.03.05 with CNO 743. 3. CTR (Green) Canceled with cancelation no. 161 on 01.09.08 4. CTE (Orange) issued on 16.06.10 with CNO 24022 Letter was issued to the unit to apply for authorization under HWM Rule on 16.06.10 Reply received on 15.07.10 Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 As decided by CMC (O) in its meeting held on 14.02.2011, a letter was issued to the unit on 13.04.2011 regarding submission of application for authorization under HWM Rules. A reply was submitted by unit on 27.04.2011 requesting for extension of time for submission of application for authorization under HWM Rules.	
56	35734 25-11-2010	BADDI FOILS PVT. LTD. S-86, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	ROTOGRAVURE PRINTING WITHOUT WASHING. Gravure printing (Dry process)	• Date of commissioning of project ---- • Built Up Area ---- 743.19 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 01-02-2011 Inspection be conducted. Decision of Consent Management Committee on 14-02-2011 Inspection be conducted. Recommendations of Scrutinizing Committee on 31-05-2011 Issue SCN u/s 5 of	Action Taken Details on 29-12-2011 As per the decision of CMC dated 02.09.11, SCN u/s 5 of EPA was issued to the unit on 03.10.11. Unit has submitted its reply on 07.10.11 stating that they have applied for authorization under HWM Rules on 18.05.11 vd ID No. 0775, proper display boards has been maintained, all records of hazardous waste has been maintained, the hazardous waste is stored in leak proof container kept under shed on pucca floor inside the premises. Case was put up adminstrativly and as approved on file, letter was issued to the unit on 14.11.11 to submit Bank Guarantee of Rs. 50,000/- under HWM Rules valid for one year. Unit has submitted BG under HWM Rule on 05.12.11 Action Taken Details on 31-05-2011 Inspection of the unit was carried out by DPCC officials on 06.05.11 and following were observed:	31-10-2012 Consent to Operate and Authorization under HWM Rules granted.

								Earlier CMC Decision: 14.02.2011 Inspection be conducted. Inspection of the unit was conducted on 29.06.2011: Observations: 1. Unit found operational engaged in the activity of steel cutlery without buffing. 2. D.G. set of 62 KVA with acoustic & inadequate stack height found installed at the first floor of the premises. 3. One Coal bhatti (small) used for die to repair the die for which no ECS installed. 4. One grinder machine also exist in the premises (Ground floor). As per the decision taken up by Competent Authority SCN u/s 31 (A) of the Air Act was sent on 12.07.2011. Reply has been received on 27.07.2011 alongwith an affidavit stating that all the deficiencies observed during inspection have been rectified and also requested for grant of consent to operate at the earliest.	
--	--	--	--	--	--	--	--	---	--