



CONSENT MANAGEMENT

Agenda No. 1 - Annexure II - 10 Cases of Consent to Establish under orange category of the period 30.11.2010 to 01.08.2010 in reverse chronology (excluding the cases of Redevelopment areas)recommended by Screening Committee as (2c category) in its meeting on 31.10.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	34870 17-08-2010	M.S. METAL COMPANY PLOT NO- 458-466, GALI NO. 8, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	Friends Colony Industrial Area	Orange Establish	Copper Melting by Pit Furnace. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	- Date of commissioning of project ---- - Built Up Area ---- 167.2 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		30-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 07.09.2012 and the following were observed: 1. Unit is a copper melting industry has installed a tilting furnace. 2. Unit not found in operation. 3. Unit has installed wet scrubber fitted with I D fan. The system is found in operating condition (I. D Fan and pump are in operational state.) 4. No leakage was observed in the hood/duct meant for channelization of air emission from the process. 5. Unit is complying with provision of HWM Rules. (5) SCN u/s 31(A) details : issued on 11.04.12. As decided by CMC (Orange) in its meeting held on 17.06.2011, SCN for refusal of Consent was issued on 01.08.2011 as unit has not addressed the issue of the improper stamp paper purchased in the name of DPCC and in view of the fact that in its consent to establish application only the pit furnace was proposed. The unit has submitted its reply on 23.08.2011 along with an affidavit, photocopy of the receipt of renewal of consent, authorization under HWM rules and Consent (Establish) order stating that Unit had obtained CTE and applied for CTO and hazardous waste authorization. A letter was issued to Deputy Commissioner (NE) on 24.04.12 for effective closure of the unit being the negative list activities under MPD-2021. Sealing order received from the SDM, Seemapuri on 14.05.2012 mentioning that unit was visited on 09.05.2012 found functioning and involved in the activity of copper melting with tilting furnace and sealed with immediate effect.	31-10-2012 Recommended for inspection.

							The unit has requested through letter on 11.05.12 & 14.05.12 for de sealing the premises along with an affidavit stated that they are in the process to dismantled and remove the tilt furnace and to install pit furnace in its place and asking for 60 days time. Letter was issued to Deputy Commissioner (NE) on 23.05.12 for de sealing of the premises for 45 days to remove the plant and machinery and not to operate the unit. A representation was received from the unit on 30.05.2012 for withdrawing the request made by him on 11.05.12 for de sealing of the premises for a period of 60 days for removal of tilt furnace & to install pit furnace as he entitled to use the existing furnace A representation was received from the unit on 21.08.12 from the unit along with the copy of Hon ble High court dated 07.08.12. As approved, letter was issued on 31.08.12 for temporarily de-sealing of the premises for inspection in compliance of Hon ble High court dated 07.08.12. In compliance of Hon ble High court dated 07.08.12, unit was inspected on 07.09.12 & following were observed: 1. Unit is a copper melting industry has installed a tilting furnace. 2. Unit not found in operation. 3. Unit has installed wet scrubber fitted with I D fan. The system is found in operating condition (I. D Fan and pump are in operational state.) 4. No leakage was observed in the hood/duct meant for channelization of air emission from the process. 5. Unit is complying with provision of HWM Rules. As approved, letter was issued on 09.10.12 for de sealing of the premises. EARLIER CMC DECISION 25.11.2010 Issue SCN to the unit stating as to why the necessary action should not be initiated under the provision of the law as the unit has submitted the affidavit on the stamp papers purchased in the name of DPCC. Also ask the unit to remove the tilting furance from the premises and submit an affidavit. 17.06.2011 Issue SCN for refusal of consent as unit has not addressed the issue of the improper stamp paper purchased in the name of DPCC and in view of the fact that in its consent to establish application only the pit furnace was proposed.	
2	34890	SHIVALIK SERVICE CENTRE	SOUTH WEST	Orange Establish	SERVICE STATION		23-10-2012 (1)ETP ---- N/A	31-10-2012 Recommended for grant of Consent to

	18-08-2010	SECTOR-2, PH-1, DWARKA				• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 175 liters/day (b) Trade Effluent ---- 750 liters/day		(2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 19.04.2011 and folowing were observed: 1) ETP found installed but at the time of ispection not found operational. 2) wet sludge and dry sludge seen at site. 3) unit generating HW but not follow as per the norms. 4) two DG sets found installed with acoustic enclosure and inadequate stack height. (5) SCN for refusal of consent, u/s 31 (A) and 33 (A) and 5 of EPA issued on 01.08.2011. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Letter issued to the unit for BG on 06.09.2011. unit submitted BG Rs 50,000 each under Air and Water and EPA Act on 20.09.2011.	Establish followed by inspection.
3	35450 21-10-2010	GURUDWARA HARGOBINDSAR SAHIB G.T. ROAD, KARNAL ROAD, NANGLI POONA	NORTH WEST	Orange Establish	A PARTY LAWN FOR SOCIAL FUNCTIONS. A PARTY LAWN FOR SOCIAL FUNCTIONS.	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 5200 liters/day • Ground Water ---- 5000 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 5000 liters/day		26-10-2012 CMC decision: 13.08.2010 Issue closure direction ATR: Water Consumption :5.2 kilo ltr/occasion Waste Water generation : (a) Domestic effluent: NIL (b) Trade effluent: 5.0 Kilo ltr/occasion Date of Commissioning: 12.05.2010 ETP : Installed D.G.Set : 125 KVA Earlier CMC Decision on 21.01.2011 Ask the unit to clarify that applicability of consent to establish applied for party lawn for social function whereas Lt. Governor, Delhi has ordered for de-sealing of the premises in consideration that the premises will only be used for religious functions with Gurudwara. Accordingly, letter issued to the unit on 03.05.2011. A reply received from the unit on 18.05.2011. Decision on 16.03.2011 Implement the CMC(Orange) decison dated 21.01.2011 seeking clarification. Infrom to DJB regarding ground water extraction. A repersenation received from the unit reagrding release of BG on 08.11.2011	31-10-2012 Inspect the unit, thereafter, file be put up administratively as decided in CTO case on 17.10.2012.

								A reminder issued to the MCD regarding usage of premises on 16.01.2012.	
4	35584 08-11-2010	NEELKANTH INDUSTRIES B-57/4A, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Establish	STAINLESS STEEL KITCHEN SINK STAINLESS STEEL KITCHEN SINK	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		30-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:conducted on 22.11.2010. During the inspection following were observed: 1.) Unit found operational & engaged in the activity of Stainless steel, kitchen sink & other kitchen items. 2.) Unit generating Hazardous Waste in the form of sludge from buffring activity. 3.) Buffring activity is carried out with proper channelization and ECS installed but did not work at the time of inspection. 4.) ECS found but in dismentle condition due to maintenance. (5) SCN u/s 31(A) details : issued on 29.03.2011 and unit submitted reply on 13.04.2011 and asked for BG Rs 50,000 which he submitted on 18.07.2011 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Earlier CMC decision on 05.08.2010: ask the unit to apply for CTE on 13.10.2011 issue CTO (R)	31-10-2012 Recommended for grant of Consent to Establish. IT Cell be requested to update the category of the activity of the unit to Manufacturing of Stainless Steel Utensils (With Buffing Activity).
5	35585 08-11-2010	SEKHRI BROTHERS B-57/4, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Establish	STANLES STEEL KITCHEN SINK AND OTEHR KITCHEN ITEMS STANLES STEEL KITCHEN SINK AND OTEHR KITCHEN ITEMS	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		30-10-2012 (1) ETP ---- N/A (2) ECS - N/A (3) D.G.Set: ...N/A... (4) Inspection details: conducted on 22.11.2010. During the inspection following were observed: 1.) Unit found operational & engaged in the activity of Stainless steel, kitchen sink & other kitchen items. 2.) Unit generating Hazardous Waste in the form of sludge from buffring activity. 3.) Buffring activity is carried out with proper channelization. 4.) Scrap generating which sell to the authorised person & bills showed at	31-10-2012 Recommended for grant of Consent to Establish.

								that time of inspection. 5.) ECS found but in dismentle condition due to maintenance. 6.) One D.G. set found installed with acoustic enclosure and proper stack height. (5) SCN u/s 31(A)/5 of EPA details :issued on 29.03.2011 and unit submitted its reply on 13.04.2011 and submitted BG on 18.07.2011 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no CMC decision on 13.10.2011 issue CTO(R)	
6	35663 18-11-2010	LAMBA STEEL & ALLOYS PVT LTD D-7/2, 3, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Establish	MANUFACTURING OF ALUMINUM INGOTS THROUGH MELTING FURNACE UNIT. MANUFACTURING OF ALUMINUM INGOTS THROUGH MELTING FURNACE UNIT.	• Date of commissioning of project ---- • Built Up Area ---- 668.9 (in sq. meter) • Water Consumption ---- 110 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 01-02-2011 Decision deferred till clarification received from DDA. Decision of Consent Management Committee on 14-02-2011 Decision deferred till clarification received from DDA.	22-11-2010 EARLIER CMC DECISION 131st Inspection be conducted to ascertain the type of furnace. 138th Issue SCN for refusal of consent and SCN for closure of the unit due to findings of the inspection including the prohibition of the activity as per MPD-2021. 13.08.10 Consent refused and issue closure directions. 25.11.10 Ask the unit to submit adequacy report from empanelled consultant and Bank Guarantee of Rs One Lakh under the Air Act valid for one year. If the unit submits the aforesaid documents, closure directions be revoked. DETAILS OF CASE Water Consumption : 110 Lt/d Waste Water generation : (a) Domestic effluent: 100 Lt/d (b) Trade effluent: nil Date of Commissioning: Dec 2010 ETP : NA D.G.Set : NIL G W : Nil CTE refused on 29.09.2010 with Refusal no 2028. SCN for refusal of consent and SCN for closure of the unit were issued to the unit on 17.06.10 No reply received Refusal of consent and Closure directions issued to the unit on 29.09.10 Reply against the SCN received on 04.10.10 stating that the	31-10-2012 File be put up administrativley.

							unit has installed ECS (Photograph attached) , SMR attached and D G Set of 10 KVA sold out Reply against the Closure directions received on 02.11.10 Recommendation / Action Taken Details (EE/AEE) on 30-10-2012 Complaint was received against the unit 10.03.11. Complaint was considered by the competent authority in DPCC & it was decided that Complainant be informed regarding action taken against the unit. Accordingly, action taken was sent to Complainant on 16.05.11 that the unit had already been initiated u/s 31 (A) of the Air Act. The unit has submitted SMR from approved laboratory and the technical adequacy report from approved consultant of DPCC which shows that the parameters are meeting the prescribed standards EARLIER CMC DECISION 16.03.11 Wait till DDA clarification. Decision / Recommendation of Screening Committee (MS) Date : 17-10-2012 File be put up administratively. Recommendation / Action Taken Details (EE/AEE) on 30-10-2012 Complaint was received against the unit 10.03.11. Complaint was considered by the competent authority in DPCC & it was decided that Complainant be informed regarding action taken against the unit. Accordingly, action taken was sent to Complainant on 16.05.11 that the unit had already been initiated u/s 31 (A) of the Air Act. The unit has submitted SMR from approved laboratory and the technical adequacy report from approved consultant of DPCC which shows that the parameters are meeting the prescribed standards EARLIER CMC DECISION 16.03.11 Wait till DDA clarification. Decision / Recommendation of Screening Committee (MS) Date : 17-10-2012 File be put up administratively.	
7	35701	JINDAL FARM HOUSE PALLA BAKHTAWARPUR ROAD, VILLAGE	NORTH WEST	Orange Establish	FARM HOUSE (A PARTY LAWN). Banquet Hall/ Party Lawn (Minimum Area		05-10-2012 ETP : YES ECS: N/A D.G.Set : NIL Earlier CMC Decision:	31-10-2012 Inspection be conducted as decided on 17.10.2012.

		BAKOLI			100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 5300 liters/day • Ground Water ---- 5300 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 5000 liters/day		14.02.2011 Ask the unit to confirm on an affidavit that use of borewell has been discontinued for disposal of waste water. Further, unit be asked to submit the detail information about the proposed waste water treatment plant with the detail of proposed disposal of treated effluent. As per the decision taken up by CMC (O) dated 04.05.2011 letter was sent to the unit on 04.05.2011 asking the unit to confirm on an affidavit that use of borewell has been discontinued for disposal of waste water. Further, unit be asked to submit the detail information about the proposed waste water treatment plant with the deatil of proposed disposal of treated effluent. Reply has been received on 25.05.2011 informing that: 1. The Bore well has been disconnected for disposal of waste water. 2. That the Effluent Treatment Plant (ETP) has been installed and functional. 3. That the Adequacy report of ETP enclosed.	
8	35730 24-11-2010	TWO BROTHER HOLDING LTD. A-6,GROUP WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Establish	BUFFING ON STAINLESS UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		30-10-2012 ATR: Water Consumption :0.05 Kilo ltr/day Waste Water generation : (a) Domestic effluent: 0.02 Kilo ltr/day (b) Trade effluent: NIL Date of Commissioning: 2009 ETP : N/A D.G.Set : NIL A letter issued to the unit for submission of bank guarantee on 08.06.2011 unit submitted the bank guarantee on and an affidavit regarding rectification of deficiencies on 01.07.2011 and 07.07.2011. Revocation of closure directions was issued on 19.07.2011.	31-10-2012 Recommended for grant of Consent to Establish.
9	35761 26-11-2010	DEV MATTEL INDUSTRIAL 1/424/63,GALI NO IB FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Establish	Job work of Supper Enamel Paint on Aluminum Wire Unit. Wire Drawing (Cold Process) And Bailing (With Metal Surface Treatment)	• Date of commissioning of project ---- • Built Up Area ---- 85 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 0 liters/day		30-10-2012 (1)ETP ---- N/A (2)ECS - installed. (3)D.G.Set: 82.5 & 82.5. (4) Inspection details: : conducted on 09.10.10 & it was observed that unit is operating W/O consent. ECS not installed.Two DG sets of 62.5 KVA without A/E were found. (5) Closure directions u/s 31(A) details : closure direction were issued to the unit wrt CWG on 20.10.2010. Reply received on 29.11.10. As decided by the CMC (O) in its meeting held on 02.11.11, letter for seeking compliance were issued on 19.12.11 to concern authorities i.e., Dy. Commissioner, BSES.	31-10-2012 File be put up administratively.

							Unit has submitted its replies on 04.01.12 & 20.01.12 along with copy of sealing order, affidavit SMR dated 02.11.11, copy of Bank Guarantee & NMR dated 20.12.11 & requested to revoke the closure directions. As approved, temporarily revocation of closure direction was issued on 03.02.12 for 45 days for submission of fresh adequacy report of the installed ECS, all monitoring reports under Air Act & Noise Rules. Unit has submitted its reply on 12.03.12. EARLIER CMC DECISION 14.02.2011:& 16.03.2011 Ask the unit to submit an affidavit w.r.t. the rectification of the deficiencies regarding hazardous waste management and acoustic enclosure with two D.G. Sets and a Bank Guarantee of Rs. One Lakh each under Air Act and HWM Rules valid for one year. If unit submits the aforesaid documents, closure directions be revoked and consent to establish be issued 02.11.11 Ask the compliance from discom & DJB and also ask the SDM for effective closure of the unit. Decision / Recommendation of Screening Committee (MS) (2c) 17.10.12 File be put up administratively.	
10	35788 30-11-2010	ROSHAN LAL PLOT NO.-13, POCKET-B, SECTOR-5, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	Copper Wire. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- 01-01-2009 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	26-10-2012 Water Consumption : 100 lpd Waste Water generation : (a) Domestic effluent: 50 lpd (b) Trade effluent: NIL Date of Commissioning:Jan 2011 ETP : NA D.G.Set : NIL inspection of the unit was conducted on 29.03.2011 and it was observed that unit is yet to be established as under construction.	31-10-2012 Recommended for grant of Consent to Establish granted followed by inspection.