



CONSENT MANAGEMENT

Agenda No. 2 - Annexure II - 48 Cases of Consent to Operate and Consent to Operate(renewal)under orange category of the period 30.11.2010 to 01.08.2010 in reverse chronology (excluding the cases of Redevelopment areas) recommended by Screening Committee as (2c category) in its meeting on 31.10.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	34719 02-08-2010	MALHOTRA METAL WORKS PLOT NO. 10, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	Mfg. of Bath Room fitting.	• Date of commissioning of project ---- • Built Up Area ---- 610 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 370 liters/day (b) Trade Effluent ---- 0 liters/day		26-10-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated July, 2010 issued by GGSIU submitted. (b) Stack monitoring report dated 03-05-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 02-08-2010 issued by DPCC submitted. Noise monitoring report within Limit - No. it was mentioned in the report that the D. G. Set monitored is not meeting the permissible limit as per the G.S.R.371 (E) dated 17th May 2002 and amended till date. However Ambient Air Quality Standards in Respect of Noise as mentioned in Schedule III of the Environment (Protection) Rules, 1986 is meeting. (4) SCN u/s 31(A) details : issued on 11.10.10. SCN for refusal was also issued on 11.10.10. Reply received on 25.10.2010 stating that they have fully complied with the directions of DPCC with photostate copy of documents.(Bank guarantee and flue gas analysis report) As decided by the CMC (O) in its meeting held on 17.06.11, CTE was issued on 21.07.11. Earlier CMC Decisions 04.06.09 Issue SCN for refusal of Consent. 23.09.09 Reply submitted by the unit may be sought. 27.11.09 File be put up in next CMC. 01.02.2010 Issue SCN for closure due to non submission of CTE. 06.05.2010 Consent be made infructuous in view of the fact that unit has applied under orange category on 22.03.2010. 26.05.2010(Orange) Ask the unit to submit the bank Gaurantee of Rs. 50,000 each under Air Act and Water Act valid for one year. 13.08.2010 Issue SCN for refusal of consent and SCN for closure of the unit.	31-10-2012 Recommended to inspect the unit, thereafter, file be put up administratively.

								30.09.10 Case may be put up in next meeting if the unit complies with the decision taken in consent to establish application regarding submission of Bank Guarantee. 17.06.11 Issue consent to establish.	
2	34751 06-08-2010	NIRULAS CORNER HOUSE PVT.LTD SHOP NO-5, SECTOR-B , POCKET -10, VASANT KUNJ	SOUTH WEST	Orange Renewal	EATING HOUSE RESTAURANT	• Date of commissioning of project ---- • Built Up Area ---- 42.17 (in sq. meter) • Water Consumption ---- 8500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 3500 liters/day		06-09-2010 Quantity of Ground water extraction nil ATR / Remarks Earlier CTO issued valid upto 14.04.2007 Applied for CTO_R on 09.08.2007 Plot area: 42.17 sqm D.G. Set: nil Trade eff: 3.5 KLD, discharge into sewer through oil & grease trap Recommendations of Scrutinizing Committee on 16.08.2010 Ask the unit to apply for consent to establish. Also ask the unit to take suitable measures to control the air and noise pollution from the kitchen exhaust and submit a compliance report on an affidavit.	31-10-2012 Recommended to inspect the unit, thereafter, file be put up administratively.
3	34752 06-08-2010	NIRULAS CORNER HOUSE PVT. LTD. 23, COMMUNITY CENTRE, BASANT LOK, VASANT VIHAR	SOUTH WEST	Orange Renewal	EATING HOUSE RESTAURANT	• Date of commissioning of project ---- • Built Up Area ---- 127.46 (in sq. meter) • Water Consumption ---- 8000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 3000 liters/day		06-09-2010 Quantity of Ground water extraction nil ATR / Remarks Earlier CTO issued valid upto 05.04.2007 Applied for CTO_R on 09.08.2007 Plot area: 127.46 sqm D.G. Set: 125 KVA, NMR submitted dated 15.04.2010 Trade eff: 3.5 KLD, discharge into sewer through oil & grease trap Recommendations of Scrutinizing Committee on 16.08.2010 Ask the unit to apply for consent to establish and to install Effluent Treatment Plant(ETP) to meet the newly notified standards as MCD (Health Deptt.) permits the seating capacity upto 50 seats.	31-10-2012 Recommended to inspect the unit, thereafter, file be put up administratively.
4	34753 06-08-2010	NIRULAS CORNER HOUSE PVT. LTD. 11-13, RAJINDRA BHAWAN, RAJINDRA PLACE	CENTRAL	Orange Operate	EATING HOUSE RESTAURANT	• Date of commissioning of project ---- • Built Up Area ---- 97.88 (in sq. meter) • Water Consumption ---- 7500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2500 liters/day		06-09-2010 Quantity of Ground water extraction nil ATR / Remarks Earlier CTO issued valid upto 14.04.2007 App,lied for CTO on 23.08.2007 vide application no. 23246 Plot area- 97.88 sqm D.G Set- 82.5 KVA, NMR submitted dated 12.04.2010 Trade eff- 3 KLD discharge into the sewer through oil & grease trap. Recommendations of Scrutinizing Committee on 16.08.2010 Ask the unit to apply for consent to establish.	31-10-2012 Unit submitted letter on 26.10.2012 stating that they have closed their operation. Application be made infructuous and accordingly IT Cell to update the data/status.
5	34882 18-08-2010	RAJ SUPER SERVICE STATION RING ROAD, NEAR GURDWARA MOTI BAGH	SOUTH WEST	Orange Operate	SERVICE STATION			30-10-2012 (1)ETP ---- physiochemical (a) AR dated 05.05.2010 issued by submitted. (b) Effluent analysis report dated 29-04-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes .	31-10-2012 Recommended to inspect the unit, thereafter, file be put up administratively. IT Cell be requested to correct the category of the activity of the

8	34930 25-08-2010	BIO LABORATORIES I-2118, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MFG. OF EXTERNAL APPLICATION & REPACKING DRUGS & CHEMICALS.	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1500 liters/day (b) Trade Effluent ---- 0 liters/day	30-10-2012 (1)ETP - Physiochemical (a) AR dated 22.08.2006 issued by GGSIU submitted. (b) Effluent analysis report dated 29-05-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...nil (4) Inspection conducted on 19.10.2010. Earlier CMC Decision on 25.11.2010 Issu SCN for refusal of consent, SCN u/s 33(A) of the Water Act and u/s 5 of EPA based on findings of inspection. Accordingly, same was issued on 03.02.2011. A reply received from the unit on 18.02.2011 along with an affidavit and receipt of Authorization. Decision on 17.06.2011 Ask the unit to submit bank guarantee of Rs. 50,000 each under Water Act and HWM Rules valid for one year.If unit submit the same consent to establish be issued. Accordingly, a letter issued on 04.08.2011. Unit submitted the bank guarantee on 16.11.2011. As approved on 17.06.2011 CTE issued on 24.11.2011.	31-10-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit.
9	34934 26-08-2010	STYLE COUNCIL D-96, PHASE-I, OKHLA INDUSTRIAL AREA,	Okhla Industrial Area	Orange Operate	MFG. OF READYMADE GARMENT WITH WASHING.	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 3500 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 3000 liters/day	Recommendations of Scrutinizing Committee on 16-11-2010 Issue SCN for refusal of consent. Decision of Consent Management Committee on 25-11-2010 Issue SCN for refusal of consent. 11-10-2010 EARLIER CMC DECISION 16.03.10 (Establish) Issue Consent to Establish. Subsequently, inspection be conducted. 16.06.10 Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act for not applying consent to operate. Also ask the unit to provide the adequate stack height of diesel fired boiler and provide acoustic enclosure with the D.G. Set. ATR/REMARK CTE : granted on 27.04.10 vd CNO no. 23263. Water Consumption : 3500 lt/d Waste Water generation : (a) Domestic effluent: 400 lt/d (b) Trade effluent: 3000 lt/d Date of Commissioning: Jan 2010 ETP : yes STP : n/a Test Report (Water) within limit :yes Test Report (Air) within limit : n/a NMR submitted : yes 3. D.G.Set: 125 kva, NMR dt. 30.06.10 submitted. Reply received along with affidavit on 12.08.10 stating that they have installed acoustic enclosure with adequate st. height in DG Set of 125kva & installed adequate stack height with diesel fired baby boiler.	31-10-2012 Recommended for grant of Consent to Operate. IT Cell be requested to correct the category of the activity of the unit.

								Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 As decided by CMC(O) in its meeting held on 25.11.2010, SCN for refusal of consent was issued to the unit on 12.01.2011 for not providing the details of boilers and not submitting SMR. A representation was received from the unit on 24.02.2011 along with the photocopy of Noise Monitoring Report and Stack Monitoring Report.	
10	34991 31-08-2010	BISLERI INTERNATIONAL PVT LTD 60, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	MFG OF PACKAGED DRINKING WATER	• Date of commissioning of project ---- • Built Up Area ---- 3200 (in sq. meter) • Water Consumption ---- 331000 liters/day • Ground Water ---- 331000 liters/day • Waste Water generation (a) Domestic Effluent ---- 10000 liters/day (b) Trade Effluent ---- 0 liters/day		26-10-2012 (1)ETP ---- physiochemical (a) AR dated 31.03.2011 issued by DTU submitted. (b) Effluent analysis report dated 31.03.2011issued by DTU submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 380 & 380 KVA. Noise monitoring report dated 12-07-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted by SIT on 01.05.2009 and following were the observations: - unit found operational and engaged in packaging of driinking mineral water (with treatment). - DG acoustic room needs repair at some places. - one oil fed boiler observed at siite. as informed it is not in use. - two injection moulding machines observed at site. as infoemed, they are not in use and perform pet is procured from outside and only blowing is done in the unit - the discarded bottles are cut and then sold to recylcer. - about 125.000 cartons/ cases (each with 12 bottles) is the production per month and 200000 units (20 tr/ 5ltr)/ month. - approx 7-8 tons/month goes as plastic scrap. 3 borewells exists at the site. -as informed the water consumption for the peak month is 6879000 litres/month (peak summer month). (5) SCN u/s 33(A) water Act details : issued on 26.08.2010 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Earlier CMC Decision: Decision on 26.07.2010 issue SCN for refusal of consent and SCN u/s 33 (A) of the Water Act. SCN for refusal & SCN u/s 33 (A) issued on 26.08.2010 unit submitted its reply on 13.09.2010 decision dated 25.11.2010 ask the unit to submit the steps taken w.r.t. tertiary treatment with documentary proof within 15 days. decision dated 17.06.2011 ask the unit to clarify how the treated water having the TDS leve of about 9000 mg/l is reused and put up the case in next CMC along with the reply.	31-10-2012 Recommended to inspect, thereafter, file be put up administratively.

								letter issued to unit on 25.07.2011 and unit submitted reply on 29.08.2011 regarding reuse of treated water.	
11	35032 06-09-2010	LEKHSO NS PHARMACY GI-50, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	MFG. OF HONEY & SYRUP	• Date of commissioning of project ---- • Built Up Area ---- 334 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 300 liters/day		26-10-2012 Wastewater test report is incomplete. CTO (Renewal) & authorization under HWM Rule applied on 06.09.2010. CTE : Not Applied Water Consumption : 500 ltr/day Waste Water generation : (a) Domestic effluent: 100 ltr/day (b) Trade effluent: 300 ltr/day Date of Commissioning: 2000 ETP : Installed Test Report (Water) within limit : No Test Report (Air) within limit : N/A NMR submitted : N/A Earlier CMC Decision: Ask the unit to submit the fresh effluent analysis report with complete parameters from approved laboratory of DPCC. Accordingly a letter issued to the unit on 24.02.2011. unit submitted the fresh effluent analysis report on 29.04.2011.	31-10-2012 File be put up administratively.
12	35040 07-09-2010	BRAKES INTERNATIONAL K-45, UDYOG NAGAR INDUSTRIAL AREA ROHTAK ROAD	Udyog Nagar Industrial area	Orange Renewal	MFG. OF AUTO PARTS	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 160 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 130 liters/day (b) Trade Effluent ---- 0 liters/day		23-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... CMC(O) meeting held on 21.01.2011 and decided for inspection to be conducted to ascertain pollution potential. (4) Inspection details: inspection was conducted on 18.05.2011 and following are the obsrvation: -unit found operatioal and engaged in activity of mfg of auto parts. -Four buffing machine found iperational without any emission contorl system and without chennalization -One DG set of 62 KVA found installed with acoustic enclosure and proper stack height. (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	31-10-2012 File be put up administratively.
13	35049 07-09-2010	S.M.S. EXPORTS W-7, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MANUFACTURING OF READY MADE GARMENTS (WITH WASHING)	• Date of commissioning of project ---- • Built Up Area ---- 1687 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 1500 liters/day	Recommendations of Scrutinizing Committee on 09-12-2010 As per inspection report, unit is having two boilers and D.G. Set of 200 KVA. But unit has submitted the stack	05-10-2010 EARLIER CMC DECISIONS 127th Issue SCN for refusal of consent and SCN u/s 33(A) of Water Act as no ETP installed 134th Ask the unit to submit Bank Guarantee of Rs. 1 Lakh each under Air Act, Water Act & HWM Rules valid for one year, failing which, court case will be	31-10-2012 Recommended for grant of Consent to Operate. IT Cell be requested to correct the category of the activity of the unit.

						monitoring report of one boiler. Ask the unit to submit the stack monitoring report of the second boiler and the noise monitoring report of the D.G. Set of 200 KVA from approved laboratory of DPCC. Decision of Consent Management Committee on 13-01-2011 Ask the unit to submit the explanation regarding the discrepancies on an affidavit and submit stack monitoring report of the second boiler and noise monitoring report of the D.G. Set of 200 KVA from approved laboratory of DPCC.	filed. 13.08.10 Recommended for grant of consent to establish. ATR/REMARKS CTE :Obtained 11.09.10 vide CNO 25510 Water Consumption :2500 l/d Waste Water generation : (a) Domestic effluent: 400 l/d (b) Trade effluent: 1900 l/d Date of Commissioning:2009 ETP : yes Test Report (Water) within limit : Yes Test Report (Air) within limit : Yes NMR submitted : submitted dated 08.07.10 G W : nil Adequacy of ETP submitted in July 2008. SCN issued. Reply received on 17.11.09 stating that i)by mistake information regarding ETP plant, generator and boiler was omitted. ii)And they have submitted an adequacy report on 12.10.09 and they have applied for NMR and report of boiler. iii)water for washing is purchased from outside from tankers, borewell is not used. File was submitted administratively and it was desired to submit whether any environmental damages can be leived. . BG submitted on 23.03.10. CTE issued on 21.09.10 vide id no 25510. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 As decided by CMC(O) in its meeting held on 21.01.2011, a letter was issued to the unit on 28.02.2011 asking the unit to submit the explanation regarding the discrepancies on an affidavit and submit stack monitoring report of the second boiler and noise monitoring report of the D.G. Set of 200 KVA from approved laboratory of DPCC. Various representations was submitted by the unit on 29.04.2011, 05.10.2011 & 31.01.2012 along with an affidavit regarding discrepancies, Stack monitoring report and noise monitoring report from approved laboratory of DPCC.	
14	35088 10-09-2010	SANGAT PRINTERS PVT. LTD. C-115, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	OFFSET PRINTING OFFSET PRINTING	• Date of commissioning of project ---- • Built Up Area ---- 690 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	25-10-2012 (1)ETP ---- ETP (Physiochemical) (a) AR dated 29.07.2010 issued by DTU submitted. (b) Effluent analysis report dated 29-07-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 3	31-10-2012 Unit has submitted fresh effluent analysis report and also compliance w.r.t. deficiencies observed eariler. Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit to Printing Press (With Trade Effluent Discharge).

							(a) The unit has 3 D.G. Set(s) of 125,100,100 KVA. Noise monitoring report dated 29-07-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes . The unit has 3 D.G. Set(s) of 125,100,100 KVA. Noise monitoring report dated 29-07-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 3 D.G. Set(s) of 125,100,100 KVA. Noise monitoring report dated 29-07-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted by SIT on 03.03.2009 and following were observed: - ETP installed and operational. - pH of the sludge tank was 8.0-9.0. - treated waste water from ETP is beig discharged into storm water drain. the diacharge should be in sewer. sewer connection exist. - one borewell exists at site. - proper platform needs to be provided with ETP reaction tank. - chemial dosing tanks with stirrer needs to be provided. presently chemical is fed manually. - only exhaust gans are provided at offset printing area. proper channelization with suction system needs to e provided existing above the roof height of thye building. - no stack height with one 125 KVA DG set. - proper HW label with date needs to provided in all HW containing containers that are either kept in Hw storage room or those kept for daily purpose use in offset printing area. (5) SCN u/s 31(A)/33(A)/5 of EPA details : issued on 21.09.2006 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Earlier CMC Decision: Decision on 07.05.2010 Issue Consent to Establish. Ask the unit to apply for Authorization under HWM Rules.	
15	35125 15-09-2010	S.R. INDUSTRIES PLOT NO.20, GALI NO.7, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	Copper Wire Drawing and Super Enameling. Copper Wire Drawing and Super Enameling.	• Date of commissioning of project ---- • Built Up Area ---- 104.5 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day	07-12-2010 (1)ETP ---- N/A (2)ECS - Scrubber (a) AR dated 03.08.2010 issued by DPCC lab submitted. (b) Stack analysis report is within limit. (3)D.G.Set: 125 kVA (a)Noise monitoring report not submitted. (4) Inspection details: Conducted on 23.06.2011. ECS installed & working.DG set of 125 kVA was found with partial acoustic treatment which is not shown in CTO. GW : Nil. (5) SCN u/s 31(A)/33(A) details: was issued on 24.04.2009 for	31-10-2012 Recommended to issue show cause notice for refusal of consent, u/s 31(A) of the Air Act and u/s 5 of EPA.

								mentioned that they have operating ETP from January continuously & they are not discharging waste water without treatment.	
17	35138 17-09-2010	AROMA CHEMICAL AGENCIES (INDIA) PVT. LTD. D-91/4, PHASE-I, OKHLA INDUSTRIAL AREA,	Okhla Industrial Area	Orange Operate	Warehouse and Small Laboratory for testing (In-house only). Warehouse and Small Laboratory for testing (In-house only).	• Date of commissioning of project ---- • Built Up Area ---- 325 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 75 liters/day	Recommendations of Scrutinizing Committee on 09-12-2010 Recommended for grant of consent to operate. Decision of Consent Management Committee on 13-01-2011 Inspection be conducted.	21-10-2010 EARLIER CMC DECISIONS 25.01.2010 Issue Consent to Establish. Subsequently, inspection be conducted. 27.04.2010 Inspection done. No action. DETAILS OF THE UNIT CTE :issued valid upto 17.02.2011 with CNO 22943 Water Consumption : 300 L/D Waste Water generation : (a) Domestic effluent: 100 L/D (b) Trade effluent: 75L/d Date of Commissioning: jULY 2010 ETP : Yes Test Report (Water) within limit : Yes Test Report (Air) within limit : NA NMR submitted :YES, dt 27.08.2010 G W : nil ATR/Remark 1. DG Set : 40 KVA. 2. Adequacy of ETP dated Aug 2010 submitted. 3. inspection of the unit was conducted by DPCC officials on 19.04.10 Recommendation / Action Taken Details (EE/AEE) on 30-10-2012 Inspection conducted by DPCC officials on 22.03.11& following were observed: 1. The unit is engaged in the activity of chemicals including in-house testing (List obtained). 2. The unit has installed an ETP (batch type) which was found in operation condition. 3. During the inspection no testing work was observed in the lab. It was reported only in-house testing of chemical are carried out, if required. 4. The unit is not comply with the provision of HWM Rules w.r.t date of storage of containers and daily record of H.W As decided by the CMC (O) in its meeting held on 08.04.11, letter was issued on 10.06.11 to correct the deficiencies observed during the inspection and submit an affidavit and apply for authorization under HWM Rules. Unit has submitted its reply on 22.06.11 along with an affidavit rectification of deficiencies observed during inspection. Unit has applied for authorization under HWM Rules on 29.03.11 vd ID 705. EARLIER CMC DECISIONS 08.04.2011 Ask the unit to correct the deficiencies observed during the inspection and submit an affidvit in this regard. Also ask the unit to apply for authorization under HWM Rules.	31-10-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit.

18	35162	AUTO DOCTORS A-262, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	repairing or cars. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 368.8 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 800 liters/day	30-10-2012 Remarks: The unit applied for CTO with the address A-267, Ph-I, Okhla Industrial Area Delhi. Affidavit submitted along with application is for the address A-267, Ph-I, Okhla. however, other documents submitted is of address A-262, Ph-I, Okhla The unit had never before applied for consent on this address. The earlier address on which the unit had applied for CTE is A-262, Ph-I, Okhla Industrial Area Delhi. (1)ETP ---- N/A (a) AR dated July,2010 issued by Jamia Milia Islamia submitted. (b) Effluent analysis report dated 12-07-2010 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... As approved, letter was issued on 18.04.2011 for the clarification of address. Unit has submitted its reply on 11.05.2011 along with an affidavit that actual address is A-262, Ph-I, Okhla Industrial Area Delhi. EARLIER CMC MEETING: 13.08.10 Consent refused and closure direction issued. 25.11.2010 Review the earlier decision dated 13.08.2010 and return one Bank Guarantee of Rs. 50000 under Air Act in original to the unit. In case, the unit submits the Bank Guarantee of Rs. 50000 under Water Act, consent to establish be granted. 21.01.2011 File to be put up administratively.	31-10-2012 Recommended to inspect the unit, thereafter, file be put up administratively.
19	35170	DELHI DYEING MILLS C-53, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	JOB WORK OF DYEING OF GREY CLOTH JOB WORK OF DYEING OF GREY CLOTH	• Date of commissioning of project ---- • Built Up Area ---- 254 (in sq. meter) • Water Consumption ---- 10280 liters/day • Ground Water ---- 10280 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 9800 liters/day	23-10-2012 (1)ETP ---- ETP (Physiochemical) (a) AR dated 27.07.2010 issued by .GGSIPU submitted. (b) Effluent analysis report dated 17-07-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - No . (2)ECS - stack attached to boiler (b) Stack monitoring report dated 14-09-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes . Stack monitoring report dated 15-10-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... (4) Inspection details: no	31-10-2012 Expedite inspection. IT Cell be requested to correct the category of the activity of the unit.

							(5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no decision on.....inspection be conducted.	
20	21-09-2010	YADU GREENS MOTEL/RESORT KH. NO.-52/9,10,11, 53/5,6 AND 42/25, MAIN G. T. ROAD BAKOLI	NORTH WEST	Orange Operate	FARM HOUSE (A PARTY LAWN). FARM HOUSE (A PARTY LAWN).	• Date of commissioning of project ---- • Built Up Area ---- 1200 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 5000 liters/day	26-10-2012 CTE : Not Applied Water Consumption : 0.6 Kilo ltr/day Waste Water generation : (a) Domestic effluent: 0.5 Kilo ltr/day (b) Trade effluent: 0.5 Kilo ltr/day Date of Commissioning: 2008 ETP : installed Ground water extraction -6000 ltr/occasion Test Report (Water) within limit : Yes Test Report (Air) within limit : N/A NMR submitted : submitted 05.08.2010 ask the unit to submit adequacy report and effluent analysis report of ETP from approved consultanat DPCC by 25.08.2010 without waiting for minutes. Letter issued on 12.08.2010. Reply received on 31.08.2010. CTE applied on 08.05.2009. B.G to be asked. MCD licence submitted. Earlier CMC Decision on 21.01.2011 Ask the unit not to hire or run any D.G. Set which is not acoustically treated and submit an affidavit in this regard and also noise monitoring report of all D.G. Sets owned by it from approved laboratory of DPCC. Ask the unit to submit Bank Guarantee of Rs. 50,000 each under Air Act and Water Act valid for one year. If unit submits the Bank Guarantee, consent to establish be issued. Also ask the unit to clarify the low water consumption / discharge figures indicated in consent to establish application in view of facilities of rooms existing in the farm house and to submit the information about the sewage generation and treatment / disposal facilities existing / proposed along with the water mass balance chart. Inform to DJB regarding ground water extraction. Accordingly, a letter issued on 28.02.2011. A reply received from the unit on 25.03.2011 & 28.03.2011 along with Bank Guarantee and Noice Monitoring report. Decision on 14.09.2011 Earlier decision of CMC for grant of consent to establish reviewed as the unit has not accounted the generation of the sewage from rooms in its water consumption / discharge figures. Ask the unit to submit the proposal for installation of Sewage Treatment Plant for treatment of the total waste water including the sewage likely to be generated from the rooms when occupied. Also ask the unit to give undertaking on an affidavit that the rooms will not be let out to the guests until the STP is installed to cater the sewage generation from these rooms. In case of failure, further necessary action including the forfeiture of the bank guarantee may be initiated.	31-10-2012 Recommended to issue show cause notice for refusal of consent and show cause notice u/s 33(A) of the Water Act. IT Cell be requested to correct the category of the activity of the unit.

							Accordingly, a letter issued to the unit on 22.11.2011. Unit failed to submit any reply till date.	
21	21-09-2010	MINOCHA METALS (P) LTD 409, FIE, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Mfg. Units of Brake Shoes. Mfg. Units of Brake Shoes.	• Date of commissioning of project ---- • Built Up Area ---- 260 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	30-10-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House, N/A, (a) AR dated August 2010 issued by GGSIU submitted. (b) Stack monitoring report dated 29-06-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 12-10-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 14-07-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 06-09-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 14.11.11 w.r.t a public complaint & following were observed: a) The unit has provided bag filter with buffing of brake shoe lining. however, one of the connection was found detached as seen during inspection. b) In the basement raw material are mixed. Smell & dirt particles were observed through channelization with stack over roof level was provided, it was not found inadequate c) The sand blasting machine was having inbuilt cyclone system. (5) SCN u/s 31(A) details : issued on 13.12.11. SCN for revocation of consent was also issued on 13.12.11. Unit has submitted its reply on 19.12.11 & stating that they have provided air pollution device & that is working to the full satisfaction for cleaning purpose. Channelization has provided with suction facility. EARLIER CMC DECISION 21.01.2011 Consent to Establish is not required in view of DPCC Board decision. Ask the unit to submit stack monitoring report for asbestos fibre from approved laboratory of DPCC. Inform to DJB regarding ground water extraction.	31-10-2012 Recommended to inspect the unit. IT Cell be requested to correct the category of the activity of the unit.
22	27-09-2010	SHIVALIK SERVICE CENTRE SECTOR-2, PH-1, DWARKA	SOUTH WEST	Orange Operate	washing and service station washing and service station	• Date of commissioning of project ---- • Built Up Area ---- 1080 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 750 liters/day (b) Trade Effluent ---- 0 liters/day	23-10-2012 (1)ETP ----physiochemical (a) AR dated 02.07.2010 issued by GGSIPU submitted. (b) Effluent analysis report dated - 30.06.2010 - issued by - GGSIPU - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A...	31-10-2012 Inspection be conducted. IT Cell be requested to correct the category of the activity of the unit to Automobile Fuel Outlet (With Automobile Servicing, Repairing And Painting).

							(4) Inspection details: conducted on 19.04.2011 and folowing were observed: 1) ETP found installed but at the time of ispection not found operational. 2) wet sludge and dry sludge seen at site. 3) unit generating HW but not follow as per the norms. 4) two DG sets found installed with acoustic enclosure and inadequate stack height. (5) SCN for refusal of consent, u/s 31 (A) and 33 (A) and 5 of EPA issued on 01.08.2011. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Letter issued to the unit for BG on 06.09.2011. unit submitted BG Rs 50,000 each under Air and Water and EPA Act on 20.09.2011.	
23	35230 27-09-2010	CLOUD S GARDEN PLOT NO 139 TO 144, VILLAGE - BUDHPUR, MAIN GTK ROAD	NORTH WEST	Orange Operate	FARM HOUSE (A PARTY LAWN). Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- 01-01-2009 • Built Up Area ---- 2500 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 3500 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 3000 liters/day	26-10-2012 CMC Decision: 26.05.2010 Ask the unit to submit Bank Guarantee of Rupees One Lakh each under Air Act and Water Act valid for one year. If unit submits the Bank Guarantee, closure directions be revoked and issue consent to establish. Also ask the unit to submit adequacy report and effluent analysis report of ETP from approved agencies of DPCC within 15 days, failing which, inspection be conducted. Details of case: CTE : Valid upto 21.07.2011 Water Consumption : 3.5 Kilo ltr/day Waste Water generation : (a) Domestic effluent: 0.2 Kilo ltr/day (b) Trade effluent: 3.0 Kilo ltr/day Date of Commissioning: 2009 ETP : Installed Test Report (Water) within limit : Yes Test Report (Air) within limit : N/A NMR submitted : To be submitted Ground Water : 3500 Ltr/day ATR: MCD permission dated 12.02.2010 submitted.BG of rupess 1 Lakh each under AIR and Water act submitted. CTE issued. Inspection conducted on 29.10.2010. Based on deficiencies, SCN for refusal, u/s 33(A) and 31(A) to the unit and SCN to GGSIPU for wrong adequacy report approved on file. Earlier CMC Decision on 21.01.2011 Ask the unit to submit its reply on an affidavit. Accordingly, a letter issued on 10.03.2011. A reply received from the unit on 29.03.2011 along with an affidavit. An inspection again conducted on 14.11.2011 and following were observed:	31-10-2012 Recommended to inspect the unit, thereafter, file be put up administrativley.

							13.08.2010 Inspection be conducted. ATR: B.G of Rs. 1 lac. Each under Air & Water act submitted on 04.08.2010. MCD licence dated 18.12.07 submitted. Basen on deficiency observed during inspection on 29.09.10 SCN for closure u/s 31 (A) & 33 (A) issued on 15.10.10. Reply received on 01.11.10 and on 29.12.2010 along with NMR. Earlier CMC Decision dated 07.02.2011: Ask the unit to submit its reply on an affidavit. If unit submits the affidavit, consent to operate be issued. Accordingly, a letter issued to the unit for submission of reply on an affidavit on 12.03.2011 unit submitted its reply on 29.03.2011 along with an affidavit.	
26	35344 11-10-2010	JAY ESS WARE HOUSE B-34, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	MFG. OF GRINDING AND PACKAGING OF SPICES. MFG. OF GRINDING AND PACKAGING OF SPICES.	• Date of commissioning of project ---- • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	26-10-2012 CTE : Not Applied Water Consumption : 150 Kilo ltr/day Waste Water generation : (a) Domestic effluent: 3.25 Kilo ltr/day (b) Trade effluent: 10 Kilo ltr/day Date of Commissioning: Jan,2001 Ground water extraction:15000 ltr/day ETP : Installed Test Report (Water) within limit : Yes Test Report (Air) within limit : Yes NMR submitted : Submitted ATR: CTO valid upto 24.07.2005 with C.No. 8612. CTR applied on 19.07.2005 with Id.No. 15250. Earlier CMC Decision on 07.02.2011 Ask the unit to submit Bank Guarantee of Rs. 50,000 each under Air Act valid for one year.If unit submits the Bank Guarantee, renewal of consent be issued. Accordingly, a letter issued on 16.03.2011 A reply received from the unit on 21.03.2011 along with Bank Guarantee of Rs. 50,000 each under Air Act.	31-10-2012 Recommended for grant of Renewal of Consent to Operate. IT Cell be requested to correct the category of the activity of the unit to Spice Grinding.
27	35366 12-10-2010	PURAN SERVICE STATION KIRTI NAGAR, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	petrol pump cum service station petrol pump cum service station	• Date of commissioning of project ---- • Built Up Area ---- 1300 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 2000 liters/day	23-10-2012 (1)ETP ---- ETP(Bio-logical) (a) AR dated 04.12.2007issued by GGSIPU submitted. (b) Effluent analysis report dated 13-08-2010 issued by DPCC submitted. Effluent Test Report within Limit - Yes . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-08-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes . (4) Inspection details: conducted on 03.05.2011 and followiing were observed : 1) ETP found installed but not in operation. 2) no wet sludge seen at the site, dr sludge found in small amount and stored in open area. 3) unit store used oil in leak proof conatainer.	31-10-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit to Automobile Fuel Outlet (With Automobile Servicing, Repairing And Painting).

							Unit submitted its reply on 25.10.10 & 26.10.10 stating that they have already applied for CTO & HWM Authorization & also that they have already installed ETP Plant. Recommendation / Action Taken Details (EE/AEE) on 26-10-2012 As decided by CMC (O) in its meeting held on 07.02.2011, a letter was issued to the unit on 04.03.11 for submission of Bank Guarantee of Rs. 1 Lakh each under Water Act and HWM Rules valid for one year. Unit has submitted above said Bank guarantee on 04.04.11 of Rs. One lakh each under Water Act & HWM Rules. As decided by the CMC (O) in its meeting held on 07.02.11, Closure directions revoked on 19.09.11.	
30	35472 26-10-2010	AKRITI PRINTERS B-96/1, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	OFFSET PRINTING OFFSET PRINTING	• Date of commissioning of project ---- • Built Up Area ---- 600 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	23-10-2012 (1)ETP ---- ETP (Physiochemical) (a) AR dated 20.10.2010 issued by DTUsubmitted. (b) Effluent analysis report dated 20-10-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 17-09-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes . (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no decision dated 07.02.2011 ask the unit to submit fresh analysis report with complete parameters for printing activity from approved laboratory of DPCC.	31-10-2012 Issue SCN for refusal of consent. IT Cell be requested to correct the category of the activity of the unit to Printing Press (With Trade Effluent Discharge).
31	35536 01-11-2010	KOHLI POLISHING WORK F-10, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	JOB WORK OF ELECTROPLATING JOB WORK OF ELECTROPLATING	• Date of commissioning of project ---- • Built Up Area ---- 38 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 20 liters/day	23-10-2012 Earlier CMC Decision: Decision on 07.05.2010 Issue Consent to Establish. Ask the unit to apply for fresh Authorization under HWM Rules. ATR/Remarks: CTO Issued valid upto 31.07.2004 for the activity of Chrome plating. Applied for CTO_R on 20.08.2007 vide ID no 23183. CTO_R Issued valid upto 26.08.2007 vide cosent order no. 14899. Applied for renewal of authorization under HWM Rules on 01.11.2010 vide	31-10-2012 File be put up administratively.

[illegible]

							Decision of Consent Management Committee on 14-02-2011 Issue SCN for refusal of consent in view of the deficiencies found during the inspection.	(a) Domestic effluent: 1.5 KLD (b) Trade effluent: 2.5 KLD Date of Commissioning: OCT 2009 ETP : YES Test Report (Water) within limit : Yes Test Report (Air) within limit : NA NMR submitted : yes, dated 20.09.10 G W : Nil ATR/REMARKS 1. Seating capacity- 98 seats, MCD licence & Police licence submittted. 2. DG Set: 62.5 KVA 3. Adequacy dated October 2010 and Test report dated 27.09.10 submitted. Recommendation / Action Taken Details (EE/AEE) on 23-10-2012 As decided by CMC (O) in its meeting held on 14.02.2011, SCN for refusal for the deficiencies found during inspection was issued on 1.04.2011. A representation was received from the unit on 27.04.2011 along with an affidavit & photographs regarding the rectification of deficiencies of adequate stack height and channelization system.	
34	35543 01-11-2010	NANDANVAN FARMS (GUPTAJEE) PALLA BHAKTAWAR ROAD, ALI PUR, DELHI-110036	NORTH WEST	Orange Operate	FARM HOUSE (A PARTY LAWN). FARM HOUSE (A PARTY LAWN).	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 3500 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 3000 liters/day	30-10-2012 CMC desision: 26.05.2010 Ask the unit to submit Bank Guarantee of Rupees One Lakh each under Air Act and Water Act valid for one year. If unit submits the Bank Guarantee, closure directions be revoked and issue consent to establish. Also ask the unit to submit adequacy report and effluent analysis report of ETP from approved agencies of DPCC within 15 days, failing which, inspection be conducted. Deatils of case: CTE : Valid upto 08.08.2011 Water Consumption : 3.5 Kilo ltr/day Waste Water generation : (a) Domestic effluent: 0.2 Kilo ltr/day (b) Trade effluent: 3.0 Kilo ltr/day Date of Commissioning: Jan, 2010 ETP : Installed Test Report (Water) within limit : Yes Test Report (Air) within limit : N/A NMR submitted : submitted Ground water: 3.5 Kilo ltr/day ATR: MCD permission dated 18.12.2007 submitted. BG of Rs 1 Lakh each under air act and water act submitted. Closure direction revoked. Re- inspection done on 29.09.2010 and based on deficiencies, as per	31-10-2012 Inspection be conducted, thereafter, file be put up administratively.	

								approval on file on 08.10.2010, SCN for closure issued on 19.10.2010. Reply recieved on 28.10.2010 and 23.11.2010 along with an affidavit stating that deficiencies has been rectified. Earleir CMC Decision: 14.02.2011 Ask the unit to submit the fresh adequacy report for ETP in view of the rectification done after the inspection dated 29.09.2010. Copy of the letter along with inspection report dated 29.09.2010 be sent to GGS University with a request to clarify as to how the adequacy report was issued inspite of the deficiencies found during subsequent inspection and to clarify the details of the methodology in batchwise biological treatment mentioned in the adequacy report issued as the waste water is not generated regularly from these kind of establishments. Inform to DJB regarding ground water extraction. As per the decision taken up by CMC (O) dated 14.02.2011 letters to the unit, to DJB and to the Director, University School of Environment Management, I.P University on 07.04.2011. The Director, I.P University was requested to clarify as to how the adequacy report was issued inspite of the deficiencies found during subsequent inspection and to clarify the details of the methodolgy in batchwise biological treatment mentioned in the adequacy report issued as the waste water is not generated regularly from these kind of establishments. The unit was asked to submit the fresh adequacy report for ETP. DJB was informed that the unit is extracting ground water. Reply has been received on 21.04.2011 wherein the unit has submitted the fresh adequacy report of ETP. Reply from the Dean of I.P University has been received on 06.05.2011 wherein he has informed DPCC that the consultanccy incharge of DPCC related work is under suspension.	
35	35573 04-11-2010	CREATIVE IMPEX C-55/2, PH-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. OF READYMADE GARMENTS WITH WASHING. Mfg. OF READYMADE GARMENTS WITH WASHING.	• Date of commissioning of project ---- • Built Up Area ---- 505.74 (in sq. meter) • Water Consumption ---- 15500 liters/day • Ground Water ---- 15500 liters/day • Waste Water generation (a) Domestic Effluent ---- 2300 liters/day (b) Trade Effluent ---- 12000 liters/day	Recommendations of Scrutinizing Committee on 01-02-2011 Inspection be conducted to check the existence of boiler. Decision of Consent Management Committee on 14-02-2011 Inspection be conducted to check the existence of boiler. Recommendations of Scrutinizing Committee on 31-05-2011 Issue SCN u/s 31(A)	Action Taken Details on 20-12-2011 As per decision of CMC (O) dated 02.09.11, SCN u/s 31(A) of the Air Act and u/s 33(A) of the Water Act was issued to the unit on 03.10.11 Unit has submitted its reply on 14.10.11 in response to the above said SCN dated 03.10.11. Case was put up adminstrativly & as per approval on file, letter was issued on 14.11.11 to submit Bank Guarantee of Rs.50,000/- each under Water Act & Air Act valid for one year and SCN for refusal of consent was also issued on 14.11.11 in view of consealmnt of two oil fired boiler in the consent application. Unit has submitted BGs on 05.12.11 along with an affidavit stating that at the time of submission of 1st application for CTO there was installed 2 boiler for 50 kgs each mainly use of steam press purpose & due to decrease in export order garment washing capacity has been reduced so they has removed both the old boilers. later on due to requirement of production capacity & demand of buyer they have installed fresh boiler dated 10.03.11for 200 Kgs and 300 Kgs with one electric boiler for 10 Kgsand the same is proper stack height	31-10-2012 Recommended for grant of Renewal of Consent to Operate. IT Cell be requested to correct the category of the activity of the unit.

of the Air Act and
u/s 33(A) of the
Water Act

**Decision of
Consent
Management
Committee on 02-
09-2011**

Issue SCN u/s 31(A)
of the Air Act and
u/s 33(A) of the
Water Act

above the roof of the building, in this regard they are submitting latest test report for both the SMRs. they has complied with all deficiencies observed during inspection & requested to withdraw the SCN

Action Taken Details on 31-05-2011

The unit was inspected by DPCC officials on 02.05.2011 and following were observed:

1. The unit has installed an ETP which was not found in operational condition.
2. Trade effluent generated from the process is being discharged into the sewer without any treatment.
3. No dry/wet sludge was observed.
4. Not ETP logbook was available.
5. The unit is having two oil fired boilers and one electric boiler.
6. The unit is having two D.G. sets of 110 and 125 KVA respectively, which have been placed in common partially treated acoustic room. Lining of acoustic treatment are found in broken condition at various places.
7. One bore well exist.

12-11-2010

EARLIER CMC DECISION

30.01.2009

SIT to inspect and report. Call on 18.03.2009

22.05.09

Ask the unit to correct the deficiencies noted by SIT during the inspection

and confirm on affidavit. Call on 08.07.2009.

DETAILS OF THE CASE

CTE : Not Applied

Water Consumption : 15.5 KLD

Waste Water generation :

(a) Domestic effluent: 2.3 KLD

(b) Trade effluent: 12 KLD

Date of Commissioning: 1994

ETP : Yes

Test Report (Water) within limit : yes

Test Report (Air) within limit : NA

NMR submitted : Yes, dated 03.9.10

G W : nil

ATR/REMARKS

1. D G Set : 125 KVA & 110 KVA.
2. CTO issued valid upto 11.10.2007 with CNO 15020.
3. CTR applied on 16.11.2007 with ID no 24219.
4. Adequacy of ETP dated October 2010 and test report dated 14.09.10.

Recommendation / Action Taken Details (EE/AEE) on 26-10-2012

As per decision of CMC (O) dated 02.09.11, SCN u/s 31(A) of the Air Act and u/s 33(A) of the Water Act was issued to the unit on 03.10.11

Unit has submitted its reply on 14.10.11 in response to the above said SCN dated 03.10.11.

							Case was put up adminstrativly & as per approval on file, letter was issued on 14.11.11 to submit Bank Guarantee of Rs.50,000/- each under Water Act & Air Act valid for one year and SCN for refusal of consent was also issued on 14.11.11 in view of consealment of two oil fired boiler in the consent application. Unit has submitted BGs on 05.12.11 along with an affidavit stating that at the time of submission of 1st application for CTO there was installed 2 boiler for 50 kgs each mainly use of steam press purpose & due to decrease in export order garment washing capacity has been reduced so they has removed both the old boilers. later on due to requirement of production capacity & demand of buyer they have installed fresh boiler dated 10.03.11 for 200 Kgs and 300 Kgs with one electric boiler for 10 Kgs and the same is proper stack height above the roof of the building, in this regard they are submitting latest test report for both the SMRs. they has complied with all defienicies observbed during inspection & requested to withdraw the SCN The unit has also submitted photocopy of SMR of boilers dated 08.11.11 issued by DPCC.	
36	35583 08-11-2010	SHRI BANKEY BIHARI BRIJWASI RASGULLEWALA D-128, KAMLA NAGAR	NORTH	Orange Renewal	Sweet Shop and Catering. Sweet shop and Catering.	• Date of commissioning of project ---- • Built Up Area ---- 18.1 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 450 liters/day	26-10-2012 CTE no Water Consumption 700 LPD Waste Water generation a Domestic effluent 450 LPD b Trade effluent 200 LPD Date of Commissioning 1957 ETP NO Test Report Water within limit NA Test Report Air within limit NO NMR submitted NO CTO valid from 27.7.2006 to 14.9.2007 Earlier CMC Decision on 14.02.2011 Inspection be conducted. Accordingly, an inspection conducted on 29.04.2011 and following were observed: 1) The unit was found in operation. The unit was basically a sweet shop including should i.e. puri kachori etc. (only catering) 2) No seating facility exists. 3) However, at one side of the shop front, washing facility exists for washing of utensils and other preparatory moulds. 4) Oil and grease traps found installed.	31-10-2012 Recommended for grant of Renewal of Consent to Operate. IT Cell be requested to correct the category of the activity of the unit to Restaurants/ Eating Houses/ Dhaba (Having Seating Capacity Less Than 36)/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of Less Than 1 Tonne/Day).
37	35596 10-11-2010	GOWARSONS PUBLISHERS PVT. LTD A-143, GULAB HOUSE, MAYAPURI INDUSTRIAL AREA, PH-II	Mayapuri Industrial Area	Orange Renewal	OFFSET PRINTING AND PUBLISHING OFFSET PRINTING AND PUBLISHING	• Date of commissioning of project ---- • Built Up Area ---- 600 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 1000 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 900 liters/day	23-10-2012 (1)ETP ---- physiochemical (a) AR dated 23.08.2010 issued by GGSIPU submitted. (b) Effluent analysis report dated 03-05-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set: ...1... a)Noise monitoring report of -75 - KVA dated - 02.08.2010 - issued by - GGSIPU - submitted and noise levels are within limit / beyond limit. (4) Inspection details: no	31-10-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit to Printing Press (With Trade Effluent Discharge).

							(5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Decision dated 14.02.2011 asked the unit to submit the fresh effluent analysis report with complete parameters including sulphide, bio-assay, total metal and phenolic compounds from approved laboratory of DPCC. unit submitted reply on 14.09.2011 along with fresh analysis report.	
38	35622 15-11-2010	ASHOKA SERVICE STATION SIRI FORT AUDITORIUM, BEHIND HAUZ KHAS, NEAR GULMOHAR PARK	SOUTH WEST	Orange Renewal	PETROL PUMP CUM SERVICE STATION. PETROL PUMP CUM SERVICE STATION.	• Date of commissioning of project ---- • Built Up Area ---- 1114 (in sq. meter) • Water Consumption ---- 1350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 800 liters/day	Recommendations of Scrutinizing Committee on 01-02-2011 Ask the unit to submit fresh effluent analysis report from approved laboratory of DPCC. Decision of Consent Management Committee on 14-02-2011 Ask the unit to submit fresh effluent analysis report from approved laboratory of DPCC. Recommendation / Action Taken Details (EE/AEE) on 30-10-2012 As decided by the CMC (O) in its meeting held on 14.02.11, letter was issued on 01.04.11 for submission of fresh effluent analysis report from approved laboratory of DPCC. Unit has submitted its reply on 02.05.11 along with the effluent analysis report dated 29.03.11 issued by GGSIU. Effluent Test Report within Limit - Yes	06-12-2010 DETAILS OF THE CASE CTE : Not applied Water Consumption : 1350 l/d Waste Water generation : (a) Domestic effluent: 300 l/d (b) Trade effluent: 800 l/d Date of Commissioning: 1973 ETP : Yes Test Report (Water) within limit : Yes Test Report (Air) within limit : NA NMR submitted : NA GW : NIL ATR/REMARKS 1. CTO obtained, valid upto 26.08.06 vide CNO 11425. 2. HWM applied on 15.11.10 vide id no 0492. 31-10-2012 Check for authorization application and file be put up administratively. IT Cell be requested to correct the category of the activity of the unit to Automobile Fuel Outlet (With Automobile Servicing, Repairing And Painting).
39	35625 15-11-2010	RESTODYNE PVT. LTD. C-29, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	FLOUR MILLS. Flour Mills FLOUR MILLS.	• Date of commissioning of project ---- • Built Up Area ---- 330.6 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 01-02-2011 If the unit complies with the earlier CMC s decision regarding submission of Bank Guarantee, unit be ask to submit stack monitoring report of ECS from approved laboratory of DPCC after revocation of the closure order. Decision of Consent	19-11-2010 EARLIER CMC DECISIONS 16.03.10 (Establish) Issue Consent to Establish. Subsequently, inspection be conducted. 16.06.10 Issue SCN u/s 31(A) of the Air Act for closure of the unit. 22.09.10 File was put up administratively and as approved on file, the closure directions u/s 31(A) of Air Act and SCN for revocation of consent to establish have been issued. Decision taken on file ratified. Details Of The Case CTE : issued on 15.04.10 Water Consumption : 200l/d Waste Water generation :

							Management Committee on 14-02-2011 If the unit complies with the earlier CMC's decision regarding submission of Bank Guarantee, unit be asked to submit stack monitoring report of ECS from approved laboratory of DPCC after revocation of the closure order.	(a) Domestic effluent: 150 l/d (b) Trade effluent: NIL Date of Commissioning: Feb 2010 ETP : NA Test Report (Water) within limit : NA Test Report (Air) within limit : NO (not given) NMR submitted : NA GW : NIL ATR/REMARKS 1. Technical Adequacy of ECS dated October 2010 submitted. 2. No DG Set. Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 Unit has submitted the Bank guarantee of Rs. 100000 under Air Act valid for one year on 31.01.2011. Subsequently, Revocation of closure directions was issued to the unit on 10.02.2011. A letter was submitted by unit on 22.03.2011 requesting for change of unit name from M/s Resto dyne Pvt. Ltd to M/s Shree Kalkaaata Chaki Mills Pvt. Ltd. along with the copy of Memorandum & Articles of Association, MCD license in the name of M/s Shree Kalkaaata Chaki Mills Pvt. Ltd. and an affidavit stating that there is no change in the activity and address of the unit. The unit has also requested to grant consent in the name of M/s Shree Kalkaaata Chaki Mills Pvt. Ltd. The unit has also submitted the stack monitoring report (SMR) in the name of M/s Resto dyne Pvt. Ltd dated 07.03.11 issued by GGSIU.	
40	35634 15-11-2010	PERFECT METAL (INDIA) RAJ KUMAR JAIN D-1509, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	PRESSURE COOKER AND KITCHENWARE. PRESSURE COOKER AND KITCHENWARE.	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		26-10-2012 Details of case: CTE : Not Applied Water Consumption : 0.5 Kilo ltr/day Waste Water generation : (a) Domestic effluent: 0.3 Kilo ltr/day (b) Trade effluent: NIL Date of Commissioning: 2004 ETP : N/A Test Report (Water) within limit : N/A Test Report (Air) within limit : Yes NMR submitted : N/A Inspection of the unit was conducted on 20.12.2011 and based on the deficiencies observed SCN 31(A) was issued on 26.04.2012. Direction for closure were issued on 05.09.2012.	31-10-2012 No reply received w.r.t. closure direction issued on 05.09.2012. Recommended for refusal of consent.
41	35636 16-11-2010	SHREE BANKEY BEHARI EXPORTS LTD. C-42/3, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	DALL MILL (BESAN MILLING ACTIVITY). DALL MILL (BESAN MILLING ACTIVITY).	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		30-10-2012 Details of case: CTE : Not Applied. Water Consumption : 350 ltr/day Waste Water generation : (a) Domestic effluent: 150 ltr/day (b) Trade effluent: NIL Date of Commissioning: 1996 ETP : N/A	31-10-2012 Consent has already been issued. IT Cell be requested to update the consent status.

							Test Report (Water) within limit : N/A Test Report (Air) within limit : Yes NMR submitted : N/A Consent to operate already been granted to the unit on 28.02.2011 valid upto 07.11.2013.	
42	35638 16-11-2010	SHREE BANKEY BEHARI EXPORTS LTD. C-46/2, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	DALL MILL. DALL MILL.	• Date of commissioning of project ---- • Built Up Area ---- 263.77 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day • (b) Trade Effluent ---- 0 liters/day	30-10-2012 Details of case: CTE : Valid upto 22.09.2004 Water Consumption : 350 ltr/day Waste Water generation : (a) Domestic effluent: 150 ltr/day (b) Trade effluent: NIL Date of Commissioning: Dec,2003 ETP : N/A Test Report (Water) within limit : N/A Test Report (Air) within limit : Yes NMR submitted : N/A Ground water: 350 ltr/day ATR: CTO granted on 24.10.2005 and valid upto 29.12.2007. CTR applied on 28.11.2007. Note: Consent to Operate already issued on 28.02.2011 which is valid upto 15.11.2013.	31-10-2012 Consent has already been issued. IT Cell be requested to update the consent status.
43	35656 18-11-2010	SHREE BANKEY BEHARI EXPORTS LTD C-43/5, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	DALL MILL. Dal Mills	• Date of commissioning of project ---- 01-01-1996 • Built Up Area ---- 232 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day • (b) Trade Effluent ---- 0 liters/day	30-10-2012 Details of case: CTE : Not Applied Water Consumption : 350 ltr/day Waste Water generation : (a) Domestic effluent: 150 ltr/day (b) Trade effluent: NIL Date of Commissioning: 1996 ETP : N/A Test Report (Water) within limit : N/A Test Report (Air) within limit :Yes NMR submitted : Yes ATR: unit applied for the Renewal of consent on 18.11.2010 vide ID No. 35656. but in offline consent data it is showing that consent has already been granted on 28.02.2011 valid upto 17.11.2013 vide consent order no. 26786.	31-10-2012 Consent has already been issued. IT Cell be requested to update the consent status.
44	35690 19-11-2010	BHARAT EXPORTS D-14, S.M.A INDUSTRIAL AREA,G.T. KARNAL ROAD	S.M.A Industrial Area	Orange Operate	MANUFACTURE OF S.S. UTENSILS/CUTLERY (WITH BUFFING). MANUFACTURE OF S.S. UTENSILS/CUTLERY (WITH BUFFING).	• Date of commissioning of project ---- • Built Up Area ---- 1016.18 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day • (b) Trade Effluent ---- 0 liters/day	26-10-2012 Details of case: CTE : Valid upto 04.04.2006 Water Consumption : 1.0 Kilo ltr/day Waste Water generation : (a) Domestic effluent: 0.5 Kilo ltr (b) Trade effluent: NIL Date of Commissioning: june, 2008 ETP : N/A Test Report (Water) within limit : N/A Test Report (Air) within limit : N/A NMR submitted : To be submitted. Ground water: 1000 ltr/day ATR: CTO Applied on 19.11.2010.	31-10-2012 Recommended for grant of Consent to Operate and Consent to Establish. Subsequently, inspection be conducted. IT Cell be requested to correct the category of the activity of the unit to Manufacturing of Stainless Steel Utensils (With Buffing Activity).

							1. D G Set: 2X 500 KVA and NMR submitted dated 11.08.10. 2. Unit consists boiler and SMR submitted dated 25.11.10. 3. Adequacy Report submitted dated October 2009 and Test Report dated 10.11.10 submitted 4. CTE applied on 27.11.09 vide ID no 24339. 5. CTO applied on 12.07.06 vide ID no 18754. Recommendation / Action Taken Details (EE/AEE) on 30-10-2012 File was put up administratively & as approved on file, letter was issued on 07.06.11 to clarify whether the unit has obtained permission under Rules for the manufacture, use import, export and storage of Hazardous micro- organisms, Genetically engineered organisms or cells. Unit has submitted its reply on 15.06.11 & stating that they are not handling any hazardous micro organisms and genetically engineered organisms. Unit has submitted its representation on 04.07.11 along with an affidavit informing that they have closed their R & D facility at A-224, Ph-I, OKHLA INDUSTRIAL AREA. Now, there is no activity is going on this premise & requested to update in the record. Unit has again submitted its representation on 20.03.12 & stating that ETP is under maintenance from 21.03.12 to 31.03.12. During this period their production will be stopped.	
47	35749 26-11-2010	HIM MOTORS PVT. LTD. D-9, UDYOG NAGAR INDUSTRIAL AREA ROHTAK ROAD NAGLOI	Udyog Nagar Industrial area	Orange Renewal	SHOW ROOM CUM REPAIRING AND SERVICING OF AUTOMOBILES CARA Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 2632 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 5500 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 5000 liters/day	23-10-2012 (1)ETP ---- physiochemical (a) AR dated .24.11.2010 issued by DTUsubmitted. (b) Effluent analysis report dated - 24.11.2010 - issued by - DTU - submitted. (2)ECS - stack connected to paint booth (a) Stack analysis report dated - 24.11.2010 - issued by - DTU - submitted. (3)D.G.Set: 1 (a)Noise monitoring report of - 360 - KVA dated -24.11.2010 - issued by - DTU - submitted and noise levels are within limit. (4) Inspection details: conducted on 23.04.2012 and following were observed: 1) unit has installed ETP for treatment of effluent and same found in working. 2) DG set found installed with acoustic enclosure ad adequate stack height. (5) SCN u/s 31(A)/33(A)/5 of EPA details : issued on 18.10.2010 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Earlier CMC Decision	31-10-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

							Decision on 27.04.2010 Issue SCN for refusal of consent on the basis of deficiencies noted during the inspection. Also inform to DJB regarding GW extraction. Decision on 19.08.2010 Consent Refused. Issue SCN u/s 33(A) of the Water Act, u/s 31(A) of the Air Act & u/s 5 of the EPA.	
48	35786 30-11-2010	INDIAN SAFE FACTORY B-48, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	MFG OF STEEL AND WOODEN FURNITURE WITH PAINTING Paint and Varnishes (Blending, Mixing)	• Date of commissioning of project ---- • Built Up Area ---- 540 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	23-10-2012 (1)ETP ---- N/A (2)ECS - paint booth connected to wet scrubber (a) Stack analysis report dated - 24.11.2010 - issued by - DTU - submitted. (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A) Act details : SCN for refusal of consent was issued on 22.11.2010 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Earlier CMC Decision: Decision on 23.06.2010 Ask the unit to apply for consent under orange category in view of hazardous waste generating activity of painting. Decision on 07.10.2010 Issue SCN for refusal of consent CMC(O) meeting held on 14.02.2011 and decide to ask the unit to submit the detail of the channelization porvided over the painting process on an affidavit supported by the photographs. Unit has submite a letter on 21.04.2011 along with affidavit and photographs and inform that they have installed channelization system provided over the painting process with adequate stack approx 2.5 mtr from the roof level.	31-10-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit to Spray Painting, Paint Baking, Paint Stripping.