



Agenda No 2 - Annexure I - 40 Cases of Consent to Operate and Consent to Operate(Renewal)under orange category of the period 01.10.2012 to 31.10.2012(excluding the cases of redevelopment areas)recommended by Screening Committee as (2b category) in its meeting on 22.11.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/2763 01-10-2012	DEV POLYPLAST PVT. LTD 8/30D, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	MFG. OF PLASTIC GRANULES Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	- Date of commissioning of project ---- - Built Up Area ---- 54.34 (in sq. meter) - Water Consumption ---- 500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		09-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	22-11-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
2	DPCC/EC/2/1/2012/2771 01-10-2012	SHIVANI LEATHER CLOTH INDUSTRIES F-35, DSIDC NANGLOI INDUSTRIAL AREA	Nangloi Industrial Area	Orange Renewal	MFG. OF COATED FABRICS (PVC REXENE CLOTH). Coated Cotton Fabrics (PVC Rexene Cloth)	- Date of commissioning of project ---- - Built Up Area ---- 370 (in sq. meter) - Water Consumption ---- 1000 liters/day - Ground Water ---- 500 liters/day - Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 0 liters/day		09-11-2012 (1)ETP ---- N/A (2)ECS - stack connected to thermic fluid heater and baking oven (a) Stack monitoring report dated 18-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 18-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 18-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes . (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	22-11-2012 Renewal of Consent to Operate granted.
3	DPCC/EC/2/1/2012/2775	SETHI ENTERPRISES	Wazirpur Industrial Area	Orange Renewal	Mfg. of Plastic Novelties. Plastic Processed Goods			14-11-2012 (1)ETP ---- N/A	22-11-2012 Renewal of Consent to Operate granted

	03-10-2012	C-17/3, WAZIRPUR INDUSTRIAL AREA				• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (3)D.G.Set: ...Nil	without using plastic scrap as a raw material.
4	DPCC/EC/2/1/2012/2776	TARUN PLASTICS	Shahzada Bagh Industrial Area	Orange Renewal	Manufacturing of PVC Products and Footwear. Plastic Processed Goods PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 70 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 95 liters/day (b) Trade Effluent ---- 0 liters/day		21-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Note: Old file is not traceable.	22-11-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
5	DPCC/EC/2/1/2012/2778	PASRICHA PLASTICS C -586, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	MFG. OF PLASTIC DANA (REPROCESSING WITHOUT WASHING) Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material Without Washing Activity)	• Date of commissioning of project ---- 01-01-2002 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 90 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		21-11-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 26-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... Note : Unit applied for CTO_R on 24.09.2009 vide ID no. 31555 and same was issued on 18.02.2010 which was valid upto 23.09.2012 in the same activity but this application not showing in online data.	22-11-2012 Renewal of Consent to Operate granted. IT Cell be requested to enter the application dated 24.09.2009 and update its record also.
6	DPCC/EC/2/1/2012/2780	SOLO ENGINEERING PVT LTD C-586, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	Manufacturing of Plastic Dana (Reprocessing Without Washing) Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material Without Washing Activity)	• Date of commissioning of project ---- 01-01-2001 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 90 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		21-11-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 26-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	22-11-2012 Renewal of Consent to Operate granted.
7	DPCC/EC/2/1/2012/2783	INDIAN PLASTICS F-90/28, OKHLA INDL. AREA, PH-I	Okhla Industrial Area	Orange Renewal	MFG. OF SHRINK AND RIGID PVC TUBES, FILM AND SLEEVES. Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 230 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 0 liters/day		15-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 KVA and 75 KVA. Noise monitoring report dated 19-09-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 125 KVA and 75 KVA. Noise monitoring report dated 19-09-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 21.12.2009/22.12.2009, CTR was issued on 27.01.10.	22-11-2012 File be put up administratively.

						• Date of commissioning of project ---- • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day			
12	DPCC/EC/2/1/2012/2800 05-10-2012	SHREE VENKATESH INDUSTRIES (INDIA) D-17, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Operate	Mfg. of Exereise Note Book and Registrs. Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 371.56 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		14-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	22-11-2012 Consent to Operate (Without Trade Effluent Discharge) and Authorization under HWM Rules granted.
13	DPCC/EC/2/1/2012/2802 05-10-2012	KAPUR RUBBER INDUSTRIES A-88, PH-II, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	Mfg. of Rubber Chappals. Footwear (rubber)	• Date of commissioning of project ---- • Built Up Area ---- 166 (in sq. meter) • Water Consumption ---- 750 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		21-11-2012 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 05-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 05-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 05-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	22-11-2012 Renewal of Consent to Operate granted with the condition that unit will also comply with the provisions of new notification for rubber industries.
14	DPCC/EC/2/1/2012/2808 08-10-2012	SILVER OCEAN EXPORTS PVT. LTD PLOT NO. B-9/2, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MFG.OF READYMADE GARMENTS W/O WASHING. Readymade Garment with oil fired boiler (Without Washing/Dyeng)	• Date of commissioning of project ---- • Built Up Area ---- 1075 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day		15-11-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 20-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 20-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 200 KVA, 125 KVA . Noise monitoring report dated 20-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 05.02.10 & following were observed: 1. No washing activity was observed. 2. One boiler with a DG set is installed and both are provided	22-11-2012 Renewal of Consent to Operate granted.

	15-10-2012	BAGH INDUSTRIAL AREA , OLD ROHTAK ROAD				• Date of commissioning of project ---- • Built Up Area ---- 53 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...Nil Note: Old file is not traceable.	material.
20	DPCC/EC/2/1/2012/2863	GOYAL METAL INDUSTRIES PLOT NO 1/359-C, GALI NO. 3, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	COPPER WIRE DRAWING. Copper Wire Drawing Without Super Enamelling, pickling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 174.91 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		21-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Authorization under HWM Rules was issued on 29.01.10, which was applied on 22.11.06.	22-11-2012 Unit is having valid authorization. Renewal of Consent to Operate granted. IT Cell be requested to update the status of authorization.
21	DPCC/EC/2/1/2012/2864	GOYAL BROTHERS 423-24, GALI NO. 7, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	COPPER AND ALUMINUM WIRE DRAWING. Copper Wire Drawing Without Super Enamelling, pickling (Dry Process) Wire Drawing (Without Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 167.2 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		15-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 21.12.2009/22.12.2009, CTR & authorization under HWM Rules was issue don 29.01.10 vd authorization No. 2079. Earlier authorization under HWM Rules applied on 06.10.06 which was granted on 29.01.10. EARLIER CMC DECISION 21.12.2009/22.12.2009 Issue renewal of consent and authorization under HWM Rules.	22-11-2012 Unit is having valid authorization. Renewal of Consent to Operate granted. IT Cell be requested to update the status of authorization.
22	DPCC/EC/2/1/2012/2868	VIKAS INDUSTRIES PLOT NO.3, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MANUFACTURING OF PET PRE FORMS (CAPSULES FOR BOTTLES) AND BOTTLES PLASTIC/PVC MOULDED GOODS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		21-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Note:- Old Fil is not traceable.	22-11-2012 File be put up administratively.
23	DPCC/EC/2/1/2012/2876	KAMAL PHARMACY (AYURVEDIC) PVT. LTD. 14, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	MFG. OF HARBEL MEDICINES Pharmaceuticals formulation only (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 568 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		14-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 04-10-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	22-11-2012 Inspection be conducted.

24	DPCC/EC/2/1/2012/2882	SURYA AUTO & DIE CASTING B-31, G.T. KARNAL ROAD INDUSTRIAL AREA 19-10-2012	G.T. Karnal Road Industrial Area	Orange Renewal	PRESSURE DIE CASTING Aluminium Pressure Die Casting	• Date of commissioning of project ---- • Built Up Area ---- 240 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day		14-11-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 15-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 15-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 15-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 15-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 15-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-11-2012 Inspection be conducted.
25	DPCC/EC/2/1/2012/2883	DEVINDER PLASTIC MOULDING INDUSTRIES PLOT NO 118 POCKET-I SECTOR-4 DSIDC BAWANA INDUSTRIAL AREA 19-10-2012	Bawana Industrial Area	Orange Operate	Mfg. of plastic moulded goods with injection moulding machine. Plastic Processed Goods	• Date of commissioning of project ---- 01-05-2007 • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		14-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	22-11-2012 Consent to Operate granted without using plastic scrap as a raw material.
26	DPCC/EC/2/1/2012/2896	SHREE MINOCHA PLASTIC INDUSTRIES 6/13, KIRTI NAGAR INDUSTRIAL AREA 22-10-2012	Kirti Nagar Industrial Area	Orange Operate	MANUFACTURING OF PLASTIC GRANULES. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 65 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		14-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	22-11-2012 Consent to Operate granted without using plastic scrap as a raw material.
27	DPCC/EC/2/1/2012/2906	G.C. COSMETICS PVT. LTD	Kirti Nagar Industrial Area	Orange Renewal	PERFUMERY AND COSMETIC/COSMETIC GOODS.			14-11-2012 (1)ETP ---- N/A	22-11-2012 Renewal of Consent to Operate and

	23-10-2012	41/2, BLOCK-II, WHS, KIRTI NAGAR INDUSTRIAL AREA			Perfumes and Cosmetics	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 06-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Authorization under HWM Rules granted.
28	23-10-2012	DPCC/EC/2/1/2012/2908 SAKSHI PLASTIC F-1, DSIDC, PH-III, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	MFG. OF PLASTIC DANA Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 220 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		14-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-11-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
29	25-10-2012	DPCC/EC/2/1/2012/2918 SIGHT SOUND ELECTRONICS (INDIA) PVT. LTD. A-128, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	Mfg. of PVC Cables. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 1011 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		21-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	22-11-2012 Renewal of Consent to Operate granted.
30	25-10-2012	DPCC/EC/2/1/2012/2919 INTERNATIONAL BEAUTY PRODUCTS H-3, PH-III, DSIDC BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	Mfg. of Plastic Moulded Goods. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		14-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	22-11-2012 Renewal of Consent to Operate granted.
31	25-10-2012	DPCC/EC/2/1/2012/2923 AUTO CRAFT PLOT NO. 83, POCKET B, SECTOR - IV , BAWANA DSIDC INDUSTRIAL COMPLEX	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC GOODS/DANA. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-11-2010 • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		14-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	22-11-2012 Consent to Operate granted without using plastic scrap as a raw material.
32	26-10-2012	DPCC/EC/2/1/2012/2929 NAAZ HERBAL PRODUCTS LTD. A-54, STREET NO.3, BRAHAMPURI	EAST	Orange Operate	MANUFACTURING OF PERFUMERY AND COSMETICS (HERBAL) (W/O NAIL POLISH AND VARNISH) (W/O TRADE EFFLUENT).			22-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	22-11-2012 Consent to Operate granted. IT Cell be requested to update the status of consent to establish which has already been issued on 11.02.2009.

					Manufacturing/formulation of Perfumery and Cosmetics (Not involved in the process - Production and /or industrial use of solvents and Production and/or industrial use of paints, pigments, lacquers ,varnishes, plastics and inks)	• Date of commissioning of project ---- • Built Up Area ---- 14.86 (in sq. meter) • Water Consumption ---- 170 liters/day • Ground Water ---- 170 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day		As decided by the CMC (O) in its meeting held on 28.01.09, CTE was issued on 10.02.09.	
33	DPCC/EC/2/1/2012/2935 26-10-2012	VARDHMAN CABLE CO. PLOT NO. B-29/30, GALI NO. 6, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD SHAHDARA	Friends Colony Industrial Area	Orange Operate	MFG.OF PVC WIRE AND CABLES. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		15-11-2012 (1)ETP ---- N/A (2)ECS - N/A Channelization with proper exhaust system has been provided in the process area. (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 07.05.10, CTE was issued on 15.06.10. EARLIER CMC DECISION 07.05.10 Issue Consent to establish.	22-11-2012 Consent to Operate granted.
34	DPCC/EC/2/1/2012/2936 26-10-2012	AUTO INDUSTRIES A-108, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	FORGING OF NON FERROUS/FERROUS ALLOY MAINLY AUTO PARTS 460-485 KG/DAY. (WITHOUT USING PNEUMATIC HAMMEARA AND MORE THAN 4 T HAMMER). Forging of Ferrous and Non-Ferrous Metal (Except Pneumatic Hammer and More than 4 T Hammer)	• Date of commissioning of project ---- • Built Up Area ---- 1500 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 600 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 22-11-2012 Inspection be conducted, thereafter, file be put up administrativley.	14-11-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 18-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 18-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	22-11-2012 Inspection be conducted, thereafter, file be put up administrativley.
35	DPCC/EC/2/1/2012/2942 30-10-2012	SAWAN INDUSTRIES G-4, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Renewal	JOB WORK OF RUBBER FOOTWEAR. Footwear (rubber)	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		14-11-2012 (1)ETP ---- N/A (2)ECS - stack attached to kneeder (b) Stack monitoring report dated 18-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 30.07.2012 and during the inspection following were observed: 1)Unit found operational and engaged in the activity of mfg. of Hawai chappal at Ground Floor. 2)No channelization system has been provided over kneaders/ mixing.	22-11-2012 Unit has submitted its reply in response to SCN issued on 28.08.2012 for deficiencies observed during inspection and also submitted stack monitoring report dated 18.09.2012 along with consent application. Renewal of Consent to Operate granted with the condition that unit will also comply with the provisions of new notification for rubber industries.

							(5) SCN u/s 31(A) issued on 28.08.2012	
							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
36	DPCC/EC/2/1/2012/2943	BHARTI PLASTIC T-2/204, PH-I-, MANGOLPURI INDL. AREA	Mangolpuri Industrial Area	Orange Operate	MFG. OF PVC FOOTWEAR. PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- 01-01-2000 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	21-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	22-11-2012 Consent to Operate granted.
37	DPCC/EC/2/1/2012/2944	V.K. ENTERPRISES PLOT NO.70, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	MFG. OF PLASTIC PRODUCTS (INJECTION MOULDING) Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 134 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	14-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	22-11-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
38	DPCC/EC/2/1/2012/2953	A.N. POLYMERS PVT. LTD A-54, NARAINA INDUSTRIAL AREA PHASE-I	Naraina Industrial Area Phase - I	Orange Renewal	MFG.OF PLASTIC PRODUCTS BY INJECTION MOULDING MACHINE. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 800 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	14-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 24-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	22-11-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
39	DPCC/EC/2/1/2012/2957	SHREE KRISHNA CASTINGS PVT LTD G-4,UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Renewal	MFG OF RUBBER FOOTWEARS (HAWAI CHAPPALS) Footwear (rubber)	• Date of commissioning of project ---- • Built Up Area ---- 800 (in sq. meter) • Water Consumption ---- 1300 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 700 liters/day (b) Trade Effluent ---- 500 liters/day	14-11-2012 (1)ETP ---- N/A (2)ECS - stack connected to thermic fluid heater and kneeder (b) Stack monitoring report dated 18-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 18-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 18-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 30.07.2012 and during the inspection following were observed:	22-11-2012 Unit has submitted its reply in response to SCN issued on 28.08.2012 for deficiencies observed during inspection and also submitted stack monitoring report dated 18.09.2012 along with consent application. Renewal of Consent to Operate granted with the condition that unit will also comply with the provisions of new notification for rubber industries.

							1)Unit found operational and engaged in the activity of mfg. of Hawai chappal at basement, GF, FF and SF. 2)2 oil fired thermic fluid heaters found installed in which only one is in working condition having stack height of 12 m from GL and 4 m above RL. 3)2 DG set of 250 KVA and 110 KVA found installed with separate acoustic enclosure and adequate stack height. As informed only one DG set of 250 KVA is in use and another DG set of 10 KVA is not in working condition. 4)No channelization system has been provided over kneaders/ mixing. (5) SCN u/s 31(A) issued on 28.08.2012. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
40	DPCC/EC/2/1/2012/2958 31-10-2012	CONTINENTAL CAR SCANNING CENTRE B-72/4, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	SERVICING AND REPAIRING OF CARS WITHOUT WASHING. Automobile Repair and Servicing (Without Washing)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day	21-11-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Note: Old file is not traceable.	22-11-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.