



CONSENT MANAGEMENT

Agenda No 2 - Annexure II - 26 Cases of Consent to Operate and Consent to Operate(Renewal)under orange category of the period 01.10.2012 to 31.10.2012(excluding the cases of redevelopment areas)recommended by Screening Committee as (2c category) in its meeting on 22.11.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/2765 01-10-2012	SUMMIT ENTERPRISES C-37/2, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	BUFFING OF S.S. UTENSILS Manufacturing of Stainless Steel Utensils (With Buffing Activity)	- Date of commissioning of project ---- - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 20 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day		21-11-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 13.03.2009 issued by GGSIPU submitted. (b) Stack monitoring report dated 17-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Note:- Old Fil is not traceable.	22-11-2012 Recommended for grant of Consent to Operate.
2	DPCC/EC/2/1/2012/2769 01-10-2012	HIMGIRI AUTOMOBILES PVT. LTD A-19, NEW JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	Service Station (Washing and Repairing of Bikes) Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 282.86 (in sq. meter) - Water Consumption ---- 8000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 7000 liters/day		15-11-2012 (1)ETP ---- Physiochemical (a) AR dated29.02.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 25-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 25-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 15.12.11 & following were observed: (A). Unit operating without CTO w.e.f May, 2007. (B). ETP was found install but not functional. (C) By pass arrangement was found and effluent was being discharged withotu treatment (D) No measures for HW Management was found. (E) DG set was provided with A/E but without adequate stack height. (5) SCN u/s 31(A), 33(A) & 5 of EPA details : issued on 06.01.12 as approved on file.	22-11-2012 File be put up administratively.

							Unit has submitted its reply on 23.01.12 along with the photographs of ETP, receipt of lab order of DTU & affidavit stating that the unit has rectify all the deficiencies observed during inspection & will apply for CTO as soon as they get the adequacy report & test report. As decided by the Screening Committee (MS), CTE, CTO & authorization under HWM Rules were refused on 23.08.12. Unit has submitted reply on 17.08.12 along with an affidavit regarding rectification of deficiencies along with photographs. As approved, temporary revocation was issued on 06.09.12 for submission of fresh adequacy report of ETP, analysis report of ETP & apply fresh for CTE, CTO authorization under HWM Rules. EARLIER CMC DECISION 24.06.09 (In CTE File) Issue SCN for refusal of consent. Call on 26.08.09 09.09.09 (In CTE File) Inspection to be conducted to know the present status. 17-08-2012 Decision / Recommendation of Screening Committee (MS) (2c) Refuse consent to establish, consent to operate and authorization under HWM Rules as closure directions has already been issued on 30.07.2012.	
3	DPCC/EC/2/1/2012/2773 03-10-2012	RAJINDRA MOTORS A-17, DSIDC, JHILMIL INDUSTRIAL AREA, SHAHDARA	Jhilmil Industrial Area	Orange Renewal	SERVICING AND WASHING OF TWO WHEELERS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 3000 liters/day	15-11-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedSeptember, 2012..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 20-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 16.04.10, CTO was issued on 11.06.10. Letter was also issued on 11.06.10 to apply for fresh authorization under HWM Rules. Unit has applied for fresh authorization under HWM Rules on 22.07.10. EARLIER CMC DECISION 21.12.2009 / 22.12.2009 Refer to DJB for ground water extraction. 16.04.2010 Issue consent to operate. Ask the unit to apply for fresh authorization under HWM Rules.	22-11-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
4	DPCC/EC/2/1/2012/2774	CARTEX AUTO	Bawana	Orange	DAL MILLS.		14-11-2012	22-11-2012

	03-10-2012	SYSTEM PLOT NO.-146, SECTOR-1, POCKET-L, DSIDC BAWANA INDUSTRIAL AREA	Industrial Area	Operate	Dal Mills	• Date of commissioning of project ---- 01-01-2009 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	(1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 25.09.2012 issued by DTU submitted. (b) Stack monitoring report dated 25-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	Recommended for grant of Consent to Operate.
5	DPCC/EC/2/1/2012/2779	V. K. INDUSTRIES A-68, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	HOT RE-ROLLING (WITHOUT PICKLING) Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- 01-01-1998 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day	21-11-2012 (1)ETP ---- N/A (2)ECS - Scrubber (a) AR dated issued by submitted. (b) Stack monitoring report dated 27-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Note:- Old File is not traceable.	22-11-2012 Recommended for grant of Renewal of Consent to Operate.
6	DPCC/EC/2/1/2012/2790	DELHI TRANSPORT CORPORATION NAND NAGRI DEPOT	EAST	Orange Renewal	WASHING OF BUSES (GOVT. TRANSPORT.) Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 9000 (in sq. meter) • Water Consumption ---- 12000 liters/day • Ground Water ---- 6000 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 11200 liters/day	15-11-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated16.07.09..... issued byDCE..... submitted. (b) Effluent analysis report dated 05-10-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 08-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has applied for authorization under HWM Rules on 01.09.10. It is mentioned that there is no need for personal hearing & file in CMC as per its turn. Earlier CMC Decisions 21.12.2009 / 22.12.2009 Refer to DJB for ground water extraction. Ask the unit to improve the acoustic enclosure of the D.G Set to meet the minimum insertion loss of 25 dB(A) and submit the noise moniotirng report from approved laboratory of DPCC. 16.04.2010 Ask the unit to apply for authorization under HWM Rules. 19.08.2010 Call for personal hearing.	22-11-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
7	DPCC/EC/2/1/2012/2792	DTC SEEMAPURI DEPOT SEEMAPURI DEPOT	NORTH EAST	Orange Renewal	SERVICING AND WASHING OF DTC BUSES. Automobile Servicing And Repair Station With Washing		15-11-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated08.04.09..... issued byDCE..... submitted. (b) Effluent analysis report dated 05-10-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes.	22-11-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

					Activity	• Date of commissioning of project ---- • Built Up Area ---- 1350 (in sq. meter) • Water Consumption ---- 16500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1800 liters/day (b) Trade Effluent ---- 12000 liters/day	(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 09-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 13.01.2011, CTR & letter to apply for fresh authorization under HWM Rules were issued on 23.02.11. letter was also issued on 23.02.11 to DJB regarding ground water extraction. EARLIER CMC DECISION 13.01.2011 Issue renewal of consent. Ask the unit to apply for fresh authorization under HWM Rules. Inform to DJB regarding ground water extraction.	
8	DPCC/EC/2/1/2012/2809 08-10-2012	SAMARA INDIA PVT LTD. 7/20, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Operate	SERVICE STATION. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1493.28 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 4000 liters/day	09-11-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 19.04.2012 issued by DTU submitted. (b) Effluent analysis report dated 21-08-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 19-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes . (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	22-11-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.
9	DPCC/EC/2/1/2012/2811 08-10-2012	HOTEL SARAVANA BHAVAN (THANIGAI MURUGAN RESTAURANTS PVT LTD) 46,JANPATH	NEW DELHI	Orange Operate	South Indian Vegetarian Restaurants. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- 01-01-2003 • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 10500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1800 liters/day (b) Trade Effluent ---- 8500 liters/day	09-11-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 06.02.2012issued by DTU. submitted. (b) Effluent analysis report dated 28-08-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 24-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	22-11-2012 Recommended for grant of Consent to Establish and Consent to Operate.
10	DPCC/EC/2/1/2012/2818	GAURAV STEEL	Wazirpur	Orange	BUFFING OF		14-11-2012	22-11-2012

	10-10-2012	INDUSTRIES (UNIT-II) 38, DSIDC SHEDS WAZIRPUR INDUSTRIAL AREA	Industrial Area	Operate	S.S.UTENSILS Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 125 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day	(1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 27.08.2009 issued by GGSIU submitted. (b) Stack monitoring report dated 17-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	Recommended for grant of Renewal of Consent to Operate.
11	10-10-2012	DPCC/EC/2/1/2012/2819 SANEET STEELS C-39/2, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MFG.OF S.S. UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 380 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	21-11-2012 (1)ETP ---- N/A (2)ECS - stack (a) AR dated 27.08.2009 issued by GGSIU submitted. (b) Stack monitoring report dated 17-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 17-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	22-11-2012 Recommended for grant of Renewal of Consent to Operate.
12	11-10-2012	DPCC/EC/2/1/2012/2828 NEW VISHAL (I) HARDENING D-1/104, MAYAPURI INDUSTRIAL AREA , PHASE-II	Mayapuri Industrial Area	Orange Renewal	HARDENING OF AUTO PARTS. Heat Treatment (Hardening/ Tampering of Steel)	• Date of commissioning of project ---- • Built Up Area ---- 92 (in sq. meter) • Water Consumption ---- 850 liters/day • Ground Water ---- 850 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 450 liters/day	14-11-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 16.10.2009 issued by GGSIP submitted. (b) Effluent analysis report dated 29-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - stack attached to oil fired furnace (b) Stack monitoring report dated 29-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	22-11-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
13	12-10-2012	DPCC/EC/2/1/2012/2838 CHANDRA ELECTRICAL INDUSTRIES 7/18, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	COPPER WIRE DRAWING AND ENAMELING. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 1115 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 600 liters/day • Waste Water generation (a) Domestic Effluent ---- 900 liters/day (b) Trade Effluent ---- 0 liters/day	14-11-2012 (1)ETP ---- N/A (2)ECS - Scrubber (a) AR dated 25.11.2009 issued by GGSIPU submitted. (b) Stack monitoring report dated 10-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 10-10-2012 issued by DELHI COLLEGE OF	22-11-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

							ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
14	DPCC/EC/2/1/2012/2866 17-10-2012	NAV DURGA INDUSTRIES A-83/1, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	MANUFACTURING OF PRESSURE COOKERS. Process Involving Buffing	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	14-11-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 27.07.2012 issued by DTU submitted. (b) Stack monitoring report dated 27-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	22-11-2012 Recommended for grant of Renewal of Consent to Operate.
15	DPCC/EC/2/1/2012/2873 17-10-2012	P R APPARLES PVT. LTD. C-67/1, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG. OF READYMADE GARMENTS MADE-UPS WITH WASHING Readymade Garment (With Washing) with Boiler	- Date of commissioning of project ---- - Built Up Area ---- 1254 (in sq. meter) - Water Consumption ---- 7100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1500 liters/day (b) Trade Effluent ---- 5000 liters/day	15-11-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedSept, 2012..... issued byDTU..... submitted. (b) Effluent analysis report dated 27-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 19-07-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 125 KVA and 18 KVA. Noise monitoring report dated 25-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 05.07.12, CTE was issued on 06.08.12. EARLIER CMC DECISION 05-07-2012 Decision / Recommendation of Screening Committee (MS) (2c) Consent to Establish granted.	22-11-2012 Recommended for grant of Consent to Operate.
16	DPCC/EC/2/1/2012/2886 19-10-2012	COMPETENT AUTOMOBILIES CO. LTD B-83, PH-I, MAYAPURI INDL. AREA	Mayapuri Industrial Area	Orange Operate	SERVICING, REPAIRING AND WASHING OF CARS. Automobile Servicing And Repair Station With Washing Activity with burner	- Date of commissioning of project ---- - Built Up Area ---- 1500 (in sq. meter) - Water Consumption ---- 13000 liters/day - Ground Water ---- 13000 liters/day - Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 10000 liters/day	14-11-2012 (1)ETP ---- Physico chemical (a) AR dated 20.07.2012 issued by DTU submitted. (b) Effluent analysis report dated 24-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 22-08-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes	22-11-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.

	25-10-2012	MAHESHWARI INDUSTRIES H-1270,DSIDC NARELA INDUSTRIAL AREA	Industrial Area	Renewal	Dal Mills	• Date of commissioning of project ---- 01-01-2000 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 300 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	(1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 30.06.2008 issued by DTU submitted. (b) Stack monitoring report dated 11-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... Note: Old file is not traceable.	Recommended for grant of Renewal of Consent to Operate.
23	DPCC/EC/2/1/2012/2920 25-10-2012	MULTAN AUTOMOBILE ENGINEERS B-7/1, PHASE II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Automobiles Workshop Cum Service Station including washing. Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 1146.38 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 3000 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 5000 liters/day	15-11-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedSeptember, 2009..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 09-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 25-10-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 17-10-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 05.02.10 & following were observed: 1. The unit was found in operation and a batch type ETP is installed and found operational. 2. Fresh & wet sludge was found stored. 3. One paint booth with adequate stack height is also found stored. 4. Ground water extraction is also being done for which they have applied with DJB. As decided by the CMC (O) in its meeting held on 16.04.10, CTR & letter to apply for fresh authorization under HWM Rules were issued on 10.06.10. Unit has applied for fresh authorization under HWM Rules on 09.07.10 vd ID 252. Earlier CMC Decisions 21.12.2009 / 22.12.2009 Ask the unit to apply for Consent to Establish and inspection be carried out to check pollution potential. Also refer to DJB for ground water extraction. 16.04.2010 Issue renewal of consent. Ask the unit to apply for fresh authorization under HWM Rules.	22-11-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
24	DPCC/EC/2/1/2012/2938	WOK IN THE	WEST	Orange	RESTAURANT		22-11-2012	22-11-2012

	26-10-2012	CLOUDS (A UNIT OF M/S KTG HOTEL & RESORTS PVT. LTD.) 3, CLUB ROAD, PUNJABI BAGH		Operate	(EATING HOUSE). Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 461.6 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 2000 liters/day	(1)ETP ---- Physio-chemical (a) AR dated 17.09.012 issued by DTU submitted. (b) Effluent analysis report dated 17-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 17-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Recommended for grant of Consent to Operate.
25	30-10-2012	DPCC/EC/2/1/2012/2945 JAGDISH COLD STORAGE AND ICE FACTORY C-34/1 LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	MEAT PROCESSING AND MFG. OF ICE AND COLD STORAGE. Chilling Plants And Cold Storages (Integrated) (Excluding meat/ food processing) Manufacturing of Ice Meat & Sea Food Industry - Meat Processing	• Date of commissioning of project ---- • Built Up Area ---- 1008 (in sq. meter) • Water Consumption ---- 4300 liters/day • Ground Water ---- 3300 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 4000 liters/day	21-11-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated .08.10.2009 issued by GGSIU submitted. (b) Effluent analysis report dated 18-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . Parameter i.e. TSS is not meeting the prescribed norms as per the activity of meat and food industry. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 18-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	22-11-2012 Recommended for inspection.
26	31-10-2012	DPCC/EC/2/1/2012/2960 ESTOCORP (INDIA) PVT LTD B-56, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. of Readymade Garments and Home Furnishing Items with washing. Readymade Garment (With Washing) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 696.77 (in sq. meter) • Water Consumption ---- 9100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 8000 liters/day	15-11-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJune, 2012..... issued by submitted. (b) Effluent analysis report dated 09-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 25-10-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 KVA and 110 KVA. Noise monitoring report dated 06-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 125 KVA and 110 KVA. Noise monitoring report dated 06-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	22-11-2012 Recommended for grant of Renewal of Consent to Operate.

								(4) Inspection details: conducted on 09.04.2010 & following were observed: 1. The unit has installed an ETP (batch type) which was found in operational condition. 2. No washing was being done during inspection. 3. Source of water is outside tankers. 4. Adeqaute stack height and acoustic enclosure has been provided with both the DG set of 100 KVA & 125 KVA. 5. One dead Bore well exist. As decided by the CMC (O) in its meeting held on 27.04.2010, CTE & CTO was issued on 15.06.10. letter was also issued on 15.06.10 to DJB regarding extraction of ground water. Unit has submitted ts reply on 22.06.10 stating that there is no extraction of ground water. EARLIER CMC DECISION 21.12.2009 / 22.12.2009 Ask the unit to apply for Consent to Establish. Also inspection be carried out to check source of water. 27.04.2010 Inspection done. Inform to DJB regarding extraction of ground water. Issue consent to operate and consent to esablish with the condition to obtain the permission from DJB for ground water extraction.	
--	--	--	--	--	--	--	--	--	--